

MXZ-2C52VA COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Total			
22	2.20	-	2.20 (0.90 - 3.00)	0.430 (0.120 - 0.620)	1.97	95
25	2.50	-	2.50 (0.90 - 3.30)	0.490 (0.120 - 0.690)	2.24	95
33	3.30	-	3.30 (0.90 - 4.00)	0.690 (0.120 - 0.900)	3.16	95
35	3.50	-	3.50 (0.90 - 4.00)	0.730 (0.120 - 0.900)	3.34	95
42	4.20	-	4.20 (1.00 - 4.90)	1.100 (0.160 - 1.500)	5.03	95
50	4.50	-	4.50 (1.00 - 5.00)	1.220 (0.160 - 1.550)	5.58	95
22+22	2.20	2.20	4.40 (1.10 - 5.30)	0.950 (0.250 - 1.330)	4.26	97
22+25	2.20	2.50	4.70 (1.10 - 5.40)	1.070 (0.250 - 1.390)	4.80	97
22+33	2.00	3.00	5.00 (1.10 - 5.60)	1.190 (0.250 - 1.450)	5.33	97
22+35	1.93	3.07	5.00 (1.10 - 5.60)	1.190 (0.250 - 1.450)	5.33	97
22+42	1.75	3.35	5.10 (1.10 - 5.80)	1.250 (0.250 - 1.550)	5.60	97
22+50	1.59	3.61	5.20 (1.10 - 6.00)	1.300 (0.250 - 1.650)	5.83	97
25+25	2.50	2.50	5.00 (1.10 - 5.60)	1.190 (0.250 - 1.450)	5.33	97
25+33	2.20	2.90	5.10 (1.10 - 5.80)	1.250 (0.250 - 1.450)	5.60	97
25+35	2.13	2.98	5.10 (1.10 - 5.80)	1.250 (0.250 - 1.450)	5.60	97
25+42	1.90	3.20	5.10 (1.10 - 5.80)	1.250 (0.250 - 1.550)	5.60	97
25+50	1.73	3.47	5.20 (1.10 - 6.00)	1.300 (0.250 - 1.650)	5.83	97
33+33	2.60	2.60	5.20 (1.10 - 6.00)	1.300 (0.250 - 1.650)	5.83	97
33+35	2.52	2.68	5.20 (1.10 - 6.00)	1.300 (0.250 - 1.650)	5.83	97
35+35	2.60	2.60	5.20 (1.10 - 6.00)	1.300 (0.250 - 1.650)	5.83	97

MXZ-2C52VA HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Total			
22	3.30	-	3.30 (0.90 - 4.00)	0.670 (0.110 - 0.910)	3.07	95
25	3.60	-	3.60 (0.90 - 4.50)	0.730 (0.110 - 1.050)	3.34	95
33	4.00	-	4.00 (0.90 - 4.80)	0.870 (0.110 - 1.150)	3.98	95
35	4.00	-	4.00 (0.90 - 4.80)	0.870 (0.110 - 1.150)	3.98	95
42	4.80	-	4.80 (0.90 - 5.30)	1.580 (0.100 - 2.000)	7.23	95
50	5.00	-	5.00 (0.90 - 5.50)	1.780 (0.100 - 2.080)	8.15	95
22+22	3.05	3.05	6.10 (1.00 - 6.70)	1.420 (0.200 - 1.710)	6.36	97
22+25	2.90	3.30	6.20 (1.00 - 6.80)	1.460 (0.200 - 1.740)	6.54	97
22+33	2.52	3.78	6.30 (1.00 - 7.00)	1.540 (0.200 - 1.760)	6.90	97
22+35	2.43	3.87	6.30 (1.00 - 7.00)	1.540 (0.200 - 1.760)	6.90	97
22+42	2.17	4.13	6.30 (1.00 - 7.00)	1.540 (0.200 - 1.760)	6.90	97
22+50	1.96	4.44	6.40 (1.00 - 7.00)	1.610 (0.200 - 1.760)	7.22	97
25+25	3.15	3.15	6.30 (1.00 - 7.00)	1.540 (0.200 - 1.760)	6.90	97
25+33	2.72	3.58	6.30 (1.00 - 7.00)	1.540 (0.200 - 1.760)	6.90	97
25+35	2.63	3.68	6.30 (1.00 - 7.00)	1.540 (0.200 - 1.760)	6.90	97
25+42	2.35	3.95	6.30 (1.00 - 7.00)	1.540 (0.200 - 1.760)	6.90	97
25+50	2.13	4.27	6.40 (1.00 - 7.00)	1.610 (0.200 - 1.760)	7.22	97
33+33	3.20	3.20	6.40 (1.00 - 7.00)	1.610 (0.200 - 1.760)	7.22	97
33+35	3.11	3.29	6.40 (1.00 - 7.00)	1.610 (0.200 - 1.760)	7.22	97
35+35	3.20	3.20	6.40 (1.00 - 7.00)	1.610 (0.200 - 1.760)	7.22	97

MXZ-3C54VA COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Total			
22	2.20	-	-	2.20 (1.40 - 3.00)	0.510 (0.420 - 0.740)	2.24	99
25	2.50	-	-	2.50 (1.40 - 3.30)	0.580 (0.420 - 0.830)	2.55	99
33	3.30	-	-	3.30 (1.40 - 4.30)	0.780 (0.430 - 1.180)	3.43	99
35	3.50	-	-	3.50 (1.50 - 4.30)	0.820 (0.430 - 1.180)	3.60	99
42	4.20	-	-	4.20 (1.60 - 5.00)	1.080 (0.450 - 1.420)	4.74	99
50	5.00	-	-	5.00 (1.60 - 5.60)	1.430 (0.480 - 1.660)	6.28	99
22+22	2.20	2.20	-	4.40 (2.00 - 5.40)	0.900 (0.540 - 1.450)	3.95	99
22+25	2.20	2.50	-	4.70 (2.00 - 5.70)	1.000 (0.540 - 1.600)	4.39	99
22+33	2.16	3.24	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
22+35	2.08	3.32	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
22+42	1.86	3.54	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
22+50	1.65	3.75	-	5.40 (2.00 - 6.80)	1.170 (0.540 - 2.310)	5.14	99
25+25	2.50	2.50	-	5.00 (2.00 - 6.00)	1.090 (0.540 - 1.750)	4.79	99
25+33	2.33	3.07	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
25+35	2.25	3.15	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
25+42	2.01	3.39	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
25+50	1.80	3.60	-	5.40 (2.00 - 6.80)	1.170 (0.540 - 2.310)	5.14	99
33+33	2.70	2.70	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
33+35	2.62	2.78	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
33+42	2.38	3.02	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
33+50	2.15	3.25	-	5.40 (2.00 - 6.80)	1.170 (0.540 - 2.310)	5.14	99
35+35	2.70	2.70	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
35+42	2.45	2.95	-	5.40 (2.00 - 6.80)	1.190 (0.540 - 2.320)	5.23	99
35+50	2.22	3.18	-	5.40 (2.00 - 6.80)	1.170 (0.550 - 2.310)	5.14	99
42+42	2.70	2.70	-	5.40 (2.00 - 6.80)	1.190 (0.550 - 2.320)	5.23	99
42+50	2.47	2.93	-	5.40 (2.00 - 6.80)	1.170 (0.550 - 2.310)	5.14	99
50+50	2.70	2.70	-	5.40 (2.10 - 6.80)	1.150 (0.560 - 2.340)	5.05	99
22+22+22	1.80	1.80	1.80	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+22+25	1.72	1.72	1.96	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+22+33	1.54	1.54	2.31	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+22+35	1.50	1.50	2.39	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+22+42	1.38	1.38	2.64	5.40 (2.90 - 6.80)	1.170 (0.670 - 1.760)	5.14	99
22+22+50	1.26	1.26	2.87	5.40 (2.90 - 6.80)	1.160 (0.670 - 1.750)	5.09	99
22+25+25	1.65	1.88	1.88	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+25+33	1.49	1.69	2.23	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+25+35	1.45	1.65	2.30	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+25+42	1.33	1.52	2.55	5.40 (2.90 - 6.80)	1.170 (0.670 - 1.760)	5.14	99
22+25+50	1.22	1.39	2.78	5.40 (2.90 - 6.80)	1.160 (0.670 - 1.750)	5.09	99
22+33+33	1.35	2.03	2.03	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+33+35	1.32	1.98	2.10	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+33+42	1.22	1.84	2.34	5.40 (2.90 - 6.80)	1.170 (0.670 - 1.760)	5.14	99

MXZ-3C54VA COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Total			
22+35+35	1.29	2.05	2.05	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
22+35+42	1.20	1.91	2.29	5.40 (2.90 - 6.80)	1.170 (0.670 - 1.760)	5.14	99
25+25+25	1.80	1.80	1.80	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
25+25+33	1.63	1.63	2.15	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
25+25+35	1.59	1.59	2.22	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
25+25+42	1.47	1.47	2.47	5.40 (2.90 - 6.80)	1.170 (0.670 - 1.760)	5.14	99
25+25+50	1.35	1.35	2.70	5.40 (2.90 - 6.80)	1.160 (0.670 - 1.750)	5.09	99
25+33+33	1.48	1.96	1.96	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
25+33+35	1.45	1.92	2.03	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99
25+35+35	1.42	1.99	1.99	5.40 (2.90 - 6.80)	1.190 (0.670 - 1.770)	5.23	99

MXZ-3C54VA HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Total			
22	3.30	-	-	3.30 (1.20 - 4.20)	0.780 (0.380 - 1.090)	3.43	99
25	3.60	-	-	3.60 (1.20 - 4.50)	0.880 (0.380 - 1.190)	3.86	99
33	4.00	-	-	4.00 (1.20 - 4.80)	1.020 (0.380 - 1.300)	4.48	99
35	4.00	-	-	4.00 (1.20 - 4.80)	1.020 (0.380 - 1.300)	4.48	99
42	5.40	-	-	5.40 (1.30 - 6.50)	1.400 (0.370 - 1.800)	6.15	99
50	6.80	-	-	6.80 (1.40 - 8.20)	1.770 (0.370 - 2.300)	7.77	99
22+22	3.30	3.30	-	6.60 (1.80 - 7.20)	1.500 (0.410 - 1.710)	6.59	99
22+25	3.14	3.56	-	6.70 (1.80 - 8.10)	1.540 (0.410 - 1.980)	6.76	99
22+33	2.72	4.08	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.000)	6.94	99
22+35	2.62	4.18	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.250)	6.94	99
22+42	2.34	4.46	-	6.80 (1.80 - 9.00)	1.560 (0.410 - 2.250)	6.85	99
22+50	2.08	4.72	-	6.80 (1.80 - 9.00)	1.530 (0.380 - 2.240)	6.72	99
25+25	3.40	3.40	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.250)	6.94	99
25+33	2.93	3.87	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.250)	6.94	99
25+35	2.83	3.97	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.250)	6.94	99
25+42	2.54	4.26	-	6.80 (1.80 - 9.00)	1.560 (0.410 - 2.250)	6.85	99
25+50	2.27	4.53	-	6.80 (1.80 - 9.00)	1.500 (0.380 - 2.230)	6.59	99
33+33	3.40	3.40	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.250)	6.94	99
33+35	3.30	3.50	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.250)	6.94	99
33+42	2.99	3.81	-	6.80 (1.80 - 9.00)	1.510 (0.410 - 2.230)	6.63	99
33+50	2.70	4.10	-	6.80 (1.80 - 9.00)	1.410 (0.380 - 2.190)	6.19	99
35+35	3.40	3.40	-	6.80 (1.80 - 9.00)	1.580 (0.410 - 2.250)	6.94	99
35+42	3.09	3.71	-	6.80 (1.80 - 9.00)	1.490 (0.410 - 2.220)	6.54	99
35+50	2.80	4.00	-	6.80 (1.80 - 9.00)	1.410 (0.380 - 2.180)	6.19	99
42+42	3.40	3.40	-	6.80 (1.80 - 9.00)	1.440 (0.410 - 2.190)	6.32	99
42+50	3.10	3.70	-	6.80 (1.80 - 9.00)	1.370 (0.380 - 2.120)	6.02	99
50+50	3.40	3.40	-	6.80 (1.90 - 9.00)	1.390 (0.360 - 2.040)	6.10	99
22+22+22	2.27	2.27	2.27	6.80 (2.60 - 9.00)	1.450 (0.500 - 2.020)	6.37	99
22+22+25	2.20	2.20	2.50	6.90 (2.60 - 9.00)	1.460 (0.500 - 2.020)	6.41	99
22+22+33	2.00	2.00	3.00	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
22+22+35	1.95	1.95	3.10	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
22+22+42	1.79	1.79	3.42	7.00 (2.60 - 9.00)	1.445 (0.500 - 1.980)	6.35	99
22+22+50	1.64	1.64	3.72	7.00 (2.60 - 9.00)	1.435 (0.500 - 1.950)	6.30	99
22+25+25	2.11	2.40	2.40	6.90 (2.60 - 9.00)	1.460 (0.500 - 2.020)	6.41	99
22+25+33	1.93	2.19	2.89	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
22+25+35	1.88	2.13	2.99	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
22+25+42	1.73	1.97	3.30	7.00 (2.60 - 9.00)	1.445 (0.500 - 1.980)	6.35	99
22+25+50	1.59	1.80	3.61	7.00 (2.60 - 9.00)	1.435 (0.500 - 1.950)	6.30	99
22+33+33	1.75	2.63	2.63	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
22+33+35	1.71	2.57	2.72	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
22+33+42	1.59	2.38	3.03	7.00 (2.60 - 9.00)	1.445 (0.500 - 1.980)	6.35	99

MXZ-3C54VA HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Total			
22+35+35	1.67	2.66	2.66	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
22+35+42	1.56	2.47	2.97	7.00 (2.60 - 9.00)	1.445 (0.500 - 1.980)	6.35	99
25+25+25	2.33	2.33	2.33	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
25+25+33	2.11	2.11	2.78	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
25+25+35	2.06	2.06	2.88	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
25+25+42	1.90	1.90	3.20	7.00 (2.60 - 9.00)	1.445 (0.500 - 1.980)	6.35	99
25+25+50	1.75	1.75	3.50	7.00 (2.60 - 9.00)	1.435 (0.500 - 1.950)	6.30	99
25+33+33	1.92	2.54	2.54	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
25+33+35	1.88	2.48	2.63	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99
25+35+35	1.84	2.58	2.58	7.00 (2.60 - 9.00)	1.465 (0.500 - 2.020)	6.43	99

MXZ-4C71VA COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
22	2.20	-	-	-	2.20 (1.40 - 3.00)	0.510 (0.420 - 0.740)	2.24	99
25	2.50	-	-	-	2.50 (1.40 - 3.30)	0.580 (0.420 - 0.830)	2.55	99
33	3.30	-	-	-	3.30 (1.50 - 4.30)	0.760 (0.430 - 1.180)	3.34	99
35	3.50	-	-	-	3.50 (1.50 - 4.30)	0.800 (0.430 - 1.180)	3.51	99
42	4.20	-	-	-	4.20 (1.60 - 5.00)	1.060 (0.450 - 1.420)	4.66	99
50	5.00	-	-	-	5.00 (1.60 - 5.60)	1.400 (0.480 - 1.660)	6.15	99
60	6.00	-	-	-	6.00 (1.60 - 6.60)	1.700 (0.480 - 2.250)	7.47	99
22+22	2.20	2.20	-	-	4.40 (2.00 - 5.40)	0.900 (0.540 - 1.450)	3.95	99
22+25	2.20	2.50	-	-	4.70 (2.00 - 5.70)	0.990 (0.540 - 1.600)	4.35	99
22+33	2.20	3.30	-	-	5.50 (2.00 - 6.30)	1.270 (0.540 - 1.900)	5.58	99
22+35	2.20	3.50	-	-	5.70 (2.00 - 6.40)	1.340 (0.540 - 1.960)	5.88	99
22+42	2.20	4.20	-	-	6.40 (2.00 - 6.80)	1.600 (0.540 - 2.160)	7.03	99
22+50	2.08	4.72	-	-	6.80 (2.00 - 7.10)	1.820 (0.550 - 2.330)	7.99	99
22+60	1.82	4.98	-	-	6.80 (2.00 - 7.10)	1.820 (0.560 - 2.320)	7.99	99
25+25	2.50	2.50	-	-	5.00 (2.00 - 6.00)	1.080 (0.540 - 1.750)	4.74	99
25+33	2.50	3.30	-	-	5.80 (2.00 - 6.50)	1.380 (0.540 - 1.990)	6.06	99
25+35	2.50	3.50	-	-	6.00 (2.00 - 6.60)	1.450 (0.540 - 2.050)	6.37	99
25+42	2.50	4.20	-	-	6.70 (2.00 - 6.90)	1.710 (0.540 - 2.250)	7.51	99
25+50	2.27	4.53	-	-	6.80 (2.00 - 7.10)	1.820 (0.550 - 2.330)	7.99	99
25+60	2.00	4.80	-	-	6.80 (2.00 - 7.10)	1.810 (0.560 - 2.320)	7.95	99
33+33	3.30	3.30	-	-	6.60 (2.00 - 6.90)	1.670 (0.540 - 2.220)	7.33	99
33+35	3.30	3.50	-	-	6.80 (2.00 - 7.00)	1.750 (0.540 - 2.280)	7.69	99
33+42	2.99	3.81	-	-	6.80 (2.00 - 7.10)	1.820 (0.540 - 2.340)	7.99	99
33+50	2.70	4.10	-	-	6.80 (2.00 - 7.10)	1.820 (0.550 - 2.330)	7.99	99
33+60	2.41	4.39	-	-	6.80 (2.00 - 7.10)	1.760 (0.560 - 2.330)	7.73	99
35+35	3.40	3.40	-	-	6.80 (2.00 - 7.10)	1.820 (0.540 - 2.340)	7.99	99
35+42	3.09	3.71	-	-	6.80 (2.00 - 7.10)	1.820 (0.540 - 2.340)	7.99	99
35+50	2.80	4.00	-	-	6.80 (2.00 - 7.10)	1.810 (0.550 - 2.330)	7.95	99
35+60	2.51	4.29	-	-	6.80 (2.00 - 7.10)	1.750 (0.560 - 2.330)	7.69	99
42+42	3.40	3.40	-	-	6.80 (2.00 - 7.10)	1.820 (0.540 - 2.340)	7.99	99
42+50	3.10	3.70	-	-	6.80 (2.00 - 7.10)	1.770 (0.550 - 2.340)	7.77	99
42+60	2.80	4.00	-	-	6.80 (2.10 - 7.10)	1.710 (0.560 - 2.350)	7.51	99
50+50	3.40	3.40	-	-	6.80 (2.10 - 7.10)	1.720 (0.560 - 2.360)	7.55	99
50+60	3.09	3.71	-	-	6.80 (2.10 - 7.10)	1.650 (0.570 - 2.360)	7.25	99
60+60	3.40	3.40	-	-	6.80 (2.10 - 7.10)	1.580 (0.580 - 2.410)	6.94	99
22+22+22	2.20	2.20	2.20	-	6.60 (2.90 - 8.10)	1.540 (0.670 - 2.390)	6.76	99
22+22+25	2.20	2.20	2.50	-	6.90 (2.90 - 8.20)	1.750 (0.670 - 2.420)	7.69	99
22+22+33	2.03	2.03	3.04	-	7.10 (2.90 - 8.50)	1.880 (0.670 - 2.500)	8.26	99
22+22+35	1.98	1.98	3.15	-	7.10 (2.90 - 8.50)	1.860 (0.670 - 2.500)	8.17	99
22+22+42	1.82	1.82	3.47	-	7.10 (2.90 - 8.50)	1.800 (0.670 - 2.480)	7.91	99
22+22+50	1.66	1.66	3.78	-	7.10 (2.90 - 8.50)	1.730 (0.670 - 2.460)	7.60	99

MXZ-4C71VA COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
22+22+60	1.50	1.50	4.10	-	7.10 (2.90 - 8.50)	1.640 (0.670 - 2.440)	7.20	99
22+25+25	2.17	2.47	2.47	-	7.10 (2.90 - 8.40)	1.890 (0.670 - 2.470)	8.30	99
22+25+33	1.95	2.22	2.93	-	7.10 (2.90 - 8.50)	1.860 (0.670 - 2.500)	8.17	99
22+25+35	1.90	2.16	3.03	-	7.10 (2.90 - 8.50)	1.840 (0.670 - 2.490)	8.08	99
22+25+42	1.76	1.99	3.35	-	7.10 (2.90 - 8.50)	1.780 (0.670 - 2.480)	7.82	99
22+25+50	1.61	1.83	3.66	-	7.10 (2.90 - 8.50)	1.710 (0.670 - 2.460)	7.51	99
22+25+60	1.46	1.66	3.98	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.440)	7.16	99
22+33+33	1.78	2.66	2.66	-	7.10 (2.90 - 8.50)	1.800 (0.670 - 2.490)	7.91	99
22+33+35	1.74	2.60	2.76	-	7.10 (2.90 - 8.50)	1.790 (0.670 - 2.490)	7.86	99
22+33+42	1.61	2.42	3.07	-	7.10 (2.90 - 8.50)	1.720 (0.670 - 2.470)	7.55	99
22+33+50	1.49	2.23	3.38	-	7.10 (2.90 - 8.50)	1.660 (0.670 - 2.450)	7.29	99
22+33+60	1.36	2.04	3.70	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.440)	7.16	99
22+35+35	1.70	2.70	2.70	-	7.10 (2.90 - 8.50)	1.780 (0.670 - 2.480)	7.82	99
22+35+42	1.58	2.51	3.01	-	7.10 (2.90 - 8.50)	1.710 (0.670 - 2.470)	7.51	99
22+35+50	1.46	2.32	3.32	-	7.10 (2.90 - 8.50)	1.660 (0.670 - 2.450)	7.29	99
22+35+60	1.34	2.12	3.64	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.440)	7.16	99
22+42+42	1.47	2.81	2.81	-	7.10 (2.90 - 8.50)	1.650 (0.670 - 2.450)	7.25	99
22+42+50	1.37	2.62	3.11	-	7.10 (2.90 - 8.50)	1.640 (0.670 - 2.440)	7.20	99
22+42+60	1.26	2.40	3.44	-	7.10 (2.90 - 8.50)	1.610 (0.670 - 2.430)	7.07	99
22+50+50	1.28	2.91	2.91	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.430)	7.16	99
25+25+25	2.37	2.37	2.37	-	7.10 (2.90 - 8.50)	1.890 (0.670 - 2.500)	8.30	99
25+25+33	2.14	2.14	2.82	-	7.10 (2.90 - 8.50)	1.840 (0.670 - 2.490)	8.08	99
25+25+35	2.09	2.09	2.92	-	7.10 (2.90 - 8.50)	1.820 (0.670 - 2.490)	7.99	99
25+25+42	1.93	1.93	3.24	-	7.10 (2.90 - 8.50)	1.760 (0.670 - 2.470)	7.73	99
25+25+50	1.78	1.78	3.55	-	7.10 (2.90 - 8.50)	1.690 (0.670 - 2.460)	7.42	99
25+25+60	1.61	1.61	3.87	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.440)	7.16	99
25+33+33	1.95	2.57	2.57	-	7.10 (2.90 - 8.50)	1.790 (0.670 - 2.490)	7.86	99
25+33+35	1.91	2.52	2.67	-	7.10 (2.90 - 8.50)	1.780 (0.670 - 2.480)	7.82	99
25+33+42	1.78	2.34	2.98	-	7.10 (2.90 - 8.50)	1.700 (0.670 - 2.470)	7.47	99
25+33+50	1.64	2.17	3.29	-	7.10 (2.90 - 8.50)	1.660 (0.670 - 2.450)	7.29	99
25+33+60	1.50	1.99	3.61	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.440)	7.16	99
25+35+35	1.87	2.62	2.62	-	7.10 (2.90 - 8.50)	1.760 (0.670 - 2.480)	7.73	99
25+35+42	1.74	2.44	2.92	-	7.10 (2.90 - 8.50)	1.690 (0.670 - 2.460)	7.42	99
25+35+50	1.61	2.26	3.23	-	7.10 (2.90 - 8.50)	1.660 (0.670 - 2.450)	7.29	99
25+35+60	1.48	2.07	3.55	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.440)	7.16	99
25+42+42	1.63	2.74	2.74	-	7.10 (2.90 - 8.50)	1.650 (0.670 - 2.450)	7.25	99
25+42+50	1.52	2.55	3.03	-	7.10 (2.90 - 8.50)	1.640 (0.670 - 2.440)	7.20	99
25+50+50	1.42	2.84	2.84	-	7.10 (2.90 - 8.50)	1.630 (0.670 - 2.430)	7.16	99
33+33+33	2.37	2.37	2.37	-	7.10 (2.90 - 8.50)	1.730 (0.670 - 2.480)	7.60	99
33+33+35	2.32	2.32	2.46	-	7.10 (2.90 - 8.50)	1.720 (0.670 - 2.480)	7.55	99
33+33+42	2.17	2.17	2.76	-	7.10 (2.90 - 8.50)	1.670 (0.670 - 2.460)	7.33	99

MXZ-4C71VA COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D			
33+33+50	2.02	2.02	3.06	-	7.10 (2.90 - 8.50)	1.660 (0.670 - 2.450)	7.29 99
33+35+35	2.27	2.41	2.41	-	7.10 (2.90 - 8.50)	1.700 (0.670 - 2.470)	7.47 99
33+35+42	2.13	2.26	2.71	-	7.10 (2.90 - 8.50)	1.670 (0.670 - 2.460)	7.33 99
33+35+50	1.99	2.11	3.01	-	7.10 (2.90 - 8.50)	1.660 (0.670 - 2.450)	7.29 99
33+42+42	2.00	2.55	2.55	-	7.10 (2.90 - 8.50)	1.650 (0.670 - 2.450)	7.25 99
35+35+35	2.37	2.37	2.37	-	7.10 (2.90 - 8.50)	1.690 (0.670 - 2.470)	7.42 99
35+35+42	2.22	2.22	2.66	-	7.10 (2.90 - 8.50)	1.670 (0.670 - 2.460)	7.33 99
35+35+50	2.07	2.07	2.96	-	7.10 (2.90 - 8.50)	1.660 (0.670 - 2.450)	7.29 99
35+42+42	2.09	2.51	2.51	-	7.10 (2.90 - 8.50)	1.650 (0.670 - 2.450)	7.25 99
22+22+22+22	1.78	1.78	1.78	1.78	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+22+25	1.72	1.72	1.72	1.95	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+22+33	1.58	1.58	1.58	2.37	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+22+35	1.55	1.55	1.55	2.46	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+22+42	1.45	1.45	1.45	2.76	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
22+22+22+50	1.35	1.35	1.35	3.06	7.10 (3.70 - 8.80)	1.650 (0.800 - 2.460)	7.25 99
22+22+25+25	1.66	1.66	1.89	1.89	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+25+33	1.53	1.53	1.74	2.30	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+25+35	1.50	1.50	1.71	2.39	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+25+42	1.41	1.41	1.60	2.69	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
22+22+25+50	1.31	1.31	1.49	2.98	7.10 (3.70 - 8.80)	1.650 (0.800 - 2.460)	7.25 99
22+22+33+33	1.42	1.42	2.13	2.13	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+33+35	1.39	1.39	2.09	2.22	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+33+42	1.31	1.31	1.97	2.51	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
22+22+35+35	1.37	1.37	2.18	2.18	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+22+35+42	1.29	1.29	2.05	2.46	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
22+25+25+25	1.61	1.83	1.83	1.83	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+25+25+33	1.49	1.69	1.69	2.23	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+25+25+35	1.46	1.66	1.66	2.32	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+25+25+42	1.37	1.56	1.56	2.62	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
22+25+25+50	1.28	1.45	1.45	2.91	7.10 (3.70 - 8.80)	1.650 (0.800 - 2.460)	7.25 99
22+25+33+33	1.38	1.57	2.07	2.07	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+25+33+35	1.36	1.54	2.04	2.16	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+25+33+42	1.28	1.45	1.92	2.44	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
22+25+35+35	1.34	1.52	2.12	2.12	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
22+25+35+42	1.26	1.43	2.00	2.40	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
25+25+25+25	1.78	1.78	1.78	1.78	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
25+25+25+33	1.64	1.64	1.64	2.17	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
25+25+25+35	1.61	1.61	1.61	2.26	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99
25+25+25+42	1.52	1.52	1.52	2.55	7.10 (3.70 - 8.80)	1.660 (0.800 - 2.470)	7.29 99
25+25+25+50	1.42	1.42	1.42	2.84	7.10 (3.70 - 8.80)	1.650 (0.800 - 2.460)	7.25 99
25+25+33+33	1.53	1.53	2.02	2.02	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38 99

MXZ-4C71VA COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
25+25+33+35	1.50	1.50	1.99	2.11	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38	99
25+25+35+35	1.48	1.48	2.07	2.07	7.10 (3.70 - 8.80)	1.680 (0.800 - 2.480)	7.38	99

MXZ-4C71VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
22	3.30	-	-	-	3.30 (1.20 - 4.20)	0.760 (0.380 - 1.090)	3.34	99
25	3.60	-	-	-	3.60 (1.20 - 4.50)	0.860 (0.380 - 1.190)	3.78	99
33	4.00	-	-	-	4.00 (1.20 - 4.80)	1.000 (0.380 - 1.300)	4.39	99
35	4.00	-	-	-	4.00 (1.20 - 4.80)	1.000 (0.380 - 1.300)	4.39	99
42	5.40	-	-	-	5.40 (1.30 - 6.50)	1.460 (0.370 - 1.800)	6.41	99
50	7.20	-	-	-	7.20 (1.40 - 8.20)	1.880 (0.370 - 2.300)	8.26	99
60	7.90	-	-	-	7.90 (1.40 - 8.60)	2.120 (0.360 - 2.410)	9.31	99
22+22	3.30	3.30	-	-	6.60 (1.80 - 7.20)	1.470 (0.410 - 1.710)	6.46	99
22+25	3.23	3.67	-	-	6.90 (1.80 - 8.10)	1.580 (0.410 - 1.940)	6.94	99
22+33	3.04	4.56	-	-	7.60 (1.80 - 9.00)	1.770 (0.410 - 2.170)	7.77	99
22+35	2.97	4.73	-	-	7.70 (1.80 - 9.00)	1.800 (0.410 - 2.170)	7.91	99
22+42	2.82	5.38	-	-	8.20 (1.80 - 9.00)	1.910 (0.410 - 2.170)	8.39	99
22+50	2.63	5.97	-	-	8.60 (1.80 - 9.00)	2.010 (0.410 - 2.160)	8.83	99
22+60	2.31	6.29	-	-	8.60 (1.80 - 9.00)	2.080 (0.410 - 2.120)	9.13	99
25+25	3.60	3.60	-	-	7.20 (1.80 - 9.00)	1.680 (0.410 - 2.170)	7.38	99
25+33	3.36	4.44	-	-	7.80 (1.80 - 9.00)	1.820 (0.410 - 2.170)	7.99	99
25+35	3.29	4.61	-	-	7.90 (1.80 - 9.00)	1.860 (0.410 - 2.170)	8.17	99
25+42	3.13	5.27	-	-	8.40 (1.80 - 9.00)	1.960 (0.410 - 2.170)	8.61	99
25+50	2.87	5.73	-	-	8.60 (1.80 - 9.00)	2.020 (0.410 - 2.150)	8.87	99
25+60	2.53	6.07	-	-	8.60 (1.80 - 9.00)	2.070 (0.400 - 2.110)	9.09	99
33+33	4.15	4.15	-	-	8.30 (1.80 - 9.00)	1.960 (0.410 - 2.170)	8.61	99
33+35	4.13	4.38	-	-	8.50 (1.80 - 9.00)	2.000 (0.410 - 2.170)	8.78	99
33+42	3.78	4.82	-	-	8.60 (1.80 - 9.00)	2.030 (0.410 - 2.150)	8.92	99
33+50	3.42	5.18	-	-	8.60 (1.80 - 9.00)	2.060 (0.410 - 2.110)	9.05	99
33+60	0.31	0.55	-	-	0.86 (1.80 - 9.00)	1.940 (0.380 - 2.070)	8.52	99
35+35	4.30	4.30	-	-	8.60 (1.80 - 9.00)	2.030 (0.410 - 2.170)	8.92	99
35+42	3.91	4.69	-	-	8.60 (1.80 - 9.00)	2.040 (0.410 - 2.140)	8.96	99
35+50	3.54	5.06	-	-	8.60 (1.80 - 9.00)	2.040 (0.400 - 2.110)	8.96	99
35+60	3.17	5.43	-	-	8.60 (1.80 - 9.00)	1.900 (0.370 - 2.060)	8.34	99
42+42	4.30	4.30	-	-	8.60 (1.80 - 9.00)	2.050 (0.400 - 2.110)	9.00	99
42+50	3.93	4.67	-	-	8.60 (1.80 - 9.00)	1.910 (0.380 - 2.080)	8.39	99
42+60	3.54	5.06	-	-	8.60 (1.90 - 9.00)	1.780 (0.360 - 2.030)	7.82	99
50+50	4.30	4.30	-	-	8.60 (1.90 - 9.00)	1.760 (0.360 - 2.040)	7.73	99
50+60	3.91	4.69	-	-	8.60 (1.90 - 9.00)	1.780 (0.360 - 1.970)	7.82	99
60+60	4.30	4.30	-	-	8.60 (1.90 - 9.00)	1.800 (0.360 - 1.900)	7.91	99
22+22+22	2.87	2.87	2.87	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+22+25	2.74	2.74	3.12	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+22+33	2.46	2.46	3.69	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+22+35	2.39	2.39	3.81	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+22+42	2.20	2.20	4.20	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
22+22+50	2.01	2.01	4.57	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99

MXZ-4C71VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
22+22+60	1.82	1.82	4.96	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.030)	9.00	99
22+25+25	2.63	2.99	2.99	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+25+33	2.37	2.69	3.55	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+25+35	2.31	2.62	3.67	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+25+42	2.13	2.42	4.06	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
22+25+50	1.95	2.22	4.43	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
22+25+60	1.77	2.01	4.82	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.030)	9.00	99
22+33+33	2.15	3.23	3.23	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+33+35	2.10	3.15	3.34	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+33+42	1.95	2.93	3.72	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
22+33+50	1.80	2.70	4.10	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
22+33+60	1.65	2.47	4.49	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.030)	9.00	99
22+35+35	2.06	3.27	3.27	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
22+35+42	1.91	3.04	3.65	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
22+35+50	1.77	2.81	4.02	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
22+35+60	1.62	2.57	4.41	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.030)	9.00	99
22+42+42	1.78	3.41	3.41	-	8.60 (2.60 - 10.60)	2.010 (0.500 - 3.020)	8.83	99
22+42+50	1.66	3.17	3.77	-	8.60 (2.60 - 10.60)	2.000 (0.500 - 2.990)	8.78	99
22+42+60	1.53	2.91	4.16	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 2.990)	8.92	99
22+50+50	1.55	3.52	3.52	-	8.60 (2.60 - 10.60)	1.990 (0.500 - 2.960)	8.74	99
25+25+25	2.87	2.87	2.87	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
25+25+33	2.59	2.59	3.42	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
25+25+35	2.53	2.53	3.54	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
25+25+42	2.34	2.34	3.93	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
25+25+50	2.15	2.15	4.30	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
25+25+60	1.95	1.95	4.69	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.030)	9.00	99
25+33+33	2.36	3.12	3.12	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
25+33+35	2.31	3.05	3.24	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
25+33+42	2.15	2.84	3.61	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
25+33+50	1.99	2.63	3.98	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
25+33+60	1.82	2.41	4.37	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.030)	9.00	99
25+35+35	2.26	3.17	3.17	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
25+35+42	2.11	2.95	3.54	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
25+35+50	1.95	2.74	3.91	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
25+35+60	1.79	2.51	4.30	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.030)	9.00	99
25+42+42	1.97	3.31	3.31	-	8.60 (2.60 - 10.60)	2.010 (0.500 - 3.020)	8.83	99
25+42+50	1.84	3.09	3.68	-	8.60 (2.60 - 10.60)	2.000 (0.500 - 2.990)	8.78	99
25+50+50	1.72	3.44	3.44	-	8.60 (2.60 - 10.60)	1.990 (0.500 - 2.960)	8.74	99
33+33+33	2.87	2.87	2.87	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
33+33+35	2.81	2.81	2.98	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
33+33+42	2.63	2.63	3.34	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99

MXZ-4C71VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
33+33+50	2.45	2.45	3.71	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
33+35+35	2.76	2.92	2.92	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
33+35+42	2.58	2.74	3.28	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
33+35+50	2.41	2.55	3.64	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
33+42+42	2.43	3.09	3.09	-	8.60 (2.60 - 10.60)	2.010 (0.500 - 3.020)	8.83	99
35+35+35	2.87	2.87	2.87	-	8.60 (2.60 - 10.60)	2.050 (0.500 - 3.100)	9.00	99
35+35+42	2.69	2.69	3.23	-	8.60 (2.60 - 10.60)	2.030 (0.500 - 3.060)	8.92	99
35+35+50	2.51	2.51	3.58	-	8.60 (2.60 - 10.60)	2.020 (0.500 - 3.030)	8.87	99
35+42+42	2.53	3.04	3.04	-	8.60 (2.60 - 10.60)	2.010 (0.500 - 3.020)	8.83	99
22+22+22+22	2.15	2.15	2.15	2.15	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+22+25	2.08	2.08	2.08	2.36	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+22+33	1.91	1.91	1.91	2.87	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+22+35	1.87	1.87	1.87	2.98	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+22+42	1.75	1.75	1.75	3.34	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
22+22+22+50	1.63	1.63	1.63	3.71	8.60 (3.40 - 10.70)	1.675 (0.560 - 2.940)	7.36	99
22+22+25+25	2.01	2.01	2.29	2.29	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+25+33	1.85	1.85	2.11	2.78	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+25+35	1.82	1.82	2.07	2.89	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+25+42	1.70	1.70	1.94	3.25	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
22+22+25+50	1.59	1.59	1.81	3.61	8.60 (3.40 - 10.70)	1.675 (0.560 - 2.940)	7.36	99
22+22+33+33	1.72	1.72	2.58	2.58	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+33+35	1.69	1.69	2.53	2.69	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+33+42	1.59	1.59	2.38	3.04	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
22+22+35+35	1.66	1.66	2.64	2.64	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+22+35+42	1.56	1.56	2.49	2.99	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
22+25+25+25	1.95	2.22	2.22	2.22	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+25+25+33	1.80	2.05	2.05	2.70	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+25+25+35	1.77	2.01	2.01	2.81	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+25+25+42	1.66	1.89	1.89	3.17	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
22+25+25+50	1.55	1.76	1.76	3.52	8.60 (3.40 - 10.70)	1.675 (0.560 - 2.940)	7.36	99
22+25+33+33	1.67	1.90	2.51	2.51	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+25+33+35	1.65	1.87	2.47	2.62	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+25+33+42	1.55	1.76	2.33	2.96	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
22+25+35+35	1.62	1.84	2.57	2.57	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
22+25+35+42	1.53	1.73	2.43	2.91	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
25+25+25+25	2.15	2.15	2.15	2.15	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
25+25+25+33	1.99	1.99	1.99	2.63	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
25+25+25+35	1.95	1.95	1.95	2.74	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
25+25+25+42	1.84	1.84	1.84	3.09	8.60 (3.40 - 10.70)	1.685 (0.570 - 2.930)	7.40	99
25+25+25+50	1.72	1.72	1.72	3.44	8.60 (3.40 - 10.70)	1.675 (0.560 - 2.940)	7.36	99
25+25+33+33	1.85	1.85	2.45	2.45	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99

MXZ-4C71VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
25+25+33+35	1.82	1.82	2.41	2.55	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99
25+25+35+35	1.79	1.79	2.51	2.51	8.60 (3.40 - 10.70)	1.705 (0.600 - 2.970)	7.49	99

MXZ-4C80VA COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
22	2.20	-	-	-	2.20 (1.40 - 3.00)	0.670 (0.400 - 0.920)	2.94	99
25	2.50	-	-	-	2.50 (1.40 - 3.30)	0.760 (0.400 - 1.010)	3.34	99
33	3.30	-	-	-	3.30 (1.50 - 4.30)	0.980 (0.400 - 1.290)	4.30	99
35	3.50	-	-	-	3.50 (1.50 - 4.30)	1.030 (0.400 - 1.290)	4.52	99
42	4.20	-	-	-	4.20 (1.60 - 5.00)	1.230 (0.410 - 1.460)	5.40	99
50	5.00	-	-	-	5.00 (1.60 - 5.60)	1.440 (0.420 - 1.630)	6.32	99
60	6.00	-	-	-	6.00 (1.60 - 6.60)	1.930 (0.400 - 2.130)	8.48	99
71	7.10	-	-	-	7.10 (1.70 - 7.40)	2.550 (0.410 - 2.710)	11.20	99
22+22	2.20	2.20	-	-	4.40 (2.00 - 5.60)	1.130 (0.600 - 1.600)	4.96	99
22+25	2.20	2.50	-	-	4.70 (2.00 - 5.90)	1.250 (0.600 - 1.780)	5.49	99
22+33	2.20	3.30	-	-	5.50 (2.00 - 6.70)	1.590 (0.580 - 2.280)	6.98	99
22+35	2.20	3.50	-	-	5.70 (2.00 - 6.80)	1.680 (0.580 - 2.340)	7.38	99
22+42	2.20	4.20	-	-	6.40 (2.00 - 7.10)	1.950 (0.580 - 2.530)	8.56	99
22+50	2.20	5.00	-	-	7.20 (2.00 - 7.40)	2.370 (0.580 - 2.620)	10.41	99
22+60	2.09	5.71	-	-	7.80 (2.00 - 8.20)	2.770 (0.580 - 2.860)	12.17	99
22+71	1.87	6.03	-	-	7.90 (2.00 - 8.80)	2.730 (0.590 - 3.150)	11.99	99
25+25	2.50	2.50	-	-	5.00 (2.00 - 6.20)	1.360 (0.580 - 1.950)	5.97	99
25+33	2.50	3.30	-	-	5.80 (2.00 - 6.90)	1.720 (0.580 - 2.410)	7.55	99
25+35	2.50	3.50	-	-	6.00 (2.00 - 7.10)	1.810 (0.580 - 2.540)	7.95	99
25+42	2.50	4.20	-	-	6.70 (2.00 - 7.10)	2.100 (0.580 - 2.540)	9.22	99
25+50	2.50	5.00	-	-	7.50 (2.00 - 7.80)	2.570 (0.580 - 2.750)	11.29	99
25+60	2.29	5.51	-	-	7.80 (2.00 - 8.20)	2.770 (0.590 - 2.860)	12.17	99
25+71	2.06	5.84	-	-	7.90 (2.00 - 8.80)	2.730 (0.590 - 3.150)	11.99	99
33+33	3.30	3.30	-	-	6.60 (2.00 - 7.10)	2.100 (0.580 - 2.550)	9.22	99
33+35	3.30	3.50	-	-	6.80 (2.00 - 7.10)	2.190 (0.580 - 2.550)	9.62	99
33+42	3.30	4.20	-	-	7.50 (2.00 - 7.80)	2.570 (0.580 - 2.760)	11.29	99
33+50	3.10	4.70	-	-	7.80 (2.00 - 8.20)	2.770 (0.580 - 2.870)	12.17	99
33+60	2.80	5.10	-	-	7.90 (2.00 - 8.80)	2.730 (0.590 - 3.160)	11.99	99
33+71	2.51	5.39	-	-	7.90 (2.10 - 8.80)	2.730 (0.580 - 3.130)	11.99	99
35+35	3.50	3.50	-	-	7.00 (2.00 - 7.10)	2.290 (0.580 - 2.550)	10.06	99
35+42	3.50	4.20	-	-	7.70 (2.00 - 8.10)	2.700 (0.580 - 2.850)	11.86	99
35+50	3.21	4.59	-	-	7.80 (2.00 - 8.20)	2.770 (0.590 - 2.870)	12.17	99
35+60	2.91	4.99	-	-	7.90 (2.00 - 8.80)	2.730 (0.590 - 3.160)	11.99	99
35+71	2.61	5.29	-	-	7.90 (2.10 - 8.80)	2.730 (0.580 - 3.120)	11.99	99
42+42	3.90	3.90	-	-	7.80 (2.00 - 8.20)	2.820 (0.590 - 2.890)	12.38	99
42+50	3.61	4.29	-	-	7.90 (2.00 - 8.80)	2.680 (0.590 - 3.160)	11.77	99
42+60	3.25	4.65	-	-	7.90 (2.10 - 8.80)	2.680 (0.590 - 3.140)	11.77	99
42+71	2.97	5.03	-	-	8.00 (2.10 - 8.80)	2.470 (0.560 - 3.070)	10.85	99
50+50	3.95	3.95	-	-	7.90 (2.10 - 8.80)	2.780 (0.590 - 3.190)	12.21	99
50+60	3.64	4.36	-	-	8.00 (2.10 - 8.80)	2.470 (0.570 - 3.090)	10.85	99
50+71	3.31	4.69	-	-	8.00 (2.10 - 8.80)	2.470 (0.550 - 3.020)	10.85	99

MXZ-4C80VA COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
60+60	4.00	4.00	-	-	8.00 (2.10 - 8.80)	2.470 (0.550 - 3.020)	10.85	99
60+71	3.66	4.34	-	-	8.00 (2.10 - 8.80)	2.470 (0.550 - 3.010)	10.85	99
22+22+22	2.20	2.20	2.20	-	6.60 (2.90 - 8.10)	1.740 (0.690 - 2.410)	7.64	99
22+22+25	2.20	2.20	2.50	-	6.90 (2.90 - 8.40)	1.870 (0.690 - 2.610)	8.21	99
22+22+33	2.17	2.17	3.26	-	7.60 (2.90 - 9.00)	2.170 (0.690 - 3.000)	9.53	99
22+22+35	2.14	2.14	3.41	-	7.70 (2.90 - 9.00)	2.200 (0.690 - 3.000)	9.66	99
22+22+42	2.00	2.00	3.81	-	7.80 (2.90 - 9.00)	2.210 (0.700 - 2.970)	9.71	99
22+22+50	1.83	1.83	4.15	-	7.80 (2.90 - 9.00)	2.200 (0.710 - 2.950)	9.66	99
22+22+60	1.67	1.67	4.56	-	7.90 (2.90 - 9.00)	2.200 (0.720 - 2.910)	9.66	99
22+22+71	1.53	1.53	4.94	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
22+25+25	2.20	2.50	2.50	-	7.20 (2.90 - 8.70)	2.010 (0.690 - 2.810)	8.83	99
22+25+33	2.12	2.41	3.18	-	7.70 (2.90 - 9.00)	2.200 (0.700 - 2.990)	9.66	99
22+25+35	2.07	2.35	3.29	-	7.70 (2.90 - 9.00)	2.200 (0.700 - 2.990)	9.66	99
22+25+42	1.93	2.19	3.68	-	7.80 (2.90 - 9.00)	2.210 (0.700 - 2.960)	9.71	99
22+25+50	1.79	2.04	4.07	-	7.90 (2.90 - 9.00)	2.230 (0.710 - 2.940)	9.79	99
22+25+60	1.64	1.87	4.49	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
22+25+71	1.49	1.69	4.81	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
22+33+33	1.95	2.93	2.93	-	7.80 (2.90 - 9.00)	2.230 (0.700 - 2.970)	9.79	99
22+33+35	1.91	2.86	3.03	-	7.80 (2.90 - 9.00)	2.230 (0.710 - 2.960)	9.79	99
22+33+42	1.79	2.69	3.42	-	7.90 (2.90 - 9.00)	2.240 (0.710 - 2.940)	9.84	99
22+33+50	1.67	2.50	3.79	-	7.95 (2.90 - 9.00)	2.250 (0.720 - 2.910)	9.88	99
22+33+60	1.53	2.30	4.17	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
22+33+71	1.40	2.10	4.51	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
22+35+35	1.87	2.97	2.97	-	7.80 (2.90 - 9.00)	2.230 (0.710 - 2.950)	9.79	99
22+35+42	1.76	2.79	3.35	-	7.90 (2.90 - 9.00)	2.240 (0.710 - 2.930)	9.84	99
22+35+50	1.64	2.62	3.74	-	8.00 (2.90 - 9.00)	2.250 (0.720 - 3.030)	9.88	99
22+35+60	1.50	2.39	4.10	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
22+35+71	1.38	2.19	4.44	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
22+42+42	1.66	3.17	3.17	-	8.00 (2.90 - 9.00)	2.240 (0.720 - 3.030)	9.84	99
22+42+50	1.54	2.95	3.51	-	8.00 (2.90 - 9.00)	2.230 (0.720 - 3.030)	9.79	99
22+42+60	1.42	2.71	3.87	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
22+42+71	1.30	2.49	4.21	-	8.00 (2.90 - 9.00)	2.180 (0.720 - 3.030)	9.57	99
22+50+50	1.44	3.28	3.28	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
22+50+60	1.33	3.03	3.64	-	8.00 (2.90 - 9.00)	2.190 (0.720 - 3.030)	9.62	99
22+50+71	1.23	2.80	3.97	-	8.00 (2.90 - 9.00)	2.170 (0.720 - 3.030)	9.53	99
25+25+25	2.50	2.50	2.50	-	7.50 (2.90 - 9.00)	2.140 (0.690 - 3.010)	9.40	99
25+25+33	2.32	2.32	3.06	-	7.70 (2.90 - 9.00)	2.200 (0.700 - 2.980)	9.66	99
25+25+35	2.29	2.29	3.21	-	7.80 (2.90 - 9.00)	2.230 (0.700 - 2.980)	9.79	99
25+25+42	2.12	2.12	3.56	-	7.80 (2.90 - 9.00)	2.210 (0.710 - 2.950)	9.71	99
25+25+50	1.98	1.98	3.95	-	7.90 (2.90 - 9.00)	2.230 (0.720 - 2.930)	9.79	99
25+25+60	1.82	1.82	4.36	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99

MXZ-4C80VA COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
25+25+71	1.65	1.65	4.69	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
25+33+33	2.14	2.83	2.83	-	7.80 (2.90 - 9.00)	2.230 (0.710 - 2.960)	9.79	99
25+33+35	2.10	2.77	2.94	-	7.80 (2.90 - 9.00)	2.230 (0.710 - 2.950)	9.79	99
25+33+42	1.98	2.61	3.32	-	7.90 (2.90 - 9.00)	2.260 (0.720 - 2.930)	9.93	99
25+33+50	1.85	2.44	3.70	-	8.00 (2.90 - 9.00)	2.250 (0.720 - 3.030)	9.88	99
25+33+60	1.69	2.24	4.07	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
25+33+71	1.55	2.05	4.40	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
25+35+35	2.08	2.91	2.91	-	7.90 (2.90 - 9.00)	2.260 (0.710 - 2.940)	9.93	99
25+35+42	1.94	2.71	3.25	-	7.90 (2.90 - 9.00)	2.240 (0.720 - 2.920)	9.84	99
25+35+50	1.82	2.55	3.64	-	8.00 (2.90 - 9.00)	2.250 (0.720 - 3.030)	9.88	99
25+35+60	1.67	2.33	4.00	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
25+35+71	1.53	2.14	4.34	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
25+42+42	1.83	3.08	3.08	-	8.00 (2.90 - 9.00)	2.240 (0.720 - 3.030)	9.84	99
25+42+50	1.71	2.87	3.42	-	8.00 (2.90 - 9.00)	2.230 (0.720 - 3.030)	9.79	99
25+42+60	1.57	2.65	3.78	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
25+42+71	1.45	2.43	4.12	-	8.00 (2.90 - 9.00)	2.180 (0.720 - 3.030)	9.57	99
25+50+50	1.60	3.20	3.20	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
25+50+60	1.48	2.96	3.56	-	8.00 (2.90 - 9.00)	2.190 (0.720 - 3.030)	9.62	99
33+33+33	2.63	2.63	2.63	-	7.90 (2.90 - 9.00)	2.260 (0.710 - 2.930)	9.93	99
33+33+35	2.58	2.58	2.74	-	7.90 (2.90 - 9.00)	2.260 (0.720 - 2.920)	9.93	99
33+33+42	2.44	2.44	3.11	-	8.00 (2.90 - 9.00)	2.260 (0.720 - 3.030)	9.93	99
33+33+50	2.28	2.28	3.45	-	8.00 (2.90 - 9.00)	2.250 (0.720 - 3.030)	9.88	99
33+33+60	2.10	2.10	3.81	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
33+33+71	1.93	1.93	4.15	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
33+35+35	2.53	2.68	2.68	-	7.90 (2.90 - 9.00)	2.260 (0.720 - 2.920)	9.93	99
33+35+42	2.40	2.55	3.05	-	8.00 (2.90 - 9.00)	2.260 (0.720 - 3.030)	9.93	99
33+35+50	2.24	2.37	3.39	-	8.00 (2.90 - 9.00)	2.250 (0.720 - 3.030)	9.88	99
33+35+60	2.06	2.19	3.75	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
33+35+71	1.90	2.01	4.09	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
33+42+42	2.26	2.87	2.87	-	8.00 (2.90 - 9.00)	2.240 (0.720 - 3.030)	9.84	99
33+42+50	2.11	2.69	3.20	-	8.00 (2.90 - 9.00)	2.230 (0.720 - 3.030)	9.79	99
33+42+60	1.96	2.49	3.56	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
33+50+50	1.98	3.01	3.01	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
33+50+60	1.85	2.80	3.36	-	8.00 (2.90 - 9.00)	2.190 (0.720 - 3.030)	9.62	99
35+35+35	2.65	2.65	2.65	-	7.95 (2.90 - 9.00)	2.280 (0.720 - 2.910)	10.01	99
35+35+42	2.50	2.50	3.00	-	8.00 (2.90 - 9.00)	2.260 (0.720 - 3.030)	9.93	99
35+35+50	2.33	2.33	3.33	-	8.00 (2.90 - 9.00)	2.280 (0.720 - 3.030)	10.01	99
35+35+60	2.15	2.15	3.69	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75	99
35+35+71	1.99	1.99	4.03	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66	99
35+42+42	2.35	2.82	2.82	-	8.00 (2.90 - 9.00)	2.240 (0.720 - 3.030)	9.84	99
35+42+50	2.20	2.65	3.15	-	8.00 (2.90 - 9.00)	2.230 (0.720 - 3.030)	9.79	99

MXZ-4C80VA COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D			
35+42+60	2.04	2.45	3.50	-	8.00 (2.90 - 9.00)	2.200 (0.720 - 3.030)	9.66 99
35+50+50	2.07	2.96	2.96	-	8.00 (2.90 - 9.00)	2.220 (0.720 - 3.030)	9.75 99
35+50+60	1.93	2.76	3.31	-	8.00 (2.90 - 9.00)	2.190 (0.720 - 3.030)	9.62 99
22+22+22+22	1.95	1.95	1.95	1.95	7.80 (3.70 - 9.20)	1.940 (0.810 - 2.425)	8.52 99
22+22+22+25	1.90	1.90	1.90	2.16	7.85 (3.70 - 9.20)	1.940 (0.810 - 2.425)	8.52 99
22+22+22+33	1.76	1.76	1.76	2.63	7.90 (3.70 - 9.20)	1.940 (0.810 - 2.425)	8.52 99
22+22+22+35	1.73	1.73	1.73	2.75	7.95 (3.70 - 9.20)	1.955 (0.810 - 2.425)	8.59 99
22+22+22+42	1.63	1.63	1.63	3.11	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.395)	8.50 99
22+22+22+50	1.52	1.52	1.52	3.45	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.370)	8.45 99
22+22+22+60	1.40	1.40	1.40	3.81	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.335)	8.32 99
22+22+22+71	1.28	1.28	1.28	4.15	8.00 (3.70 - 9.20)	1.875 (0.810 - 2.300)	8.23 99
22+22+25+25	1.84	1.84	2.09	2.09	7.85 (3.70 - 9.20)	1.940 (0.810 - 2.425)	8.52 99
22+22+25+33	1.71	1.71	1.95	2.57	7.95 (3.70 - 9.20)	1.955 (0.810 - 2.420)	8.59 99
22+22+25+35	1.68	1.68	1.91	2.68	7.95 (3.70 - 9.20)	1.955 (0.810 - 2.415)	8.59 99
22+22+25+42	1.59	1.59	1.80	3.03	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.390)	8.50 99
22+22+25+50	1.48	1.48	1.68	3.36	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.360)	8.45 99
22+22+25+60	1.36	1.36	1.55	3.72	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.330)	8.32 99
22+22+25+71	1.26	1.26	1.43	4.06	8.00 (3.70 - 9.20)	1.875 (0.810 - 2.295)	8.23 99
22+22+33+33	1.60	1.60	2.40	2.40	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.405)	8.59 99
22+22+33+35	1.57	1.57	2.36	2.50	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.400)	8.59 99
22+22+33+42	1.48	1.48	2.22	2.82	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.370)	8.50 99
22+22+33+50	1.39	1.39	2.08	3.15	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.345)	8.45 99
22+22+33+60	1.28	1.28	1.93	3.50	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.310)	8.32 99
22+22+35+35	1.54	1.54	2.46	2.46	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.395)	8.59 99
22+22+35+42	1.45	1.45	2.31	2.78	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.370)	8.50 99
22+22+35+50	1.36	1.36	2.17	3.10	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.340)	8.45 99
22+22+35+60	1.27	1.27	2.01	3.45	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.305)	8.32 99
22+22+42+42	1.38	1.38	2.63	2.63	8.00 (3.70 - 9.20)	1.915 (0.810 - 2.340)	8.41 99
22+22+42+50	1.29	1.29	2.47	2.94	8.00 (3.70 - 9.20)	1.905 (0.810 - 2.315)	8.37 99
22+22+50+50	1.22	1.22	2.78	2.78	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.295)	8.32 99
22+25+25+25	1.79	2.04	2.04	2.04	7.90 (3.70 - 9.20)	1.940 (0.810 - 2.425)	8.52 99
22+25+25+33	1.67	1.89	1.89	2.50	7.95 (3.70 - 9.20)	1.955 (0.810 - 2.415)	8.59 99
22+25+25+35	1.63	1.86	1.86	2.60	7.95 (3.70 - 9.20)	1.955 (0.810 - 2.410)	8.59 99
22+25+25+42	1.54	1.75	1.75	2.95	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.385)	8.50 99
22+25+25+50	1.44	1.64	1.64	3.28	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.355)	8.45 99
22+25+25+60	1.33	1.52	1.52	3.64	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.325)	8.32 99
22+25+33+33	1.56	1.77	2.34	2.34	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.395)	8.59 99
22+25+33+35	1.53	1.74	2.30	2.43	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.390)	8.59 99
22+25+33+42	1.44	1.64	2.16	2.75	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.365)	8.50 99
22+25+33+50	1.35	1.54	2.03	3.08	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.340)	8.45 99
22+25+33+60	1.26	1.43	1.89	3.43	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.305)	8.32 99

MXZ-4C80VA COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D			
22+25+35+35	1.50	1.71	2.39	2.39	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.385)	8.59 99
22+25+35+42	1.42	1.61	2.26	2.71	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.360)	8.50 99
22+25+35+50	1.33	1.52	2.12	3.03	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.335)	8.45 99
22+25+35+60	1.24	1.41	1.97	3.38	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.305)	8.32 99
22+33+33+33	1.45	2.18	2.18	2.18	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.380)	8.59 99
22+33+33+35	1.43	2.15	2.15	2.28	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.375)	8.59 99
22+33+33+42	1.35	2.03	2.03	2.58	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.350)	8.50 99
22+33+33+50	1.28	1.91	1.91	2.90	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.320)	8.45 99
22+33+35+35	1.41	2.11	2.24	2.24	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.370)	8.59 99
22+33+35+42	1.33	2.00	2.12	2.55	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.345)	8.50 99
22+33+35+50	1.26	1.89	2.00	2.86	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.315)	8.45 99
22+33+42+42	1.27	1.90	2.42	2.42	8.00 (3.70 - 9.20)	1.915 (0.810 - 2.315)	8.41 99
22+35+35+35	1.39	2.20	2.20	2.20	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.365)	8.59 99
22+35+35+42	1.31	2.09	2.09	2.51	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.340)	8.50 99
22+35+35+50	1.24	1.97	1.97	2.82	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.315)	8.45 99
22+35+42+42	1.25	1.99	2.38	2.38	8.00 (3.70 - 9.20)	1.915 (0.810 - 2.315)	8.41 99
25+25+25+25	1.98	1.98	1.98	1.98	7.92 (3.70 - 9.20)	1.940 (0.810 - 2.425)	8.52 99
25+25+25+33	1.85	1.85	1.85	2.44	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.405)	8.59 99
25+25+25+35	1.82	1.82	1.82	2.55	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.405)	8.59 99
25+25+25+42	1.71	1.71	1.71	2.87	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.375)	8.50 99
25+25+25+50	1.60	1.60	1.60	3.20	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.350)	8.45 99
25+25+25+60	1.48	1.48	1.48	3.56	8.00 (3.70 - 9.20)	1.895 (0.810 - 2.315)	8.32 99
25+25+33+33	1.72	1.72	2.28	2.28	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.390)	8.59 99
25+25+33+35	1.69	1.69	2.24	2.37	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.385)	8.59 99
25+25+33+42	1.60	1.60	2.11	2.69	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.360)	8.50 99
25+25+33+50	1.50	1.50	1.98	3.01	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.330)	8.45 99
25+25+35+35	1.67	1.67	2.33	2.33	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.380)	8.59 99
25+25+35+42	1.57	1.57	2.20	2.65	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.355)	8.50 99
25+25+35+50	1.48	1.48	2.07	2.96	8.00 (3.70 - 9.20)	1.925 (0.810 - 2.325)	8.45 99
25+33+33+33	1.61	2.13	2.13	2.13	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.370)	8.59 99
25+33+33+35	1.59	2.10	2.10	2.22	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.365)	8.59 99
25+33+33+42	1.50	1.98	1.98	2.53	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.340)	8.50 99
25+33+35+35	1.56	2.06	2.19	2.19	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.360)	8.59 99
25+33+35+42	1.48	1.96	2.07	2.49	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.335)	8.50 99
25+35+35+35	1.54	2.15	2.15	2.15	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.360)	8.59 99
25+35+35+42	1.46	2.04	2.04	2.45	8.00 (3.70 - 9.20)	1.935 (0.810 - 2.330)	8.50 99
33+33+33+33	2.00	2.00	2.00	2.00	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.355)	8.59 99
33+33+33+35	1.97	1.97	1.97	2.09	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.350)	8.59 99
33+33+35+35	1.94	1.94	2.06	2.06	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.345)	8.59 99
33+35+35+35	1.91	2.03	2.03	2.03	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.340)	8.59 99
35+35+35+35	2.00	2.00	2.00	2.00	8.00 (3.70 - 9.20)	1.955 (0.810 - 2.335)	8.59 99

MXZ-4C80VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
22	3.30	-	-	-	3.30 (1.20 - 4.20)	0.860 (0.340 - 1.380)	3.78	99
25	3.60	-	-	-	3.60 (1.20 - 4.50)	0.960 (0.340 - 1.510)	4.22	99
33	4.00	-	-	-	4.00 (1.20 - 5.50)	1.110 (0.330 - 1.570)	4.87	99
35	4.00	-	-	-	4.00 (1.20 - 5.50)	1.110 (0.330 - 1.570)	4.87	99
42	5.40	-	-	-	5.40 (1.30 - 6.50)	1.580 (0.330 - 2.140)	6.94	99
50	7.20	-	-	-	7.20 (1.40 - 7.70)	2.270 (0.330 - 2.710)	9.97	99
60	7.90	-	-	-	7.90 (1.40 - 8.60)	2.270 (0.330 - 3.060)	9.97	99
71	8.60	-	-	-	8.60 (1.60 - 9.20)	2.430 (0.360 - 3.520)	10.67	99
22+22	3.30	3.30	-	-	6.60 (1.80 - 7.20)	1.570 (0.480 - 2.760)	6.90	99
22+25	3.23	3.67	-	-	6.90 (1.80 - 8.00)	1.670 (0.480 - 2.950)	7.33	99
22+33	2.96	4.44	-	-	7.40 (1.80 - 9.20)	1.850 (0.480 - 3.190)	8.12	99
22+35	2.89	4.61	-	-	7.50 (1.80 - 9.30)	1.890 (0.480 - 3.200)	8.30	99
22+42	2.68	5.12	-	-	7.80 (1.80 - 9.70)	2.000 (0.480 - 3.230)	8.78	99
22+50	2.51	5.69	-	-	8.20 (1.80 - 10.00)	2.130 (0.480 - 3.240)	9.35	99
22+60	2.52	6.88	-	-	9.40 (1.80 - 10.90)	2.550 (0.480 - 3.270)	11.20	99
22+71	2.22	7.18	-	-	9.40 (1.80 - 11.10)	2.450 (0.460 - 3.270)	10.76	99
25+25	3.60	3.60	-	-	7.20 (1.80 - 8.80)	1.760 (0.480 - 3.140)	7.73	99
25+33	3.23	4.27	-	-	7.50 (1.80 - 9.30)	1.890 (0.480 - 3.200)	8.30	99
25+35	3.17	4.43	-	-	7.60 (1.80 - 9.50)	1.930 (0.480 - 3.230)	8.48	99
25+42	2.95	4.95	-	-	7.90 (1.80 - 9.70)	2.030 (0.480 - 3.230)	8.92	99
25+50	2.87	5.73	-	-	8.60 (1.80 - 10.30)	2.270 (0.480 - 3.250)	9.97	99
25+60	2.76	6.64	-	-	9.40 (1.80 - 10.90)	2.540 (0.460 - 3.270)	11.16	99
25+71	2.45	6.95	-	-	9.40 (1.80 - 11.10)	2.420 (0.460 - 3.270)	10.63	99
33+33	3.90	3.90	-	-	7.80 (1.80 - 9.70)	2.000 (0.480 - 3.230)	8.78	99
33+35	3.83	4.07	-	-	7.90 (1.80 - 9.70)	2.030 (0.480 - 3.230)	8.92	99
33+42	3.78	4.82	-	-	8.60 (1.80 - 10.30)	2.270 (0.480 - 3.250)	9.97	99
33+50	3.74	5.66	-	-	9.40 (1.80 - 10.90)	2.550 (0.480 - 3.270)	11.20	99
33+60	3.34	6.06	-	-	9.40 (1.80 - 11.10)	2.450 (0.460 - 3.270)	10.76	99
33+71	2.98	6.42	-	-	9.40 (1.90 - 11.20)	2.320 (0.440 - 3.320)	10.19	99
35+35	4.00	4.00	-	-	8.00 (1.80 - 9.80)	2.060 (0.480 - 3.230)	9.05	99
35+42	4.00	4.80	-	-	8.80 (1.80 - 10.40)	2.340 (0.480 - 3.250)	10.28	99
35+50	3.87	5.53	-	-	9.40 (1.80 - 10.90)	2.540 (0.460 - 3.270)	11.16	99
35+60	3.46	5.94	-	-	9.40 (1.80 - 11.10)	2.430 (0.460 - 3.270)	10.67	99
35+71	3.10	6.30	-	-	9.40 (1.90 - 11.20)	2.300 (0.440 - 3.320)	10.10	99
42+42	4.70	4.70	-	-	9.40 (1.80 - 10.90)	2.550 (0.460 - 3.270)	11.20	99
42+50	4.29	5.11	-	-	9.40 (1.80 - 11.10)	2.460 (0.460 - 3.270)	10.80	99
42+60	3.87	5.53	-	-	9.40 (1.90 - 11.20)	2.350 (0.440 - 3.320)	10.32	99
42+71	3.49	5.91	-	-	9.40 (1.90 - 11.20)	2.220 (0.440 - 3.320)	9.75	99
50+50	4.70	4.70	-	-	9.40 (1.90 - 11.20)	2.370 (0.440 - 3.320)	10.41	99
50+60	4.27	5.13	-	-	9.40 (1.90 - 11.20)	2.260 (0.440 - 3.320)	9.93	99
50+71	3.88	5.52	-	-	9.40 (1.90 - 11.20)	2.140 (0.440 - 3.320)	9.40	99

MXZ-4C80VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
60+60	4.70	4.70	-	-	9.40 (1.90 - 11.20)	2.140 (0.440 - 3.320)	9.40	99
60+71	4.31	5.09	-	-	9.40 (1.90 - 11.20)	2.140 (0.440 - 3.320)	9.40	99
22+22+22	2.90	2.90	2.90	-	8.70 (2.60 - 10.60)	1.960 (0.530 - 3.060)	8.61	99
22+22+25	2.81	2.81	3.19	-	8.80 (2.60 - 10.90)	1.990 (0.530 - 3.200)	8.74	99
22+22+33	2.60	2.60	3.90	-	9.10 (2.60 - 11.60)	2.070 (0.530 - 3.420)	9.09	99
22+22+35	2.56	2.56	4.08	-	9.20 (2.60 - 11.60)	2.110 (0.530 - 3.410)	9.27	99
22+22+42	2.40	2.40	4.59	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.370)	9.53	99
22+22+50	2.20	2.20	5.00	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.320)	9.53	99
22+22+60	1.99	1.99	5.42	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+22+71	1.80	1.80	5.80	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+25+25	2.72	3.09	3.09	-	8.90 (2.60 - 11.30)	2.010 (0.530 - 3.300)	8.83	99
22+25+33	2.53	2.88	3.80	-	9.20 (2.60 - 11.60)	2.110 (0.530 - 3.410)	9.27	99
22+25+35	2.50	2.84	3.97	-	9.30 (2.60 - 11.60)	2.140 (0.530 - 3.410)	9.40	99
22+25+42	2.32	2.64	4.44	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.360)	9.53	99
22+25+50	2.13	2.42	4.85	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.320)	9.53	99
22+25+60	1.93	2.20	5.27	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+25+71	1.75	1.99	5.66	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+33+33	2.35	3.53	3.53	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.400)	9.53	99
22+33+35	2.30	3.45	3.66	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.400)	9.53	99
22+33+42	2.13	3.20	4.07	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.350)	9.53	99
22+33+50	1.97	2.95	4.48	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+33+60	1.80	2.70	4.90	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+33+71	1.64	2.46	5.30	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+35+35	2.25	3.58	3.58	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.400)	9.53	99
22+35+42	2.09	3.32	3.99	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.350)	9.53	99
22+35+50	1.93	3.07	4.39	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+35+60	1.77	2.81	4.82	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+35+71	1.62	2.57	5.21	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
22+42+42	1.95	3.72	3.72	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.300)	9.53	99
22+42+50	1.81	3.46	4.12	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
22+42+60	1.67	3.18	4.55	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
22+42+71	1.53	2.92	4.94	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
22+50+50	1.70	3.85	3.85	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
22+50+60	1.57	3.56	4.27	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
22+50+71	1.45	3.29	4.67	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
25+25+25	3.00	3.00	3.00	-	9.00 (2.60 - 11.60)	2.040 (0.530 - 3.420)	8.96	99
25+25+33	2.80	2.80	3.70	-	9.30 (2.60 - 11.60)	2.140 (0.530 - 3.410)	9.40	99
25+25+35	2.76	2.76	3.87	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.410)	9.53	99
25+25+42	2.55	2.55	4.29	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.360)	9.53	99
25+25+50	2.35	2.35	4.70	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.320)	9.53	99
25+25+60	2.14	2.14	5.13	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99

MXZ-4C80VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
25+25+71	1.94	1.94	5.52	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
25+33+33	2.58	3.41	3.41	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.400)	9.53	99
25+33+35	2.53	3.34	3.54	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.400)	9.53	99
25+33+42	2.35	3.10	3.95	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.350)	9.53	99
25+33+50	2.18	2.87	4.35	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
25+33+60	1.99	2.63	4.78	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
25+33+71	1.82	2.40	5.17	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
25+35+35	2.47	3.46	3.46	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.390)	9.53	99
25+35+42	2.30	3.23	3.87	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.340)	9.53	99
25+35+50	2.14	2.99	4.27	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
25+35+60	1.96	2.74	4.70	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
25+35+71	1.79	2.51	5.09	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
25+42+42	2.16	3.62	3.62	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.300)	9.53	99
25+42+50	2.01	3.37	4.02	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
25+42+60	1.85	3.11	4.44	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
25+42+71	1.70	2.86	4.84	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
25+50+50	1.88	3.76	3.76	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
25+50+60	1.74	3.48	4.18	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
33+33+33	3.13	3.13	3.13	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.390)	9.53	99
33+33+35	3.07	3.07	3.26	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.390)	9.53	99
33+33+42	2.87	2.87	3.66	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.340)	9.53	99
33+33+50	2.67	2.67	4.05	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
33+33+60	2.46	2.46	4.48	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
33+33+71	2.26	2.26	4.87	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
33+35+35	3.01	3.19	3.19	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.380)	9.53	99
33+35+42	2.82	2.99	3.59	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.340)	9.53	99
33+35+50	2.63	2.79	3.98	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
33+35+60	2.42	2.57	4.41	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
33+35+71	2.23	2.37	4.80	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
33+42+42	2.65	3.37	3.37	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.300)	9.53	99
33+42+50	2.48	3.16	3.76	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
33+42+60	2.30	2.92	4.18	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
33+50+50	2.33	3.53	3.53	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
33+50+60	2.17	3.29	3.94	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
35+35+35	3.13	3.13	3.13	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.380)	9.53	99
35+35+42	2.94	2.94	3.53	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.340)	9.53	99
35+35+50	2.74	2.74	3.92	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
35+35+60	2.53	2.53	4.34	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
35+35+71	2.33	2.33	4.73	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.310)	9.53	99
35+42+42	2.76	3.32	3.32	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.300)	9.53	99
35+42+50	2.59	3.11	3.70	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99

MXZ-4C80VA HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			
35+42+60	2.40	2.88	4.12	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.270)	9.53	99
35+50+50	2.44	3.48	3.48	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
35+50+60	2.27	3.24	3.89	-	9.40 (2.60 - 11.60)	2.170 (0.530 - 3.240)	9.53	99
22+22+22+22	2.35	2.35	2.35	2.35	9.40 (3.40 - 11.60)	2.010 (0.590 - 3.420)	8.83	99
22+22+22+25	2.27	2.27	2.27	2.58	9.40 (3.40 - 11.60)	2.000 (0.590 - 3.410)	8.78	99
22+22+22+33	2.09	2.09	2.09	3.13	9.40 (3.40 - 11.60)	1.960 (0.590 - 3.390)	8.61	99
22+22+22+35	2.05	2.05	2.05	3.26	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.390)	8.56	99
22+22+22+42	1.91	1.91	1.91	3.66	9.40 (3.40 - 11.60)	1.930 (0.590 - 3.320)	8.48	99
22+22+22+50	1.78	1.78	1.78	4.05	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.300)	8.39	99
22+22+22+60	1.64	1.64	1.64	4.48	9.40 (3.40 - 11.60)	1.880 (0.590 - 3.260)	8.26	99
22+22+22+71	1.51	1.51	1.51	4.87	9.40 (3.40 - 11.60)	1.850 (0.590 - 3.210)	8.12	99
22+22+25+25	2.20	2.20	2.50	2.50	9.40 (3.40 - 11.60)	1.980 (0.590 - 3.410)	8.70	99
22+22+25+33	2.03	2.03	2.30	3.04	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.380)	8.56	99
22+22+25+35	1.99	1.99	2.26	3.16	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.370)	8.56	99
22+22+25+42	1.86	1.86	2.12	3.56	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.310)	8.43	99
22+22+25+50	1.74	1.74	1.97	3.95	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.280)	8.39	99
22+22+25+60	1.60	1.60	1.82	4.37	9.40 (3.40 - 11.60)	1.880 (0.590 - 3.240)	8.26	99
22+22+25+71	1.48	1.48	1.68	4.77	9.40 (3.40 - 11.60)	1.850 (0.590 - 3.200)	8.12	99
22+22+33+33	1.88	1.88	2.82	2.82	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.350)	8.56	99
22+22+33+35	1.85	1.85	2.77	2.94	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.340)	8.52	99
22+22+33+42	1.74	1.74	2.61	3.32	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.270)	8.43	99
22+22+33+50	1.63	1.63	2.44	3.70	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.250)	8.39	99
22+22+33+60	1.51	1.51	2.26	4.12	9.40 (3.40 - 11.60)	1.870 (0.590 - 3.210)	8.21	99
22+22+35+35	1.81	1.81	2.89	2.89	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.330)	8.52	99
22+22+35+42	1.71	1.71	2.72	3.26	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.270)	8.43	99
22+22+35+50	1.60	1.60	2.55	3.64	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.240)	8.39	99
22+22+35+60	1.49	1.49	2.37	4.06	9.40 (3.40 - 11.60)	1.870 (0.590 - 3.200)	8.21	99
22+22+42+42	1.62	1.62	3.08	3.08	9.40 (3.40 - 11.60)	1.900 (0.590 - 3.200)	8.34	99
22+22+42+50	1.52	1.52	2.90	3.46	9.40 (3.40 - 11.60)	1.880 (0.590 - 3.180)	8.26	99
22+22+50+50	1.44	1.44	3.26	3.26	9.40 (3.40 - 11.60)	1.870 (0.590 - 3.170)	8.21	99
22+25+25+25	2.13	2.42	2.42	2.42	9.40 (3.40 - 11.60)	1.970 (0.590 - 3.400)	8.65	99
22+25+25+33	1.97	2.24	2.24	2.95	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.370)	8.56	99
22+25+25+35	1.93	2.20	2.20	3.07	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.360)	8.56	99
22+25+25+42	1.81	2.06	2.06	3.46	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.290)	8.43	99
22+25+25+50	1.70	1.93	1.93	3.85	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.270)	8.39	99
22+25+25+60	1.57	1.78	1.78	4.27	9.40 (3.40 - 11.60)	1.870 (0.590 - 3.230)	8.21	99
22+25+33+33	1.83	2.08	2.75	2.75	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.340)	8.52	99
22+25+33+35	1.80	2.04	2.70	2.86	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.330)	8.52	99
22+25+33+42	1.70	1.93	2.54	3.24	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.260)	8.43	99
22+25+33+50	1.59	1.81	2.39	3.62	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.240)	8.39	99
22+25+33+60	1.48	1.68	2.22	4.03	9.40 (3.40 - 11.60)	1.870 (0.590 - 3.200)	8.21	99

MXZ-4C80VA HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D			
22+25+35+35	1.77	2.01	2.81	2.81	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.320)	8.52 99
22+25+35+42	1.67	1.90	2.65	3.18	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.250)	8.43 99
22+25+35+50	1.57	1.78	2.49	3.56	9.40 (3.40 - 11.60)	1.900 (0.590 - 3.230)	8.34 99
22+25+35+60	1.46	1.65	2.32	3.97	9.40 (3.40 - 11.60)	1.870 (0.590 - 3.200)	8.21 99
22+33+33+33	1.71	2.56	2.56	2.56	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.310)	8.52 99
22+33+33+35	1.68	2.52	2.52	2.67	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.300)	8.52 99
22+33+33+42	1.59	2.39	2.39	3.04	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.230)	8.43 99
22+33+33+50	1.50	2.25	2.25	3.41	9.40 (3.40 - 11.60)	1.900 (0.590 - 3.210)	8.34 99
22+33+35+35	1.65	2.48	2.63	2.63	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.290)	8.52 99
22+33+35+42	1.57	2.35	2.49	2.99	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.220)	8.39 99
22+33+35+50	1.48	2.22	2.35	3.36	9.40 (3.40 - 11.60)	1.900 (0.590 - 3.200)	8.34 99
22+33+42+42	1.49	2.23	2.84	2.84	9.40 (3.40 - 11.60)	1.890 (0.590 - 3.150)	8.30 99
22+35+35+35	1.63	2.59	2.59	2.59	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.280)	8.52 99
22+35+35+42	1.54	2.46	2.46	2.95	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.210)	8.39 99
22+35+35+50	1.46	2.32	2.32	3.31	9.40 (3.40 - 11.60)	1.900 (0.590 - 3.200)	8.34 99
22+35+42+42	1.47	2.33	2.80	2.80	9.40 (3.40 - 11.60)	1.890 (0.590 - 3.150)	8.30 99
25+25+25+25	2.35	2.35	2.35	2.35	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.390)	8.56 99
25+25+25+33	2.18	2.18	2.18	2.87	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.360)	8.56 99
25+25+25+35	2.14	2.14	2.14	2.99	9.40 (3.40 - 11.60)	1.950 (0.590 - 3.350)	8.56 99
25+25+25+42	2.01	2.01	2.01	3.37	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.280)	8.43 99
25+25+25+50	1.88	1.88	1.88	3.76	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.260)	8.39 99
25+25+25+60	1.74	1.74	1.74	4.18	9.40 (3.40 - 11.60)	1.870 (0.590 - 3.220)	8.21 99
25+25+33+33	2.03	2.03	2.67	2.67	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.330)	8.52 99
25+25+33+35	1.99	1.99	2.63	2.79	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.320)	8.52 99
25+25+33+42	1.88	1.88	2.48	3.16	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.250)	8.43 99
25+25+33+50	1.77	1.77	2.33	3.53	9.40 (3.40 - 11.60)	1.900 (0.590 - 3.230)	8.34 99
25+25+35+35	1.96	1.96	2.74	2.74	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.310)	8.52 99
25+25+35+42	1.85	1.85	2.59	3.11	9.40 (3.40 - 11.60)	1.920 (0.590 - 3.240)	8.43 99
25+25+35+50	1.74	1.74	2.44	3.48	9.40 (3.40 - 11.60)	1.900 (0.590 - 3.220)	8.34 99
25+33+33+33	1.90	2.50	2.50	2.50	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.290)	8.52 99
25+33+33+35	1.87	2.46	2.46	2.61	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.290)	8.52 99
25+33+33+42	1.77	2.33	2.33	2.97	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.220)	8.39 99
25+33+35+35	1.84	2.42	2.57	2.57	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.280)	8.52 99
25+33+35+42	1.74	2.30	2.44	2.92	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.210)	8.39 99
25+35+35+35	1.81	2.53	2.53	2.53	9.40 (3.40 - 11.60)	1.940 (0.590 - 3.270)	8.52 99
25+35+35+42	1.72	2.40	2.40	2.88	9.40 (3.40 - 11.60)	1.910 (0.590 - 3.200)	8.39 99
33+33+33+33	2.35	2.35	2.35	2.35	9.40 (3.40 - 11.60)	1.930 (0.590 - 3.260)	8.48 99
33+33+33+35	2.31	2.31	2.31	2.46	9.40 (3.40 - 11.60)	1.930 (0.590 - 3.250)	8.48 99
33+33+35+35	2.28	2.28	2.42	2.42	9.40 (3.40 - 11.60)	1.930 (0.590 - 3.250)	8.48 99
33+35+35+35	2.25	2.38	2.38	2.38	9.40 (3.40 - 11.60)	1.930 (0.590 - 3.240)	8.48 99
35+35+35+35	2.35	2.35	2.35	2.35	9.40 (3.40 - 11.60)	1.930 (0.590 - 3.230)	8.48 99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22	2.20	-	-	-	-	2.20 (1.40 - 3.00)	0.680 (0.400 - 0.920)	2.99	99
25	2.50	-	-	-	-	2.50 (1.40 - 3.30)	0.760 (0.400 - 1.010)	3.34	99
33	2.50	-	-	-	-	2.50 (1.40 - 3.30)	0.760 (0.400 - 1.010)	3.34	99
35	3.50	-	-	-	-	3.50 (1.50 - 4.30)	1.030 (0.400 - 1.290)	4.52	99
42	4.20	-	-	-	-	4.20 (1.60 - 5.00)	1.230 (0.410 - 1.460)	5.40	99
50	5.00	-	-	-	-	5.00 (1.60 - 5.60)	1.440 (0.420 - 1.630)	6.32	99
60	6.00	-	-	-	-	6.00 (1.60 - 6.60)	1.880 (0.400 - 2.130)	8.26	99
71	7.10	-	-	-	-	7.10 (1.70 - 7.40)	2.340 (0.410 - 2.710)	10.28	99
22+22	2.20	2.20	-	-	-	4.40 (2.00 - 5.60)	1.130 (0.600 - 1.600)	4.96	99
22+25	2.20	2.50	-	-	-	4.70 (2.00 - 5.90)	1.240 (0.600 - 1.800)	5.45	99
22+33	2.20	3.30	-	-	-	5.50 (2.00 - 6.70)	1.550 (0.580 - 2.280)	6.81	99
22+35	2.20	3.50	-	-	-	5.70 (2.00 - 6.80)	1.620 (0.580 - 2.340)	7.11	99
22+42	2.20	4.20	-	-	-	6.40 (2.00 - 7.50)	1.850 (0.580 - 2.530)	8.12	99
22+50	2.17	4.93	-	-	-	7.10 (2.00 - 8.10)	2.150 (0.580 - 2.620)	9.44	99
22+60	2.07	5.63	-	-	-	7.70 (2.00 - 8.70)	2.480 (0.580 - 3.160)	10.89	99
22+71	1.92	6.18	-	-	-	8.10 (2.00 - 9.00)	2.670 (0.590 - 3.370)	11.73	99
25+25	2.50	2.50	-	-	-	5.00 (2.00 - 6.20)	1.350 (0.580 - 1.950)	5.93	99
25+33	2.50	3.30	-	-	-	5.80 (2.00 - 7.00)	1.670 (0.580 - 2.410)	7.33	99
25+35	2.50	3.50	-	-	-	6.00 (2.00 - 7.10)	1.740 (0.580 - 2.540)	7.64	99
25+42	2.50	4.20	-	-	-	6.70 (2.00 - 7.70)	1.970 (0.580 - 2.540)	8.65	99
25+50	2.43	4.87	-	-	-	7.30 (2.00 - 8.30)	2.260 (0.580 - 2.800)	9.93	99
25+60	2.29	5.51	-	-	-	7.80 (2.00 - 8.80)	2.530 (0.590 - 3.250)	11.11	99
25+71	2.14	6.06	-	-	-	8.20 (2.00 - 9.00)	2.710 (0.590 - 3.370)	11.90	99
33+33	3.30	3.30	-	-	-	6.60 (2.00 - 7.70)	1.990 (0.580 - 2.590)	8.74	99
33+35	3.30	3.50	-	-	-	6.80 (2.00 - 7.80)	2.070 (0.580 - 2.600)	9.09	99
33+42	3.21	4.09	-	-	-	7.30 (2.00 - 8.30)	2.260 (0.580 - 2.810)	9.93	99
33+50	3.06	4.64	-	-	-	7.70 (2.00 - 8.70)	2.480 (0.580 - 3.170)	10.89	99
33+60	2.87	5.23	-	-	-	8.10 (2.00 - 9.00)	2.670 (0.590 - 3.380)	11.73	99
33+71	2.70	5.80	-	-	-	8.50 (2.10 - 9.10)	2.780 (0.590 - 3.440)	12.21	99
35+35	3.50	3.50	-	-	-	7.00 (2.00 - 8.00)	2.140 (0.580 - 2.550)	9.40	99
35+42	3.36	4.04	-	-	-	7.40 (2.00 - 8.40)	2.310 (0.580 - 2.910)	10.14	99
35+50	3.21	4.59	-	-	-	7.80 (2.00 - 8.80)	2.530 (0.590 - 3.260)	11.11	99
35+60	2.98	5.12	-	-	-	8.10 (2.00 - 9.00)	2.670 (0.590 - 3.380)	11.73	99
35+71	2.81	5.69	-	-	-	8.50 (2.10 - 9.20)	2.780 (0.580 - 3.500)	12.21	99
42+42	3.90	3.90	-	-	-	7.80 (2.00 - 8.80)	2.580 (0.590 - 3.280)	11.33	99
42+50	3.70	4.40	-	-	-	8.10 (2.00 - 9.00)	2.620 (0.590 - 3.380)	11.51	99
42+60	3.46	4.94	-	-	-	8.40 (2.10 - 9.10)	2.720 (0.590 - 3.440)	11.95	99
42+71	3.23	5.47	-	-	-	8.70 (2.10 - 9.20)	2.750 (0.560 - 3.490)	12.08	99
50+50	4.15	4.15	-	-	-	8.30 (2.10 - 9.10)	2.810 (0.590 - 3.480)	12.34	99
50+60	3.91	4.69	-	-	-	8.60 (2.10 - 9.20)	2.740 (0.570 - 3.490)	12.03	99
50+71	3.68	5.22	-	-	-	8.90 (2.10 - 9.30)	2.770 (0.550 - 3.540)	12.17	99
60+60	4.45	4.45	-	-	-	8.90 (2.10 - 9.30)	2.870 (0.550 - 3.600)	12.60	99
60+71	4.12	4.88	-	-	-	9.00 (2.10 - 9.40)	2.730 (0.550 - 3.580)	11.99	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
71+71	4.55	4.55	-	-	-	9.10 (2.10 - 9.50)	2.690 (0.550 - 3.620)	11.81	99
22+22+22	2.20	2.20	2.20	-	-	6.60 (2.90 - 8.10)	1.620 (0.690 - 2.410)	7.11	99
22+22+25	2.20	2.20	2.50	-	-	6.90 (2.90 - 8.40)	1.740 (0.690 - 2.610)	7.64	99
22+22+33	2.17	2.17	3.26	-	-	7.60 (2.90 - 9.00)	2.030 (0.690 - 3.010)	8.92	99
22+22+35	2.12	2.12	3.37	-	-	7.60 (2.90 - 9.00)	2.030 (0.690 - 3.010)	8.92	99
22+22+42	2.02	2.02	3.86	-	-	7.90 (2.90 - 9.10)	2.150 (0.700 - 3.010)	9.44	99
22+22+50	1.92	1.92	4.36	-	-	8.20 (2.90 - 9.30)	2.290 (0.710 - 3.010)	10.06	99
22+22+60	1.82	1.82	4.96	-	-	8.60 (2.90 - 9.40)	2.450 (0.720 - 3.000)	10.76	99
22+22+71	1.68	1.68	5.43	-	-	8.80 (2.90 - 9.70)	2.540 (0.710 - 3.050)	11.16	99
22+25+25	2.20	2.50	2.50	-	-	7.20 (2.90 - 8.70)	1.860 (0.690 - 2.810)	8.17	99
22+25+33	2.12	2.41	3.18	-	-	7.70 (2.90 - 9.10)	2.080 (0.700 - 3.020)	9.13	99
22+25+35	2.09	2.38	3.33	-	-	7.80 (2.90 - 9.10)	2.120 (0.700 - 3.020)	9.31	99
22+25+42	1.98	2.25	3.78	-	-	8.00 (2.90 - 9.20)	2.200 (0.700 - 3.010)	9.66	99
22+25+50	1.88	2.14	4.28	-	-	8.30 (2.90 - 9.30)	2.340 (0.710 - 3.010)	10.28	99
22+25+60	1.77	2.01	4.82	-	-	8.60 (2.90 - 9.40)	2.450 (0.720 - 3.000)	10.76	99
22+25+71	1.64	1.86	5.29	-	-	8.80 (2.90 - 9.70)	2.540 (0.700 - 3.050)	11.16	99
22+33+33	2.00	3.00	3.00	-	-	8.00 (2.90 - 9.20)	2.220 (0.700 - 3.020)	9.75	99
22+33+35	1.98	2.97	3.15	-	-	8.10 (2.90 - 9.20)	2.270 (0.710 - 3.020)	9.97	99
22+33+42	1.88	2.82	3.59	-	-	8.30 (2.90 - 9.30)	2.350 (0.710 - 3.020)	10.32	99
22+33+50	1.80	2.70	4.10	-	-	8.60 (2.90 - 9.40)	2.480 (0.720 - 3.010)	10.89	99
22+33+60	1.68	2.53	4.59	-	-	8.80 (2.90 - 9.70)	2.560 (0.710 - 3.060)	11.24	99
22+33+71	1.57	2.36	5.07	-	-	9.00 (2.90 - 9.90)	2.650 (0.690 - 3.090)	11.64	99
22+35+35	1.94	3.08	3.08	-	-	8.10 (2.90 - 9.20)	2.270 (0.710 - 3.020)	9.97	99
22+35+42	1.87	2.97	3.56	-	-	8.40 (2.90 - 9.30)	2.390 (0.710 - 3.020)	10.50	99
22+35+50	1.77	2.81	4.02	-	-	8.60 (2.90 - 9.40)	2.480 (0.720 - 3.010)	10.89	99
22+35+60	1.65	2.63	4.51	-	-	8.80 (2.90 - 9.70)	2.560 (0.700 - 3.060)	11.24	99
22+35+71	1.55	2.46	4.99	-	-	9.00 (2.90 - 9.90)	2.650 (0.690 - 3.090)	11.64	99
22+42+42	1.78	3.41	3.41	-	-	8.60 (2.90 - 9.40)	2.470 (0.720 - 3.010)	10.85	99
22+42+50	1.70	3.24	3.86	-	-	8.80 (2.90 - 9.70)	2.570 (0.710 - 3.060)	11.29	99
22+42+60	1.60	3.05	4.35	-	-	9.00 (2.90 - 9.90)	2.650 (0.690 - 3.090)	11.64	99
22+42+71	1.50	2.86	4.84	-	-	9.20 (2.90 - 10.40)	2.660 (0.680 - 3.250)	11.68	99
22+50+50	1.60	3.65	3.65	-	-	8.90 (2.90 - 9.80)	2.620 (0.700 - 3.070)	11.51	99
22+50+60	1.52	3.45	4.14	-	-	9.10 (2.90 - 10.10)	2.660 (0.680 - 3.150)	11.68	99
22+50+71	1.43	3.25	4.62	-	-	9.30 (2.90 - 10.60)	2.670 (0.670 - 3.300)	11.73	99
22+60+60	1.44	3.93	3.93	-	-	9.30 (2.90 - 10.60)	2.660 (0.670 - 3.300)	11.68	99
22+60+71	1.35	3.69	4.36	-	-	9.40 (2.90 - 10.80)	2.650 (0.660 - 3.360)	11.64	99
25+25+25	2.50	2.50	2.50	-	-	7.50 (2.90 - 9.00)	1.980 (0.690 - 3.010)	8.70	99
25+25+33	2.35	2.35	3.10	-	-	7.80 (2.90 - 9.10)	2.130 (0.700 - 3.020)	9.35	99
25+25+35	2.32	2.32	3.25	-	-	7.90 (2.90 - 9.10)	2.170 (0.700 - 3.020)	9.53	99
25+25+42	2.20	2.20	3.70	-	-	8.10 (2.90 - 9.20)	2.250 (0.710 - 3.010)	9.88	99
25+25+50	2.10	2.10	4.20	-	-	8.40 (2.90 - 9.30)	2.380 (0.720 - 3.010)	10.45	99
25+25+60	1.98	1.98	4.75	-	-	8.70 (2.90 - 9.50)	2.510 (0.710 - 3.020)	11.02	99
25+25+71	1.84	1.84	5.22	-	-	8.90 (2.90 - 9.80)	2.600 (0.700 - 3.070)	11.42	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E				Total
25+33+33	2.23	2.94	2.94	-	-	8.10 (2.90 - 9.20)	2.270 (0.700 - 3.020)	9.97	99
25+33+35	2.20	2.91	3.09	-	-	8.20 (2.90 - 9.20)	2.320 (0.710 - 3.020)	10.19	99
25+33+42	2.10	2.77	3.53	-	-	8.40 (2.90 - 9.30)	2.390 (0.720 - 3.020)	10.50	99
25+33+50	2.01	2.66	4.03	-	-	8.70 (2.90 - 9.50)	2.540 (0.720 - 3.030)	11.16	99
25+33+60	1.86	2.46	4.47	-	-	8.80 (2.90 - 9.70)	2.560 (0.700 - 3.060)	11.24	99
25+33+71	1.74	2.30	4.95	-	-	9.00 (2.90 - 9.90)	2.650 (0.690 - 3.090)	11.64	99
25+35+35	2.16	3.02	3.02	-	-	8.20 (2.90 - 9.30)	2.320 (0.710 - 3.030)	10.19	99
25+35+42	2.08	2.92	3.50	-	-	8.50 (2.90 - 9.40)	2.440 (0.720 - 3.020)	10.72	99
25+35+50	1.98	2.77	3.95	-	-	8.70 (2.90 - 9.50)	2.540 (0.710 - 3.030)	11.16	99
25+35+60	1.85	2.60	4.45	-	-	8.90 (2.90 - 9.80)	2.620 (0.700 - 3.080)	11.51	99
25+35+71	1.74	2.43	4.93	-	-	9.10 (2.90 - 10.10)	2.670 (0.680 - 3.160)	11.73	99
25+42+42	2.00	3.35	3.35	-	-	8.70 (2.90 - 9.50)	2.530 (0.710 - 3.030)	11.11	99
25+42+50	1.88	3.16	3.76	-	-	8.80 (2.90 - 9.70)	2.570 (0.700 - 3.060)	11.29	99
25+42+60	1.77	2.98	4.25	-	-	9.00 (2.90 - 9.90)	2.650 (0.690 - 3.090)	11.64	99
25+42+71	1.67	2.80	4.73	-	-	9.20 (2.90 - 10.40)	2.660 (0.680 - 3.250)	11.68	99
25+50+50	1.80	3.60	3.60	-	-	9.00 (2.90 - 9.90)	2.670 (0.690 - 3.090)	11.73	99
25+50+60	1.70	3.41	4.09	-	-	9.20 (2.90 - 10.40)	2.670 (0.680 - 3.250)	11.73	99
25+50+71	1.59	3.18	4.52	-	-	9.30 (2.90 - 10.60)	2.670 (0.670 - 3.300)	11.73	99
25+60+60	1.60	3.85	3.85	-	-	9.30 (2.90 - 10.60)	2.660 (0.670 - 3.300)	11.68	99
25+60+71	1.51	3.62	4.28	-	-	9.40 (2.90 - 10.80)	2.650 (0.660 - 3.360)	11.64	99
33+33+33	2.80	2.80	2.80	-	-	8.40 (2.90 - 9.30)	2.410 (0.710 - 3.030)	10.58	99
33+33+35	2.78	2.78	2.95	-	-	8.50 (2.90 - 9.40)	2.460 (0.720 - 3.030)	10.80	99
33+33+42	2.66	2.66	3.38	-	-	8.70 (2.90 - 9.50)	2.550 (0.720 - 3.040)	11.20	99
33+33+50	2.50	2.50	3.79	-	-	8.80 (2.90 - 9.70)	2.590 (0.700 - 3.070)	11.37	99
33+33+60	2.36	2.36	4.29	-	-	9.00 (2.90 - 9.90)	2.670 (0.690 - 3.100)	11.73	99
33+33+71	2.22	2.22	4.77	-	-	9.20 (2.90 - 10.40)	2.680 (0.680 - 3.260)	11.77	99
33+35+35	2.72	2.89	2.89	-	-	8.50 (2.90 - 9.40)	2.460 (0.720 - 3.030)	10.80	99
33+35+42	2.61	2.77	3.32	-	-	8.70 (2.90 - 9.50)	2.550 (0.710 - 3.040)	11.20	99
33+35+50	2.46	2.61	3.73	-	-	8.80 (2.90 - 9.70)	2.590 (0.700 - 3.070)	11.37	99
33+35+60	2.32	2.46	4.22	-	-	9.00 (2.90 - 9.90)	2.670 (0.690 - 3.100)	11.73	99
33+35+71	2.18	2.32	4.70	-	-	9.20 (2.90 - 10.40)	2.680 (0.680 - 3.260)	11.77	99
33+42+42	2.48	3.16	3.16	-	-	8.80 (2.90 - 9.70)	2.580 (0.700 - 3.070)	11.33	99
33+42+50	2.38	3.02	3.60	-	-	9.00 (2.90 - 9.90)	2.680 (0.690 - 3.100)	11.77	99
33+42+60	2.25	2.86	4.09	-	-	9.20 (2.90 - 10.40)	2.680 (0.680 - 3.260)	11.77	99
33+42+71	2.10	2.68	4.52	-	-	9.30 (2.90 - 10.60)	2.680 (0.670 - 3.310)	11.77	99
33+50+50	2.26	3.42	3.42	-	-	9.10 (2.90 - 10.10)	2.690 (0.680 - 3.160)	11.81	99
33+50+60	2.15	3.25	3.90	-	-	9.30 (2.90 - 10.60)	2.690 (0.670 - 3.310)	11.81	99
33+50+71	2.01	3.05	4.33	-	-	9.40 (2.90 - 10.80)	2.680 (0.660 - 3.370)	11.77	99
33+60+60	2.03	3.69	3.69	-	-	9.40 (2.90 - 10.80)	2.670 (0.660 - 3.370)	11.73	99
33+60+71	1.89	3.44	4.07	-	-	9.40 (2.90 - 10.80)	2.650 (0.660 - 3.360)	11.64	99
35+35+35	2.87	2.87	2.87	-	-	8.60 (2.90 - 9.40)	2.510 (0.720 - 3.030)	11.02	99
35+35+42	2.72	2.72	3.26	-	-	8.70 (2.90 - 9.50)	2.550 (0.710 - 3.040)	11.20	99
35+35+50	2.60	2.60	3.71	-	-	8.90 (2.90 - 9.80)	2.650 (0.700 - 3.090)	11.64	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
35+35+60	2.45	2.45	4.20	-	-	9.10 (2.90 - 10.10)	2.690 (0.690 - 3.170)	11.81	99
35+35+71	2.31	2.31	4.68	-	-	9.30 (2.90 - 10.60)	2.700 (0.670 - 3.320)	11.86	99
35+42+42	2.62	3.14	3.14	-	-	8.90 (2.90 - 9.80)	2.640 (0.700 - 3.090)	11.59	99
35+42+50	2.48	2.98	3.54	-	-	9.00 (2.90 - 9.90)	2.680 (0.690 - 3.100)	11.77	99
35+42+60	2.35	2.82	4.03	-	-	9.20 (2.90 - 10.40)	2.680 (0.680 - 3.260)	11.77	99
35+42+71	2.22	2.67	4.51	-	-	9.40 (2.90 - 10.80)	2.690 (0.660 - 3.380)	11.81	99
35+50+50	2.39	3.41	3.41	-	-	9.20 (2.90 - 10.40)	2.700 (0.680 - 3.260)	11.86	99
35+50+60	2.24	3.21	3.85	-	-	9.30 (2.90 - 10.60)	2.690 (0.670 - 3.310)	11.81	99
35+50+71	2.11	3.01	4.28	-	-	9.40 (2.90 - 10.80)	2.680 (0.660 - 3.370)	11.77	99
35+60+60	2.12	3.64	3.64	-	-	9.40 (2.90 - 10.80)	2.670 (0.660 - 3.370)	11.73	99
35+60+71	1.98	3.40	4.02	-	-	9.40 (2.90 - 10.80)	2.650 (0.660 - 3.360)	11.64	99
42+42+42	3.00	3.00	3.00	-	-	9.00 (2.90 - 9.90)	2.730 (0.690 - 3.130)	11.99	99
42+42+50	2.85	2.85	3.40	-	-	9.10 (2.90 - 10.10)	2.680 (0.680 - 3.160)	11.77	99
42+42+60	2.71	2.71	3.88	-	-	9.30 (2.90 - 10.60)	2.680 (0.670 - 3.310)	11.77	99
42+42+71	2.55	2.55	4.31	-	-	9.40 (2.90 - 10.80)	2.670 (0.660 - 3.370)	11.73	99
42+50+50	2.75	3.27	3.27	-	-	9.30 (2.90 - 10.60)	2.700 (0.670 - 3.310)	11.86	99
42+50+60	2.60	3.09	3.71	-	-	9.40 (2.90 - 10.80)	2.680 (0.660 - 3.370)	11.77	99
42+50+71	2.42	2.88	4.09	-	-	9.40 (2.90 - 10.80)	2.660 (0.660 - 3.360)	11.68	99
42+60+60	2.44	3.48	3.48	-	-	9.40 (2.90 - 10.80)	2.650 (0.660 - 3.360)	11.64	99
50+50+50	3.13	3.13	3.13	-	-	9.40 (2.90 - 10.80)	2.790 (0.660 - 3.430)	12.25	99
50+50+60	2.94	2.94	3.53	-	-	9.40 (2.90 - 10.80)	2.670 (0.660 - 3.360)	11.73	99
50+50+71	2.75	2.75	3.90	-	-	9.40 (2.90 - 10.80)	2.650 (0.660 - 3.350)	11.64	99
22+22+22+22	2.00	2.00	2.00	2.00	-	8.00 (3.70 - 9.20)	1.845 (0.810 - 2.425)	8.10	99
22+22+22+25	1.98	1.98	1.98	2.25	-	8.20 (3.70 - 9.40)	1.925 (0.810 - 2.510)	8.45	99
22+22+22+33	1.91	1.91	1.91	2.87	-	8.60 (3.70 - 9.90)	2.090 (0.810 - 2.725)	9.18	99
22+22+22+35	1.87	1.87	1.87	2.98	-	8.60 (3.70 - 9.90)	2.090 (0.810 - 2.725)	9.18	99
22+22+22+42	1.79	1.79	1.79	3.42	-	8.80 (3.70 - 10.10)	2.125 (0.810 - 2.745)	9.33	99
22+22+22+50	1.69	1.69	1.69	3.84	-	8.90 (3.70 - 10.10)	2.145 (0.810 - 2.735)	9.42	99
22+22+22+60	1.59	1.59	1.59	4.33	-	9.10 (3.70 - 10.30)	2.170 (0.810 - 2.760)	9.53	99
22+22+22+71	1.49	1.49	1.49	4.82	-	9.30 (3.70 - 10.40)	2.205 (0.810 - 2.765)	9.68	99
22+22+25+25	1.94	1.94	2.21	2.21	-	8.30 (3.70 - 9.60)	1.970 (0.810 - 2.595)	8.65	99
22+22+25+33	1.85	1.85	2.11	2.78	-	8.60 (3.70 - 9.90)	2.090 (0.810 - 2.725)	9.18	99
22+22+25+35	1.84	1.84	2.09	2.93	-	8.70 (3.70 - 10.00)	2.120 (0.810 - 2.740)	9.31	99
22+22+25+42	1.74	1.74	1.98	3.33	-	8.80 (3.70 - 10.10)	2.125 (0.810 - 2.745)	9.33	99
22+22+25+50	1.66	1.66	1.89	3.78	-	9.00 (3.70 - 10.20)	2.175 (0.810 - 2.755)	9.55	99
22+22+25+60	1.57	1.57	1.78	4.28	-	9.20 (3.70 - 10.40)	2.200 (0.810 - 2.775)	9.66	99
22+22+25+71	1.48	1.48	1.68	4.77	-	9.40 (3.70 - 10.50)	2.235 (0.810 - 2.780)	9.82	99
22+22+33+33	1.76	1.76	2.64	2.64	-	8.80 (3.70 - 10.10)	2.145 (0.810 - 2.755)	9.42	99
22+22+33+35	1.73	1.73	2.59	2.75	-	8.80 (3.70 - 10.10)	2.145 (0.810 - 2.755)	9.42	99
22+22+33+42	1.66	1.66	2.50	3.18	-	9.00 (3.70 - 10.20)	2.185 (0.810 - 2.765)	9.60	99
22+22+33+50	1.58	1.58	2.36	3.58	-	9.10 (3.70 - 10.30)	2.200 (0.810 - 2.770)	9.66	99
22+22+33+60	1.49	1.49	2.24	4.07	-	9.30 (3.70 - 10.40)	2.225 (0.810 - 2.775)	9.77	99
22+22+33+71	1.41	1.41	2.12	4.56	-	9.50 (3.70 - 10.60)	2.245 (0.800 - 2.790)	9.86	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+22+35+35	1.72	1.72	2.73	2.73	-	8.90 (3.70 - 10.10)	2.175 (0.810 - 2.755)	9.55	99
22+22+35+42	1.64	1.64	2.60	3.12	-	9.00 (3.70 - 10.20)	2.185 (0.810 - 2.765)	9.60	99
22+22+35+50	1.57	1.57	2.50	3.57	-	9.20 (3.70 - 10.40)	2.230 (0.810 - 2.785)	9.79	99
22+22+35+60	1.49	1.49	2.37	4.06	-	9.40 (3.70 - 10.50)	2.255 (0.810 - 2.790)	9.90	99
22+22+35+71	1.39	1.39	2.22	4.50	-	9.50 (3.70 - 10.60)	2.245 (0.800 - 2.790)	9.86	99
22+22+42+42	1.58	1.58	3.02	3.02	-	9.20 (3.70 - 10.40)	2.220 (0.810 - 2.785)	9.75	99
22+22+42+50	1.50	1.50	2.87	3.42	-	9.30 (3.70 - 10.40)	2.235 (0.810 - 2.775)	9.82	99
22+22+42+60	1.43	1.43	2.73	3.90	-	9.50 (3.70 - 10.60)	2.245 (0.800 - 2.790)	9.86	99
22+22+42+71	1.35	1.35	2.57	4.34	-	9.60 (3.70 - 10.80)	2.230 (0.790 - 2.805)	9.79	99
22+22+50+50	1.45	1.45	3.30	3.30	-	9.50 (3.70 - 10.60)	2.265 (0.800 - 2.790)	9.95	99
22+22+50+60	1.37	1.37	3.12	3.74	-	9.60 (3.70 - 10.80)	2.240 (0.790 - 2.805)	9.84	99
22+22+50+71	1.31	1.31	2.97	4.22	-	9.80 (3.70 - 11.00)	2.235 (0.770 - 2.815)	9.82	99
22+25+25+25	1.93	2.19	2.19	2.19	-	8.50 (3.70 - 9.80)	2.050 (0.810 - 2.680)	9.00	99
22+25+25+33	1.82	2.07	2.07	2.73	-	8.70 (3.70 - 10.00)	2.120 (0.810 - 2.740)	9.31	99
22+25+25+35	1.79	2.03	2.03	2.85	-	8.70 (3.70 - 10.00)	2.120 (0.810 - 2.740)	9.31	99
22+25+25+42	1.72	1.95	1.95	3.28	-	8.90 (3.70 - 10.10)	2.155 (0.810 - 2.745)	9.46	99
22+25+25+50	1.62	1.84	1.84	3.69	-	9.00 (3.70 - 10.20)	2.175 (0.810 - 2.755)	9.55	99
22+25+25+60	1.53	1.74	1.74	4.18	-	9.20 (3.70 - 10.40)	2.200 (0.810 - 2.775)	9.66	99
22+25+25+71	1.45	1.64	1.64	4.67	-	9.40 (3.70 - 10.50)	2.235 (0.810 - 2.780)	9.82	99
22+25+33+33	1.71	1.95	2.57	2.57	-	8.80 (3.70 - 10.10)	2.145 (0.810 - 2.755)	9.42	99
22+25+33+35	1.70	1.93	2.55	2.71	-	8.90 (3.70 - 10.10)	2.175 (0.810 - 2.755)	9.55	99
22+25+33+42	1.62	1.84	2.43	3.10	-	9.00 (3.70 - 10.20)	2.185 (0.810 - 2.765)	9.60	99
22+25+33+50	1.56	1.77	2.34	3.54	-	9.20 (3.70 - 10.40)	2.230 (0.810 - 2.785)	9.79	99
22+25+33+60	1.48	1.68	2.22	4.03	-	9.40 (3.70 - 10.50)	2.255 (0.810 - 2.790)	9.90	99
22+25+33+71	1.40	1.59	2.10	4.51	-	9.60 (3.70 - 10.80)	2.250 (0.790 - 2.815)	9.88	99
22+25+35+35	1.67	1.90	2.66	2.66	-	8.90 (3.70 - 10.10)	2.175 (0.810 - 2.755)	9.55	99
22+25+35+42	1.61	1.83	2.57	3.08	-	9.10 (3.70 - 10.30)	2.210 (0.810 - 2.780)	9.71	99
22+25+35+50	1.53	1.74	2.44	3.48	-	9.20 (3.70 - 10.40)	2.230 (0.810 - 2.785)	9.79	99
22+25+35+60	1.46	1.65	2.32	3.97	-	9.40 (3.70 - 10.50)	2.255 (0.810 - 2.790)	9.90	99
22+25+35+71	1.38	1.57	2.20	4.45	-	9.60 (3.70 - 10.80)	2.250 (0.790 - 2.815)	9.88	99
22+25+42+42	1.55	1.76	2.95	2.95	-	9.20 (3.70 - 10.40)	2.220 (0.810 - 2.785)	9.75	99
22+25+42+50	1.49	1.69	2.84	3.38	-	9.40 (3.70 - 10.50)	2.265 (0.810 - 2.790)	9.95	99
22+25+42+60	1.40	1.59	2.68	3.83	-	9.50 (3.70 - 10.60)	2.245 (0.800 - 2.790)	9.86	99
22+25+42+71	1.33	1.52	2.55	4.30	-	9.70 (3.70 - 10.90)	2.240 (0.780 - 2.815)	9.84	99
22+25+50+50	1.42	1.62	3.23	3.23	-	9.50 (3.70 - 10.60)	2.265 (0.800 - 2.790)	9.95	99
22+25+50+60	1.35	1.53	3.06	3.67	-	9.60 (3.70 - 10.80)	2.240 (0.790 - 2.805)	9.84	99
22+25+50+71	1.28	1.46	2.92	4.14	-	9.80 (3.70 - 11.00)	2.235 (0.770 - 2.815)	9.82	99
22+33+33+33	1.64	2.45	2.45	2.45	-	9.00 (3.70 - 10.20)	2.205 (0.810 - 2.775)	9.68	99
22+33+33+35	1.63	2.44	2.44	2.59	-	9.10 (3.70 - 10.30)	2.230 (0.810 - 2.790)	9.79	99
22+33+33+42	1.56	2.34	2.34	2.97	-	9.20 (3.70 - 10.40)	2.240 (0.810 - 2.795)	9.84	99
22+33+33+50	1.50	2.25	2.25	3.41	-	9.40 (3.70 - 10.50)	2.285 (0.810 - 2.800)	10.04	99
22+33+33+60	1.41	2.12	2.12	3.85	-	9.50 (3.70 - 10.60)	2.265 (0.800 - 2.800)	9.95	99
22+33+33+71	1.34	2.01	2.01	4.33	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+33+35+35	1.60	2.40	2.55	2.55	-	9.10 (3.70 - 10.30)	2.230 (0.810 - 2.790)	9.79	99
22+33+35+42	1.53	2.30	2.44	2.93	-	9.20 (3.70 - 10.40)	2.240 (0.810 - 2.795)	9.84	99
22+33+35+50	1.48	2.22	2.35	3.36	-	9.40 (3.70 - 10.50)	2.285 (0.810 - 2.800)	10.04	99
22+33+35+60	1.39	2.09	2.22	3.80	-	9.50 (3.70 - 10.60)	2.265 (0.800 - 2.800)	9.95	99
22+33+35+71	1.33	1.99	2.11	4.28	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99
22+33+42+42	1.49	2.23	2.84	2.84	-	9.40 (3.70 - 10.50)	2.275 (0.810 - 2.800)	9.99	99
22+33+42+50	1.42	2.13	2.71	3.23	-	9.50 (3.70 - 10.60)	2.275 (0.800 - 2.800)	9.99	99
22+33+42+60	1.35	2.02	2.57	3.67	-	9.60 (3.70 - 10.80)	2.250 (0.790 - 2.815)	9.88	99
22+33+42+71	1.28	1.93	2.45	4.14	-	9.80 (3.70 - 11.00)	2.245 (0.770 - 2.825)	9.86	99
22+33+50+50	1.36	2.04	3.10	3.10	-	9.60 (3.70 - 10.80)	2.270 (0.790 - 2.815)	9.97	99
22+33+50+60	1.31	1.96	2.97	3.56	-	9.80 (3.70 - 11.00)	2.255 (0.770 - 2.825)	9.90	99
22+35+35+35	1.58	2.51	2.51	2.51	-	9.10 (3.70 - 10.30)	2.230 (0.810 - 2.790)	9.79	99
22+35+35+42	1.53	2.43	2.43	2.91	-	9.30 (3.70 - 10.40)	2.265 (0.810 - 2.795)	9.95	99
22+35+35+50	1.46	2.32	2.32	3.31	-	9.40 (3.70 - 10.50)	2.285 (0.810 - 2.800)	10.04	99
22+35+35+60	1.39	2.21	2.21	3.79	-	9.60 (3.70 - 10.80)	2.270 (0.790 - 2.825)	9.97	99
22+35+35+71	1.31	2.08	2.08	4.23	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99
22+35+42+42	1.47	2.33	2.80	2.80	-	9.40 (3.70 - 10.50)	2.275 (0.810 - 2.800)	9.99	99
22+35+42+50	1.40	2.23	2.68	3.19	-	9.50 (3.70 - 10.60)	2.275 (0.800 - 2.800)	9.99	99
22+35+42+60	1.34	2.14	2.56	3.66	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99
22+35+42+71	1.27	2.02	2.42	4.09	-	9.80 (3.70 - 11.00)	2.245 (0.770 - 2.825)	9.86	99
22+35+50+50	1.35	2.14	3.06	3.06	-	9.60 (3.70 - 10.80)	2.270 (0.790 - 2.815)	9.97	99
22+35+50+60	1.29	2.05	2.93	3.52	-	9.80 (3.70 - 11.00)	2.255 (0.770 - 2.825)	9.90	99
22+42+42+42	1.41	2.70	2.70	2.70	-	9.50 (3.70 - 10.60)	2.265 (0.800 - 2.800)	9.95	99
22+42+42+50	1.35	2.58	2.58	3.08	-	9.60 (3.70 - 10.80)	2.260 (0.790 - 2.815)	9.93	99
22+42+42+60	1.30	2.48	2.48	3.54	-	9.80 (3.70 - 11.00)	2.245 (0.770 - 2.825)	9.86	99
22+42+50+50	1.30	2.48	2.96	2.96	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.815)	9.93	99
25+25+25+25	2.15	2.15	2.15	2.15	-	8.60 (3.70 - 9.90)	2.090 (0.810 - 2.725)	9.18	99
25+25+25+33	2.04	2.04	2.04	2.69	-	8.80 (3.70 - 10.10)	2.145 (0.810 - 2.755)	9.42	99
25+25+25+35	2.00	2.00	2.00	2.80	-	8.80 (3.70 - 10.10)	2.145 (0.810 - 2.755)	9.42	99
25+25+25+42	1.90	1.90	1.90	3.19	-	8.90 (3.70 - 10.10)	2.155 (0.810 - 2.745)	9.46	99
25+25+25+50	1.82	1.82	1.82	3.64	-	9.10 (3.70 - 10.30)	2.200 (0.810 - 2.770)	9.66	99
25+25+25+60	1.72	1.72	1.72	4.13	-	9.30 (3.70 - 10.40)	2.225 (0.810 - 2.775)	9.77	99
25+25+25+71	1.63	1.63	1.63	4.62	-	9.50 (3.70 - 10.60)	2.245 (0.800 - 2.790)	9.86	99
25+25+33+33	1.92	1.92	2.53	2.53	-	8.90 (3.70 - 10.10)	2.175 (0.810 - 2.755)	9.55	99
25+25+33+35	1.89	1.89	2.49	2.64	-	8.90 (3.70 - 10.10)	2.175 (0.810 - 2.755)	9.55	99
25+25+33+42	1.82	1.82	2.40	3.06	-	9.10 (3.70 - 10.30)	2.210 (0.810 - 2.780)	9.71	99
25+25+33+50	1.75	1.75	2.31	3.50	-	9.30 (3.70 - 10.40)	2.255 (0.810 - 2.785)	9.90	99
25+25+33+60	1.64	1.64	2.17	3.94	-	9.40 (3.70 - 10.50)	2.255 (0.810 - 2.790)	9.90	99
25+25+33+71	1.56	1.56	2.06	4.43	-	9.60 (3.70 - 10.80)	2.250 (0.790 - 2.815)	9.88	99
25+25+35+35	1.88	1.88	2.63	2.63	-	9.00 (3.70 - 10.20)	2.205 (0.810 - 2.775)	9.68	99
25+25+35+42	1.79	1.79	2.51	3.01	-	9.10 (3.70 - 10.30)	2.210 (0.810 - 2.780)	9.71	99
25+25+35+50	1.72	1.72	2.41	3.44	-	9.30 (3.70 - 10.40)	2.255 (0.810 - 2.785)	9.90	99
25+25+35+60	1.64	1.64	2.29	3.93	-	9.50 (3.70 - 10.60)	2.265 (0.800 - 2.800)	9.95	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
25+25+35+71	1.54	1.54	2.15	4.37	-	9.60 (3.70 - 10.80)	2.250 (0.790 - 2.815)	9.88	99
25+25+42+42	1.74	1.74	2.91	2.91	-	9.30 (3.70 - 10.40)	2.245 (0.810 - 2.785)	9.86	99
25+25+42+50	1.65	1.65	2.78	3.31	-	9.40 (3.70 - 10.50)	2.265 (0.810 - 2.790)	9.95	99
25+25+42+60	1.58	1.58	2.65	3.79	-	9.60 (3.70 - 10.80)	2.250 (0.790 - 2.815)	9.88	99
25+25+42+71	1.49	1.49	2.50	4.23	-	9.70 (3.70 - 10.90)	2.240 (0.780 - 2.815)	9.84	99
25+25+50+50	1.58	1.58	3.17	3.17	-	9.50 (3.70 - 10.60)	2.265 (0.800 - 2.790)	9.95	99
25+25+50+60	1.52	1.52	3.03	3.64	-	9.70 (3.70 - 10.90)	2.250 (0.780 - 2.815)	9.88	99
25+25+50+71	1.43	1.43	2.87	4.07	-	9.80 (3.70 - 11.00)	2.235 (0.770 - 2.815)	9.82	99
25+33+33+33	1.83	2.42	2.42	2.42	-	9.10 (3.70 - 10.30)	2.230 (0.810 - 2.790)	9.79	99
25+33+33+35	1.81	2.38	2.38	2.53	-	9.10 (3.70 - 10.30)	2.230 (0.810 - 2.790)	9.79	99
25+33+33+42	1.75	2.31	2.31	2.94	-	9.30 (3.70 - 10.40)	2.265 (0.810 - 2.795)	9.95	99
25+33+33+50	1.67	2.20	2.20	3.33	-	9.40 (3.70 - 10.50)	2.285 (0.810 - 2.800)	10.04	99
25+33+33+60	1.59	2.10	2.10	3.81	-	9.60 (3.70 - 10.80)	2.270 (0.790 - 2.825)	9.97	99
25+33+33+71	1.50	1.98	1.98	4.25	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99
25+33+35+35	1.80	2.37	2.52	2.52	-	9.20 (3.70 - 10.40)	2.260 (0.810 - 2.805)	9.93	99
25+33+35+42	1.72	2.27	2.41	2.89	-	9.30 (3.70 - 10.40)	2.265 (0.810 - 2.795)	9.95	99
25+33+35+50	1.64	2.17	2.30	3.29	-	9.40 (3.70 - 10.50)	2.285 (0.810 - 2.800)	10.04	99
25+33+35+60	1.57	2.07	2.20	3.76	-	9.60 (3.70 - 10.80)	2.270 (0.790 - 2.825)	9.97	99
25+33+35+71	1.48	1.95	2.07	4.20	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99
25+33+42+42	1.65	2.18	2.78	2.78	-	9.40 (3.70 - 10.50)	2.275 (0.810 - 2.800)	9.99	99
25+33+42+50	1.58	2.09	2.66	3.17	-	9.50 (3.70 - 10.60)	2.275 (0.800 - 2.800)	9.99	99
25+33+42+60	1.52	2.00	2.55	3.64	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99
25+35+35+35	1.77	2.48	2.48	2.48	-	9.20 (3.70 - 10.40)	2.260 (0.810 - 2.805)	9.93	99
25+35+35+42	1.70	2.38	2.38	2.85	-	9.30 (3.70 - 10.40)	2.265 (0.810 - 2.795)	9.95	99
25+35+35+50	1.64	2.29	2.29	3.28	-	9.50 (3.70 - 10.60)	2.295 (0.800 - 2.810)	10.08	99
25+35+35+60	1.55	2.17	2.17	3.72	-	9.60 (3.70 - 10.80)	2.270 (0.790 - 2.825)	9.97	99
25+35+35+71	1.48	2.07	2.07	4.19	-	9.80 (3.70 - 11.00)	2.265 (0.770 - 2.835)	9.95	99
25+35+42+42	1.65	2.31	2.77	2.77	-	9.50 (3.70 - 10.60)	2.285 (0.800 - 2.810)	10.04	99
25+35+42+50	1.58	2.21	2.65	3.16	-	9.60 (3.70 - 10.80)	2.280 (0.790 - 2.825)	10.01	99
25+35+42+60	1.50	2.10	2.51	3.59	-	9.70 (3.70 - 10.90)	2.260 (0.780 - 2.825)	9.93	99
25+42+42+42	1.59	2.67	2.67	2.67	-	9.60 (3.70 - 10.80)	2.270 (0.790 - 2.825)	9.97	99
25+42+42+50	1.53	2.56	2.56	3.05	-	9.70 (3.70 - 10.90)	2.270 (0.780 - 2.825)	9.97	99
25+42+42+60	1.45	2.44	2.44	3.48	-	9.80 (3.70 - 11.00)	2.245 (0.770 - 2.825)	9.86	99
25+42+50+50	1.47	2.46	2.93	2.93	-	9.80 (3.70 - 11.00)	2.265 (0.770 - 2.825)	9.95	99
33+33+33+33	2.30	2.30	2.30	2.30	-	9.20 (3.70 - 10.40)	2.260 (0.810 - 2.805)	9.93	99
33+33+33+35	2.29	2.29	2.29	2.43	-	9.30 (3.70 - 10.40)	2.285 (0.810 - 2.805)	10.04	99
33+33+33+42	2.20	2.20	2.20	2.80	-	9.40 (3.70 - 10.50)	2.295 (0.810 - 2.810)	10.08	99
33+33+33+50	2.10	2.10	2.10	3.19	-	9.50 (3.70 - 10.60)	2.295 (0.800 - 2.810)	10.08	99
33+33+33+60	2.01	2.01	2.01	3.66	-	9.70 (3.70 - 10.90)	2.280 (0.780 - 2.835)	10.01	99
33+33+35+35	2.26	2.26	2.39	2.39	-	9.30 (3.70 - 10.40)	2.285 (0.810 - 2.805)	10.04	99
33+33+35+42	2.17	2.17	2.30	2.76	-	9.40 (3.70 - 10.50)	2.295 (0.810 - 2.810)	10.08	99
33+33+35+50	2.10	2.10	2.23	3.18	-	9.60 (3.70 - 10.80)	2.300 (0.790 - 2.835)	10.10	99
33+33+35+60	1.99	1.99	2.11	3.61	-	9.70 (3.70 - 10.90)	2.280 (0.780 - 2.835)	10.01	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
33+33+42+42	2.09	2.09	2.66	2.66	-	9.50 (3.70 - 10.60)	2.285 (0.800 - 2.810)	10.04	99
33+33+42+50	2.03	2.03	2.58	3.07	-	9.70 (3.70 - 10.90)	2.290 (0.780 - 2.835)	10.06	99
33+35+35+35	2.25	2.38	2.38	2.38	-	9.40 (3.70 - 10.50)	2.315 (0.810 - 2.820)	10.17	99
33+35+35+42	2.16	2.29	2.29	2.75	-	9.50 (3.70 - 10.60)	2.305 (0.800 - 2.820)	10.12	99
33+35+35+50	2.07	2.20	2.20	3.14	-	9.60 (3.70 - 10.80)	2.300 (0.790 - 2.835)	10.10	99
33+35+35+60	1.96	2.08	2.08	3.57	-	9.70 (3.70 - 10.90)	2.280 (0.780 - 2.835)	10.01	99
33+35+42+42	2.08	2.21	2.65	2.65	-	9.60 (3.70 - 10.80)	2.290 (0.790 - 2.835)	10.06	99
33+35+42+50	2.00	2.12	2.55	3.03	-	9.70 (3.70 - 10.90)	2.290 (0.780 - 2.835)	10.06	99
33+42+42+42	2.01	2.56	2.56	2.56	-	9.70 (3.70 - 10.90)	2.280 (0.780 - 2.835)	10.01	99
33+42+42+50	1.94	2.46	2.46	2.93	-	9.80 (3.70 - 11.00)	2.275 (0.770 - 2.835)	9.99	99
35+35+35+35	2.35	2.35	2.35	2.35	-	9.40 (3.70 - 10.50)	2.315 (0.810 - 2.820)	10.17	99
35+35+35+42	2.26	2.26	2.26	2.71	-	9.50 (3.70 - 10.60)	2.305 (0.800 - 2.820)	10.12	99
35+35+35+50	2.17	2.17	2.17	3.10	-	9.60 (3.70 - 10.80)	2.300 (0.790 - 2.835)	10.10	99
35+35+35+60	2.08	2.08	2.08	3.56	-	9.80 (3.70 - 11.00)	2.285 (0.770 - 2.845)	10.04	99
35+35+42+42	2.18	2.18	2.62	2.62	-	9.60 (3.70 - 10.80)	2.290 (0.790 - 2.835)	10.06	99
35+35+42+50	2.10	2.10	2.51	2.99	-	9.70 (3.70 - 10.90)	2.290 (0.780 - 2.835)	10.06	99
35+42+42+42	2.11	2.53	2.53	2.53	-	9.70 (3.70 - 10.90)	2.280 (0.780 - 2.835)	10.01	99
35+42+42+50	2.03	2.44	2.44	2.90	-	9.80 (3.70 - 11.00)	2.275 (0.770 - 2.835)	9.99	99
42+42+42+42	2.45	2.45	2.45	2.45	-	9.80 (3.70 - 11.00)	2.345 (0.770 - 2.875)	10.30	99
22+22+22+22+22	2.00	2.00	2.00	2.00	2.00	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+22+25	1.95	1.95	1.95	1.95	2.21	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+22+33	1.82	1.82	1.82	1.82	2.73	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+22+35	1.79	1.79	1.79	1.79	2.85	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+22+42	1.69	1.69	1.69	1.69	3.23	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+22+22+22+50	1.59	1.59	1.59	1.59	3.62	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+22+22+22+60	1.49	1.49	1.49	1.49	4.05	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
22+22+22+22+71	1.38	1.38	1.38	1.38	4.47	10.00 (3.90 - 11.00)	2.720 (0.780 - 3.385)	11.95	99
22+22+22+25+25	1.90	1.90	1.90	2.16	2.16	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+25+33	1.77	1.77	1.77	2.02	2.66	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+25+35	1.75	1.75	1.75	1.98	2.78	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+25+42	1.65	1.65	1.65	1.88	3.16	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+22+22+25+50	1.56	1.56	1.56	1.77	3.55	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+22+22+25+60	1.46	1.46	1.46	1.66	3.97	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
22+22+22+25+71	1.36	1.36	1.36	1.54	4.38	10.00 (3.90 - 11.00)	2.720 (0.780 - 3.385)	11.95	99
22+22+22+33+33	1.67	1.67	1.67	2.50	2.50	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+33+35	1.64	1.64	1.64	2.46	2.61	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+33+42	1.56	1.56	1.56	2.34	2.98	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+22+22+33+50	1.48	1.48	1.48	2.21	3.36	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+22+22+33+60	1.38	1.38	1.38	2.08	3.77	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
22+22+22+33+71	1.29	1.29	1.29	1.94	4.18	10.00 (3.90 - 11.00)	2.720 (0.780 - 3.385)	11.95	99
22+22+22+35+35	1.62	1.62	1.62	2.57	2.57	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+22+22+35+42	1.54	1.54	1.54	2.45	2.94	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+22+22+35+50	1.46	1.46	1.46	2.32	3.31	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+22+22+35+60	1.37	1.37	1.37	2.17	3.73	(3.90 - 11.00)	(0.780 - 3.395)	12.03	99
22+22+22+35+71	1.28	1.28	1.28	2.03	4.13	(3.90 - 11.00)	(0.780 - 3.385)	11.95	99
22+22+22+42+42	1.47	1.47	1.47	2.80	2.80	(3.90 - 11.00)	(0.780 - 3.405)	12.12	99
22+22+22+42+50	1.39	1.39	1.39	2.66	3.16	(3.90 - 11.00)	(0.780 - 3.395)	12.08	99
22+22+22+42+60	1.31	1.31	1.31	2.50	3.57	(3.90 - 11.00)	(0.780 - 3.385)	11.95	99
22+22+25+25+25	1.85	1.85	2.10	2.10	2.10	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+25+25+33	1.73	1.73	1.97	1.97	2.60	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+25+25+35	1.71	1.71	1.94	1.94	2.71	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+25+25+42	1.62	1.62	1.84	1.84	3.09	(3.90 - 11.00)	(0.780 - 3.415)	12.21	99
22+22+25+25+50	1.53	1.53	1.74	1.74	3.47	(3.90 - 11.00)	(0.780 - 3.405)	12.17	99
22+22+25+25+60	1.43	1.43	1.62	1.62	3.90	(3.90 - 11.00)	(0.780 - 3.395)	12.03	99
22+22+25+25+71	1.33	1.33	1.52	1.52	4.30	(3.90 - 11.00)	(0.780 - 3.385)	11.95	99
22+22+25+33+33	1.63	1.63	1.85	2.44	2.44	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+25+33+35	1.61	1.61	1.82	2.41	2.55	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+25+33+42	1.53	1.53	1.74	2.29	2.92	(3.90 - 11.00)	(0.780 - 3.415)	12.21	99
22+22+25+33+50	1.45	1.45	1.64	2.17	3.29	(3.90 - 11.00)	(0.780 - 3.405)	12.17	99
22+22+25+33+60	1.36	1.36	1.54	2.04	3.70	(3.90 - 11.00)	(0.780 - 3.395)	12.03	99
22+22+25+35+35	1.58	1.58	1.80	2.52	2.52	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+25+35+42	1.51	1.51	1.71	2.40	2.88	(3.90 - 11.00)	(0.780 - 3.415)	12.21	99
22+22+25+35+50	1.43	1.43	1.62	2.27	3.25	(3.90 - 11.00)	(0.780 - 3.405)	12.17	99
22+22+25+35+60	1.34	1.34	1.52	2.13	3.66	(3.90 - 11.00)	(0.780 - 3.395)	12.03	99
22+22+25+42+42	1.44	1.44	1.63	2.75	2.75	(3.90 - 11.00)	(0.780 - 3.405)	12.12	99
22+22+25+42+50	1.37	1.37	1.55	2.61	3.11	(3.90 - 11.00)	(0.780 - 3.395)	12.08	99
22+22+25+42+60	1.29	1.29	1.46	2.46	3.51	(3.90 - 11.00)	(0.780 - 3.385)	11.95	99
22+22+33+33+33	1.54	1.54	2.31	2.31	2.31	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+33+33+35	1.52	1.52	2.28	2.28	2.41	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+33+33+42	1.45	1.45	2.17	2.17	2.76	(3.90 - 11.00)	(0.780 - 3.415)	12.21	99
22+22+33+33+50	1.38	1.38	2.06	2.06	3.13	(3.90 - 11.00)	(0.780 - 3.405)	12.17	99
22+22+33+35+35	1.50	1.50	2.24	2.38	2.38	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+33+35+42	1.43	1.43	2.14	2.27	2.73	(3.90 - 11.00)	(0.780 - 3.415)	12.21	99
22+22+33+35+50	1.36	1.36	2.04	2.16	3.09	(3.90 - 11.00)	(0.780 - 3.405)	12.17	99
22+22+33+42+42	1.37	1.37	2.05	2.61	2.61	(3.90 - 11.00)	(0.780 - 3.405)	12.12	99
22+22+33+42+50	1.30	1.30	1.95	2.49	2.96	(3.90 - 11.00)	(0.780 - 3.395)	12.08	99
22+22+35+35+35	1.48	1.48	2.35	2.35	2.35	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+22+35+35+42	1.41	1.41	2.24	2.24	2.69	(3.90 - 11.00)	(0.780 - 3.415)	12.21	99
22+22+35+35+50	1.34	1.34	2.13	2.13	3.05	(3.90 - 11.00)	(0.780 - 3.405)	12.17	99
22+22+35+42+42	1.35	1.35	2.15	2.58	2.58	(3.90 - 11.00)	(0.780 - 3.405)	12.12	99
22+22+35+42+50	1.29	1.29	2.05	2.46	2.92	(3.90 - 11.00)	(0.780 - 3.395)	12.08	99
22+22+42+42+42	1.29	1.29	2.47	2.47	2.47	(3.90 - 11.00)	(0.780 - 3.395)	12.03	99
22+25+25+25+25	1.80	2.05	2.05	2.05	2.05	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+25+25+25+33	1.69	1.92	1.92	1.92	2.54	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+25+25+25+35	1.67	1.89	1.89	1.89	2.65	(3.90 - 11.00)	(0.780 - 3.425)	12.30	99
22+25+25+25+42	1.58	1.80	1.80	1.80	3.02	(3.90 - 11.00)	(0.780 - 3.415)	12.21	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+25+25+25+50	1.50	1.70	1.70	1.70	3.40	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+25+25+25+60	1.40	1.59	1.59	1.59	3.82	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
22+25+25+25+71	1.31	1.49	1.49	1.49	4.23	10.00 (3.90 - 11.00)	2.720 (0.780 - 3.385)	11.95	99
22+25+25+33+33	1.59	1.81	1.81	2.39	2.39	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+25+25+33+35	1.57	1.79	1.79	2.36	2.50	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+25+25+33+42	1.50	1.70	1.70	2.24	2.86	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+25+25+33+50	1.42	1.61	1.61	2.13	3.23	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+25+25+33+60	1.33	1.52	1.52	2.00	3.64	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
22+25+25+35+35	1.55	1.76	1.76	2.46	2.46	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+25+25+35+42	1.48	1.68	1.68	2.35	2.82	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+25+25+35+50	1.40	1.59	1.59	2.23	3.18	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+25+25+35+60	1.32	1.50	1.50	2.10	3.59	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
22+25+25+42+42	1.41	1.60	1.60	2.69	2.69	10.00 (3.90 - 11.00)	2.760 (0.780 - 3.405)	12.12	99
22+25+25+42+50	1.34	1.52	1.52	2.56	3.05	10.00 (3.90 - 11.00)	2.750 (0.780 - 3.395)	12.08	99
22+25+33+33+33	1.51	1.71	2.26	2.26	2.26	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+25+33+33+35	1.49	1.69	2.23	2.23	2.36	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+25+33+33+42	1.42	1.61	2.13	2.13	2.71	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+25+33+33+50	1.35	1.53	2.02	2.02	3.07	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+25+33+35+35	1.47	1.67	2.20	2.33	2.33	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+25+33+35+42	1.40	1.59	2.10	2.23	2.68	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+25+33+35+50	1.33	1.52	2.00	2.12	3.03	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+25+33+42+42	1.34	1.52	2.01	2.56	2.56	10.00 (3.90 - 11.00)	2.760 (0.780 - 3.405)	12.12	99
22+25+35+35+35	1.45	1.64	2.30	2.30	2.30	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+25+35+35+42	1.38	1.57	2.20	2.20	2.64	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+25+35+35+50	1.32	1.50	2.10	2.10	2.99	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
22+25+35+42+42	1.33	1.51	2.11	2.53	2.53	10.00 (3.90 - 11.00)	2.760 (0.780 - 3.405)	12.12	99
22+33+33+33+33	1.43	2.14	2.14	2.14	2.14	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+33+33+33+35	1.41	2.12	2.12	2.12	2.24	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+33+33+33+42	1.35	2.02	2.02	2.02	2.58	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+33+33+35+35	1.39	2.09	2.09	2.22	2.22	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+33+33+35+42	1.33	2.00	2.00	2.12	2.55	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+33+35+35+35	1.38	2.06	2.19	2.19	2.19	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+33+35+35+42	1.32	1.98	2.10	2.10	2.51	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
22+35+35+35+35	1.36	2.16	2.16	2.16	2.16	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
22+35+35+35+42	1.30	2.07	2.07	2.07	2.49	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+25+25+33	1.88	1.88	1.88	1.88	2.48	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+25+25+35	1.85	1.85	1.85	1.85	2.59	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+25+25+42	1.76	1.76	1.76	1.76	2.96	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
25+25+25+25+50	1.67	1.67	1.67	1.67	3.33	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
25+25+25+25+60	1.56	1.56	1.56	1.56	3.75	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
25+25+25+25+71	1.46	1.46	1.46	1.46	4.15	10.00 (3.90 - 11.00)	2.720 (0.780 - 3.385)	11.95	99
25+25+25+33+33	1.77	1.77	1.77	2.34	2.34	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99

MXZ-5C100VA COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
25+25+25+33+35	1.75	1.75	1.75	2.31	2.45	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+25+33+42	1.67	1.67	1.67	2.20	2.80	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
25+25+25+33+50	1.58	1.58	1.58	2.09	3.16	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
25+25+25+33+60	1.49	1.49	1.49	1.96	3.57	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
25+25+25+35+35	1.72	1.72	1.72	2.41	2.41	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+25+35+42	1.64	1.64	1.64	2.30	2.76	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
25+25+25+35+50	1.56	1.56	1.56	2.19	3.13	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
25+25+25+35+60	1.47	1.47	1.47	2.06	3.53	10.00 (3.90 - 11.00)	2.740 (0.780 - 3.395)	12.03	99
25+25+25+42+42	1.57	1.57	1.57	2.64	2.64	10.00 (3.90 - 11.00)	2.760 (0.780 - 3.405)	12.12	99
25+25+25+42+50	1.50	1.50	1.50	2.51	2.99	10.00 (3.90 - 11.00)	2.750 (0.780 - 3.395)	12.08	99
25+25+33+33+33	1.68	1.68	2.21	2.21	2.21	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+33+33+35	1.66	1.66	2.19	2.19	2.32	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+33+33+42	1.58	1.58	2.09	2.09	2.66	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
25+25+33+33+50	1.51	1.51	1.99	1.99	3.01	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
25+25+33+35+35	1.63	1.63	2.16	2.29	2.29	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+33+35+42	1.56	1.56	2.06	2.19	2.63	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
25+25+33+35+50	1.49	1.49	1.96	2.08	2.98	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
25+25+33+42+42	1.50	1.50	1.98	2.51	2.51	10.00 (3.90 - 11.00)	2.760 (0.780 - 3.405)	12.12	99
25+25+35+35+35	1.61	1.61	2.26	2.26	2.26	10.00 (3.90 - 11.00)	2.800 (0.780 - 3.425)	12.30	99
25+25+35+35+42	1.54	1.54	2.16	2.16	2.59	10.00 (3.90 - 11.00)	2.780 (0.780 - 3.415)	12.21	99
25+25+35+35+50	1.47	1.47	2.06	2.06	2.94	10.00 (3.90 - 11.00)	2.770 (0.780 - 3.405)	12.17	99
25+25+35+42+42	1.48	1.48	2.07	2.49	2.49	10.00 (3.90 - 11.00)	2.760 (0.780 - 3.405)	12.12	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22	3.30	-	-	-	-	3.30 (1.20 - 4.20)	0.890 (0.340 - 1.590)	3.91	99
25	3.60	-	-	-	-	3.60 (1.20 - 4.50)	0.990 (0.340 - 1.740)	4.35	99
33	3.60	-	-	-	-	3.60 (1.20 - 4.50)	0.990 (0.340 - 1.740)	4.35	99
35	4.00	-	-	-	-	4.00 (1.20 - 5.50)	1.140 (0.330 - 1.810)	5.01	99
42	5.40	-	-	-	-	5.40 (1.30 - 6.50)	1.610 (0.330 - 2.260)	7.07	99
50	7.20	-	-	-	-	7.20 (1.40 - 7.70)	2.270 (0.330 - 2.710)	9.97	99
60	7.90	-	-	-	-	7.90 (1.40 - 8.60)	2.270 (0.330 - 3.060)	9.97	99
71	8.60	-	-	-	-	8.60 (1.60 - 9.20)	2.410 (0.360 - 3.520)	10.58	99
22+22	3.30	3.30	-	-	-	6.60 (1.80 - 7.20)	1.570 (0.480 - 2.760)	6.90	99
22+25	3.23	3.67	-	-	-	6.90 (1.80 - 8.00)	1.670 (0.480 - 2.950)	7.33	99
22+33	2.96	4.44	-	-	-	7.40 (1.80 - 9.20)	1.840 (0.480 - 3.190)	8.08	99
22+35	2.89	4.61	-	-	-	7.50 (1.80 - 9.30)	1.880 (0.480 - 3.200)	8.26	99
22+42	2.68	5.12	-	-	-	7.80 (1.80 - 9.70)	1.990 (0.480 - 3.230)	8.74	99
22+50	2.57	5.83	-	-	-	8.40 (1.80 - 10.00)	2.210 (0.480 - 3.290)	9.71	99
22+60	2.71	7.39	-	-	-	10.10 (1.80 - 10.80)	2.910 (0.480 - 3.520)	12.78	99
22+71	2.51	8.09	-	-	-	10.60 (1.80 - 11.90)	2.980 (0.460 - 3.770)	13.09	99
25+25	3.60	3.60	-	-	-	7.20 (1.80 - 8.80)	1.760 (0.480 - 3.140)	7.73	99
25+33	3.23	4.27	-	-	-	7.50 (1.80 - 9.30)	1.880 (0.480 - 3.200)	8.26	99
25+35	3.17	4.43	-	-	-	7.60 (1.80 - 9.50)	1.920 (0.480 - 3.230)	8.43	99
25+42	2.95	4.95	-	-	-	7.90 (1.80 - 9.70)	2.020 (0.480 - 3.230)	8.87	99
25+50	2.97	5.93	-	-	-	8.90 (1.80 - 10.20)	2.420 (0.480 - 3.350)	10.63	99
25+60	3.09	7.41	-	-	-	10.50 (1.80 - 11.00)	3.070 (0.460 - 3.580)	13.48	99
25+71	2.76	7.84	-	-	-	10.60 (1.80 - 11.90)	2.980 (0.460 - 3.770)	13.09	99
33+33	4.00	4.00	-	-	-	8.00 (1.80 - 9.80)	2.060 (0.480 - 3.260)	9.05	99
33+35	3.93	4.17	-	-	-	8.10 (1.80 - 9.80)	2.100 (0.480 - 3.260)	9.22	99
33+42	3.92	4.98	-	-	-	8.90 (1.80 - 10.20)	2.420 (0.480 - 3.350)	10.63	99
33+50	4.06	6.14	-	-	-	10.20 (1.80 - 10.90)	2.950 (0.480 - 3.550)	12.96	99
33+60	3.76	6.84	-	-	-	10.60 (1.80 - 11.90)	2.980 (0.460 - 3.770)	13.09	99
33+71	3.36	7.24	-	-	-	10.60 (1.90 - 11.90)	2.900 (0.440 - 3.770)	12.74	99
35+35	4.00	4.00	-	-	-	8.00 (1.80 - 9.80)	2.050 (0.480 - 3.230)	9.00	99
35+42	4.23	5.07	-	-	-	9.30 (1.80 - 10.40)	2.580 (0.480 - 3.410)	11.33	99
35+50	4.32	6.18	-	-	-	10.50 (1.80 - 11.00)	3.070 (0.460 - 3.580)	13.48	99
35+60	3.91	6.69	-	-	-	10.60 (1.80 - 11.90)	2.980 (0.460 - 3.770)	13.09	99
35+71	3.50	7.10	-	-	-	10.60 (1.90 - 11.90)	2.850 (0.440 - 3.770)	12.52	99
42+42	5.25	5.25	-	-	-	10.50 (1.80 - 11.00)	3.070 (0.460 - 3.580)	13.48	99
42+50	4.84	5.76	-	-	-	10.60 (1.80 - 11.90)	2.980 (0.460 - 3.770)	13.09	99
42+60	4.36	6.24	-	-	-	10.60 (1.90 - 11.90)	2.940 (0.440 - 3.770)	12.91	99
42+71	3.94	6.66	-	-	-	10.60 (1.90 - 12.00)	2.700 (0.440 - 3.870)	11.86	99
50+50	5.30	5.30	-	-	-	10.60 (1.90 - 11.90)	2.980 (0.440 - 3.770)	13.09	99
50+60	4.82	5.78	-	-	-	10.60 (1.90 - 12.00)	2.770 (0.440 - 3.870)	12.17	99
50+71	4.38	6.22	-	-	-	10.60 (1.90 - 12.00)	2.550 (0.440 - 3.870)	11.20	99
60+60	5.30	5.30	-	-	-	10.60 (1.90 - 12.00)	2.550 (0.440 - 3.870)	11.20	99
60+71	4.85	5.75	-	-	-	10.60 (1.90 - 12.10)	2.510 (0.440 - 3.920)	11.02	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
71+71	5.30	5.30	-	-	-	10.60 (1.90 - 12.20)	2.460 (0.440 - 3.960)	10.80	99
22+22+22	2.90	2.90	2.90	-	-	8.70 (2.60 - 10.60)	1.950 (0.530 - 3.060)	8.56	99
22+22+25	2.81	2.81	3.19	-	-	8.80 (2.60 - 11.30)	1.980 (0.530 - 3.300)	8.70	99
22+22+33	2.60	2.60	3.90	-	-	9.10 (2.60 - 12.60)	2.070 (0.530 - 3.750)	9.09	99
22+22+35	2.53	2.53	4.03	-	-	9.10 (2.60 - 12.60)	2.070 (0.530 - 3.740)	9.09	99
22+22+42	2.40	2.40	4.59	-	-	9.40 (2.60 - 12.60)	2.180 (0.530 - 3.690)	9.57	99
22+22+50	2.25	2.25	5.11	-	-	9.60 (2.60 - 12.60)	2.260 (0.530 - 3.650)	9.93	99
22+22+60	2.12	2.12	5.77	-	-	10.00 (2.60 - 12.60)	2.410 (0.530 - 3.630)	10.58	99
22+22+71	1.99	1.99	6.42	-	-	10.40 (2.60 - 12.60)	2.520 (0.530 - 3.500)	11.07	99
22+25+25	2.72	3.09	3.09	-	-	8.90 (2.60 - 11.90)	2.000 (0.530 - 3.510)	8.78	99
22+25+33	2.53	2.88	3.80	-	-	9.20 (2.60 - 12.60)	2.110 (0.530 - 3.740)	9.27	99
22+25+35	2.47	2.80	3.93	-	-	9.20 (2.60 - 12.60)	2.110 (0.530 - 3.740)	9.27	99
22+25+42	2.35	2.67	4.48	-	-	9.50 (2.60 - 12.60)	2.220 (0.530 - 3.690)	9.75	99
22+25+50	2.20	2.50	5.00	-	-	9.70 (2.60 - 12.60)	2.300 (0.530 - 3.640)	10.10	99
22+25+60	2.08	2.36	5.66	-	-	10.10 (2.60 - 12.60)	2.440 (0.530 - 3.600)	10.72	99
22+25+71	1.96	2.22	6.32	-	-	10.50 (2.60 - 12.60)	2.540 (0.530 - 3.460)	11.16	99
22+33+33	2.35	3.53	3.53	-	-	9.40 (2.60 - 12.60)	2.180 (0.530 - 3.730)	9.57	99
22+33+35	2.32	3.48	3.69	-	-	9.50 (2.60 - 12.60)	2.220 (0.530 - 3.730)	9.75	99
22+33+42	2.20	3.30	4.20	-	-	9.70 (2.60 - 12.60)	2.300 (0.530 - 3.670)	10.10	99
22+33+50	2.10	3.14	4.76	-	-	10.00 (2.60 - 12.60)	2.410 (0.530 - 3.630)	10.58	99
22+33+60	1.99	2.98	5.43	-	-	10.40 (2.60 - 12.60)	2.520 (0.530 - 3.500)	11.07	99
22+33+71	1.89	2.83	6.09	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.360)	11.51	99
22+35+35	2.30	3.65	3.65	-	-	9.60 (2.60 - 12.60)	2.260 (0.530 - 3.720)	9.93	99
22+35+42	2.18	3.46	4.16	-	-	9.80 (2.60 - 12.60)	2.330 (0.530 - 3.670)	10.23	99
22+35+50	2.08	3.30	4.72	-	-	10.10 (2.60 - 12.60)	2.440 (0.530 - 3.600)	10.72	99
22+35+60	1.97	3.14	5.38	-	-	10.50 (2.60 - 12.60)	2.540 (0.530 - 3.480)	11.16	99
22+35+71	1.86	2.95	5.99	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.350)	11.51	99
22+42+42	2.08	3.96	3.96	-	-	10.00 (2.60 - 12.60)	2.410 (0.530 - 3.610)	10.58	99
22+42+50	1.99	3.79	4.52	-	-	10.30 (2.60 - 12.60)	2.490 (0.530 - 3.470)	10.94	99
22+42+60	1.90	3.62	5.18	-	-	10.70 (2.60 - 12.60)	2.590 (0.530 - 3.350)	11.37	99
22+42+71	1.78	3.39	5.73	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.250)	11.51	99
22+50+50	1.91	4.34	4.34	-	-	10.60 (2.60 - 12.60)	2.570 (0.530 - 3.340)	11.29	99
22+50+60	1.82	4.13	4.95	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.250)	11.51	99
22+50+71	1.68	3.81	5.41	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.160)	11.51	99
22+60+60	1.69	4.61	4.61	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.170)	11.51	99
22+60+71	1.58	4.31	5.10	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
25+25+25	3.00	3.00	3.00	-	-	9.00 (2.60 - 12.60)	2.030 (0.530 - 3.750)	8.92	99
25+25+33	2.80	2.80	3.70	-	-	9.30 (2.60 - 12.60)	2.150 (0.530 - 3.740)	9.44	99
25+25+35	2.74	2.74	3.83	-	-	9.30 (2.60 - 12.60)	2.140 (0.530 - 3.730)	9.40	99
25+25+42	2.61	2.61	4.38	-	-	9.60 (2.60 - 12.60)	2.260 (0.530 - 3.680)	9.93	99
25+25+50	2.45	2.45	4.90	-	-	9.80 (2.60 - 12.60)	2.330 (0.530 - 3.640)	10.23	99
25+25+60	2.32	2.32	5.56	-	-	10.20 (2.60 - 12.60)	2.460 (0.530 - 3.570)	10.80	99
25+25+71	2.19	2.19	6.22	-	-	10.60 (2.60 - 12.60)	2.570 (0.530 - 3.420)	11.29	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
25+33+33	2.61	3.45	3.45	-	-	9.50 (2.60 - 12.60)	2.220 (0.530 - 3.720)	9.75	99
25+33+35	2.58	3.41	3.61	-	-	9.60 (2.60 - 12.60)	2.260 (0.530 - 3.720)	9.93	99
25+33+42	2.45	3.23	4.12	-	-	9.80 (2.60 - 12.60)	2.330 (0.530 - 3.670)	10.23	99
25+33+50	2.34	3.09	4.68	-	-	10.10 (2.60 - 12.60)	2.440 (0.530 - 3.590)	10.72	99
25+33+60	2.22	2.94	5.34	-	-	10.50 (2.60 - 12.60)	2.540 (0.530 - 3.460)	11.16	99
25+33+71	2.09	2.76	5.94	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.340)	11.51	99
25+35+35	2.55	3.57	3.57	-	-	9.70 (2.60 - 12.60)	2.300 (0.530 - 3.720)	10.10	99
25+35+42	2.43	3.40	4.08	-	-	9.90 (2.60 - 12.60)	2.370 (0.530 - 3.670)	10.41	99
25+35+50	2.32	3.25	4.64	-	-	10.20 (2.60 - 12.60)	2.460 (0.530 - 3.570)	10.80	99
25+35+60	2.21	3.09	5.30	-	-	10.60 (2.60 - 12.60)	2.570 (0.530 - 3.440)	11.29	99
25+35+71	2.06	2.89	5.85	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.320)	11.51	99
25+42+42	2.34	3.93	3.93	-	-	10.20 (2.60 - 12.60)	2.460 (0.530 - 3.570)	10.80	99
25+42+50	2.24	3.77	4.49	-	-	10.50 (2.60 - 12.60)	2.540 (0.530 - 3.440)	11.16	99
25+42+60	2.13	3.57	5.10	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.310)	11.51	99
25+42+71	1.97	3.32	5.61	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.230)	11.51	99
25+50+50	2.16	4.32	4.32	-	-	10.80 (2.60 - 12.60)	2.620 (0.530 - 3.300)	11.51	99
25+50+60	2.02	4.04	4.84	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.220)	11.51	99
25+50+71	1.88	3.77	5.35	-	-	11.00 (2.70 - 12.60)	2.620 (0.510 - 3.140)	11.51	99
25+60+60	1.90	4.55	4.55	-	-	11.00 (2.70 - 12.60)	2.620 (0.510 - 3.150)	11.51	99
25+60+71	1.76	4.23	5.01	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
33+33+33	3.27	3.27	3.27	-	-	9.80 (2.60 - 12.60)	2.330 (0.530 - 3.710)	10.23	99
33+33+35	3.23	3.23	3.43	-	-	9.90 (2.60 - 12.60)	2.370 (0.530 - 3.710)	10.41	99
33+33+42	3.09	3.09	3.93	-	-	10.10 (2.60 - 12.60)	2.440 (0.530 - 3.620)	10.72	99
33+33+50	2.96	2.96	4.48	-	-	10.40 (2.60 - 12.60)	2.520 (0.530 - 3.490)	11.07	99
33+33+60	2.83	2.83	5.14	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.360)	11.51	99
33+33+71	2.63	2.63	5.65	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.280)	11.51	99
33+35+35	3.17	3.36	3.36	-	-	9.90 (2.60 - 12.60)	2.370 (0.530 - 3.700)	10.41	99
33+35+42	3.06	3.25	3.89	-	-	10.20 (2.60 - 12.60)	2.460 (0.530 - 3.600)	10.80	99
33+35+50	2.94	3.11	4.45	-	-	10.50 (2.60 - 12.60)	2.540 (0.530 - 3.460)	11.16	99
33+35+60	2.78	2.95	5.06	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.350)	11.51	99
33+35+71	2.59	2.74	5.57	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.270)	11.51	99
33+42+42	2.96	3.77	3.77	-	-	10.50 (2.60 - 12.60)	2.540 (0.530 - 3.470)	11.16	99
33+42+50	2.85	3.63	4.32	-	-	10.80 (2.60 - 12.60)	2.620 (0.530 - 3.330)	11.51	99
33+42+60	2.66	3.39	4.84	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.250)	11.51	99
33+42+71	2.49	3.16	5.35	-	-	11.00 (2.70 - 12.60)	2.620 (0.510 - 3.170)	11.51	99
33+50+50	2.70	4.10	4.10	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.240)	11.51	99
33+50+60	2.52	3.81	4.57	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.160)	11.51	99
33+50+71	2.36	3.57	5.07	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
33+60+60	2.37	4.31	4.31	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
33+60+71	2.21	4.02	4.76	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
35+35+35	3.33	3.33	3.33	-	-	10.00 (2.60 - 12.60)	2.410 (0.530 - 3.700)	10.58	99
35+35+42	3.22	3.22	3.86	-	-	10.30 (2.60 - 12.60)	2.490 (0.530 - 3.570)	10.94	99
35+35+50	3.09	3.09	4.42	-	-	10.60 (2.60 - 12.60)	2.570 (0.530 - 3.440)	11.29	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
35+35+60	2.91	2.91	4.98	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.330)	11.51	99
35+35+71	2.71	2.71	5.49	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.250)	11.51	99
35+42+42	3.09	3.71	3.71	-	-	10.50 (2.60 - 12.60)	2.540 (0.530 - 3.440)	11.16	99
35+42+50	2.98	3.57	4.25	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.310)	11.51	99
35+42+60	2.78	3.34	4.77	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.240)	11.51	99
35+42+71	2.60	3.12	5.28	-	-	11.00 (2.70 - 12.60)	2.620 (0.510 - 3.160)	11.51	99
35+50+50	2.83	4.04	4.04	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.220)	11.51	99
35+50+60	2.66	3.79	4.55	-	-	11.00 (2.70 - 12.60)	2.620 (0.510 - 3.150)	11.51	99
35+50+71	2.47	3.53	5.01	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
35+60+60	2.48	4.26	4.26	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
35+60+71	2.32	3.98	4.70	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.110)	11.51	99
42+42+42	3.60	3.60	3.60	-	-	10.80 (2.70 - 12.60)	2.620 (0.510 - 3.430)	11.51	99
42+42+50	3.42	3.42	4.07	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.220)	11.51	99
42+42+60	3.21	3.21	4.58	-	-	11.00 (2.70 - 12.60)	2.620 (0.510 - 3.150)	11.51	99
42+42+71	2.98	2.98	5.04	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.100)	11.51	99
42+50+50	3.22	3.84	3.84	-	-	10.90 (2.70 - 12.60)	2.620 (0.510 - 3.130)	11.51	99
42+50+60	3.04	3.62	4.34	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.070)	11.51	99
42+50+71	2.83	3.37	4.79	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.070)	11.51	99
42+60+60	2.85	4.07	4.07	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.070)	11.51	99
50+50+50	3.67	3.67	3.67	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.250)	11.51	99
50+50+60	3.44	3.44	4.13	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.040)	11.51	99
50+50+71	3.22	3.22	4.57	-	-	11.00 (2.70 - 12.60)	2.620 (0.490 - 3.040)	11.51	99
22+22+22+22	2.50	2.50	2.50	2.50	-	10.00 (3.40 - 13.30)	2.180 (0.590 - 3.900)	9.57	99
22+22+22+25	2.42	2.42	2.42	2.75	-	10.00 (3.40 - 13.30)	2.180 (0.590 - 3.900)	9.57	99
22+22+22+33	2.22	2.22	2.22	3.33	-	10.00 (3.40 - 13.30)	2.160 (0.590 - 3.900)	9.49	99
22+22+22+35	2.18	2.18	2.18	3.47	-	10.00 (3.40 - 13.30)	2.160 (0.590 - 3.900)	9.49	99
22+22+22+42	2.08	2.08	2.08	3.97	-	10.20 (3.40 - 13.30)	2.200 (0.590 - 3.860)	9.66	99
22+22+22+50	1.97	1.97	1.97	4.48	-	10.40 (3.40 - 13.30)	2.260 (0.590 - 3.870)	9.93	99
22+22+22+60	1.87	1.87	1.87	5.10	-	10.70 (3.40 - 13.30)	2.320 (0.590 - 3.870)	10.19	99
22+22+22+71	1.75	1.75	1.75	5.65	-	10.90 (3.40 - 13.30)	2.370 (0.590 - 3.870)	10.41	99
22+22+25+25	2.34	2.34	2.66	2.66	-	10.00 (3.40 - 13.30)	2.170 (0.590 - 3.900)	9.53	99
22+22+25+33	2.18	2.18	2.48	3.27	-	10.10 (3.40 - 13.30)	2.190 (0.590 - 3.900)	9.62	99
22+22+25+35	2.14	2.14	2.43	3.40	-	10.10 (3.40 - 13.30)	2.190 (0.590 - 3.900)	9.62	99
22+22+25+42	2.04	2.04	2.32	3.90	-	10.30 (3.40 - 13.30)	2.240 (0.590 - 3.860)	9.84	99
22+22+25+50	1.94	1.94	2.21	4.41	-	10.50 (3.40 - 13.30)	2.290 (0.590 - 3.870)	10.06	99
22+22+25+60	1.82	1.82	2.07	4.98	-	10.70 (3.40 - 13.30)	2.320 (0.590 - 3.870)	10.19	99
22+22+25+71	1.73	1.73	1.96	5.58	-	11.00 (3.40 - 13.30)	2.400 (0.590 - 3.870)	10.54	99
22+22+33+33	2.06	2.06	3.09	3.09	-	10.30 (3.40 - 13.30)	2.260 (0.590 - 3.900)	9.93	99
22+22+33+35	2.02	2.02	3.03	3.22	-	10.30 (3.40 - 13.30)	2.260 (0.590 - 3.900)	9.93	99
22+22+33+42	1.94	1.94	2.91	3.71	-	10.50 (3.40 - 13.30)	2.300 (0.590 - 3.860)	10.10	99
22+22+33+50	1.85	1.85	2.78	4.21	-	10.70 (3.40 - 13.30)	2.350 (0.590 - 3.870)	10.32	99
22+22+33+60	1.75	1.75	2.63	4.77	-	10.90 (3.40 - 13.30)	2.390 (0.590 - 3.870)	10.50	99
22+22+33+71	1.64	1.64	2.45	5.28	-	11.00 (3.40 - 13.30)	2.330 (0.590 - 3.860)	10.23	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+22+35+35	2.01	2.01	3.19	3.19	-	10.40 (3.40 - 13.30)	2.290 (0.590 - 3.900)	10.06	99
22+22+35+42	1.91	1.91	3.04	3.64	-	10.50 (3.40 - 13.30)	2.300 (0.590 - 3.860)	10.10	99
22+22+35+50	1.82	1.82	2.90	4.15	-	10.70 (3.40 - 13.30)	2.350 (0.590 - 3.870)	10.32	99
22+22+35+60	1.74	1.74	2.77	4.75	-	11.00 (3.40 - 13.30)	2.420 (0.590 - 3.870)	10.63	99
22+22+35+71	1.61	1.61	2.57	5.21	-	11.00 (3.40 - 13.30)	2.310 (0.590 - 3.860)	10.14	99
22+22+42+42	1.84	1.84	3.51	3.51	-	10.70 (3.40 - 13.30)	2.340 (0.590 - 3.820)	10.28	99
22+22+42+50	1.76	1.76	3.37	4.01	-	10.90 (3.40 - 13.30)	2.400 (0.590 - 3.830)	10.54	99
22+22+42+60	1.66	1.66	3.16	4.52	-	11.00 (3.40 - 13.30)	2.350 (0.590 - 3.830)	10.32	99
22+22+42+71	1.54	1.54	2.94	4.97	-	11.00 (3.40 - 13.30)	2.230 (0.590 - 3.820)	9.79	99
22+22+50+50	1.68	1.68	3.82	3.82	-	11.00 (3.40 - 13.30)	2.390 (0.590 - 3.840)	10.50	99
22+22+50+60	1.57	1.57	3.57	4.29	-	11.00 (3.40 - 13.30)	2.270 (0.590 - 3.830)	9.97	99
22+22+50+71	1.47	1.47	3.33	4.73	-	11.00 (3.40 - 13.30)	2.160 (0.590 - 3.820)	9.49	99
22+25+25+25	2.27	2.58	2.58	2.58	-	10.00 (3.40 - 13.30)	2.170 (0.590 - 3.900)	9.53	99
22+25+25+33	2.12	2.40	2.40	3.17	-	10.10 (3.40 - 13.30)	2.190 (0.590 - 3.900)	9.62	99
22+25+25+35	2.10	2.38	2.38	3.34	-	10.20 (3.40 - 13.30)	2.220 (0.590 - 3.900)	9.75	99
22+25+25+42	2.01	2.28	2.28	3.83	-	10.40 (3.40 - 13.30)	2.270 (0.590 - 3.860)	9.97	99
22+25+25+50	1.91	2.17	2.17	4.34	-	10.60 (3.40 - 13.30)	2.320 (0.590 - 3.870)	10.19	99
22+25+25+60	1.80	2.05	2.05	4.91	-	10.80 (3.40 - 13.30)	2.360 (0.590 - 3.870)	10.36	99
22+25+25+71	1.69	1.92	1.92	5.46	-	11.00 (3.40 - 13.30)	2.370 (0.590 - 3.870)	10.41	99
22+25+33+33	2.01	2.28	3.01	3.01	-	10.30 (3.40 - 13.30)	2.250 (0.590 - 3.900)	9.88	99
22+25+33+35	1.99	2.26	2.98	3.17	-	10.40 (3.40 - 13.30)	2.290 (0.590 - 3.900)	10.06	99
22+25+33+42	1.91	2.17	2.87	3.65	-	10.60 (3.40 - 13.30)	2.330 (0.590 - 3.860)	10.23	99
22+25+33+50	1.83	2.08	2.74	4.15	-	10.80 (3.40 - 13.30)	2.390 (0.590 - 3.870)	10.50	99
22+25+33+60	1.73	1.96	2.59	4.71	-	11.00 (3.40 - 13.30)	2.420 (0.590 - 3.870)	10.63	99
22+25+33+71	1.60	1.82	2.40	5.17	-	11.00 (3.40 - 13.30)	2.310 (0.590 - 3.860)	10.14	99
22+25+35+35	1.96	2.22	3.11	3.11	-	10.40 (3.40 - 13.30)	2.290 (0.590 - 3.900)	10.06	99
22+25+35+42	1.88	2.14	2.99	3.59	-	10.60 (3.40 - 13.30)	2.330 (0.590 - 3.860)	10.23	99
22+25+35+50	1.80	2.05	2.86	4.09	-	10.80 (3.40 - 13.30)	2.390 (0.590 - 3.870)	10.50	99
22+25+35+60	1.70	1.94	2.71	4.65	-	11.00 (3.40 - 13.30)	2.400 (0.590 - 3.870)	10.54	99
22+25+35+71	1.58	1.80	2.52	5.10	-	11.00 (3.40 - 13.30)	2.290 (0.590 - 3.860)	10.06	99
22+25+42+42	1.81	2.06	3.46	3.46	-	10.80 (3.40 - 13.30)	2.380 (0.590 - 3.820)	10.45	99
22+25+42+50	1.74	1.98	3.32	3.96	-	11.00 (3.40 - 13.30)	2.430 (0.590 - 3.830)	10.67	99
22+25+42+60	1.62	1.85	3.10	4.43	-	11.00 (3.40 - 13.30)	2.320 (0.590 - 3.820)	10.19	99
22+25+42+71	1.51	1.72	2.89	4.88	-	11.00 (3.40 - 13.30)	2.210 (0.590 - 3.820)	9.71	99
22+25+50+50	1.65	1.87	3.74	3.74	-	11.00 (3.40 - 13.30)	2.360 (0.590 - 3.840)	10.36	99
22+25+50+60	1.54	1.75	3.50	4.20	-	11.00 (3.40 - 13.30)	2.240 (0.590 - 3.830)	9.84	99
22+25+50+71	1.44	1.64	3.27	4.65	-	11.00 (3.50 - 13.30)	2.130 (0.580 - 3.820)	9.35	99
22+33+33+33	1.91	2.86	2.86	2.86	-	10.50 (3.40 - 13.30)	2.320 (0.590 - 3.900)	10.19	99
22+33+33+35	1.90	2.84	2.84	3.02	-	10.60 (3.40 - 13.30)	2.350 (0.590 - 3.900)	10.32	99
22+33+33+42	1.83	2.74	2.74	3.49	-	10.80 (3.40 - 13.30)	2.400 (0.590 - 3.860)	10.54	99
22+33+33+50	1.75	2.63	2.63	3.99	-	11.00 (3.40 - 13.30)	2.450 (0.590 - 3.870)	10.76	99
22+33+33+60	1.64	2.45	2.45	4.46	-	11.00 (3.40 - 13.30)	2.350 (0.590 - 3.860)	10.32	99
22+33+33+71	1.52	2.28	2.28	4.91	-	11.00 (3.40 - 13.30)	2.240 (0.590 - 3.860)	9.84	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+33+35+35	1.87	2.80	2.97	2.97	-	10.60 (3.40 - 13.30)	2.350 (0.590 - 3.900)	10.32	99
22+33+35+42	1.80	2.70	2.86	3.44	-	10.80 (3.40 - 13.30)	2.400 (0.590 - 3.860)	10.54	99
22+33+35+50	1.73	2.59	2.75	3.93	-	11.00 (3.40 - 13.30)	2.450 (0.590 - 3.870)	10.76	99
22+33+35+60	1.61	2.42	2.57	4.40	-	11.00 (3.40 - 13.30)	2.330 (0.590 - 3.860)	10.23	99
22+33+35+71	1.50	2.25	2.39	4.85	-	11.00 (3.40 - 13.30)	2.220 (0.590 - 3.860)	9.75	99
22+33+42+42	1.74	2.61	3.32	3.32	-	11.00 (3.40 - 13.30)	2.440 (0.590 - 3.820)	10.72	99
22+33+42+50	1.65	2.47	3.14	3.74	-	11.00 (3.40 - 13.30)	2.370 (0.590 - 3.830)	10.41	99
22+33+42+60	1.54	2.31	2.94	4.20	-	11.00 (3.40 - 13.30)	2.250 (0.590 - 3.820)	9.88	99
22+33+42+71	1.44	2.16	2.75	4.65	-	11.00 (3.50 - 13.30)	2.140 (0.580 - 3.810)	9.40	99
22+33+50+50	1.56	2.34	3.55	3.55	-	11.00 (3.40 - 13.30)	2.290 (0.590 - 3.830)	10.06	99
22+33+50+60	1.47	2.20	3.33	4.00	-	11.00 (3.40 - 13.30)	2.180 (0.590 - 3.820)	9.57	99
22+35+35+35	1.85	2.95	2.95	2.95	-	10.70 (3.40 - 13.30)	2.380 (0.590 - 3.900)	10.45	99
22+35+35+42	1.79	2.85	2.85	3.42	-	10.90 (3.40 - 13.30)	2.430 (0.590 - 3.860)	10.67	99
22+35+35+50	1.70	2.71	2.71	3.87	-	11.00 (3.40 - 13.30)	2.430 (0.590 - 3.870)	10.67	99
22+35+35+60	1.59	2.53	2.53	4.34	-	11.00 (3.40 - 13.30)	2.320 (0.590 - 3.860)	10.19	99
22+35+35+71	1.48	2.36	2.36	4.79	-	11.00 (3.40 - 13.30)	2.200 (0.590 - 3.850)	9.66	99
22+35+42+42	1.72	2.73	3.28	3.28	-	11.00 (3.40 - 13.30)	2.430 (0.590 - 3.820)	10.67	99
22+35+42+50	1.62	2.58	3.10	3.69	-	11.00 (3.40 - 13.30)	2.350 (0.590 - 3.820)	10.32	99
22+35+42+60	1.52	2.42	2.91	4.15	-	11.00 (3.40 - 13.30)	2.240 (0.590 - 3.820)	9.84	99
22+35+42+71	1.42	2.26	2.72	4.59	-	11.00 (3.50 - 13.30)	2.140 (0.580 - 3.810)	9.40	99
22+35+50+50	1.54	2.45	3.50	3.50	-	11.00 (3.40 - 13.30)	2.270 (0.590 - 3.830)	9.97	99
22+35+50+60	1.45	2.31	3.29	3.95	-	11.00 (3.40 - 13.30)	2.160 (0.590 - 3.820)	9.49	99
22+42+42+42	1.64	3.12	3.12	3.12	-	11.00 (3.40 - 13.30)	2.350 (0.590 - 3.770)	10.32	99
22+42+42+50	1.55	2.96	2.96	3.53	-	11.00 (3.40 - 13.30)	2.270 (0.590 - 3.780)	9.97	99
22+42+42+60	1.46	2.78	2.78	3.98	-	11.00 (3.40 - 13.30)	2.160 (0.590 - 3.770)	9.49	99
22+42+50+50	1.48	2.82	3.35	3.35	-	11.00 (3.40 - 13.30)	2.190 (0.590 - 3.780)	9.62	99
25+25+25+25	2.50	2.50	2.50	2.50	-	10.00 (3.40 - 13.30)	2.160 (0.590 - 3.900)	9.49	99
25+25+25+33	2.36	2.36	2.36	3.12	-	10.20 (3.40 - 13.30)	2.220 (0.590 - 3.900)	9.75	99
25+25+25+35	2.34	2.34	2.34	3.28	-	10.30 (3.40 - 13.30)	2.260 (0.590 - 3.900)	9.93	99
25+25+25+42	2.22	2.22	2.22	3.73	-	10.40 (3.40 - 13.30)	2.270 (0.590 - 3.860)	9.97	99
25+25+25+50	2.12	2.12	2.12	4.24	-	10.60 (3.40 - 13.30)	2.320 (0.590 - 3.870)	10.19	99
25+25+25+60	2.02	2.02	2.02	4.84	-	10.90 (3.40 - 13.30)	2.390 (0.590 - 3.870)	10.50	99
25+25+25+71	1.88	1.88	1.88	5.35	-	11.00 (3.40 - 13.30)	2.350 (0.590 - 3.870)	10.32	99
25+25+33+33	2.24	2.24	2.96	2.96	-	10.40 (3.40 - 13.30)	2.290 (0.590 - 3.900)	10.06	99
25+25+33+35	2.20	2.20	2.91	3.08	-	10.40 (3.40 - 13.30)	2.280 (0.590 - 3.900)	10.01	99
25+25+33+42	2.12	2.12	2.80	3.56	-	10.60 (3.40 - 13.30)	2.330 (0.590 - 3.860)	10.23	99
25+25+33+50	2.03	2.03	2.68	4.06	-	10.80 (3.40 - 13.30)	2.390 (0.590 - 3.870)	10.50	99
25+25+33+60	1.92	1.92	2.54	4.62	-	11.00 (3.40 - 13.30)	2.390 (0.590 - 3.870)	10.50	99
25+25+33+71	1.79	1.79	2.36	5.07	-	11.00 (3.40 - 13.30)	2.280 (0.590 - 3.860)	10.01	99
25+25+35+35	2.19	2.19	3.06	3.06	-	10.50 (3.40 - 13.30)	2.320 (0.590 - 3.900)	10.19	99
25+25+35+42	2.11	2.11	2.95	3.54	-	10.70 (3.40 - 13.30)	2.360 (0.590 - 3.860)	10.36	99
25+25+35+50	2.02	2.02	2.83	4.04	-	10.90 (3.40 - 13.30)	2.420 (0.590 - 3.870)	10.63	99
25+25+35+60	1.90	1.90	2.66	4.55	-	11.00 (3.40 - 13.30)	2.380 (0.590 - 3.870)	10.45	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
25+25+35+71	1.76	1.76	2.47	5.01	-	11.00 (3.40 - 13.30)	2.260 (0.590 - 3.860)	9.93	99
25+25+42+42	2.03	2.03	3.42	3.42	-	10.90 (3.40 - 13.30)	2.410 (0.590 - 3.820)	10.58	99
25+25+42+50	1.94	1.94	3.25	3.87	-	11.00 (3.40 - 13.30)	2.410 (0.590 - 3.830)	10.58	99
25+25+42+60	1.81	1.81	3.04	4.34	-	11.00 (3.40 - 13.30)	2.300 (0.590 - 3.820)	10.10	99
25+25+42+71	1.69	1.69	2.83	4.79	-	11.00 (3.40 - 13.30)	2.180 (0.590 - 3.810)	9.57	99
25+25+50+50	1.83	1.83	3.67	3.67	-	11.00 (3.40 - 13.30)	2.330 (0.590 - 3.830)	10.23	99
25+25+50+60	1.72	1.72	3.44	4.13	-	11.00 (3.40 - 13.30)	2.220 (0.590 - 3.830)	9.75	99
25+25+50+71	1.61	1.61	3.22	4.57	-	11.00 (3.50 - 13.30)	2.130 (0.580 - 3.820)	9.35	99
25+33+33+33	2.14	2.82	2.82	2.82	-	10.60 (3.40 - 13.30)	2.350 (0.590 - 3.900)	10.32	99
25+33+33+35	2.12	2.80	2.80	2.97	-	10.70 (3.40 - 13.30)	2.380 (0.590 - 3.900)	10.45	99
25+33+33+42	2.03	2.68	2.68	3.41	-	10.80 (3.40 - 13.30)	2.400 (0.590 - 3.860)	10.54	99
25+33+33+50	1.95	2.57	2.57	3.90	-	11.00 (3.40 - 13.30)	2.440 (0.590 - 3.870)	10.72	99
25+33+33+60	1.82	2.40	2.40	4.37	-	11.00 (3.40 - 13.30)	2.330 (0.590 - 3.860)	10.23	99
25+33+33+71	1.70	2.24	2.24	4.82	-	11.00 (3.40 - 13.30)	2.210 (0.590 - 3.850)	9.71	99
25+33+35+35	2.09	2.76	2.93	2.93	-	10.70 (3.40 - 13.30)	2.380 (0.590 - 3.900)	10.45	99
25+33+35+42	2.02	2.66	2.83	3.39	-	10.90 (3.40 - 13.30)	2.430 (0.590 - 3.860)	10.67	99
25+33+35+50	1.92	2.54	2.69	3.85	-	11.00 (3.40 - 13.30)	2.420 (0.590 - 3.870)	10.63	99
25+33+35+60	1.80	2.37	2.52	4.31	-	11.00 (3.40 - 13.30)	2.310 (0.590 - 3.860)	10.14	99
25+33+35+71	1.68	2.21	2.35	4.76	-	11.00 (3.40 - 13.30)	2.190 (0.590 - 3.850)	9.62	99
25+33+42+42	1.94	2.56	3.25	3.25	-	11.00 (3.40 - 13.30)	2.420 (0.590 - 3.820)	10.63	99
25+33+42+50	1.83	2.42	3.08	3.67	-	11.00 (3.40 - 13.30)	2.340 (0.590 - 3.820)	10.28	99
25+33+42+60	1.72	2.27	2.89	4.13	-	11.00 (3.40 - 13.30)	2.230 (0.590 - 3.820)	9.79	99
25+35+35+35	2.08	2.91	2.91	2.91	-	10.80 (3.40 - 13.30)	2.420 (0.590 - 3.900)	10.63	99
25+35+35+42	1.99	2.78	2.78	3.34	-	10.90 (3.40 - 13.30)	2.430 (0.590 - 3.860)	10.67	99
25+35+35+50	1.90	2.66	2.66	3.79	-	11.00 (3.40 - 13.30)	2.410 (0.590 - 3.870)	10.58	99
25+35+35+60	1.77	2.48	2.48	4.26	-	11.00 (3.40 - 13.30)	2.290 (0.590 - 3.860)	10.06	99
25+35+35+71	1.66	2.32	2.32	4.70	-	11.00 (3.40 - 13.30)	2.180 (0.590 - 3.850)	9.57	99
25+35+42+42	1.91	2.67	3.21	3.21	-	11.00 (3.40 - 13.30)	2.410 (0.590 - 3.820)	10.58	99
25+35+42+50	1.81	2.53	3.04	3.62	-	11.00 (3.40 - 13.30)	2.330 (0.590 - 3.820)	10.23	99
25+35+42+60	1.70	2.38	2.85	4.07	-	11.00 (3.40 - 13.30)	2.210 (0.590 - 3.810)	9.71	99
25+42+42+42	1.82	3.06	3.06	3.06	-	11.00 (3.40 - 13.30)	2.330 (0.590 - 3.770)	10.23	99
25+42+42+50	1.73	2.91	2.91	3.46	-	11.00 (3.40 - 13.30)	2.250 (0.590 - 3.780)	9.88	99
25+42+42+60	1.63	2.73	2.73	3.91	-	11.00 (3.50 - 13.30)	2.140 (0.580 - 3.770)	9.40	99
25+42+50+50	1.65	2.77	3.29	3.29	-	11.00 (3.40 - 13.30)	2.170 (0.590 - 3.780)	9.53	99
33+33+33+33	2.70	2.70	2.70	2.70	-	10.80 (3.40 - 13.30)	2.420 (0.590 - 3.900)	10.63	99
33+33+33+35	2.68	2.68	2.68	2.85	-	10.90 (3.40 - 13.30)	2.450 (0.590 - 3.900)	10.76	99
33+33+33+42	2.57	2.57	2.57	3.28	-	11.00 (3.40 - 13.30)	2.450 (0.590 - 3.860)	10.76	99
33+33+33+50	2.44	2.44	2.44	3.69	-	11.00 (3.40 - 13.30)	2.370 (0.590 - 3.860)	10.41	99
33+33+33+60	2.28	2.28	2.28	4.15	-	11.00 (3.40 - 13.30)	2.260 (0.590 - 3.860)	9.93	99
33+33+35+35	2.64	2.64	2.81	2.81	-	10.90 (3.40 - 13.30)	2.450 (0.590 - 3.900)	10.76	99
33+33+35+42	2.54	2.54	2.69	3.23	-	11.00 (3.40 - 13.30)	2.430 (0.590 - 3.860)	10.67	99
33+33+35+50	2.40	2.40	2.55	3.64	-	11.00 (3.40 - 13.30)	2.360 (0.590 - 3.860)	10.36	99
33+33+35+60	2.25	2.25	2.39	4.10	-	11.00 (3.40 - 13.30)	2.240 (0.590 - 3.860)	9.84	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
33+33+42+42	2.42	2.42	3.08	3.08	-	11.00 (3.40 - 13.30)	2.350 (0.590 - 3.810)	10.32	99
33+33+42+50	2.30	2.30	2.92	3.48	-	11.00 (3.40 - 13.30)	2.280 (0.590 - 3.820)	10.01	99
33+35+35+35	2.63	2.79	2.79	2.79	-	11.00 (3.40 - 13.30)	2.480 (0.590 - 3.900)	10.89	99
33+35+35+42	2.50	2.66	2.66	3.19	-	11.00 (3.40 - 13.30)	2.420 (0.590 - 3.860)	10.63	99
33+35+35+50	2.37	2.52	2.52	3.59	-	11.00 (3.40 - 13.30)	2.340 (0.590 - 3.860)	10.28	99
33+35+35+60	2.23	2.36	2.36	4.05	-	11.00 (3.40 - 13.30)	2.220 (0.590 - 3.850)	9.75	99
33+35+42+42	2.39	2.53	3.04	3.04	-	11.00 (3.40 - 13.30)	2.340 (0.590 - 3.810)	10.28	99
33+35+42+50	2.27	2.41	2.89	3.44	-	11.00 (3.40 - 13.30)	2.260 (0.590 - 3.820)	9.93	99
33+42+42+42	2.28	2.91	2.91	2.91	-	11.00 (3.40 - 13.30)	2.260 (0.590 - 3.770)	9.93	99
33+42+42+50	2.17	2.77	2.77	3.29	-	11.00 (3.40 - 13.30)	2.180 (0.590 - 3.770)	9.57	99
35+35+35+35	2.75	2.75	2.75	2.75	-	11.00 (3.40 - 13.30)	2.480 (0.590 - 3.900)	10.89	99
35+35+35+42	2.62	2.62	2.62	3.14	-	11.00 (3.40 - 13.30)	2.400 (0.590 - 3.860)	10.54	99
35+35+35+50	2.48	2.48	2.48	3.55	-	11.00 (3.40 - 13.30)	2.320 (0.590 - 3.860)	10.19	99
35+35+35+60	2.33	2.33	2.33	4.00	-	11.00 (3.40 - 13.30)	2.210 (0.590 - 3.850)	9.71	99
35+35+42+42	2.50	2.50	3.00	3.00	-	11.00 (3.40 - 13.30)	2.320 (0.590 - 3.810)	10.19	99
35+35+42+50	2.38	2.38	2.85	3.40	-	11.00 (3.40 - 13.30)	2.240 (0.590 - 3.810)	9.84	99
35+42+42+42	2.39	2.87	2.87	2.87	-	11.00 (3.40 - 13.30)	2.240 (0.590 - 3.770)	9.84	99
35+42+42+50	2.28	2.73	2.73	3.25	-	11.00 (3.50 - 13.30)	2.170 (0.580 - 3.770)	9.53	99
42+42+42+42	2.75	2.75	2.75	2.75	-	11.00 (3.50 - 13.30)	2.240 (0.580 - 3.880)	9.84	99
22+22+22+22+22	2.40	2.40	2.40	2.40	2.40	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+22+25	2.34	2.34	2.34	2.34	2.65	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+22+33	2.18	2.18	2.18	2.18	3.27	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+22+35	2.15	2.15	2.15	2.15	3.41	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+22+42	2.03	2.03	2.03	2.03	3.88	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+22+50	1.91	1.91	1.91	1.91	4.35	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+22+60	1.78	1.78	1.78	1.78	4.86	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+22+71	1.66	1.66	1.66	1.66	5.36	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+25+25	2.28	2.28	2.28	2.59	2.59	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+25+33	2.13	2.13	2.13	2.42	3.19	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+25+35	2.10	2.10	2.10	2.38	3.33	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+25+42	1.98	1.98	1.98	2.26	3.79	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+25+50	1.87	1.87	1.87	2.13	4.26	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+25+60	1.75	1.75	1.75	1.99	4.77	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+25+71	1.63	1.63	1.63	1.85	5.26	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+33+33	2.00	2.00	2.00	3.00	3.00	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+33+35	1.97	1.97	1.97	2.96	3.13	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+33+42	1.87	1.87	1.87	2.81	3.57	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+33+50	1.77	1.77	1.77	2.66	4.03	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+33+60	1.66	1.66	1.66	2.49	4.53	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+33+71	1.55	1.55	1.55	2.33	5.01	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+35+35	1.94	1.94	1.94	3.09	3.09	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+35+42	1.85	1.85	1.85	2.94	3.52	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+35+50	1.75	1.75	1.75	2.78	3.97	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+22+22+35+60	1.64	1.64	1.64	2.61	4.47	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+35+71	1.53	1.53	1.53	2.44	4.95	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+22+42+42	1.76	1.76	1.76	3.36	3.36	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+22+42+50	1.67	1.67	1.67	3.19	3.80	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+22+42+60	1.57	1.57	1.57	3.00	4.29	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+25+25+25	2.22	2.22	2.52	2.52	2.52	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+25+33	2.08	2.08	2.36	2.36	3.12	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+25+35	2.05	2.05	2.33	2.33	3.26	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+25+42	1.94	1.94	2.21	2.21	3.71	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+25+50	1.83	1.83	2.08	2.08	4.17	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+25+60	1.71	1.71	1.95	1.95	4.68	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+25+71	1.60	1.60	1.82	1.82	5.16	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+33+33	1.96	1.96	2.22	2.93	2.93	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+33+35	1.93	1.93	2.19	2.89	3.07	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+33+42	1.83	1.83	2.08	2.75	3.50	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+33+50	1.74	1.74	1.97	2.61	3.95	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+33+60	1.63	1.63	1.85	2.44	4.44	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+35+35	1.90	1.90	2.16	3.02	3.02	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+35+42	1.81	1.81	2.05	2.88	3.45	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+35+50	1.71	1.71	1.95	2.73	3.90	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+35+60	1.61	1.61	1.83	2.56	4.39	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+25+42+42	1.73	1.73	1.96	3.29	3.29	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+25+42+50	1.64	1.64	1.86	3.13	3.73	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+25+42+60	1.54	1.54	1.75	2.95	4.21	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+33+33+33	1.85	1.85	2.77	2.77	2.77	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+33+33+35	1.82	1.82	2.73	2.73	2.90	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+33+33+42	1.74	1.74	2.61	2.61	3.32	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+33+33+50	1.65	1.65	2.48	2.48	3.75	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+33+35+35	1.80	1.80	2.69	2.86	2.86	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+33+35+42	1.71	1.71	2.57	2.73	3.27	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+33+35+50	1.63	1.63	2.44	2.59	3.70	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+33+42+42	1.64	1.64	2.46	3.13	3.13	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+33+42+50	1.56	1.56	2.34	2.98	3.55	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+35+35+35	1.77	1.77	2.82	2.82	2.82	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+35+35+42	1.69	1.69	2.69	2.69	3.23	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+35+35+50	1.61	1.61	2.56	2.56	3.66	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+22+35+42+42	1.62	1.62	2.58	3.09	3.09	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+35+42+50	1.54	1.54	2.46	2.95	3.51	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+22+42+42+42	1.55	1.55	2.96	2.96	2.96	12.00 (4.10 - 14.00)	2.795 (0.780 - 4.100)	12.27	99
22+25+25+25+25	2.16	2.46	2.46	2.46	2.46	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+25+33	2.03	2.31	2.31	2.31	3.05	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+25+35	2.00	2.27	2.27	2.27	3.18	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+25+42	1.90	2.16	2.16	2.16	3.63	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total 12.00 (4.10 - 14.00)	Outdoor unit power consumption(kW) 2.835 (0.780 - 4.100)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
22+25+25+25+50	1.80	2.04	2.04	2.04	4.08	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+25+60	1.68	1.91	1.91	1.91	4.59	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+25+71	1.57	1.79	1.79	1.79	5.07	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+33+33	1.91	2.17	2.17	2.87	2.87	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+33+35	1.89	2.14	2.14	2.83	3.00	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+33+42	1.80	2.04	2.04	2.69	3.43	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+33+50	1.70	1.94	1.94	2.55	3.87	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+33+60	1.60	1.82	1.82	2.40	4.36	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+35+35	1.86	2.11	2.11	2.96	2.96	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+35+42	1.77	2.01	2.01	2.82	3.38	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+35+50	1.68	1.91	1.91	2.68	3.82	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+35+60	1.58	1.80	1.80	2.51	4.31	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+25+42+42	1.69	1.92	1.92	3.23	3.23	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+25+25+42+50	1.61	1.83	1.83	3.07	3.66	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+25+33+33+33	1.81	2.05	2.71	2.71	2.71	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+33+33+35	1.78	2.03	2.68	2.68	2.84	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+33+33+42	1.70	1.94	2.55	2.55	3.25	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+33+33+50	1.62	1.84	2.43	2.43	3.68	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+33+35+35	1.76	2.00	2.64	2.80	2.80	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+33+35+42	1.68	1.91	2.52	2.68	3.21	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+33+35+50	1.60	1.82	2.40	2.55	3.64	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+33+42+42	1.61	1.83	2.41	3.07	3.07	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+25+35+35+35	1.74	1.97	2.76	2.76	2.76	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+35+35+42	1.66	1.89	2.64	2.64	3.17	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+35+35+50	1.58	1.80	2.51	2.51	3.59	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+25+35+42+42	1.59	1.81	2.53	3.04	3.04	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
22+33+33+33+33	1.71	2.57	2.57	2.57	2.57	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+33+33+33+35	1.69	2.54	2.54	2.54	2.69	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+33+33+33+42	1.62	2.43	2.43	2.43	3.09	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+33+33+35+35	1.67	2.51	2.51	2.66	2.66	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+33+33+35+42	1.60	2.40	2.40	2.55	3.05	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+33+35+35+35	1.65	2.48	2.63	2.63	2.63	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+33+35+35+42	1.58	2.37	2.51	2.51	3.02	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+35+35+35+35	1.63	2.59	2.59	2.59	2.59	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
22+35+35+35+42	1.56	2.49	2.49	2.49	2.98	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+25+25	2.40	2.40	2.40	2.40	2.40	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+25+33	2.26	2.26	2.26	2.26	2.98	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+25+35	2.22	2.22	2.22	2.22	3.11	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+25+42	2.11	2.11	2.11	2.11	3.55	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+25+50	2.00	2.00	2.00	2.00	4.00	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+25+60	1.88	1.88	1.88	1.88	4.50	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+25+71	1.75	1.75	1.75	1.75	4.98	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+33+33	2.13	2.13	2.13	2.81	2.81	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99

MXZ-5C100VA HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E				
25+25+25+33+35	2.10	2.10	2.10	2.77	2.94	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+33+42	2.00	2.00	2.00	2.64	3.36	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+33+50	1.90	1.90	1.90	2.51	3.80	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+33+60	1.79	1.79	1.79	2.36	4.29	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+35+35	2.07	2.07	2.07	2.90	2.90	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+35+42	1.97	1.97	1.97	2.76	3.32	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+35+50	1.88	1.88	1.88	2.63	3.75	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+35+60	1.76	1.76	1.76	2.47	4.24	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+25+42+42	1.89	1.89	1.89	3.17	3.17	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
25+25+25+42+50	1.80	1.80	1.80	3.02	3.59	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
25+25+33+33+33	2.01	2.01	2.66	2.66	2.66	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+33+33+35	1.99	1.99	2.62	2.62	2.78	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+33+33+42	1.90	1.90	2.51	2.51	3.19	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+33+33+50	1.81	1.81	2.39	2.39	3.61	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+33+35+35	1.96	1.96	2.59	2.75	2.75	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+33+35+42	1.88	1.88	2.48	2.63	3.15	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+33+35+50	1.79	1.79	2.36	2.50	3.57	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+33+42+42	1.80	1.80	2.37	3.02	3.02	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99
25+25+35+35+35	1.94	1.94	2.71	2.71	2.71	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+35+35+42	1.85	1.85	2.59	2.59	3.11	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+35+35+50	1.76	1.76	2.47	2.47	3.53	12.00 (4.10 - 14.00)	2.835 (0.780 - 4.100)	12.45	99
25+25+35+42+42	1.78	1.78	2.49	2.98	2.98	12.00 (4.10 - 14.00)	2.815 (0.780 - 4.100)	12.36	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22	2.20						2.20 (2.00 - 3.00)	0.89 (0.85 - 0.94)	4.07	95
25	2.50						2.50 (2.20 - 3.30)	0.89 (0.85 - 0.97)	4.07	95
33	3.30						3.30 (2.50 - 4.30)	0.91 (0.85 - 1.18)	4.16	95
35	3.50						3.50 (2.50 - 4.30)	1.03 (0.85 - 1.18)	4.71	95
42	4.20						4.20 (2.50 - 5.00)	1.23 (0.85 - 1.46)	5.63	95
50	5.00						5.00 (2.60 - 5.60)	1.44 (0.85 - 1.63)	6.59	95
60	6.00						6.00 (2.70 - 7.50)	1.84 (0.83 - 2.31)	8.42	95
71	7.10						7.10 (2.70 - 8.70)	2.31 (0.83 - 2.84)	10.57	95
80	8.00						8.00 (2.80 - 9.20)	2.32 (0.83 - 3.06)	10.62	95
22+22	2.20	2.20					4.40 (2.70 - 5.90)	1.13 (0.84 - 1.90)	5.06	97
22+25	2.20	2.50					4.70 (2.70 - 6.20)	1.24 (0.84 - 2.09)	5.56	97
22+33	2.20	3.30					5.50 (2.70 - 7.20)	1.63 (0.84 - 2.52)	7.31	97
22+35	2.20	3.50					5.70 (2.70 - 7.20)	1.63 (0.84 - 2.52)	7.31	97
22+42	2.20	4.20					6.40 (2.80 - 7.80)	1.90 (0.84 - 2.72)	8.52	97
22+50	2.20	5.00					7.20 (2.80 - 8.50)	2.93 (0.84 - 2.97)	13.13	97
22+60	2.20	6.00					8.20 (2.80 - 9.10)	2.95 (0.84 - 3.11)	13.22	97
22+71	2.06	6.64					8.70 (2.80 - 9.40)	2.95 (0.84 - 3.13)	13.22	97
22+80	1.94	7.06					9.00 (2.80 - 9.60)	2.96 (0.84 - 3.14)	13.27	97
25+25	2.50	2.50					5.00 (2.70 - 6.50)	1.35 (0.84 - 2.28)	6.05	97
25+33	2.50	3.30					5.80 (2.80 - 7.50)	1.75 (0.84 - 2.62)	7.84	97
25+35	2.50	3.50					6.00 (2.80 - 7.50)	1.75 (0.84 - 2.62)	7.84	97
25+42	2.50	4.20					6.70 (2.80 - 8.10)	2.02 (0.84 - 2.82)	9.05	97
25+50	2.50	5.00					7.50 (2.80 - 8.70)	2.94 (0.84 - 3.02)	13.18	97
25+60	2.47	5.93					8.40 (2.80 - 9.20)	2.95 (0.84 - 3.13)	13.22	97
25+71	2.29	6.51					8.80 (2.80 - 9.40)	2.95 (0.84 - 3.13)	13.22	97
25+80	2.17	6.93					9.10 (2.80 - 9.70)	2.98 (0.83 - 3.16)	13.36	97
33+33	3.30	3.30					6.60 (2.80 - 8.40)	2.14 (0.84 - 2.92)	9.59	97
33+35	3.30	3.50					6.80 (2.80 - 8.40)	2.14 (0.84 - 2.92)	9.59	97
33+42	3.30	4.20					7.50 (2.80 - 8.80)	2.94 (0.84 - 3.04)	13.18	97
33+50	3.30	4.94					8.24 (2.80 - 9.20)	2.95 (0.84 - 3.13)	13.22	97
33+60	3.03	5.49					8.52 (2.80 - 9.40)	2.95 (0.84 - 3.13)	13.22	97
33+71	2.83	6.10					8.93 (2.80 - 9.70)	2.98 (0.83 - 3.16)	13.36	97
33+80	2.70	6.54					9.24 (2.90 - 10.00)	3.01 (0.82 - 3.20)	13.49	97
35+35	3.50	3.50					7.00 (2.80 - 8.40)	2.14 (0.84 - 2.92)	9.59	97
35+42	3.50	4.20					7.70 (2.80 - 8.80)	2.94 (0.84 - 3.04)	13.18	97
35+50	3.46	4.94					8.40 (2.80 - 9.20)	2.95 (0.84 - 3.13)	13.22	97
35+60	3.21	5.49					8.70 (2.80 - 9.40)	2.95 (0.84 - 3.13)	13.22	97
35+71	3.00	6.10					9.10 (2.80 - 9.70)	2.98 (0.83 - 3.16)	13.36	97
35+80	2.86	6.54					9.40 (2.90 - 10.00)	3.01 (0.82 - 3.20)	13.49	97
42+42	4.20	4.20					8.40 (2.80 - 9.20)	2.95 (0.84 - 3.13)	13.22	97
42+50	3.97	4.73					8.70 (2.80 - 9.40)	2.95 (0.84 - 3.13)	13.22	97
42+60	3.71	5.29					9.00 (2.80 - 9.60)	2.96 (0.84 - 3.14)	13.27	97
42+71	3.49	5.91					9.40 (2.90 - 10.00)	3.01 (0.82 - 3.20)	13.49	97
42+80	3.30	6.30					9.60 (2.90 - 10.20)	3.04 (0.81 - 3.23)	13.63	97
50+50	4.45	4.45					8.90 (2.80 - 9.50)	2.95 (0.84 - 3.13)	13.22	97
50+60	4.23	5.07					9.30 (2.90 - 9.90)	3.00 (0.83 - 3.19)	13.45	97
50+71	3.97	5.63					9.60 (2.90 - 10.20)	3.04 (0.81 - 3.23)	13.63	97

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
50+80	3.69	5.91					9.60 (2.90 - 10.20)	3.04 (0.81 - 3.23)	13.63	97
60+60	4.80	4.80					9.60 (2.90 - 10.20)	3.04 (0.81 - 3.23)	13.63	97
60+71	4.44	5.26					9.70 (2.90 - 10.30)	3.05 (0.81 - 3.24)	13.67	97
60+80	4.16	5.54					9.70 (2.90 - 10.30)	3.05 (0.81 - 3.24)	13.67	97
71+71	4.85	4.85					9.70 (2.90 - 10.30)	3.05 (0.81 - 3.24)	13.67	97
71+80	4.61	5.19					9.80 (2.90 - 10.50)	3.08 (0.81 - 3.27)	13.81	97
80+80	4.95	4.95					9.90 (2.90 - 10.60)	3.10 (0.81 - 3.29)	13.90	97
22+22+22	2.20	2.20	2.20				6.60 (3.20 - 8.50)	1.59 (0.89 - 2.50)	7.13	97
22+22+25	2.20	2.20	2.50				6.90 (3.20 - 8.80)	1.72 (0.89 - 2.72)	7.71	97
22+22+33	2.09	2.09	3.13				7.31 (3.20 - 9.70)	1.98 (0.89 - 3.34)	8.87	97
22+22+35	2.09	2.09	3.32				7.50 (3.20 - 9.70)	1.98 (0.89 - 3.34)	8.87	97
22+22+42	2.10	2.10	4.00				8.20 (3.20 - 10.10)	2.35 (0.89 - 3.58)	10.53	97
22+22+50	2.08	2.08	4.73				8.90 (3.30 - 10.60)	2.73 (0.89 - 3.87)	12.24	97
22+22+60	2.03	2.03	5.54				9.60 (3.30 - 11.10)	3.10 (0.89 - 4.17)	13.90	97
22+22+71	1.86	1.86	5.99				9.70 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
22+22+80	1.76	1.76	6.39				9.90 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
22+25+25	2.20	2.50	2.50				7.20 (3.20 - 9.20)	1.85 (0.89 - 3.00)	8.29	97
22+25+33	2.20	2.50	3.30				8.00 (3.20 - 9.90)	2.35 (0.89 - 3.46)	10.53	97
22+25+35	2.20	2.50	3.50				8.20 (3.20 - 9.90)	2.35 (0.89 - 3.46)	10.53	97
22+25+42	2.03	2.30	3.87				8.20 (3.20 - 10.30)	2.35 (0.89 - 3.70)	10.53	97
22+25+50	2.02	2.29	4.59				8.90 (3.30 - 10.70)	2.73 (0.89 - 3.93)	12.24	97
22+25+60	1.97	2.24	5.38				9.60 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
22+25+71	1.83	2.08	5.90				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
22+25+80	1.71	1.95	6.24				9.90 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
22+33+33	2.13	3.20	3.20				8.52 (3.30 - 10.50)	2.73 (0.89 - 3.81)	12.24	97
22+33+35	2.13	3.20	3.39				8.72 (3.30 - 10.50)	2.73 (0.89 - 3.81)	12.24	97
22+33+42	1.98	2.97	3.78				8.73 (3.30 - 10.90)	2.73 (0.89 - 4.05)	12.24	97
22+33+50	1.97	2.96	4.49				9.42 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
22+33+60	1.84	2.76	5.03				9.63 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
22+33+71	1.72	2.57	5.55				9.84 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
22+33+80	1.64	2.46	5.96				10.06 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
22+35+35	2.13	3.39	3.39				8.90 (3.30 - 10.50)	2.73 (0.89 - 3.81)	12.24	97
22+35+42	1.98	3.15	3.78				8.90 (3.30 - 10.90)	2.73 (0.89 - 4.05)	12.24	97
22+35+50	1.97	3.14	4.49				9.60 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
22+35+60	1.84	2.93	5.03				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
22+35+71	1.72	2.73	5.55				10.00 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
22+35+80	1.64	2.61	5.96				10.20 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
22+42+42	1.99	3.80	3.80				9.60 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
22+42+50	1.87	3.57	4.25				9.70 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
22+42+60	1.76	3.35	4.79				9.90 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
22+42+71	1.66	3.17	5.36				10.20 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
22+42+80	1.59	3.03	5.78				10.40 (3.30 - 12.00)	3.64 (0.89 - 4.78)	16.32	97
22+50+50	1.77	4.02	4.02				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
22+50+60	1.68	3.83	4.59				10.10 (3.30 - 11.70)	3.49 (0.89 - 4.57)	15.64	97
22+50+71	1.60	3.64	5.16				10.40 (3.30 - 12.00)	3.64 (0.89 - 4.78)	16.32	97
22+50+80	1.55	3.52	5.63				10.70 (3.30 - 12.30)	3.73 (0.89 - 4.87)	16.72	97
22+60+60	1.61	4.39	4.39				10.40 (3.30 - 12.00)	3.64 (0.89 - 4.78)	16.32	97
22+60+71	1.54	4.20	4.97				10.70 (3.30 - 12.30)	3.73 (0.89 - 4.87)	16.72	97

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+60+80	1.49	4.07	5.43				11.00 (3.30 - 12.50)	3.68 (0.87 - 4.74)	16.49	97
22+71+71	1.48	4.76	4.76				11.00 (3.30 - 12.60)	3.68 (0.87 - 4.68)	16.49	97
22+71+80	1.44	4.64	5.23				11.30 (3.40 - 12.80)	3.64 (0.86 - 4.55)	16.32	97
25+25+25	2.50	2.50	2.50				7.50 (3.20 - 9.50)	1.98 (0.89 - 3.22)	8.87	97
25+25+33	2.41	2.41	3.19				8.01 (3.20 - 10.10)	2.35 (0.89 - 3.58)	10.53	97
25+25+35	2.41	2.41	3.38				8.20 (3.20 - 10.10)	2.35 (0.89 - 3.58)	10.53	97
25+25+42	2.42	2.42	4.06				8.90 (3.30 - 10.50)	2.73 (0.89 - 3.81)	12.24	97
25+25+50	2.40	2.40	4.80				9.60 (3.30 - 10.90)	3.10 (0.89 - 4.05)	13.90	97
25+25+60	2.20	2.20	5.29				9.70 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
25+25+71	2.02	2.02	5.75				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
25+25+80	1.92	1.92	6.15				10.00 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
25+33+33	2.34	3.09	3.09				8.53 (3.30 - 10.60)	2.73 (0.89 - 3.87)	12.24	97
25+33+35	2.34	3.09	3.28				8.71 (3.30 - 10.60)	2.73 (0.89 - 3.87)	12.24	97
25+33+42	2.35	3.10	3.95				9.40 (3.30 - 11.00)	3.10 (0.89 - 4.11)	13.90	97
25+33+50	2.20	2.91	4.41				9.52 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
25+33+60	2.04	2.70	4.90				9.64 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
25+33+71	1.91	2.52	5.42				9.85 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
25+33+80	1.84	2.43	5.89				10.16 (3.30 - 11.90)	3.59 (0.89 - 4.71)	16.09	97
25+35+35	2.34	3.28	3.28				8.90 (3.30 - 10.60)	2.73 (0.89 - 3.87)	12.24	97
25+35+42	2.35	3.29	3.95				9.60 (3.30 - 11.00)	3.10 (0.89 - 4.11)	13.90	97
25+35+50	2.20	3.09	4.41				9.70 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
25+35+60	2.04	2.86	4.90				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
25+35+71	1.91	2.67	5.42				10.00 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
25+35+80	1.84	2.58	5.89				10.30 (3.30 - 11.90)	3.59 (0.89 - 4.71)	16.09	97
25+42+42	2.22	3.74	3.74				9.70 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
25+42+50	2.09	3.52	4.19				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
25+42+60	1.95	3.27	4.68				9.90 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
25+42+71	1.87	3.13	5.30				10.30 (3.30 - 11.90)	3.59 (0.89 - 4.71)	16.09	97
25+42+80	1.79	3.00	5.71				10.50 (3.30 - 12.10)	3.69 (0.89 - 4.86)	16.54	97
25+50+50	1.98	3.96	3.96				9.90 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
25+50+60	1.89	3.78	4.53				10.20 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
25+50+71	1.80	3.60	5.11				10.50 (3.30 - 12.10)	3.69 (0.89 - 4.86)	16.54	97
25+50+80	1.74	3.48	5.57				10.80 (3.30 - 12.30)	3.71 (0.88 - 4.87)	16.63	97
25+60+60	1.81	4.34	4.34				10.50 (3.30 - 12.10)	3.69 (0.89 - 4.86)	16.54	97
25+60+71	1.73	4.15	4.92				10.80 (3.30 - 12.40)	3.71 (0.88 - 4.80)	16.63	97
25+60+80	1.68	4.04	5.38				11.10 (3.40 - 12.60)	3.67 (0.87 - 4.68)	16.45	97
25+71+71	1.66	4.72	4.72				11.10 (3.40 - 12.70)	3.67 (0.87 - 4.61)	16.45	97
25+71+80	1.62	4.60	5.18				11.40 (3.40 - 12.90)	3.62 (0.86 - 4.48)	16.23	97
33+33+33	3.02	3.02	3.02				9.05 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
33+33+35	3.02	3.02	3.20				9.23 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
33+33+42	2.86	2.86	3.64				9.35 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
33+33+50	2.70	2.70	4.08				9.47 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
33+33+60	2.54	2.54	4.62				9.69 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
33+33+71	2.41	2.41	5.19				10.02 (3.30 - 11.90)	3.59 (0.89 - 4.71)	16.09	97
33+33+80	2.33	2.33	5.65				10.31 (3.30 - 12.20)	3.74 (0.89 - 4.93)	16.76	97
33+35+35	3.02	3.20	3.20				9.42 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
33+35+42	2.86	3.03	3.64				9.53 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
33+35+50	2.70	2.86	4.08				9.64 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
33+35+60	2.54	2.69	4.62				9.85 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
33+35+71	2.41	2.56	5.19				10.16 (3.30 - 11.90)	3.59 (0.89 - 4.71)	16.09	97
33+35+80	2.33	2.47	5.65				10.45 (3.30 - 12.20)	3.74 (0.89 - 4.93)	16.76	97
33+42+42	2.72	3.46	3.46				9.64 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
33+42+50	2.57	3.27	3.90				9.74 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
33+42+60	2.46	3.13	4.47				10.06 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
33+42+71	2.34	2.98	5.04				10.36 (3.30 - 12.10)	3.69 (0.89 - 4.86)	16.54	97
33+42+80	2.27	2.89	5.50				10.66 (3.30 - 12.40)	3.71 (0.88 - 4.80)	16.63	97
33+50+50	2.49	3.78	3.78				10.05 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
33+50+60	2.39	3.62	4.34				10.35 (3.30 - 12.10)	3.69 (0.89 - 4.86)	16.54	97
33+50+71	2.28	3.46	4.92				10.66 (3.30 - 12.40)	3.71 (0.88 - 4.80)	16.63	97
33+50+80	2.22	3.36	5.38				10.96 (3.40 - 12.60)	3.67 (0.87 - 4.68)	16.45	97
33+60+60	2.30	4.18	4.18				10.66 (3.30 - 12.30)	3.71 (0.88 - 4.87)	16.63	97
33+60+71	2.21	4.01	4.75				10.97 (3.40 - 12.60)	3.67 (0.87 - 4.68)	16.45	97
33+60+80	2.15	3.91	5.21				11.27 (3.40 - 12.90)	3.62 (0.86 - 4.48)	16.23	97
33+71+71	2.12	4.57	4.57				11.26 (3.40 - 12.90)	3.62 (0.85 - 4.48)	16.23	97
35+35+35	3.20	3.20	3.20				9.60 (3.30 - 11.20)	3.10 (0.89 - 4.23)	13.90	97
35+35+42	3.03	3.03	3.64				9.70 (3.30 - 11.30)	3.20 (0.89 - 4.29)	14.34	97
35+35+50	2.86	2.86	4.08				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
35+35+60	2.69	2.69	4.62				10.00 (3.30 - 11.60)	3.44 (0.89 - 4.49)	15.42	97
35+35+71	2.56	2.56	5.19				10.30 (3.30 - 11.90)	3.59 (0.89 - 4.71)	16.09	97
35+35+80	2.47	2.47	5.65				10.60 (3.30 - 12.20)	3.74 (0.89 - 4.93)	16.76	97
35+42+42	2.88	3.46	3.46				9.80 (3.30 - 11.40)	3.29 (0.89 - 4.36)	14.75	97
35+42+50	2.73	3.27	3.90				9.90 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
35+42+60	2.61	3.13	4.47				10.20 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
35+42+71	2.48	2.98	5.04				10.50 (3.30 - 12.10)	3.69 (0.89 - 4.86)	16.54	97
35+42+80	2.41	2.89	5.50				10.80 (3.30 - 12.40)	3.71 (0.88 - 4.80)	16.63	97
35+50+50	2.64	3.78	3.78				10.20 (3.30 - 11.80)	3.54 (0.89 - 4.64)	15.87	97
35+50+60	2.53	3.62	4.34				10.50 (3.30 - 12.10)	3.69 (0.89 - 4.86)	16.54	97
35+50+71	2.42	3.46	4.92				10.80 (3.30 - 12.40)	3.71 (0.88 - 4.80)	16.63	97
35+50+80	2.35	3.36	5.38				11.10 (3.40 - 12.60)	3.67 (0.87 - 4.68)	16.45	97
35+60+60	2.44	4.18	4.18				10.80 (3.30 - 12.30)	3.71 (0.88 - 4.87)	16.63	97
35+60+71	2.34	4.01	4.75				11.10 (3.40 - 12.60)	3.67 (0.87 - 4.68)	16.45	97
35+60+80	2.28	3.91	5.21				11.40 (3.40 - 12.90)	3.62 (0.86 - 4.48)	16.23	97
35+71+71	2.25	4.57	4.57				11.40 (3.40 - 12.90)	3.62 (0.85 - 4.48)	16.23	97
42+42+42	3.30	3.30	3.30				9.90 (3.30 - 11.50)	3.39 (0.89 - 4.42)	15.19	97
42+42+50	3.17	3.17	3.77				10.10 (3.30 - 11.70)	3.49 (0.89 - 4.57)	15.64	97
42+42+60	3.03	3.03	4.33				10.40 (3.30 - 12.00)	3.64 (0.89 - 4.78)	16.32	97
42+42+71	2.93	2.93	4.95				10.80 (3.30 - 12.30)	3.71 (0.88 - 4.87)	16.63	97
42+42+80	2.82	2.82	5.37				11.00 (3.30 - 12.60)	3.68 (0.87 - 4.68)	16.49	97
42+50+50	3.08	3.66	3.66				10.40 (3.30 - 12.00)	3.64 (0.89 - 4.78)	16.32	97
42+50+60	2.96	3.52	4.22				10.70 (3.30 - 12.30)	3.73 (0.89 - 4.87)	16.72	97
42+50+71	2.83	3.37	4.79				11.00 (3.30 - 12.50)	3.68 (0.87 - 4.74)	16.49	97
42+50+80	2.76	3.28	5.26				11.30 (3.40 - 12.80)	3.64 (0.86 - 4.55)	16.32	97
42+60+60	2.85	4.07	4.07				11.00 (3.30 - 12.50)	3.68 (0.87 - 4.74)	16.49	97
42+60+71	2.74	3.92	4.64				11.30 (3.40 - 12.80)	3.64 (0.86 - 4.55)	16.32	97
50+50+50	3.53	3.53	3.53				10.60 (3.30 - 12.20)	3.74 (0.89 - 4.93)	16.76	97
50+50+60	3.41	3.41	4.09				10.90 (3.30 - 12.50)	3.70 (0.88 - 4.74)	16.58	97

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
50+50+71	3.27	3.27	4.65				11.20 (3.40 - 12.80)	3.65 (0.86 - 4.55)	16.36	97
50+50+80	3.19	3.19	5.11				11.50 (3.40 - 13.00)	3.61 (0.85 - 4.42)	16.18	97
50+60+60	3.29	3.95	3.95				11.20 (3.40 - 12.70)	3.65 (0.86 - 4.61)	16.36	97
60+60+60	3.83	3.83	3.83				11.50 (3.40 - 13.00)	3.61 (0.85 - 4.42)	16.18	97
22+22+22+22	2.20	2.20	2.20	2.20			8.80 (3.30 - 11.00)	2.31 (0.87 - 3.85)	10.14	99
22+22+22+25	2.20	2.20	2.20	2.50			9.10 (3.30 - 11.20)	2.50 (0.87 - 3.90)	10.98	99
22+22+22+33	2.18	2.18	2.18	3.27			9.81 (3.30 - 11.80)	3.07 (0.87 - 4.05)	13.48	99
22+22+22+35	2.18	2.18	2.18	3.47			10.00 (3.30 - 11.80)	3.07 (0.87 - 4.05)	13.48	99
22+22+22+42	2.06	2.06	2.06	3.93			10.10 (3.30 - 11.90)	3.11 (0.87 - 4.10)	13.66	99
22+22+22+50	1.95	1.95	1.95	4.44			10.30 (3.30 - 12.00)	3.19 (0.87 - 4.14)	14.01	99
22+22+22+60	1.83	1.83	1.83	5.00			10.50 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+22+22+71	1.70	1.70	1.70	5.49			10.60 (3.40 - 12.40)	3.31 (0.87 - 4.33)	14.54	99
22+22+22+80	1.61	1.61	1.61	5.86			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+25+25	2.20	2.20	2.50	2.50			9.40 (3.30 - 11.40)	2.69 (0.87 - 3.95)	11.81	99
22+22+25+33	2.14	2.14	2.43	3.21			9.92 (3.30 - 11.90)	3.11 (0.87 - 4.10)	13.66	99
22+22+25+35	2.14	2.14	2.43	3.40			10.10 (3.30 - 11.90)	3.11 (0.87 - 4.10)	13.66	99
22+22+25+42	2.02	2.02	2.30	3.86			10.20 (3.30 - 12.00)	3.15 (0.87 - 4.14)	13.83	99
22+22+25+50	1.90	1.90	2.16	4.33			10.30 (3.30 - 12.10)	3.19 (0.87 - 4.19)	14.01	99
22+22+25+60	1.79	1.79	2.03	4.88			10.50 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+22+25+71	1.68	1.68	1.91	5.43			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+25+80	1.58	1.58	1.80	5.74			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+33+33	1.97	1.97	2.95	2.95			9.84 (3.30 - 12.00)	3.15 (0.87 - 4.14)	13.83	99
22+22+33+35	1.97	1.97	2.95	3.13			10.02 (3.30 - 12.00)	3.15 (0.87 - 4.14)	13.83	99
22+22+33+42	1.89	1.89	2.84	3.61			10.23 (3.40 - 12.10)	3.23 (0.87 - 4.19)	14.19	99
22+22+33+50	1.79	1.79	2.69	4.07			10.34 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+22+33+60	1.69	1.69	2.54	4.62			10.54 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+33+71	1.57	1.57	2.36	5.06			10.56 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+33+80	1.49	1.49	2.24	5.43			10.65 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+35+35	1.97	1.97	3.13	3.13			10.20 (3.30 - 12.00)	3.15 (0.87 - 4.14)	13.83	99
22+22+35+42	1.89	1.89	3.01	3.61			10.40 (3.40 - 12.10)	3.23 (0.87 - 4.19)	14.19	99
22+22+35+50	1.79	1.79	2.85	4.07			10.50 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+22+35+60	1.69	1.69	2.69	4.62			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+35+71	1.57	1.57	2.50	5.06			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+35+80	1.49	1.49	2.38	5.43			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+42+42	1.80	1.80	3.45	3.45			10.50 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+22+42+50	1.71	1.71	3.27	3.90			10.60 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
22+22+42+60	1.61	1.61	3.08	4.40			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+42+71	1.51	1.51	2.89	4.88			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+42+80	1.43	1.43	2.73	5.20			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+50+50	1.63	1.63	3.72	3.72			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+22+50+60	1.54	1.54	3.51	4.21			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+50+71	1.44	1.44	3.27	4.65			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+50+80	1.37	1.37	3.10	4.97			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+60+60	1.45	1.45	3.95	3.95			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+60+71	1.36	1.36	3.70	4.38			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+25+25	2.20	2.50	2.50	2.50			9.70 (3.30 - 11.60)	2.88 (0.87 - 4.00)	12.65	99
22+25+25+33	2.08	2.36	2.36	3.11			9.91 (3.30 - 11.90)	3.11 (0.87 - 4.10)	13.66	99
22+25+25+35	2.08	2.36	2.36	3.30			10.10 (3.30 - 11.90)	3.11 (0.87 - 4.10)	13.66	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+25+25+42	1.97	2.24	2.24	3.76			10.20 (3.30 - 12.00)	3.15 (0.87 - 4.14)	13.83	99
22+25+25+50	1.88	2.13	2.13	4.26			10.40 (3.40 - 12.10)	3.23 (0.87 - 4.19)	14.19	99
22+25+25+60	1.77	2.01	2.01	4.82			10.60 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
22+25+25+71	1.65	1.87	1.87	5.31			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+25+80	1.55	1.76	1.76	5.63			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+33+33	1.94	2.20	2.90	2.90			9.95 (3.30 - 12.10)	3.19 (0.87 - 4.19)	14.01	99
22+25+33+35	1.94	2.20	2.90	3.08			10.12 (3.30 - 12.10)	3.19 (0.87 - 4.19)	14.01	99
22+25+33+42	1.85	2.10	2.77	3.52			10.24 (3.40 - 12.20)	3.23 (0.87 - 4.24)	14.19	99
22+25+33+50	1.77	2.01	2.65	4.02			10.45 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
22+25+33+60	1.66	1.88	2.49	4.52			10.55 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+33+71	1.54	1.75	2.31	4.97			10.57 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+33+80	1.47	1.67	2.20	5.33			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+35+35	1.94	2.20	3.08	3.08			10.30 (3.30 - 12.10)	3.19 (0.87 - 4.19)	14.01	99
22+25+35+42	1.85	2.10	2.94	3.52			10.40 (3.40 - 12.20)	3.23 (0.87 - 4.24)	14.19	99
22+25+35+50	1.77	2.01	2.81	4.02			10.60 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
22+25+35+60	1.66	1.88	2.64	4.52			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+35+71	1.54	1.75	2.45	4.97			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+35+80	1.47	1.67	2.33	5.33			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+42+42	1.76	2.00	3.37	3.37			10.50 (3.40 - 12.30)	3.27 (0.87 - 4.28)	14.36	99
22+25+42+50	1.69	1.92	3.23	3.85			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+42+60	1.58	1.80	3.02	4.31			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+42+71	1.49	1.69	2.84	4.79			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+42+80	1.41	1.60	2.68	5.11			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+50+50	1.60	1.82	3.64	3.64			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+25+50+60	1.51	1.72	3.44	4.13			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+50+71	1.41	1.61	3.21	4.56			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+50+80	1.34	1.53	3.05	4.88			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+60+60	1.42	1.62	3.88	3.88			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+25+60+71	1.33	1.52	3.64	4.31			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+33+33	1.82	2.72	2.72	2.72			9.99 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+33+33+35	1.82	2.72	2.72	2.89			10.16 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+33+33+42	1.74	2.61	2.61	3.32			10.28 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
22+33+33+50	1.66	2.49	2.49	3.77			10.41 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+33+33+60	1.55	2.32	2.32	4.22			10.41 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+33+33+71	1.46	2.19	2.19	4.70			10.53 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+33+80	1.38	2.07	2.07	5.02			10.55 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+35+35	1.82	2.72	2.89	2.89			10.32 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+33+35+42	1.74	2.61	2.77	3.32			10.44 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
22+33+35+50	1.66	2.49	2.64	3.77			10.56 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+33+35+60	1.55	2.32	2.46	4.22			10.55 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+33+35+71	1.46	2.19	2.32	4.70			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+35+80	1.38	2.07	2.20	5.02			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+42+42	1.67	2.51	3.19	3.19			10.56 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+33+42+50	1.58	2.37	3.02	3.59			10.56 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+33+42+60	1.49	2.24	2.85	4.08			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+42+71	1.40	2.09	2.67	4.51			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+42+80	1.33	1.99	2.53	4.83			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+50+50	1.51	2.27	3.44	3.44			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+33+50+60	1.42	2.13	3.23	3.88			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+50+71	1.33	2.00	3.03	4.31			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+33+60+60	1.34	2.02	3.66	3.66			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+35+35	1.82	2.89	2.89	2.89			10.50 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
22+35+35+42	1.74	2.77	2.77	3.32			10.60 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
22+35+35+50	1.66	2.64	2.64	3.77			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+35+35+60	1.55	2.46	2.46	4.22			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+35+35+71	1.46	2.32	2.32	4.70			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+35+80	1.38	2.20	2.20	5.02			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+42+42	1.67	2.66	3.19	3.19			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+35+42+50	1.58	2.51	3.02	3.59			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+35+42+60	1.49	2.38	2.85	4.08			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+42+71	1.40	2.22	2.67	4.51			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+42+80	1.33	2.11	2.53	4.83			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+50+50	1.51	2.41	3.44	3.44			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+50+60	1.42	2.26	3.23	3.88			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+50+71	1.33	2.12	3.03	4.31			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+35+60+60	1.34	2.14	3.66	3.66			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+42+42+42	1.59	3.04	3.04	3.04			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
22+42+42+50	1.52	2.91	2.91	3.46			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+42+42+60	1.43	2.73	2.73	3.90			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+42+42+71	1.34	2.56	2.56	4.33			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+42+50+50	1.45	2.77	3.29	3.29			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+42+50+60	1.37	2.61	3.10	3.72			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+50+50+50	1.38	3.14	3.14	3.14			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+25+25	2.50	2.50	2.50	2.50			10.00 (3.30 - 11.80)	3.07 (0.87 - 4.05)	13.48	99
25+25+25+33	2.32	2.32	2.32	3.06			10.02 (3.30 - 12.00)	3.15 (0.87 - 4.14)	13.83	99
25+25+25+35	2.32	2.32	2.32	3.25			10.20 (3.30 - 12.00)	3.15 (0.87 - 4.14)	13.83	99
25+25+25+42	2.20	2.20	2.20	3.70			10.30 (3.30 - 12.10)	3.19 (0.87 - 4.19)	14.01	99
25+25+25+50	2.08	2.08	2.08	4.16			10.40 (3.40 - 12.20)	3.23 (0.87 - 4.24)	14.19	99
25+25+25+60	1.96	1.96	1.96	4.71			10.60 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
25+25+25+71	1.83	1.83	1.83	5.20			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+25+25+80	1.74	1.74	1.74	5.57			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+33+33	2.17	2.17	2.86	2.86			10.05 (3.40 - 12.10)	3.23 (0.87 - 4.19)	14.19	99
25+25+33+35	2.17	2.17	2.86	3.03			10.23 (3.40 - 12.10)	3.23 (0.87 - 4.19)	14.19	99
25+25+33+42	2.07	2.07	2.72	3.47			10.33 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
25+25+33+50	1.96	1.96	2.59	3.93			10.44 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
25+25+33+60	1.84	1.84	2.43	4.43			10.54 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+25+33+71	1.73	1.73	2.28	4.92			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+33+80	1.64	1.64	2.16	5.24			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+35+35	2.17	2.17	3.03	3.03			10.40 (3.40 - 12.10)	3.23 (0.87 - 4.19)	14.19	99
25+25+35+42	2.07	2.07	2.89	3.47			10.50 (3.40 - 12.20)	3.27 (0.87 - 4.24)	14.36	99
25+25+35+50	1.96	1.96	2.75	3.93			10.60 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
25+25+35+60	1.84	1.84	2.58	4.43			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+25+35+71	1.73	1.73	2.42	4.92			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+35+80	1.64	1.64	2.29	5.24			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+42+42	1.98	1.98	3.32	3.32			10.60 (3.40 - 12.30)	3.31 (0.87 - 4.28)	14.54	99
25+25+42+50	1.88	1.88	3.16	3.77			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+25+42+60	1.76	1.76	2.96	4.22			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+25+42+71	1.66	1.66	2.78	4.70			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+42+80	1.57	1.57	2.64	5.02			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+50+50	1.78	1.78	3.57	3.57			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+25+50+60	1.69	1.69	3.38	4.05			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+50+71	1.58	1.58	3.16	4.48			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+50+80	1.50	1.50	3.00	4.80			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+25+60+60	1.59	1.59	3.81	3.81			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+33+33	2.02	2.67	2.67	2.67			10.02 (3.40 - 12.30)	3.27 (0.87 - 4.28)	14.36	99
25+33+33+35	2.02	2.67	2.67	2.83			10.19 (3.40 - 12.30)	3.27 (0.87 - 4.28)	14.36	99
25+33+33+42	1.93	2.56	2.56	3.25			10.29 (3.40 - 12.40)	3.31 (0.87 - 4.33)	14.54	99
25+33+33+50	1.84	2.43	2.43	3.69			10.40 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+33+33+60	1.74	2.30	2.30	4.18			10.52 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+33+71	1.63	2.15	2.15	4.62			10.55 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+33+80	1.54	2.04	2.04	4.94			10.55 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+35+35	2.02	2.67	2.83	2.83			10.35 (3.40 - 12.30)	3.27 (0.87 - 4.28)	14.36	99
25+33+35+42	1.93	2.56	2.71	3.25			10.45 (3.40 - 12.40)	3.31 (0.87 - 4.33)	14.54	99
25+33+35+50	1.84	2.43	2.58	3.69			10.54 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+33+35+60	1.74	2.30	2.44	4.18			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+35+71	1.63	2.15	2.28	4.62			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+35+80	1.54	2.04	2.16	4.94			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+42+42	1.86	2.45	3.12	3.12			10.55 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+33+42+50	1.76	2.32	2.96	3.52			10.56 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+33+42+60	1.67	2.20	2.80	4.00			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+42+71	1.56	2.06	2.62	4.43			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+42+80	1.48	1.96	2.49	4.75			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+50+50	1.69	2.23	3.38	3.38			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+50+60	1.59	2.09	3.18	3.81			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+50+71	1.49	1.97	2.98	4.24			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+33+60+60	1.50	1.98	3.60	3.60			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+35+35	2.02	2.83	2.83	2.83			10.50 (3.40 - 12.30)	3.27 (0.87 - 4.28)	14.36	99
25+35+35+42	1.93	2.71	2.71	3.25			10.60 (3.40 - 12.40)	3.31 (0.87 - 4.33)	14.54	99
25+35+35+50	1.84	2.58	2.58	3.69			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+35+35+60	1.74	2.44	2.44	4.18			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+35+71	1.63	2.28	2.28	4.62			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+35+80	1.54	2.16	2.16	4.94			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+42+42	1.86	2.60	3.12	3.12			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+35+42+50	1.76	2.46	2.96	3.52			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+35+42+60	1.67	2.33	2.80	4.00			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+42+71	1.56	2.18	2.62	4.43			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+50+50	1.69	2.36	3.38	3.38			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+50+60	1.59	2.22	3.18	3.81			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+35+60+60	1.50	2.10	3.60	3.60			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+42+42+42	1.77	2.98	2.98	2.98			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
25+42+42+50	1.70	2.85	2.85	3.40			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+42+42+60	1.60	2.68	2.68	3.83			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+42+42+71	1.50	2.52	2.52	4.26			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+42+50+50	1.62	2.72	3.23	3.23			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+42+50+60	1.53	2.56	3.05	3.66			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
25+50+50+50	1.54	3.09	3.09	3.09			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+33+33	2.53	2.53	2.53	2.53			10.11 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+33+33+35	2.53	2.53	2.53	2.68			10.26 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+33+33+42	2.40	2.40	2.40	3.06			10.27 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+33+33+50	2.30	2.30	2.30	3.48			10.38 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+33+60	2.16	2.16	2.16	3.93			10.41 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+33+71	2.03	2.03	2.03	4.36			10.44 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+33+80	1.95	1.95	1.95	4.71			10.56 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+35+35	2.53	2.53	2.68	2.68			10.41 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+33+35+42	2.40	2.40	2.55	3.06			10.42 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+33+35+50	2.30	2.30	2.44	3.48			10.52 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+35+60	2.16	2.16	2.29	3.93			10.54 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+35+71	2.03	2.03	2.15	4.36			10.56 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+42+42	2.31	2.31	2.95	2.95			10.52 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+42+50	2.20	2.20	2.80	3.33			10.52 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+42+60	2.07	2.07	2.64	3.77			10.56 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+42+71	1.95	1.95	2.48	4.19			10.57 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+33+50+50	2.09	2.09	3.18	3.18			10.55 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+50+60	1.98	1.98	3.00	3.60			10.56 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+35+35+35	2.53	2.68	2.68	2.68			10.57 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+35+35+42	2.40	2.55	2.55	3.06			10.56 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
33+35+35+50	2.30	2.44	2.44	3.48			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+35+35+60	2.16	2.29	2.29	3.93			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+35+35+71	2.03	2.15	2.15	4.36			10.69 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+35+42+42	2.31	2.45	2.95	2.95			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+35+42+50	2.20	2.33	2.80	3.33			10.66 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+35+42+60	2.07	2.20	2.64	3.77			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+50+50	2.09	2.09	3.18	3.18			10.55 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+33+50+60	1.98	1.98	3.00	3.60			10.56 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+42+42+42	2.22	2.82	2.82	2.82			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+42+42+50	2.11	2.68	2.68	3.20			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+42+42+60	1.99	2.53	2.53	3.62			10.67 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
33+42+50+50	2.02	2.56	3.05	3.05			10.68 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+35+35	2.68	2.68	2.68	2.68			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
35+35+35+42	2.55	2.55	2.55	3.06			10.70 (3.40 - 12.40)	3.35 (0.87 - 4.33)	14.71	99
35+35+35+50	2.44	2.44	2.44	3.48			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+35+60	2.29	2.29	2.29	3.93			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+35+71	2.15	2.15	2.15	4.36			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+42+42	2.45	2.45	2.95	2.95			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+42+50	2.33	2.33	2.80	3.33			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+42+60	2.20	2.20	2.64	3.77			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+50+50	2.22	2.22	3.18	3.18			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+35+50+60	2.10	2.10	3.00	3.60			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+42+42+42	2.35	2.82	2.82	2.82			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+42+42+50	2.24	2.68	2.68	3.20			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+42+42+60	2.11	2.53	2.53	3.62			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
35+42+50+50	2.14	2.56	3.05	3.05			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
42+42+42+42	2.70	2.70	2.70	2.70			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
42+42+42+50	2.58	2.58	2.58	3.07			10.80 (3.40 - 12.50)	3.38 (0.87 - 4.40)	14.84	99
22+22+22+22+22	2.20	2.20	2.20	2.20	2.20		11.00 (3.50 - 13.20)	3.35 (0.89 - 5.81)	14.71	99
22+22+22+22+25	2.18	2.18	2.18	2.18	2.48		11.20 (3.50 - 13.20)	3.47 (0.89 - 5.80)	15.24	99
22+22+22+22+33	2.11	2.11	2.11	2.11	3.17		11.61 (3.50 - 13.20)	3.83 (0.89 - 5.77)	16.82	99
22+22+22+22+35	2.11	2.11	2.11	2.11	3.36		11.80 (3.50 - 13.20)	3.83 (0.89 - 5.77)	16.82	99
22+22+22+22+42	2.01	2.01	2.01	2.01	3.84		11.90 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+22+22+22+50	1.91	1.91	1.91	1.91	4.35		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+22+60	1.78	1.78	1.78	1.78	4.86		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+22+71	1.67	1.67	1.67	1.67	5.40		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+22+80	1.60	1.60	1.60	1.60	5.81		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+22+25+25	2.16	2.16	2.16	2.46	2.46		11.40 (3.50 - 13.20)	3.59 (0.89 - 5.79)	15.77	99
22+22+22+25+33	2.08	2.08	2.08	2.36	3.12		11.72 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+22+22+25+35	2.08	2.08	2.08	2.36	3.31		11.90 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+22+22+25+42	1.97	1.97	1.97	2.24	3.76		11.90 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+22+22+25+50	1.87	1.87	1.87	2.13	4.26		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+25+60	1.76	1.76	1.76	2.00	4.81		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+25+71	1.64	1.64	1.64	1.87	5.30		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+25+80	1.57	1.57	1.57	1.78	5.71		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+22+33+33	1.94	1.94	1.94	2.91	2.91		11.65 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+33+35	1.94	1.94	1.94	2.91	3.09		11.82 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+33+42	1.85	1.85	1.85	2.77	3.52		11.84 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+33+50	1.76	1.76	1.76	2.64	4.01		11.93 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+33+60	1.65	1.65	1.65	2.48	4.51		11.94 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+33+71	1.56	1.56	1.56	2.34	5.04		12.06 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+22+33+80	1.49	1.49	1.49	2.23	5.40		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+35+35	1.94	1.94	1.94	3.09	3.09		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+35+42	1.85	1.85	1.85	2.94	3.52		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+22+35+50	1.76	1.76	1.76	2.80	4.01		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+35+60	1.65	1.65	1.65	2.63	4.51		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+35+71	1.56	1.56	1.56	2.48	5.04		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+22+42+42	1.77	1.77	1.77	3.39	3.39		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+42+50	1.68	1.68	1.68	3.22	3.83		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+42+60	1.60	1.60	1.60	3.05	4.36		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+22+42+71	1.50	1.50	1.50	2.86	4.84		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+22+50+50	1.60	1.60	1.60	3.64	3.64		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+22+50+60	1.53	1.53	1.53	3.47	4.16		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+25+25+25	2.13	2.13	2.42	2.42	2.42		11.50 (3.50 - 13.20)	3.65 (0.89 - 5.78)	16.03	99
22+22+25+25+33	2.03	2.03	2.31	2.31	3.05		11.73 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+22+25+25+35	2.03	2.03	2.31	2.31	3.23		11.90 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+22+25+25+42	1.94	1.94	2.21	2.21	3.71		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+25+25+50	1.83	1.83	2.08	2.08	4.17		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+25+25+60	1.73	1.73	1.96	1.96	4.71		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+25+71	1.61	1.61	1.83	1.83	5.21		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+25+80	1.54	1.54	1.75	1.75	5.61		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+25+33+33	1.90	1.90	2.16	2.85	2.85		11.65 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+25+33+35	1.90	1.90	2.16	2.85	3.02		11.83 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+25+33+42	1.81	1.81	2.05	2.72	3.45		11.84 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+22+25+33+50	1.73	1.73	1.96	2.59	3.93		11.94 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+33+60	1.62	1.62	1.84	2.43	4.43		11.94 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+33+71	1.53	1.53	1.74	2.30	4.95		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+25+35+35	1.90	1.90	2.16	3.02	3.02		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+25+35+42	1.81	1.81	2.05	2.88	3.45		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+25+35+50	1.73	1.73	1.96	2.75	3.93		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+35+60	1.62	1.62	1.84	2.58	4.43		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+35+71	1.53	1.53	1.74	2.44	4.95		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+25+42+42	1.74	1.74	1.98	3.32	3.32		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+42+50	1.65	1.65	1.88	3.16	3.76		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+25+42+60	1.57	1.57	1.78	3.00	4.28		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+25+50+50	1.59	1.59	1.80	3.61	3.61		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+25+50+60	1.50	1.50	1.70	3.41	4.09		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+33+33+33	1.77	1.77	2.66	2.66	2.66		11.52 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+33+33+35	1.77	1.77	2.66	2.66	2.82		11.68 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+33+33+42	1.71	1.71	2.56	2.56	3.26		11.79 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+33+33+50	1.62	1.62	2.43	2.43	3.69		11.80 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+33+33+60	1.54	1.54	2.31	2.31	4.21		11.91 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+33+35+35	1.77	1.77	2.66	2.82	2.82		11.84 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+33+35+42	1.71	1.71	2.56	2.71	3.26		11.95 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+33+35+50	1.62	1.62	2.43	2.58	3.69		11.94 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+33+35+60	1.54	1.54	2.31	2.45	4.21		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+33+42+42	1.63	1.63	2.45	3.12	3.12		11.95 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+33+42+50	1.57	1.57	2.36	3.00	3.57		12.07 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+33+42+60	1.48	1.48	2.23	2.83	4.05		12.07 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+33+50+50	1.50	1.50	2.25	3.41	3.41		12.07 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+35+35+35	1.77	1.77	2.82	2.82	2.82		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+22+35+35+42	1.71	1.71	2.71	2.71	3.26		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+35+35+50	1.62	1.62	2.58	2.58	3.69		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+35+35+60	1.54	1.54	2.45	2.45	4.21		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+35+42+42	1.63	1.63	2.60	3.12	3.12		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+22+35+42+50	1.57	1.57	2.50	3.00	3.57		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+35+50+50	1.50	1.50	2.39	3.41	3.41		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+42+42+42	1.58	1.58	3.01	3.01	3.01		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+42+42+50	1.51	1.51	2.88	2.88	3.43		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+25+25+25	2.11	2.40	2.40	2.40	2.40		11.70 (3.50 - 13.20)	3.77 (0.89 - 5.77)	16.56	99
22+25+25+25+33	1.98	2.25	2.25	2.25	2.98		11.71 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+25+25+25+35	1.98	2.25	2.25	2.25	3.16		11.90 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
22+25+25+25+42	1.90	2.16	2.16	2.16	3.63		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+25+25+25+50	1.80	2.04	2.04	2.04	4.08		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+25+25+25+60	1.70	1.93	1.93	1.93	4.62		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+25+25+71	1.60	1.82	1.82	1.82	5.16		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+25+25+80	1.52	1.72	1.72	1.72	5.51		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+25+33+33	1.86	2.11	2.11	2.79	2.79		11.66 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+25+25+33+35	1.86	2.11	2.11	2.79	2.96		11.83 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+25+25+33+42	1.77	2.01	2.01	2.66	3.38		11.83 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+25+25+33+50	1.70	1.93	1.93	2.55	3.85		11.96 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+25+33+60	1.61	1.83	1.83	2.41	4.38		12.06 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+25+25+33+71	1.51	1.71	1.71	2.26	4.87		12.06 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+25+35+35	1.86	2.11	2.11	2.96	2.96		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+25+25+35+42	1.77	2.01	2.01	2.82	3.38		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
22+25+25+35+50	1.70	1.93	1.93	2.70	3.85		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+25+35+60	1.61	1.83	1.83	2.56	4.38		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+25+35+71	1.51	1.71	1.71	2.40	4.87		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+25+42+42	1.71	1.94	1.94	3.26	3.26		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+25+42+50	1.62	1.84	1.84	3.10	3.69		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+25+42+60	1.54	1.75	1.75	2.94	4.21		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+25+50+50	1.56	1.77	1.77	3.55	3.55		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+33+33+33	1.75	1.99	2.63	2.63	2.63		11.63 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+33+33+35	1.75	1.99	2.63	2.63	2.79		11.79 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+33+33+42	1.67	1.90	2.51	2.51	3.20		11.79 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+33+33+50	1.61	1.83	2.41	2.41	3.65		11.92 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+33+33+60	1.52	1.72	2.27	2.27	4.14		11.92 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+33+42+42	1.60	1.82	2.40	3.06	3.06		11.94 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+33+42+50	1.54	1.75	2.31	2.94	3.51		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+33+50+50	1.49	1.69	2.24	3.39	3.39		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+35+35+35	1.75	1.99	2.79	2.79	2.79		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+35+35+42	1.67	1.90	2.66	2.66	3.20		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+35+35+50	1.61	1.83	2.56	2.56	3.65		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+35+35+60	1.52	1.72	2.41	2.41	4.14		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+35+42+42	1.60	1.82	2.55	3.06	3.06		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+25+35+42+50	1.54	1.75	2.45	2.94	3.51		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+25+42+42+42	1.55	1.76	2.96	2.96	2.96		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+33+33+33	1.64	2.46	2.46	2.46	2.46		11.48 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+33+33+33+35	1.64	2.46	2.46	2.46	2.61		11.63 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+33+33+33+42	1.59	2.39	2.39	2.39	3.03		11.78 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+33+33+50	1.52	2.27	2.27	2.27	3.45		11.79 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+33+35+35	1.64	2.46	2.46	2.61	2.61		11.78 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+33+33+35+42	1.59	2.39	2.39	2.53	3.03		11.92 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+33+35+50	1.52	2.27	2.27	2.41	3.45		11.92 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+33+42+42	1.53	2.29	2.29	2.91	2.91		11.93 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+33+42+50	1.48	2.21	2.21	2.82	3.35		12.07 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+35+35+35	1.64	2.46	2.61	2.61	2.61		11.93 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+33+35+35+42	1.59	2.39	2.53	2.53	3.03		12.07 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+35+35+50	1.52	2.27	2.41	2.41	3.45		12.06 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+33+35+42+42	1.53	2.29	2.43	2.91	2.91		12.07 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+35+35+35+35	1.64	2.61	2.61	2.61	2.61		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
22+35+35+35+42	1.59	2.53	2.53	2.53	3.03		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+35+35+35+50	1.52	2.41	2.41	2.41	3.45		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+35+35+42+42	1.53	2.43	2.43	2.91	2.91		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+25+25	2.38	2.38	2.38	2.38	2.38		11.90 (3.50 - 13.20)	3.89 (0.89 - 5.76)	17.08	99
25+25+25+25+33	2.22	2.22	2.22	2.22	2.93		11.81 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
25+25+25+25+35	2.22	2.22	2.22	2.22	3.11		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
25+25+25+25+42	2.11	2.11	2.11	2.11	3.55		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
25+25+25+25+50	2.02	2.02	2.02	2.02	4.03		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+25+25+60	1.89	1.89	1.89	1.89	4.54		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+25+25+25+71	1.78	1.78	1.78	1.78	5.07		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+25+80	1.69	1.69	1.69	1.69	5.42		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+33+33	2.07	2.07	2.07	2.73	2.73		11.68 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
25+25+25+33+35	2.07	2.07	2.07	2.73	2.90		11.84 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
25+25+25+33+42	1.99	1.99	1.99	2.63	3.34		11.94 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+25+33+50	1.89	1.89	1.89	2.50	3.78		11.95 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+25+33+60	1.79	1.79	1.79	2.37	4.31		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+33+71	1.70	1.70	1.70	2.25	4.85		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+35+35	2.07	2.07	2.07	2.90	2.90		12.00 (3.50 - 13.30)	3.94 (0.89 - 5.78)	17.30	99
25+25+25+35+42	1.99	1.99	1.99	2.79	3.34		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+25+35+50	1.89	1.89	1.89	2.65	3.78		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+25+35+60	1.79	1.79	1.79	2.51	4.31		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+42+42	1.90	1.90	1.90	3.20	3.20		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+25+42+50	1.83	1.83	1.83	3.07	3.65		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+42+60	1.72	1.72	1.72	2.89	4.14		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+25+50+50	1.74	1.74	1.74	3.49	3.49		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+33+33+33	1.95	1.95	2.57	2.57	2.57		11.62 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+33+33+35	1.95	1.95	2.57	2.57	2.73		11.78 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+33+33+42	1.87	1.87	2.46	2.46	3.14		11.80 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+33+33+50	1.79	1.79	2.37	2.37	3.59		11.90 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+33+33+60	1.69	1.69	2.23	2.23	4.07		11.92 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+33+35+35	1.95	1.95	2.57	2.73	2.73		11.93 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+33+35+42	1.87	1.87	2.46	2.61	3.14		11.95 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+33+35+50	1.79	1.79	2.37	2.51	3.59		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+33+35+60	1.69	1.69	2.23	2.37	4.07		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+33+42+42	1.80	1.80	2.39	3.03	3.03		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+33+42+50	1.72	1.72	2.27	2.89	3.45		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+35+35+35	1.95	1.95	2.73	2.73	2.73		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+35+35+42	1.87	1.87	2.61	2.61	3.14		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+25+35+35+50	1.79	1.79	2.51	2.51	3.59		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+35+35+60	1.69	1.69	2.37	2.37	4.07		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+35+42+42	1.80	1.80	2.53	3.03	3.03		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+35+42+50	1.72	1.72	2.41	2.89	3.45		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+25+42+42+42	1.73	1.73	2.91	2.91	2.91		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+33+33+33	1.83	2.42	2.42	2.42	2.42		11.52 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+33+33+33+35	1.83	2.42	2.42	2.42	2.57		11.67 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+33+33+33+42	1.77	2.34	2.34	2.34	2.98		11.76 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+33+33+50	1.69	2.23	2.23	2.23	3.39		11.78 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+33+35+35	1.83	2.42	2.42	2.57	2.57		11.82 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+33+33+35+42	1.77	2.34	2.34	2.48	2.98		11.91 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+33+35+50	1.69	2.23	2.23	2.37	3.39		11.92 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+33+42+42	1.70	2.25	2.25	2.86	2.86		11.93 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+35+35+35	1.83	2.42	2.57	2.57	2.57		11.96 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+33+35+35+42	1.77	2.34	2.48	2.48	2.98		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+35+35+50	1.69	2.23	2.37	2.37	3.39		12.05 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+33+35+42+42	1.70	2.25	2.39	2.86	2.86		12.06 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+35+35+35+35	1.83	2.57	2.57	2.57	2.57		12.10 (3.50 - 13.30)	3.98 (0.89 - 5.78)	17.48	99
25+35+35+35+42	1.77	2.48	2.48	2.48	2.98		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				Total
25+35+35+35+50	1.69	2.37	2.37	2.37	3.39		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
25+35+35+42+42	1.70	2.39	2.39	2.86	2.86		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
35+35+35+35+35	2.44	2.44	2.44	2.44	2.44		12.20 (3.50 - 13.40)	4.03 (0.89 - 5.79)	17.70	99
22+22+22+22+22+22	2.00	2.00	2.00	2.00	2.00	2.00	12.00 (3.50 - 13.50)	3.66 (0.88 - 5.37)	16.07	99
22+22+22+22+22+25	1.96	1.96	1.96	1.96	1.96	2.22	12.00 (3.50 - 13.50)	3.65 (0.88 - 5.36)	16.03	99
22+22+22+22+22+33	1.82	1.82	1.82	1.82	1.82	2.73	11.83 (3.50 - 13.50)	3.62 (0.88 - 5.33)	15.90	99
22+22+22+22+22+35	1.82	1.82	1.82	1.82	1.82	2.90	12.00 (3.50 - 13.50)	3.62 (0.88 - 5.33)	15.90	99
22+22+22+22+22+42	1.74	1.74	1.74	1.74	1.74	3.32	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+22+50	1.65	1.65	1.65	1.65	1.65	3.75	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+22+60	1.55	1.55	1.55	1.55	1.55	4.24	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+25+25	1.91	1.91	1.91	1.91	2.17	2.17	12.00 (3.50 - 13.50)	3.64 (0.88 - 5.35)	15.99	99
22+22+22+22+25+33	1.78	1.78	1.78	1.78	2.03	2.68	11.83 (3.50 - 13.50)	3.62 (0.88 - 5.33)	15.90	99
22+22+22+22+25+35	1.78	1.78	1.78	1.78	2.03	2.84	12.00 (3.50 - 13.50)	3.62 (0.88 - 5.33)	15.90	99
22+22+22+22+25+42	1.70	1.70	1.70	1.70	1.94	3.25	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+25+50	1.62	1.62	1.62	1.62	1.84	3.68	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+25+60	1.53	1.53	1.53	1.53	1.73	4.16	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+33+33	1.67	1.67	1.67	1.67	2.51	2.51	11.70 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+33+35	1.67	1.67	1.67	1.67	2.51	2.66	11.85 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+33+42	1.60	1.60	1.60	1.60	2.40	3.05	11.85 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+33+50	1.53	1.53	1.53	1.53	2.29	3.47	11.88 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+35+35	1.67	1.67	1.67	1.67	2.66	2.66	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+35+42	1.60	1.60	1.60	1.60	2.55	3.05	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+35+50	1.53	1.53	1.53	1.53	2.43	3.47	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+42+42	1.53	1.53	1.53	1.53	2.93	2.93	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+22+42+50	1.47	1.47	1.47	1.47	2.80	3.33	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+25+25	1.87	1.87	1.87	2.13	2.13	2.13	12.00 (3.50 - 13.50)	3.64 (0.88 - 5.35)	15.99	99
22+22+22+25+25+33	1.75	1.75	1.75	1.99	1.99	2.62	11.85 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+25+35	1.75	1.75	1.75	1.99	1.99	2.78	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+25+42	1.67	1.67	1.67	1.90	1.90	3.19	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+25+50	1.59	1.59	1.59	1.81	1.81	3.61	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+25+60	1.50	1.50	1.50	1.70	1.70	4.09	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+33+33	1.64	1.64	1.64	1.86	2.46	2.46	11.70 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+33+35	1.64	1.64	1.64	1.86	2.46	2.61	11.85 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+33+42	1.57	1.57	1.57	1.79	2.36	3.00	11.86 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+33+50	1.50	1.50	1.50	1.70	2.25	3.41	11.86 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+35+35	1.64	1.64	1.64	1.86	2.61	2.61	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+35+42	1.57	1.57	1.57	1.79	2.50	3.00	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+35+50	1.50	1.50	1.50	1.70	2.39	3.41	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+25+42+42	1.51	1.51	1.51	1.71	2.88	2.88	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+33+33+33	1.54	1.54	1.54	2.32	2.32	2.32	11.58 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+33+33+35	1.54	1.54	1.54	2.32	2.32	2.46	11.72 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+33+33+42	1.48	1.48	1.48	2.23	2.23	2.83	11.72 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+33+35+35	1.54	1.54	1.54	2.32	2.46	2.46	11.86 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+33+35+42	1.48	1.48	1.48	2.23	2.36	2.83	11.86 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+35+35+35	1.54	1.54	1.54	2.46	2.46	2.46	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+22+35+35+42	1.48	1.48	1.48	2.36	2.36	2.83	12.00 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99
22+22+25+25+25+25	1.83	1.83	2.08	2.08	2.08	2.08	12.00 (3.50 - 13.50)	3.63 (0.88 - 5.34)	15.94	99
22+22+25+25+25+33	1.71	1.71	1.95	1.95	1.95	2.57	11.84 (3.50 - 13.50)	3.61 (0.88 - 5.32)	15.85	99

MXZ-6C120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				Total
22+22+25+25+25+35	1.71	1.71	1.95	1.95	1.95	2.73	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+25+42	1.64	1.64	1.86	1.86	1.86	3.13	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+25+50	1.56	1.56	1.78	1.78	1.78	3.55	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+25+60	1.47	1.47	1.68	1.68	1.68	4.02	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+33+33	1.61	1.61	1.83	1.83	2.41	2.41	(11.71 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+33+35	1.61	1.61	1.83	1.83	2.41	2.56	(11.85 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+33+42	1.54	1.54	1.75	1.75	2.32	2.95	(11.85 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+33+50	1.47	1.47	1.68	1.68	2.22	3.35	(11.87 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+35+35	1.61	1.61	1.83	1.83	2.56	2.56	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+35+42	1.54	1.54	1.75	1.75	2.46	2.95	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+35+50	1.47	1.47	1.68	1.68	2.35	3.35	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+25+42+42	1.48	1.48	1.69	1.69	2.83	2.83	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+33+33+33	1.52	1.52	1.72	2.27	2.27	2.27	(11.58 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+33+33+35	1.52	1.52	1.72	2.27	2.27	2.41	(11.71 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+33+33+42	1.47	1.47	1.67	2.21	2.21	2.82	(11.85 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+33+35+35	1.52	1.52	1.72	2.27	2.41	2.41	(11.85 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+33+35+42	1.47	1.47	1.68	2.21	2.35	2.82	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+22+25+35+35+35	1.52	1.52	1.72	2.41	2.41	2.41	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+25+25	1.80	2.04	2.04	2.04	2.04	2.04	(12.00 3.50 - 13.50)	(3.62 0.88 - 5.33)	15.90	99
22+25+25+25+25+33	1.68	1.91	1.91	1.91	1.91	2.53	(11.85 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+25+35	1.68	1.91	1.91	1.91	1.91	2.68	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+25+42	1.61	1.83	1.83	1.83	1.83	3.07	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+25+50	1.53	1.74	1.74	1.74	1.74	3.49	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+33+33	1.58	1.80	1.80	1.80	2.37	2.37	(11.71 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+33+35	1.58	1.80	1.80	1.80	2.37	2.51	(11.86 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+33+42	1.52	1.72	1.72	1.72	2.27	2.90	(11.85 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+33+50	1.47	1.67	1.67	1.67	2.20	3.32	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+35+35	1.58	1.80	1.80	1.80	2.51	2.51	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+25+35+42	1.52	1.72	1.72	1.72	2.41	2.90	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+33+33+33	1.49	1.69	1.69	2.23	2.23	2.23	(11.57 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+33+33+35	1.49	1.69	1.69	2.23	2.23	2.37	(11.71 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+33+33+42	1.47	1.67	1.67	2.20	2.20	2.79	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+25+35+35+35	1.49	1.69	1.69	2.37	2.37	2.37	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
22+25+33+33+33+33	1.48	1.68	2.21	2.21	2.21	2.21	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	2.00	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+25+33	1.88	1.88	1.88	1.88	1.88	2.48	(11.88 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+25+35	1.88	1.88	1.88	1.88	1.88	2.63	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+25+42	1.80	1.80	1.80	1.80	1.80	3.02	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+25+50	1.71	1.71	1.71	1.71	1.71	3.43	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+33+33	1.76	1.76	1.76	1.76	2.33	2.33	(11.70 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+33+35	1.76	1.76	1.76	1.76	2.33	2.47	(11.84 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+33+42	1.69	1.69	1.69	1.69	2.23	2.85	(11.84 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+35+35	1.76	1.76	1.76	1.76	2.47	2.47	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+25+35+42	1.69	1.69	1.69	1.69	2.37	2.85	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+33+33+33	1.67	1.67	1.67	2.20	2.20	2.20	(11.60 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+33+33+35	1.67	1.67	1.67	2.20	2.20	2.33	(11.73 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+33+35+35	1.67	1.67	1.67	2.20	2.33	2.33	(11.87 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99
25+25+25+35+35+35	1.67	1.67	1.67	2.33	2.33	2.33	(12.00 3.50 - 13.50)	(3.61 0.88 - 5.32)	15.85	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Total	Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22	3.30						3.30 (2.70 - 4.20)	1.11 (0.96 - 1.36)	5.08	95
25	3.60						3.60 (2.70 - 4.50)	1.17 (0.96 - 1.45)	5.35	95
33	4.00						4.00 (2.70 - 5.50)	1.14 (0.96 - 1.81)	5.22	95
35	4.00						4.00 (2.70 - 5.50)	1.14 (0.96 - 1.81)	5.22	95
42	5.40						5.40 (2.70 - 6.50)	1.61 (0.96 - 2.26)	7.37	95
50	7.20						7.20 (2.70 - 7.70)	2.27 (0.96 - 2.71)	10.39	95
60	7.90						7.90 (2.70 - 9.30)	2.27 (0.85 - 3.31)	10.39	95
71	8.60						8.60 (2.70 - 9.90)	2.41 (0.85 - 3.79)	11.03	95
80	9.00						9.00 (2.70 - 11.10)	2.53 (0.85 - 4.27)	11.58	95
22+22	3.30	3.30					6.60 (2.80 - 7.60)	1.74 (0.83 - 2.20)	7.80	97
22+25	3.23	3.67					6.90 (2.80 - 8.30)	1.85 (0.83 - 2.45)	8.29	97
22+33	2.89	4.61					7.50 (2.80 - 9.50)	2.09 (0.83 - 2.97)	9.37	97
22+35	2.89	4.61					7.50 (2.80 - 9.50)	2.09 (0.83 - 2.97)	9.37	97
22+42	2.68	5.12					7.80 (2.80 - 10.00)	2.22 (0.83 - 3.24)	9.95	97
22+50	2.57	5.83					8.40 (2.80 - 10.60)	2.36 (0.83 - 3.34)	10.58	97
22+60	2.79	7.61					10.40 (2.80 - 11.50)	3.27 (0.83 - 3.67)	14.66	97
22+71	2.63	8.47					11.10 (2.80 - 12.30)	3.47 (0.83 - 3.85)	15.55	97
22+80	2.44	8.86					11.30 (2.80 - 12.70)	3.45 (0.83 - 3.92)	15.46	97
25+25	3.60	3.60					7.20 (2.80 - 9.00)	1.95 (0.83 - 2.70)	8.74	97
25+33	3.17	4.43					7.60 (2.80 - 9.70)	2.13 (0.83 - 3.08)	9.55	97
25+35	3.17	4.43					7.60 (2.80 - 9.70)	2.13 (0.83 - 3.08)	9.55	97
25+42	2.95	4.95					7.90 (2.80 - 10.20)	2.27 (0.83 - 3.35)	10.17	97
25+50	3.00	6.00					9.00 (2.80 - 10.90)	2.63 (0.83 - 3.45)	11.79	97
25+60	3.18	7.62					10.80 (2.80 - 11.80)	3.45 (0.83 - 3.76)	15.46	97
25+71	2.92	8.28					11.20 (2.80 - 12.50)	3.47 (0.83 - 3.88)	15.55	97
25+80	2.69	8.61					11.30 (2.80 - 12.70)	3.40 (0.82 - 3.92)	15.24	97
33+33	4.00	4.00					8.00 (2.80 - 10.40)	2.31 (0.83 - 3.46)	10.35	97
33+35	4.00	4.00					8.00 (2.80 - 10.40)	2.31 (0.83 - 3.46)	10.35	97
33+42	4.27	5.13					9.40 (2.80 - 11.10)	2.81 (0.83 - 3.52)	12.60	97
33+50	4.45	6.35					10.80 (2.80 - 11.80)	3.45 (0.83 - 3.76)	15.46	97
33+60	4.09	7.01					11.10 (2.80 - 12.40)	3.47 (0.83 - 3.87)	15.55	97
33+71	3.73	7.57					11.30 (2.80 - 12.70)	3.38 (0.82 - 3.92)	15.15	97
33+80	3.44	7.86					11.30 (2.80 - 12.80)	3.23 (0.81 - 3.59)	14.48	97
35+35	4.00	4.00					8.00 (2.80 - 10.40)	2.31 (0.83 - 3.46)	10.35	97
35+42	4.27	5.13					9.40 (2.80 - 11.10)	2.81 (0.83 - 3.52)	12.60	97
35+50	4.45	6.35					10.80 (2.80 - 11.80)	3.45 (0.83 - 3.76)	15.46	97
35+60	4.09	7.01					11.10 (2.80 - 12.40)	3.47 (0.83 - 3.87)	15.55	97
35+71	3.73	7.57					11.30 (2.80 - 12.70)	3.38 (0.82 - 3.92)	15.15	97
35+80	3.44	7.86					11.30 (2.80 - 12.80)	3.23 (0.81 - 3.59)	14.48	97
42+42	5.40	5.40					10.80 (2.80 - 11.70)	3.45 (0.83 - 3.74)	15.46	97
42+50	5.07	6.03					11.10 (2.80 - 12.20)	3.47 (0.83 - 3.83)	15.55	97
42+60	4.65	6.65					11.30 (2.80 - 12.70)	3.45 (0.83 - 3.92)	15.46	97
42+71	4.20	7.10					11.30 (2.80 - 12.80)	3.27 (0.81 - 3.59)	14.66	97
42+80	3.89	7.41					11.30 (2.80 - 12.80)	3.14 (0.80 - 3.59)	14.07	97
50+50	5.65	5.65					11.30 (2.80 - 12.70)	3.48 (0.83 - 3.92)	15.60	97
50+60	5.14	6.16					11.30 (2.80 - 12.80)	3.32 (0.82 - 3.59)	14.88	97
50+71	4.67	6.63					11.30 (2.80 - 12.80)	3.15 (0.80 - 3.59)	14.12	97

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
50+80	4.35	6.95					11.30 (2.80 - 12.90)	3.12 (0.80 - 3.57)	13.98	97
60+60	5.65	5.65					11.30 (2.80 - 12.80)	3.15 (0.80 - 3.59)	14.12	97
60+71	5.18	6.12					11.30 (2.80 - 12.90)	3.12 (0.80 - 3.57)	13.98	97
60+80	4.84	6.46					11.30 (2.80 - 13.00)	3.09 (0.80 - 3.55)	13.85	97
71+71	5.65	5.65					11.30 (2.80 - 13.00)	3.08 (0.80 - 3.55)	13.81	97
71+80	5.31	5.99					11.30 (2.90 - 13.00)	3.00 (0.80 - 3.46)	13.45	97
80+80	5.65	5.65					11.30 (2.90 - 13.00)	2.91 (0.80 - 3.37)	13.04	97
22+22+22	3.30	3.30	3.30				9.90 (3.20 - 12.60)	2.49 (0.77 - 4.19)	11.16	97
22+22+25	3.25	3.25	3.70				10.20 (3.20 - 12.90)	2.66 (0.77 - 4.23)	11.92	97
22+22+33	3.06	3.06	4.87				11.00 (3.20 - 13.60)	3.12 (0.77 - 4.38)	13.98	97
22+22+35	3.06	3.06	4.87				11.00 (3.20 - 13.60)	3.12 (0.77 - 4.38)	13.98	97
22+22+42	2.87	2.87	5.47				11.20 (3.20 - 13.90)	3.24 (0.77 - 4.57)	14.52	97
22+22+50	2.71	2.71	6.17				11.60 (3.20 - 14.10)	3.50 (0.77 - 4.69)	15.69	97
22+22+60	2.54	2.54	6.92				12.00 (3.20 - 14.50)	3.75 (0.77 - 4.94)	16.81	97
22+22+71	2.35	2.35	7.59				12.30 (3.20 - 14.60)	3.88 (0.77 - 4.85)	17.39	97
22+22+80	2.22	2.22	8.06				12.50 (3.20 - 14.70)	3.96 (0.77 - 4.75)	17.75	97
22+25+25	3.21	3.65	3.65				10.50 (3.20 - 13.20)	2.82 (0.77 - 4.28)	12.64	97
22+25+33	2.98	3.38	4.74				11.10 (3.20 - 13.70)	3.18 (0.77 - 4.44)	14.25	97
22+25+35	2.98	3.38	4.74				11.10 (3.20 - 13.70)	3.18 (0.77 - 4.44)	14.25	97
22+25+42	2.82	3.20	5.38				11.40 (3.20 - 14.00)	3.37 (0.77 - 4.63)	15.11	97
22+25+50	2.65	3.02	6.03				11.70 (3.20 - 14.20)	3.56 (0.77 - 4.75)	15.96	97
22+25+60	2.49	2.83	6.79				12.10 (3.20 - 14.50)	3.79 (0.77 - 4.94)	16.99	97
22+25+71	2.31	2.63	7.46				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97
22+25+80	2.18	2.48	7.94				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
22+33+33	2.75	4.38	4.38				11.50 (3.20 - 14.10)	3.43 (0.77 - 4.69)	15.37	97
22+33+35	2.75	4.38	4.38				11.50 (3.20 - 14.10)	3.43 (0.77 - 4.69)	15.37	97
22+33+42	2.62	4.17	5.01				11.80 (3.20 - 14.30)	3.62 (0.77 - 4.82)	16.23	97
22+33+50	2.49	3.96	5.65				12.10 (3.20 - 14.50)	3.79 (0.77 - 4.94)	16.99	97
22+33+60	2.31	3.68	6.31				12.30 (3.20 - 14.60)	3.88 (0.77 - 4.85)	17.39	97
22+33+71	2.17	3.45	6.99				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
22+33+80	2.06	3.27	7.47				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
22+35+35	2.75	4.38	4.38				11.50 (3.20 - 14.10)	3.43 (0.77 - 4.69)	15.37	97
22+35+42	2.62	4.17	5.01				11.80 (3.20 - 14.30)	3.62 (0.77 - 4.82)	16.23	97
22+35+50	2.49	3.96	5.65				12.10 (3.20 - 14.50)	3.79 (0.77 - 4.94)	16.99	97
22+35+60	2.31	3.68	6.31				12.30 (3.20 - 14.60)	3.88 (0.77 - 4.85)	17.39	97
22+35+71	2.17	3.45	6.99				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
22+35+80	2.06	3.27	7.47				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
22+42+42	2.49	4.75	4.75				12.00 (3.20 - 14.50)	3.75 (0.77 - 4.94)	16.81	97
22+42+50	2.37	4.53	5.39				12.30 (3.20 - 14.60)	3.88 (0.77 - 4.85)	17.39	97
22+42+60	2.22	4.23	6.05				12.50 (3.20 - 14.70)	3.96 (0.77 - 4.75)	17.75	97
22+42+71	2.09	3.98	6.73				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
22+42+80	1.99	3.79	7.22				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
22+50+50	2.25	5.12	5.12				12.50 (3.20 - 14.70)	3.96 (0.77 - 4.75)	17.75	97
22+50+60	2.12	4.81	5.77				12.70 (3.20 - 14.70)	4.01 (0.77 - 4.75)	17.97	97
22+50+71	2.00	4.55	6.45				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
22+50+80	1.90	4.31	6.89				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
22+60+60	2.00	5.45	5.45				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
22+60+71	1.90	5.18	6.13				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+60+80	1.81	4.93	6.57				13.30 (3.20 - 15.00)	3.94 (0.77 - 4.58)	17.66	97
22+71+71	1.78	5.76	5.76				13.30 (3.20 - 15.00)	3.94 (0.77 - 4.58)	17.66	97
22+71+80	1.72	5.54	6.24				13.50 (3.20 - 15.20)	3.83 (0.76 - 4.61)	17.17	97
25+25+25	3.60	3.60	3.60				10.80 (3.20 - 13.50)	2.99 (0.77 - 4.32)	13.40	97
25+25+33	3.29	3.29	4.61				11.20 (3.20 - 13.80)	3.24 (0.77 - 4.51)	14.52	97
25+25+35	3.29	3.29	4.61				11.20 (3.20 - 13.80)	3.24 (0.77 - 4.51)	14.52	97
25+25+42	3.13	3.13	5.25				11.50 (3.20 - 14.10)	3.43 (0.77 - 4.69)	15.37	97
25+25+50	2.95	2.95	5.90				11.80 (3.20 - 14.30)	3.62 (0.77 - 4.82)	16.23	97
25+25+60	2.75	2.75	6.60				12.10 (3.20 - 14.50)	3.79 (0.77 - 4.94)	16.99	97
25+25+71	2.58	2.58	7.33				12.50 (3.20 - 14.70)	3.96 (0.77 - 4.75)	17.75	97
25+25+80	2.44	2.44	7.82				12.70 (3.20 - 14.70)	4.01 (0.77 - 4.75)	17.97	97
25+33+33	3.05	4.27	4.27				11.60 (3.20 - 14.20)	3.50 (0.77 - 4.75)	15.69	97
25+33+35	3.05	4.27	4.27				11.60 (3.20 - 14.20)	3.50 (0.77 - 4.75)	15.69	97
25+33+42	2.92	4.08	4.90				11.90 (3.20 - 14.40)	3.69 (0.77 - 4.88)	16.54	97
25+33+50	2.75	3.85	5.50				12.10 (3.20 - 14.50)	3.79 (0.77 - 4.94)	16.99	97
25+33+60	2.58	3.62	6.20				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97
25+33+71	2.42	3.39	6.88				12.70 (3.20 - 14.70)	4.01 (0.77 - 4.75)	17.97	97
25+33+80	2.30	3.23	7.37				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
25+35+35	3.05	4.27	4.27				11.60 (3.20 - 14.20)	3.50 (0.77 - 4.75)	15.69	97
25+35+42	2.92	4.08	4.90				11.90 (3.20 - 14.40)	3.69 (0.77 - 4.88)	16.54	97
25+35+50	2.75	3.85	5.50				12.10 (3.20 - 14.50)	3.79 (0.77 - 4.94)	16.99	97
25+35+60	2.58	3.62	6.20				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97
25+35+71	2.42	3.39	6.88				12.70 (3.20 - 14.70)	4.01 (0.77 - 4.75)	17.97	97
25+35+80	2.30	3.23	7.37				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
25+42+42	2.78	4.66	4.66				12.10 (3.20 - 14.50)	3.79 (0.77 - 4.94)	16.99	97
25+42+50	2.63	4.42	5.26				12.30 (3.20 - 14.60)	3.88 (0.77 - 4.85)	17.39	97
25+42+60	2.48	4.17	5.95				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
25+42+71	2.34	3.93	6.64				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
25+42+80	2.21	3.71	7.07				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
25+50+50	2.52	5.04	5.04				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
25+50+60	2.37	4.74	5.69				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
25+50+71	2.23	4.45	6.32				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
25+50+80	2.13	4.26	6.81				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
25+60+60	2.24	5.38	5.38				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
25+60+71	2.12	5.08	6.01				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
25+60+80	2.03	4.87	6.50				13.40 (3.20 - 15.10)	3.89 (0.77 - 4.60)	17.44	97
25+71+71	2.01	5.70	5.70				13.40 (3.20 - 15.10)	3.89 (0.76 - 4.60)	17.44	97
25+71+80	1.92	5.45	6.14				13.50 (3.20 - 15.20)	3.83 (0.76 - 4.61)	17.17	97
33+33+33	4.00	4.00	4.00				12.00 (3.20 - 14.50)	3.75 (0.77 - 4.94)	16.81	97
33+33+35	4.00	4.00	4.00				12.00 (3.20 - 14.50)	3.75 (0.77 - 4.94)	16.81	97
33+33+42	3.81	3.81	4.58				12.20 (3.20 - 14.60)	3.83 (0.77 - 4.85)	17.17	97
33+33+50	3.62	3.62	5.17				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97
33+33+60	3.42	3.42	5.86				12.70 (3.20 - 14.70)	4.01 (0.77 - 4.75)	17.97	97
33+33+71	3.20	3.20	6.50				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
33+33+80	3.06	3.06	6.99				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
33+35+35	4.00	4.00	4.00				12.00 (3.20 - 14.50)	3.75 (0.77 - 4.94)	16.81	97
33+35+42	3.81	3.81	4.58				12.20 (3.20 - 14.60)	3.83 (0.77 - 4.85)	17.17	97
33+35+50	3.62	3.62	5.17				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
33+35+60	3.42	3.42	5.86				12.70 (3.20 - 14.70)	4.01 (0.77 - 4.75)	17.97	97
33+35+71	3.20	3.20	6.50				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
33+35+80	3.06	3.06	6.99				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
33+42+42	3.65	4.38	4.38				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97
33+42+50	3.47	4.17	4.96				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
33+42+60	3.27	3.92	5.61				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
33+42+71	3.10	3.72	6.28				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
33+42+80	2.94	3.53	6.73				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
33+50+50	3.32	4.74	4.74				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
33+50+60	3.14	4.48	5.38				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
33+50+71	2.96	4.23	6.01				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
33+50+80	2.84	4.06	6.50				13.40 (3.20 - 15.10)	3.89 (0.77 - 4.60)	17.44	97
33+60+60	2.98	5.11	5.11				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
33+60+71	2.83	4.84	5.73				13.40 (3.20 - 15.10)	3.89 (0.76 - 4.60)	17.44	97
33+60+80	2.70	4.63	6.17				13.50 (3.20 - 15.20)	3.83 (0.76 - 4.61)	17.17	97
33+71+71	2.69	5.46	5.46				13.60 (3.20 - 15.30)	3.78 (0.76 - 4.62)	16.94	97
35+35+35	4.00	4.00	4.00				12.00 (3.20 - 14.50)	3.75 (0.77 - 4.94)	16.81	97
35+35+42	3.81	3.81	4.58				12.20 (3.20 - 14.60)	3.83 (0.77 - 4.85)	17.17	97
35+35+50	3.62	3.62	5.17				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97
35+35+60	3.42	3.42	5.86				12.70 (3.20 - 14.70)	4.01 (0.77 - 4.75)	17.97	97
35+35+71	3.20	3.20	6.50				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
35+35+80	3.06	3.06	6.99				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
35+42+42	3.65	4.38	4.38				12.40 (3.20 - 14.60)	3.92 (0.77 - 4.85)	17.57	97
35+42+50	3.47	4.17	4.96				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
35+42+60	3.27	3.92	5.61				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
35+42+71	3.10	3.72	6.28				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
35+42+80	2.94	3.53	6.73				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
35+50+50	3.32	4.74	4.74				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
35+50+60	3.14	4.48	5.38				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
35+50+71	2.96	4.23	6.01				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
35+50+80	2.84	4.06	6.50				13.40 (3.20 - 15.10)	3.89 (0.77 - 4.60)	17.44	97
35+60+60	2.98	5.11	5.11				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
35+60+71	2.83	4.84	5.73				13.40 (3.20 - 15.10)	3.89 (0.76 - 4.60)	17.44	97
35+60+80	2.70	4.63	6.17				13.50 (3.20 - 15.20)	3.83 (0.76 - 4.61)	17.17	97
35+71+71	2.69	5.46	5.46				13.60 (3.20 - 15.30)	3.78 (0.76 - 4.62)	16.94	97
42+42+42	4.20	4.20	4.20				12.60 (3.20 - 14.70)	4.00 (0.77 - 4.75)	17.93	97
42+42+50	4.01	4.01	4.78				12.80 (3.20 - 14.70)	4.02 (0.77 - 4.75)	18.02	97
42+42+60	3.79	3.79	5.42				13.00 (3.20 - 14.80)	4.04 (0.77 - 4.56)	18.11	97
42+42+71	3.58	3.58	6.05				13.20 (3.20 - 14.90)	4.00 (0.77 - 4.57)	17.93	97
42+42+80	3.41	3.41	6.49				13.30 (3.20 - 15.00)	3.94 (0.77 - 4.58)	17.66	97
42+50+50	3.82	4.54	4.54				12.90 (3.20 - 14.80)	4.03 (0.77 - 4.56)	18.06	97
42+50+60	3.62	4.31	5.17				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
42+50+71	3.43	4.08	5.79				13.30 (3.20 - 15.00)	3.94 (0.77 - 4.58)	17.66	97
42+50+80	3.30	3.92	6.28				13.50 (3.20 - 15.20)	3.83 (0.76 - 4.61)	17.17	97
42+60+60	3.45	4.93	4.93				13.30 (3.20 - 15.00)	3.94 (0.77 - 4.58)	17.66	97
42+60+71	3.28	4.68	5.54				13.50 (3.20 - 15.20)	3.83 (0.76 - 4.61)	17.17	97
50+50+50	4.37	4.37	4.37				13.10 (3.20 - 14.80)	4.05 (0.77 - 4.56)	18.15	97
50+50+60	4.16	4.16	4.99				13.30 (3.20 - 15.00)	3.94 (0.77 - 4.58)	17.66	97

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
50+50+71	3.95	3.95	5.61				13.50 (3.20 - 15.20)	3.83 (0.76 - 4.61)	17.17	97
50+50+80	3.78	3.78	6.04				13.60 (3.20 - 15.30)	3.78 (0.76 - 4.62)	16.94	97
50+60+60	3.94	4.73	4.73				13.40 (3.20 - 15.10)	3.89 (0.76 - 4.60)	17.44	97
60+60+60	4.53	4.53	4.53				13.60 (3.20 - 15.30)	3.78 (0.76 - 4.62)	16.94	97
22+22+22+22	2.85	2.85	2.85	2.85			11.40 (3.20 - 14.60)	2.80 (0.76 - 4.05)	12.30	99
22+22+22+25	2.80	2.80	2.80	3.19			11.60 (3.20 - 14.70)	2.89 (0.76 - 4.12)	12.69	99
22+22+22+33	2.61	2.61	2.61	4.16			12.00 (3.20 - 14.90)	3.07 (0.76 - 4.25)	13.48	99
22+22+22+35	2.61	2.61	2.61	4.16			12.00 (3.20 - 14.90)	3.07 (0.76 - 4.25)	13.48	99
22+22+22+42	2.49	2.49	2.49	4.74			12.20 (3.20 - 14.90)	3.19 (0.76 - 4.25)	14.01	99
22+22+22+50	2.37	2.37	2.37	5.39			12.50 (3.20 - 14.90)	3.37 (0.76 - 4.25)	14.80	99
22+22+22+60	2.23	2.23	2.23	6.10			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
22+22+22+71	2.10	2.10	2.10	6.79			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
22+22+22+80	1.99	1.99	1.99	7.23			13.20 (3.20 - 15.00)	3.75 (0.76 - 4.72)	16.47	99
22+22+25+25	2.74	2.74	3.11	3.11			11.70 (3.20 - 14.80)	2.94 (0.76 - 4.18)	12.91	99
22+22+25+33	2.56	2.56	2.91	4.07			12.10 (3.20 - 14.90)	3.13 (0.76 - 4.25)	13.75	99
22+22+25+35	2.56	2.56	2.91	4.07			12.10 (3.20 - 14.90)	3.13 (0.76 - 4.25)	13.75	99
22+22+25+42	2.44	2.44	2.77	4.65			12.30 (3.20 - 14.90)	3.25 (0.76 - 4.25)	14.27	99
22+22+25+50	2.33	2.33	2.65	5.29			12.60 (3.20 - 14.90)	3.43 (0.76 - 4.25)	15.06	99
22+22+25+60	2.20	2.20	2.50	6.00			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
22+22+25+71	2.07	2.07	2.36	6.69			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
22+22+25+80	1.95	1.95	2.21	7.09			13.20 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
22+22+33+33	2.39	2.39	3.81	3.81			12.40 (3.20 - 14.90)	3.31 (0.76 - 4.25)	14.54	99
22+22+33+35	2.39	2.39	3.81	3.81			12.40 (3.20 - 14.90)	3.31 (0.76 - 4.25)	14.54	99
22+22+33+42	2.29	2.29	3.64	4.37			12.60 (3.20 - 15.00)	3.43 (0.76 - 4.72)	15.06	99
22+22+33+50	2.20	2.20	3.50	5.00			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
22+22+33+60	2.09	2.09	3.32	5.70			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
22+22+33+71	1.94	1.94	3.08	6.25			13.20 (3.20 - 15.00)	3.72 (0.76 - 4.72)	16.34	99
22+22+33+80	1.83	1.83	2.91	6.64			13.20 (3.20 - 15.10)	3.66 (0.76 - 4.50)	16.07	99
22+22+35+35	2.39	2.39	3.81	3.81			12.40 (3.20 - 14.90)	3.31 (0.76 - 4.25)	14.54	99
22+22+35+42	2.29	2.29	3.64	4.37			12.60 (3.20 - 15.00)	3.43 (0.76 - 4.72)	15.06	99
22+22+35+50	2.20	2.20	3.50	5.00			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
22+22+35+60	2.09	2.09	3.32	5.70			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
22+22+35+71	1.94	1.94	3.08	6.25			13.20 (3.20 - 15.00)	3.72 (0.76 - 4.72)	16.34	99
22+22+35+80	1.83	1.83	2.91	6.64			13.20 (3.20 - 15.10)	3.66 (0.76 - 4.50)	16.07	99
22+22+42+42	2.20	2.20	4.20	4.20			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
22+22+42+50	2.12	2.12	4.05	4.82			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
22+22+42+60	1.99	1.99	3.80	5.42			13.20 (3.20 - 15.00)	3.75 (0.76 - 4.72)	16.47	99
22+22+42+71	1.85	1.85	3.53	5.97			13.20 (3.20 - 15.10)	3.67 (0.76 - 4.50)	16.12	99
22+22+42+80	1.75	1.75	3.34	6.36			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
22+22+50+50	2.02	2.02	4.58	4.58			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
22+22+50+60	1.89	1.89	4.29	5.14			13.20 (3.20 - 15.10)	3.70 (0.76 - 4.50)	16.25	99
22+22+50+71	1.76	1.76	4.00	5.68			13.20 (3.20 - 15.10)	3.62 (0.76 - 4.50)	15.90	99
22+22+50+80	1.59	1.59	3.62	5.79			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+22+60+60	1.77	1.77	4.83	4.83			13.20 (3.20 - 15.10)	3.63 (0.76 - 4.50)	15.94	99
22+22+60+71	1.58	1.58	4.32	5.11			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+25+25+25	2.70	3.07	3.07	3.07			11.90 (3.20 - 14.80)	3.03 (0.76 - 4.18)	13.31	99
22+25+25+33	2.51	2.85	2.85	3.99			12.20 (3.20 - 14.90)	3.19 (0.76 - 4.25)	14.01	99
22+25+25+35	2.51	2.85	2.85	3.99			12.20 (3.20 - 14.90)	3.19 (0.76 - 4.25)	14.01	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+25+25+42	2.39	2.72	2.72	4.57			12.40 (3.20 - 14.90)	3.31 (0.76 - 4.25)	14.54	99
22+25+25+50	2.29	2.60	2.60	5.20			12.70 (3.20 - 15.00)	3.49 (0.76 - 4.72)	15.33	99
22+25+25+60	2.17	2.46	2.46	5.91			13.00 (3.20 - 15.00)	3.67 (0.76 - 4.72)	16.12	99
22+25+25+71	2.03	2.31	2.31	6.55			13.20 (3.20 - 15.00)	3.77 (0.76 - 4.72)	16.56	99
22+25+25+80	1.91	2.17	2.17	6.95			13.20 (3.20 - 15.00)	3.71 (0.76 - 4.72)	16.29	99
22+25+33+33	2.35	2.67	3.74	3.74			12.50 (3.20 - 14.90)	3.37 (0.76 - 4.25)	14.80	99
22+25+33+35	2.35	2.67	3.74	3.74			12.50 (3.20 - 14.90)	3.37 (0.76 - 4.25)	14.80	99
22+25+33+42	2.25	2.56	3.58	4.30			12.70 (3.20 - 15.00)	3.49 (0.76 - 4.72)	15.33	99
22+25+33+50	2.17	2.46	3.45	4.92			13.00 (3.20 - 15.00)	3.67 (0.76 - 4.72)	16.12	99
22+25+33+60	2.05	2.32	3.25	5.58			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99
22+25+33+71	1.90	2.16	3.02	6.13			13.20 (3.20 - 15.00)	3.70 (0.76 - 4.72)	16.25	99
22+25+33+80	1.79	2.04	2.85	6.52			13.20 (3.20 - 15.10)	3.64 (0.76 - 4.50)	15.99	99
22+25+35+35	2.35	2.67	3.74	3.74			12.50 (3.20 - 14.90)	3.37 (0.76 - 4.25)	14.80	99
22+25+35+42	2.25	2.56	3.58	4.30			12.70 (3.20 - 15.00)	3.49 (0.76 - 4.72)	15.33	99
22+25+35+50	2.17	2.46	3.45	4.92			13.00 (3.20 - 15.00)	3.67 (0.76 - 4.72)	16.12	99
22+25+35+60	2.05	2.32	3.25	5.58			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99
22+25+35+71	1.90	2.16	3.02	6.13			13.20 (3.20 - 15.00)	3.70 (0.76 - 4.72)	16.25	99
22+25+35+80	1.79	2.04	2.85	6.52			13.20 (3.20 - 15.10)	3.64 (0.76 - 4.50)	15.99	99
22+25+42+42	2.17	2.46	4.14	4.14			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
22+25+42+50	2.09	2.37	3.99	4.75			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
22+25+42+60	1.95	2.21	3.72	5.32			13.20 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
22+25+42+71	1.82	2.06	3.47	5.86			13.20 (3.20 - 15.10)	3.65 (0.76 - 4.50)	16.03	99
22+25+42+80	1.64	1.86	3.13	5.96			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+25+50+50	1.98	2.24	4.49	4.49			13.20 (3.20 - 15.00)	3.74 (0.76 - 4.72)	16.43	99
22+25+50+60	1.85	2.10	4.20	5.04			13.20 (3.20 - 15.10)	3.67 (0.76 - 4.50)	16.12	99
22+25+50+71	1.73	1.96	3.93	5.58			13.20 (3.20 - 15.10)	3.60 (0.76 - 4.50)	15.81	99
22+25+50+80	1.57	1.78	3.56	5.69			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+25+60+60	1.74	1.98	4.74	4.74			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
22+25+60+71	1.56	1.77	4.25	5.03			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+33+33+33	2.22	3.53	3.53	3.53			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
22+33+33+35	2.22	3.53	3.53	3.53			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
22+33+33+42	2.13	3.40	3.40	4.07			13.00 (3.20 - 15.00)	3.67 (0.76 - 4.72)	16.12	99
22+33+33+50	2.05	3.25	3.25	4.65			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99
22+33+33+60	1.91	3.04	3.04	5.21			13.20 (3.20 - 15.00)	3.71 (0.76 - 4.72)	16.29	99
22+33+33+71	1.78	2.83	2.83	5.75			13.20 (3.20 - 15.10)	3.63 (0.76 - 4.50)	15.94	99
22+33+33+80	1.61	2.56	2.56	5.86			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+33+35+35	2.22	3.53	3.53	3.53			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
22+33+35+42	2.13	3.40	3.40	4.07			13.00 (3.20 - 15.00)	3.67 (0.76 - 4.72)	16.12	99
22+33+35+50	2.05	3.25	3.25	4.65			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99
22+33+35+60	1.91	3.04	3.04	5.21			13.20 (3.20 - 15.00)	3.71 (0.76 - 4.72)	16.29	99
22+33+35+71	1.78	2.83	2.83	5.75			13.20 (3.20 - 15.10)	3.63 (0.76 - 4.50)	15.94	99
22+33+35+80	1.61	2.56	2.56	5.86			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+33+42+42	2.06	3.28	3.93	3.93			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99
22+33+42+50	1.95	3.10	3.72	4.43			13.20 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
22+33+42+60	1.83	2.91	3.49	4.98			13.20 (3.20 - 15.10)	3.66 (0.76 - 4.50)	16.07	99
22+33+42+71	1.63	2.59	3.11	5.26			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+33+42+80	1.55	2.46	2.96	5.63			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+33+50+50	1.85	2.94	4.20	4.20			13.20 (3.20 - 15.10)	3.67 (0.76 - 4.50)	16.12	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+33+50+60	1.74	2.77	3.95	4.74			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
22+33+50+71	1.56	2.48	3.54	5.03			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+33+60+60	1.57	2.49	4.27	4.27			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+35+35+35	2.22	3.53	3.53	3.53			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
22+35+35+42	2.13	3.40	3.40	4.07			13.00 (3.20 - 15.00)	3.67 (0.76 - 4.72)	16.12	99
22+35+35+50	2.05	3.25	3.25	4.65			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99
22+35+35+60	1.91	3.04	3.04	5.21			13.20 (3.20 - 15.00)	3.71 (0.76 - 4.72)	16.29	99
22+35+35+71	1.78	2.83	2.83	5.75			13.20 (3.20 - 15.10)	3.63 (0.76 - 4.50)	15.94	99
22+35+35+80	1.61	2.56	2.56	5.86			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+35+42+42	2.06	3.28	3.93	3.93			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99
22+35+42+50	1.95	3.10	3.72	4.43			13.20 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
22+35+42+60	1.83	2.91	3.49	4.98			13.20 (3.20 - 15.10)	3.66 (0.76 - 4.50)	16.07	99
22+35+42+71	1.63	2.59	3.11	5.26			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+35+42+80	1.55	2.46	2.96	5.63			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+35+50+50	1.85	2.94	4.20	4.20			13.20 (3.20 - 15.10)	3.67 (0.76 - 4.50)	16.12	99
22+35+50+60	1.74	2.77	3.95	4.74			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
22+35+50+71	1.56	2.48	3.54	5.03			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+35+60+60	1.57	2.49	4.27	4.27			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+42+42+42	1.96	3.75	3.75	3.75			13.20 (3.20 - 15.00)	3.74 (0.76 - 4.72)	16.43	99
22+42+42+50	1.86	3.55	3.55	4.23			13.20 (3.20 - 15.10)	3.68 (0.76 - 4.50)	16.16	99
22+42+42+60	1.75	3.34	3.34	4.77			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
22+42+42+71	1.57	2.99	2.99	5.05			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+42+50+50	1.77	3.38	4.02	4.02			13.20 (3.20 - 15.10)	3.63 (0.76 - 4.50)	15.94	99
22+42+50+60	1.59	3.04	3.62	4.34			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+50+50+50	1.61	3.66	3.66	3.66			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+25+25+25	3.00	3.00	3.00	3.00			12.00 (3.20 - 14.90)	3.07 (0.76 - 4.25)	13.48	99
25+25+25+33	2.80	2.80	2.80	3.91			12.30 (3.20 - 14.90)	3.25 (0.76 - 4.25)	14.27	99
25+25+25+35	2.80	2.80	2.80	3.91			12.30 (3.20 - 14.90)	3.25 (0.76 - 4.25)	14.27	99
25+25+25+42	2.67	2.67	2.67	4.49			12.50 (3.20 - 14.90)	3.37 (0.76 - 4.25)	14.80	99
25+25+25+50	2.56	2.56	2.56	5.12			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
25+25+25+60	2.43	2.43	2.43	5.82			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
25+25+25+71	2.26	2.26	2.26	6.42			13.20 (3.20 - 15.00)	3.75 (0.76 - 4.72)	16.47	99
25+25+25+80	2.13	2.13	2.13	6.81			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
25+25+33+33	2.63	2.63	3.68	3.68			12.60 (3.20 - 15.00)	3.43 (0.76 - 4.72)	15.06	99
25+25+33+35	2.63	2.63	3.68	3.68			12.60 (3.20 - 15.00)	3.43 (0.76 - 4.72)	15.06	99
25+25+33+42	2.52	2.52	3.53	4.23			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
25+25+33+50	2.43	2.43	3.40	4.85			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
25+25+33+60	2.28	2.28	3.19	5.46			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
25+25+33+71	2.12	2.12	2.96	6.01			13.20 (3.20 - 15.10)	3.68 (0.76 - 4.50)	16.16	99
25+25+33+80	2.00	2.00	2.80	6.40			13.20 (3.20 - 15.10)	3.62 (0.76 - 4.50)	15.90	99
25+25+35+35	2.63	2.63	3.68	3.68			12.60 (3.20 - 15.00)	3.43 (0.76 - 4.72)	15.06	99
25+25+35+42	2.52	2.52	3.53	4.23			12.80 (3.20 - 15.00)	3.55 (0.76 - 4.72)	15.59	99
25+25+35+50	2.43	2.43	3.40	4.85			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
25+25+35+60	2.28	2.28	3.19	5.46			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
25+25+35+71	2.12	2.12	2.96	6.01			13.20 (3.20 - 15.10)	3.68 (0.76 - 4.50)	16.16	99
25+25+35+80	2.00	2.00	2.80	6.40			13.20 (3.20 - 15.10)	3.62 (0.76 - 4.50)	15.90	99
25+25+42+42	2.43	2.43	4.07	4.07			13.00 (3.20 - 15.00)	3.67 (0.76 - 4.72)	16.12	99
25+25+42+50	2.32	2.32	3.90	4.65			13.20 (3.20 - 15.00)	3.78 (0.76 - 4.72)	16.60	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+25+42+60	2.17	2.17	3.65	5.21			13.20 (3.20 - 15.00)	3.71 (0.76 - 4.72)	16.29	99
25+25+42+71	2.02	2.02	3.40	5.75			13.20 (3.20 - 15.10)	3.63 (0.76 - 4.50)	15.94	99
25+25+42+80	1.83	1.83	3.08	5.86			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+25+50+50	2.20	2.20	4.40	4.40			13.20 (3.20 - 15.00)	3.72 (0.76 - 4.72)	16.34	99
25+25+50+60	2.06	2.06	4.13	4.95			13.20 (3.20 - 15.10)	3.65 (0.76 - 4.50)	16.03	99
25+25+50+71	1.84	1.84	3.68	5.23			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+25+50+80	1.75	1.75	3.50	5.60			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+25+60+60	1.85	1.85	4.45	4.45			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+33+33+33	2.48	3.47	3.47	3.47			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
25+33+33+35	2.48	3.47	3.47	3.47			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
25+33+33+42	2.39	3.35	3.35	4.02			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
25+33+33+50	2.28	3.19	3.19	4.55			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
25+33+33+60	2.13	2.98	2.98	5.11			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
25+33+33+71	1.99	2.78	2.78	5.65			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
25+33+33+80	1.80	2.52	2.52	5.76			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+33+35+35	2.48	3.47	3.47	3.47			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
25+33+35+42	2.39	3.35	3.35	4.02			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
25+33+35+50	2.28	3.19	3.19	4.55			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
25+33+35+60	2.13	2.98	2.98	5.11			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
25+33+35+71	1.99	2.78	2.78	5.65			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
25+33+35+80	1.80	2.52	2.52	5.76			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+33+42+42	2.29	3.21	3.85	3.85			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
25+33+42+50	2.17	3.04	3.65	4.34			13.20 (3.20 - 15.00)	3.71 (0.76 - 4.72)	16.29	99
25+33+42+60	2.04	2.85	3.42	4.89			13.20 (3.20 - 15.10)	3.64 (0.76 - 4.50)	15.99	99
25+33+42+71	1.82	2.55	3.06	5.17			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+33+42+80	1.75	2.31	2.94	5.60			12.60 (3.20 - 14.20)	3.56 (0.76 - 4.50)	15.81	99
25+33+50+50	2.06	2.89	4.13	4.13			13.20 (3.20 - 15.10)	3.65 (0.76 - 4.50)	16.03	99
25+33+50+60	1.85	2.59	3.71	4.45			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+33+50+71	1.76	2.32	3.52	5.00			12.60 (3.20 - 14.20)	3.55 (0.76 - 4.50)	15.81	99
25+33+60+60	1.75	2.45	4.20	4.20			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+35+35+35	2.48	3.47	3.47	3.47			12.90 (3.20 - 15.00)	3.61 (0.76 - 4.72)	15.85	99
25+35+35+42	2.39	3.35	3.35	4.02			13.10 (3.20 - 15.00)	3.73 (0.76 - 4.72)	16.38	99
25+35+35+50	2.28	3.19	3.19	4.55			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
25+35+35+60	2.13	2.98	2.98	5.11			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
25+35+35+71	1.99	2.78	2.78	5.65			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99
25+35+35+80	1.80	2.52	2.52	5.76			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+35+42+42	2.29	3.21	3.85	3.85			13.20 (3.20 - 15.00)	3.76 (0.76 - 4.72)	16.51	99
25+35+42+50	2.17	3.04	3.65	4.34			13.20 (3.20 - 15.00)	3.71 (0.76 - 4.72)	16.29	99
25+35+42+60	2.04	2.85	3.42	4.89			13.20 (3.20 - 15.10)	3.64 (0.76 - 4.50)	15.99	99
25+35+42+71	1.82	2.55	3.06	5.17			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+35+50+50	2.06	2.89	4.13	4.13			13.20 (3.20 - 15.10)	3.65 (0.76 - 4.50)	16.03	99
25+35+50+60	1.85	2.59	3.71	4.45			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+35+60+60	1.75	2.45	4.20	4.20			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+42+42+42	2.19	3.67	3.67	3.67			13.20 (3.20 - 15.00)	3.72 (0.76 - 4.72)	16.34	99
25+42+42+50	2.08	3.49	3.49	4.15			13.20 (3.20 - 15.10)	3.66 (0.76 - 4.50)	16.07	99
25+42+42+60	1.86	3.13	3.13	4.47			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+42+42+71	1.75	2.94	2.94	4.97			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+42+50+50	1.98	3.32	3.95	3.95			13.20 (3.20 - 15.10)	3.61 (0.76 - 4.50)	15.85	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+42+50+60	1.78	2.99	3.56	4.27			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
25+50+50+50	1.80	3.60	3.60	3.60			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+33+33+33	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
33+33+33+35	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
33+33+33+42	3.14	3.14	3.14	3.77			13.20 (3.20 - 15.00)	3.74 (0.76 - 4.72)	16.43	99
33+33+33+50	2.98	2.98	2.98	4.26			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
33+33+33+60	2.80	2.80	2.80	4.80			13.20 (3.20 - 15.10)	3.62 (0.76 - 4.50)	15.90	99
33+33+33+71	2.51	2.51	2.51	5.08			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+33+33+80	2.32	2.32	2.32	5.64			12.60 (3.20 - 14.20)	3.58 (0.76 - 4.50)	15.81	99
33+33+35+35	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
33+33+35+42	3.14	3.14	3.14	3.77			13.20 (3.20 - 15.00)	3.74 (0.76 - 4.72)	16.43	99
33+33+35+50	2.98	2.98	2.98	4.26			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
33+33+35+60	2.80	2.80	2.80	4.80			13.20 (3.20 - 15.10)	3.62 (0.76 - 4.50)	15.90	99
33+33+35+71	2.51	2.51	2.51	5.08			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+33+42+42	3.00	3.00	3.60	3.60			13.20 (3.20 - 15.10)	3.70 (0.76 - 4.50)	16.25	99
33+33+42+50	2.85	2.85	3.42	4.07			13.20 (3.20 - 15.10)	3.64 (0.76 - 4.50)	15.99	99
33+33+42+60	2.56	2.56	3.08	4.40			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+33+42+71	2.32	2.32	2.96	5.00			12.60 (3.20 - 14.20)	3.56 (0.76 - 4.50)	15.81	99
33+33+50+50	2.59	2.59	3.71	3.71			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+33+50+60	2.45	2.45	3.50	4.20			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+35+35+35	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
33+35+35+42	3.14	3.14	3.14	3.77			13.20 (3.20 - 15.00)	3.74 (0.76 - 4.72)	16.43	99
33+35+35+50	2.98	2.98	2.98	4.26			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
33+35+35+60	2.80	2.80	2.80	4.80			13.20 (3.20 - 15.10)	3.62 (0.76 - 4.50)	15.90	99
33+35+35+71	2.51	2.51	2.51	5.08			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+35+42+42	3.00	3.00	3.60	3.60			13.20 (3.20 - 15.10)	3.70 (0.76 - 4.50)	16.25	99
33+35+42+50	2.85	2.85	3.42	4.07			13.20 (3.20 - 15.10)	3.64 (0.76 - 4.50)	15.99	99
33+35+42+60	2.56	2.56	3.08	4.40			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+33+50+50	2.59	2.59	3.71	3.71			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+33+50+60	2.45	2.45	3.50	4.20			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+42+42+42	2.87	3.44	3.44	3.44			13.20 (3.20 - 15.10)	3.65 (0.76 - 4.50)	16.03	99
33+42+42+50	2.61	3.13	3.13	3.73			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+42+42+60	2.46	2.96	2.96	4.22			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
33+42+50+50	2.49	2.99	3.56	3.56			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
35+35+35+35	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.00)	3.79 (0.76 - 4.72)	16.64	99
35+35+35+42	3.14	3.14	3.14	3.77			13.20 (3.20 - 15.00)	3.74 (0.76 - 4.72)	16.43	99
35+35+35+50	2.98	2.98	2.98	4.26			13.20 (3.20 - 15.10)	3.69 (0.76 - 4.50)	16.21	99
35+35+35+60	2.80	2.80	2.80	4.80			13.20 (3.20 - 15.10)	3.62 (0.76 - 4.50)	15.90	99
35+35+35+71	2.51	2.51	2.51	5.08			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
35+35+42+42	3.00	3.00	3.60	3.60			13.20 (3.20 - 15.10)	3.70 (0.76 - 4.50)	16.25	99
35+35+42+50	2.85	2.85	3.42	4.07			13.20 (3.20 - 15.10)	3.64 (0.76 - 4.50)	15.99	99
35+35+42+60	2.56	2.56	3.08	4.40			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
35+35+50+50	2.59	2.59	3.71	3.71			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
35+35+50+60	2.45	2.45	3.50	4.20			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
35+42+42+42	2.87	3.44	3.44	3.44			13.20 (3.20 - 15.10)	3.65 (0.76 - 4.50)	16.03	99
35+42+42+50	2.61	3.13	3.13	3.73			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
35+42+42+60	2.46	2.96	2.96	4.22			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
35+42+50+50	2.49	2.99	3.56	3.56			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
42+42+42+42	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.10)	3.60 (0.76 - 4.50)	15.81	99
42+42+42+50	3.01	3.01	3.01	3.58			12.60 (3.20 - 14.20)	3.60 (0.76 - 4.50)	15.81	99
22+22+22+22+22	2.62	2.62	2.62	2.62	2.62		13.10 (3.50 - 15.20)	3.13 (0.77 - 4.46)	13.75	99
22+22+22+22+25	2.57	2.57	2.57	2.57	2.92		13.20 (3.50 - 15.30)	3.22 (0.77 - 4.57)	14.14	99
22+22+22+22+33	2.40	2.40	2.40	2.40	3.81		13.40 (3.50 - 15.50)	3.39 (0.77 - 4.80)	14.89	99
22+22+22+22+35	2.40	2.40	2.40	2.40	3.81		13.40 (3.50 - 15.50)	3.39 (0.77 - 4.80)	14.89	99
22+22+22+22+42	2.27	2.27	2.27	2.27	4.33		13.40 (3.50 - 15.60)	3.39 (0.77 - 4.91)	14.89	99
22+22+22+22+50	2.14	2.14	2.14	2.14	4.86		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+22+60	1.99	1.99	1.99	1.99	5.43		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+22+22+71	1.85	1.85	1.85	1.85	5.98		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+22+80	1.75	1.75	1.75	1.75	6.38		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+25+25	2.50	2.50	2.50	2.84	2.84		13.20 (3.50 - 15.40)	3.22 (0.77 - 4.69)	14.14	99
22+22+22+25+33	2.34	2.34	2.34	2.66	3.72		13.40 (3.50 - 15.60)	3.39 (0.77 - 4.91)	14.89	99
22+22+22+25+35	2.34	2.34	2.34	2.66	3.72		13.40 (3.50 - 15.60)	3.39 (0.77 - 4.91)	14.89	99
22+22+22+25+42	2.22	2.22	2.22	2.52	4.23		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+25+50	2.09	2.09	2.09	2.38	4.75		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+25+60	1.95	1.95	1.95	2.22	5.32		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+22+25+71	1.82	1.82	1.82	2.07	5.87		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+25+80	1.72	1.72	1.72	1.96	6.27		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+22+33+33	2.17	2.17	2.17	3.45	3.45		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+33+35	2.17	2.17	2.17	3.45	3.45		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+33+42	2.06	2.06	2.06	3.28	3.94		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+33+50	1.95	1.95	1.95	3.11	4.44		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+22+33+60	1.83	1.83	1.83	2.91	4.99		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+33+71	1.71	1.71	1.71	2.73	5.53		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+22+33+80	1.65	1.65	1.65	2.47	5.98		13.40 (3.50 - 15.60)	3.34 (0.77 - 4.86)	14.67	99
22+22+22+35+35	2.17	2.17	2.17	3.45	3.45		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+35+42	2.06	2.06	2.06	3.28	3.94		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+22+35+50	1.95	1.95	1.95	3.11	4.44		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+22+35+60	1.83	1.83	1.83	2.91	4.99		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+35+71	1.71	1.71	1.71	2.73	5.53		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+22+42+42	1.97	1.97	1.97	3.75	3.75		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+22+42+50	1.87	1.87	1.87	3.56	4.24		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+42+60	1.75	1.75	1.75	3.35	4.79		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+42+71	1.65	1.65	1.65	3.14	5.32		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+22+50+50	1.78	1.78	1.78	4.04	4.04		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+22+50+60	1.68	1.68	1.68	3.81	4.57		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+25+25+25	2.46	2.46	2.79	2.79	2.79		13.30 (3.50 - 15.40)	3.30 (0.77 - 4.69)	14.49	99
22+22+25+25+33	2.29	2.29	2.60	2.60	3.64		13.40 (3.50 - 15.60)	3.39 (0.77 - 4.91)	14.89	99
22+22+25+25+35	2.29	2.29	2.60	2.60	3.64		13.40 (3.50 - 15.60)	3.39 (0.77 - 4.91)	14.89	99
22+22+25+25+42	2.17	2.17	2.46	2.46	4.14		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+25+25+50	2.05	2.05	2.33	2.33	4.65		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+25+25+60	1.91	1.91	2.18	2.18	5.22		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+25+25+71	1.79	1.79	2.03	2.03	5.77		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+25+25+80	1.69	1.69	1.93	1.93	6.16		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+25+33+33	2.12	2.12	2.41	3.37	3.37		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+25+33+35	2.12	2.12	2.41	3.37	3.37		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+25+33+42	2.02	2.02	2.29	3.21	3.85		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+22+25+33+50	1.91	1.91	2.18	3.05	4.35		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+25+33+60	1.80	1.80	2.04	2.86	4.90		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+25+33+71	1.68	1.68	1.91	2.68	5.44		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+25+35+35	2.12	2.12	2.41	3.37	3.37		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+22+25+35+42	2.02	2.02	2.29	3.21	3.85		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+25+35+50	1.91	1.91	2.18	3.05	4.35		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+25+35+60	1.80	1.80	2.04	2.86	4.90		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+25+35+71	1.68	1.68	1.91	2.68	5.44		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+25+42+42	1.93	1.93	2.19	3.68	3.68		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+25+42+50	1.83	1.83	2.08	3.50	4.16		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+25+42+60	1.72	1.72	1.96	3.29	4.70		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+25+50+50	1.74	1.74	1.98	3.96	3.96		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+25+50+60	1.65	1.65	1.87	3.74	4.49		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+33+33+33	1.98	1.98	3.15	3.15	3.15		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+33+33+35	1.98	1.98	3.15	3.15	3.15		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+33+33+42	1.89	1.89	3.01	3.01	3.61		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+33+33+50	1.80	1.80	2.86	2.86	4.09		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+33+33+60	1.69	1.69	2.70	2.70	4.62		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+33+35+35	1.98	1.98	3.15	3.15	3.15		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+33+35+42	1.89	1.89	3.01	3.01	3.61		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+33+35+50	1.80	1.80	2.86	2.86	4.09		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+33+35+60	1.69	1.69	2.70	2.70	4.62		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+33+42+42	1.81	1.81	2.88	3.45	3.45		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+33+42+50	1.72	1.72	2.74	3.29	3.92		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+33+42+60	1.63	1.63	2.61	3.14	4.39		13.40 (3.50 - 15.60)	3.34 (0.77 - 4.86)	14.67	99
22+22+33+50+50	1.65	1.65	2.62	3.74	3.74		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+35+35+35	1.98	1.98	3.15	3.15	3.15		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+35+35+42	1.89	1.89	3.01	3.01	3.61		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+22+35+35+50	1.80	1.80	2.86	2.86	4.09		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+35+35+60	1.69	1.69	2.70	2.70	4.62		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+35+42+42	1.81	1.81	2.88	3.45	3.45		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+22+35+42+50	1.72	1.72	2.74	3.29	3.92		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+35+50+50	1.65	1.65	2.62	3.74	3.74		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+42+42+42	1.73	1.73	3.31	3.31	3.31		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+42+42+50	1.66	1.66	3.16	3.16	3.76		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+25+25+25	2.40	2.73	2.73	2.73	2.73		13.30 (3.50 - 15.50)	3.30 (0.77 - 4.80)	14.49	99
22+25+25+25+33	2.23	2.54	2.54	2.54	3.55		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+25+25+25+35	2.23	2.54	2.54	2.54	3.55		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+25+25+25+42	2.12	2.41	2.41	2.41	4.05		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+25+25+25+50	2.01	2.28	2.28	2.28	4.56		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+25+25+25+60	1.88	2.13	2.13	2.13	5.12		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+25+25+71	1.75	1.99	1.99	1.99	5.66		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+25+25+80	1.67	1.89	1.89	1.89	6.06		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+25+33+33	2.08	2.36	2.36	3.30	3.30		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+25+25+33+35	2.08	2.36	2.36	3.30	3.30		13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+25+25+33+42	1.98	2.25	2.25	3.15	3.78		13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+25+25+33+50	1.88	2.13	2.13	2.99	4.27		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+25+33+60	1.77	2.01	2.01	2.81	4.81		13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
22+25+25+33+71	1.66	1.88	1.88	2.63	5.34	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+25+35+35	2.08	2.36	2.36	3.30	3.30	13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
22+25+25+35+42	1.98	2.25	2.25	3.15	3.78	13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+25+25+35+50	1.88	2.13	2.13	2.99	4.27	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+25+35+60	1.77	2.01	2.01	2.81	4.81	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+25+35+71	1.66	1.88	1.88	2.63	5.34	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+25+42+42	1.89	2.15	2.15	3.61	3.61	13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+25+25+42+50	1.80	2.04	2.04	3.43	4.09	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+25+42+60	1.69	1.93	1.93	3.23	4.62	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+25+50+50	1.71	1.95	1.95	3.90	3.90	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+33+33+33	1.94	2.20	3.09	3.09	3.09	13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+25+33+33+35	1.94	2.20	3.09	3.09	3.09	13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+25+33+33+42	1.85	2.11	2.95	2.95	3.54	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+33+33+50	1.77	2.01	2.81	2.81	4.01	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+33+33+60	1.67	1.89	2.65	2.65	4.54	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+33+42+42	1.78	2.02	2.83	3.39	3.39	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+33+42+50	1.69	1.93	2.70	3.23	3.85	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+33+50+50	1.64	1.86	2.46	3.72	3.72	13.40 (3.50 - 15.60)	3.34 (0.77 - 4.86)	14.67	99
22+25+35+35+35	1.94	2.20	3.09	3.09	3.09	13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
22+25+35+35+42	1.85	2.11	2.95	2.95	3.54	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+35+35+50	1.77	2.01	2.81	2.81	4.01	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+35+35+60	1.67	1.89	2.65	2.65	4.54	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+35+42+42	1.78	2.02	2.83	3.39	3.39	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+25+35+42+50	1.69	1.93	2.70	3.23	3.85	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+25+42+42+42	1.70	1.94	3.25	3.25	3.25	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+33+33+33	1.82	2.90	2.90	2.90	2.90	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+33+33+33+35	1.82	2.90	2.90	2.90	2.90	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+33+33+33+42	1.74	2.78	2.78	2.78	3.33	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+33+33+50	1.67	2.65	2.65	2.65	3.79	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+33+35+35	1.82	2.90	2.90	2.90	2.90	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+33+33+35+42	1.74	2.78	2.78	2.78	3.33	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+33+35+50	1.67	2.65	2.65	2.65	3.79	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+33+42+42	1.68	2.66	2.66	3.20	3.20	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+33+42+50	1.64	2.46	2.46	3.13	3.71	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+35+35+35	1.82	2.90	2.90	2.90	2.90	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+33+35+35+42	1.74	2.78	2.78	2.78	3.33	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+35+35+50	1.67	2.65	2.65	2.65	3.79	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+33+35+42+42	1.68	2.66	2.66	3.20	3.20	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+35+35+35+35	1.82	2.90	2.90	2.90	2.90	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99
22+35+35+35+42	1.74	2.78	2.78	2.78	3.33	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+35+35+35+50	1.67	2.65	2.65	2.65	3.79	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+35+35+42+42	1.68	2.66	2.66	3.20	3.20	13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
25+25+25+25+25	2.68	2.68	2.68	2.68	2.68	13.40 (3.50 - 15.60)	3.39 (0.77 - 4.91)	14.89	99
25+25+25+25+33	2.48	2.48	2.48	2.48	3.47	13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
25+25+25+25+35	2.48	2.48	2.48	2.48	3.47	13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
25+25+25+25+42	2.36	2.36	2.36	2.36	3.96	13.40 (3.50 - 15.60)	3.38 (0.77 - 4.90)	14.84	99
25+25+25+25+50	2.23	2.23	2.23	2.23	4.47	13.40 (3.50 - 15.60)	3.37 (0.77 - 4.89)	14.80	99
25+25+25+25+60	2.09	2.09	2.09	2.09	5.03	13.40 (3.50 - 15.60)	3.36 (0.77 - 4.88)	14.76	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+25+25+25+71	1.96	1.96	1.96	1.96	5.56		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+25+25+80	1.86	1.86	1.86	1.86	5.96		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+25+33+33	2.31	2.31	2.31	3.23	3.23		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+25+33+35	2.31	2.31	2.31	3.23	3.23		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+25+33+42	2.20	2.20	2.20	3.09	3.70		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+25+33+50	2.09	2.09	2.09	2.93	4.19		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+25+25+33+60	1.97	1.97	1.97	2.76	4.73		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+25+33+71	1.87	1.87	1.87	2.47	5.32		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+25+35+35	2.31	2.31	2.31	3.23	3.23		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+25+35+42	2.20	2.20	2.20	3.09	3.70		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+25+35+50	2.09	2.09	2.09	2.93	4.19		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+25+25+35+60	1.97	1.97	1.97	2.76	4.73		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+25+42+42	2.11	2.11	2.11	3.54	3.54		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+25+25+42+50	2.01	2.01	2.01	3.37	4.01		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+25+25+42+60	1.89	1.89	1.89	3.18	4.54		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+25+50+50	1.91	1.91	1.91	3.83	3.83		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+33+33+33	2.16	2.16	3.03	3.03	3.03		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+33+33+35	2.16	2.16	3.03	3.03	3.03		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+33+33+42	2.07	2.07	2.90	2.90	3.47		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+25+33+33+50	1.97	1.97	2.76	2.76	3.94		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+33+33+60	1.86	1.86	2.61	2.61	4.47		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+33+35+35	2.16	2.16	3.03	3.03	3.03		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+33+35+42	2.07	2.07	2.90	2.90	3.47		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+25+33+35+50	1.97	1.97	2.76	2.76	3.94		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+33+35+60	1.86	1.86	2.61	2.61	4.47		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+33+42+42	1.98	1.98	2.78	3.33	3.33		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+33+42+50	1.89	1.89	2.65	3.18	3.79		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+35+35+35	2.16	2.16	3.03	3.03	3.03		(3.50 - 15.60)	(0.77 - 4.89)	14.80	99
25+25+35+35+42	2.07	2.07	2.90	2.90	3.47		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+25+35+35+50	1.97	1.97	2.76	2.76	3.94		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+35+35+60	1.86	1.86	2.61	2.61	4.47		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+35+42+42	1.98	1.98	2.78	3.33	3.33		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+35+42+50	1.89	1.89	2.65	3.18	3.79		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+25+42+42+42	1.90	1.90	3.20	3.20	3.20		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+33+33+33	2.03	2.84	2.84	2.84	2.84		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+33+33+33+35	2.03	2.84	2.84	2.84	2.84		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+33+33+33+42	1.95	2.73	2.73	2.73	3.27		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+33+33+50	1.86	2.61	2.61	2.61	3.72		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+33+35+35	2.03	2.84	2.84	2.84	2.84		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+33+33+35+42	1.95	2.73	2.73	2.73	3.27		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+33+35+50	1.86	2.61	2.61	2.61	3.72		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+33+42+42	1.87	2.62	2.62	3.14	3.14		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+35+35+35	2.03	2.84	2.84	2.84	2.84		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+33+35+35+42	1.95	2.73	2.73	2.73	3.27		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+35+35+50	1.86	2.61	2.61	2.61	3.72		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+33+35+42+42	1.87	2.62	2.62	3.14	3.14		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99
25+35+35+35+35	2.03	2.84	2.84	2.84	2.84		(3.50 - 15.60)	(0.77 - 4.88)	14.76	99
25+35+35+35+42	1.95	2.73	2.73	2.73	3.27		(3.50 - 15.60)	(0.77 - 4.87)	14.71	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+35+35+35+50	1.86	2.61	2.61	2.61	3.72		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
25+35+35+42+42	1.87	2.62	2.62	3.14	3.14		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
35+35+35+35+35	2.68	2.68	2.68	2.68	2.68		13.40 (3.50 - 15.60)	3.35 (0.77 - 4.87)	14.71	99
22+22+22+22+22+22	2.33	2.33	2.33	2.33	2.33	2.33	14.00 (3.50 - 16.50)	3.52 (0.76 - 5.20)	15.46	99
22+22+22+22+22+25	2.28	2.28	2.28	2.28	2.28	2.59	14.00 (3.50 - 16.50)	3.51 (0.76 - 5.19)	15.42	99
22+22+22+22+22+33	2.12	2.12	2.12	2.12	2.12	3.38	14.00 (3.50 - 16.50)	3.48 (0.76 - 5.16)	15.28	99
22+22+22+22+22+35	2.12	2.12	2.12	2.12	2.12	3.38	14.00 (3.50 - 16.50)	3.48 (0.76 - 5.16)	15.28	99
22+22+22+22+22+42	2.03	2.03	2.03	2.03	2.03	3.87	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+22+50	1.93	1.93	1.93	1.93	1.93	4.38	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+22+60	1.81	1.81	1.81	1.81	1.81	4.94	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+25+25	2.23	2.23	2.23	2.23	2.54	2.54	14.00 (3.50 - 16.50)	3.50 (0.76 - 5.18)	15.37	99
22+22+22+22+25+33	2.08	2.08	2.08	2.08	2.36	3.31	14.00 (3.50 - 16.50)	3.48 (0.76 - 5.16)	15.28	99
22+22+22+22+25+35	2.08	2.08	2.08	2.08	2.36	3.31	14.00 (3.50 - 16.50)	3.48 (0.76 - 5.16)	15.28	99
22+22+22+22+25+42	1.99	1.99	1.99	1.99	2.26	3.79	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+25+50	1.89	1.89	1.89	1.89	2.15	4.29	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+25+60	1.78	1.78	1.78	1.78	2.02	4.86	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+33+33	1.95	1.95	1.95	1.95	3.10	3.10	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+33+35	1.95	1.95	1.95	1.95	3.10	3.10	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+33+42	1.87	1.87	1.87	1.87	2.97	3.56	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+33+50	1.78	1.78	1.78	1.78	2.83	4.05	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+35+35	1.95	1.95	1.95	1.95	3.10	3.10	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+35+42	1.87	1.87	1.87	1.87	2.97	3.56	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+35+50	1.78	1.78	1.78	1.78	2.83	4.05	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+42+42	1.79	1.79	1.79	1.79	3.42	3.42	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+22+42+50	1.71	1.71	1.71	1.71	3.27	3.89	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+25+25	2.18	2.18	2.18	2.48	2.48	2.48	14.00 (3.50 - 16.50)	3.50 (0.76 - 5.18)	15.37	99
22+22+22+25+25+33	2.04	2.04	2.04	2.32	2.32	3.25	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+25+35	2.04	2.04	2.04	2.32	2.32	3.25	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+25+42	1.95	1.95	1.95	2.22	2.22	3.72	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+25+50	1.86	1.86	1.86	2.11	2.11	4.22	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+25+60	1.75	1.75	1.75	1.99	1.99	4.77	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+33+33	1.91	1.91	1.91	2.17	3.04	3.04	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+33+35	1.91	1.91	1.91	2.17	3.04	3.04	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+33+42	1.83	1.83	1.83	2.08	2.92	3.50	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+33+50	1.75	1.75	1.75	1.99	2.78	3.98	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+35+35	1.91	1.91	1.91	2.17	3.04	3.04	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+35+42	1.83	1.83	1.83	2.08	2.92	3.50	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+35+50	1.75	1.75	1.75	1.99	2.78	3.98	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+25+42+42	1.76	1.76	1.76	2.00	3.36	3.36	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+33+33+33	1.80	1.80	1.80	2.87	2.87	2.87	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+33+33+35	1.80	1.80	1.80	2.87	2.87	2.87	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+33+33+42	1.73	1.73	1.73	2.75	2.75	3.30	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+33+35+35	1.80	1.80	1.80	2.87	2.87	2.87	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+33+35+42	1.73	1.73	1.73	2.75	2.75	3.30	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+35+35+35	1.80	1.80	1.80	2.87	2.87	2.87	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+22+35+35+42	1.73	1.73	1.73	2.75	2.75	3.30	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+25+25	2.14	2.14	2.43	2.43	2.43	2.43	14.00 (3.50 - 16.50)	3.49 (0.76 - 5.17)	15.33	99
22+22+25+25+25+33	2.00	2.00	2.27	2.27	2.27	3.18	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99

MXZ-6C120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)	Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+22+25+25+25+35	2.00	2.00	2.27	2.27	2.27	3.18	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+25+42	1.91	1.91	2.17	2.17	2.17	3.65	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+25+50	1.82	1.82	2.07	2.07	2.07	4.14	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+25+60	1.72	1.72	1.96	1.96	1.96	4.69	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+33+33	1.88	1.88	2.13	2.13	2.99	2.99	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+33+35	1.88	1.88	2.13	2.13	2.99	2.99	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+33+42	1.80	1.80	2.05	2.05	2.87	3.44	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+33+50	1.72	1.72	1.96	1.96	2.74	3.91	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+35+35	1.88	1.88	2.13	2.13	2.99	2.99	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+35+42	1.80	1.80	2.05	2.05	2.87	3.44	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+35+50	1.72	1.72	1.96	1.96	2.74	3.91	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+25+42+42	1.73	1.73	1.97	1.97	3.30	3.30	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+33+33+33	1.77	1.77	2.01	2.82	2.82	2.82	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+33+33+35	1.77	1.77	2.01	2.82	2.82	2.82	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+33+33+42	1.74	1.74	1.98	2.61	2.61	3.32	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+33+35+35	1.77	1.77	2.01	2.82	2.82	2.82	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+33+35+42	1.72	1.72	1.96	2.58	2.74	3.28	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+22+25+35+35+35	1.77	1.77	2.01	2.82	2.82	2.82	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+25+25	2.10	2.38	2.38	2.38	2.38	2.38	14.00 (3.50 - 16.50)	3.48 (0.76 - 5.16)	15.28	99
22+25+25+25+25+33	1.96	2.23	2.23	2.23	2.23	3.12	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+25+35	1.96	2.23	2.23	2.23	2.23	3.12	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+25+42	1.88	2.13	2.13	2.13	2.13	3.59	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+25+50	1.79	2.03	2.03	2.03	2.03	4.07	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+33+33	1.84	2.10	2.10	2.10	2.93	2.93	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+33+35	1.84	2.10	2.10	2.10	2.93	2.93	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+33+42	1.77	2.01	2.01	2.01	2.82	3.38	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+33+50	1.71	1.94	1.94	1.94	2.57	3.90	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+35+35	1.84	2.10	2.10	2.10	2.93	2.93	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+25+35+42	1.77	2.01	2.01	2.01	2.82	3.38	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+33+33+33	1.74	1.98	1.98	2.77	2.77	2.77	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+33+33+35	1.74	1.98	1.98	2.77	2.77	2.77	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+33+33+42	1.71	1.94	1.94	2.57	2.57	3.27	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+25+35+35+35	1.74	1.98	1.98	2.77	2.77	2.77	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
22+25+33+33+33+33	2.33	2.33	2.33	2.33	2.33	2.33	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+25+25	2.33	2.33	2.33	2.33	2.33	2.33	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+25+33	2.19	2.19	2.19	2.19	2.19	3.06	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+25+35	2.19	2.19	2.19	2.19	2.19	3.06	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+25+42	2.10	2.10	2.10	2.10	2.10	3.52	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+25+50	2.00	2.00	2.00	2.00	2.00	4.00	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+33+33	2.06	2.06	2.06	2.06	2.88	2.88	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+33+35	2.06	2.06	2.06	2.06	2.88	2.88	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+33+42	1.98	1.98	1.98	1.98	2.77	3.32	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+35+35	2.06	2.06	2.06	2.06	2.88	2.88	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+25+35+42	1.98	1.98	1.98	1.98	2.77	3.32	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+33+33+33	1.94	1.94	1.94	2.72	2.72	2.72	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+33+33+35	1.94	1.94	1.94	2.72	2.72	2.72	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+33+35+35	1.94	1.94	1.94	2.72	2.72	2.72	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99
25+25+25+35+35+35	1.94	1.94	1.94	2.72	2.72	2.72	14.00 (3.50 - 16.50)	3.47 (0.76 - 5.15)	15.24	99