

MXZ-2F52VF COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B			220	230	
15	1.50	-	1.50 - 2.90	0.250 - 0.700	1.46	1.40	96
20	2.00	-	2.00 - 3.40	0.250 - 0.800	1.76	1.68	96
22	2.20	-	2.20 - 2.90	0.250 - 0.800	2.17	2.08	96
25	2.50	-	2.50 - 3.60	0.250 - 0.800	2.42	2.31	96
35	3.50	-	3.50 - 5.10	0.250 - 1.500	3.69	3.53	96
42	4.20	-	4.20 - 5.20	0.250 - 1.840	4.92	4.71	96
50	4.50	-	4.50 - 5.20	0.250 - 1.840	6.72	6.43	96
15+15	1.50	1.50	3.00 - 4.80	0.330 - 1.326	3.25	3.11	96
15+20	1.46	1.94	3.40 - 5.10	0.330 - 1.324	4.14	3.96	96
15+22	1.48	2.17	3.65 - 5.20	0.330 - 1.317	4.49	4.29	96
15+25	1.46	2.44	3.90 - 5.40	0.330 - 1.317	5.05	4.83	96
15+35	1.53	3.57	5.10 - 5.60	0.250 - 1.957	6.34	6.06	96
15+42	1.34	3.76	5.10 - 5.60	0.250 - 1.951	6.30	6.03	96
15+50	1.18	3.92	5.10 - 5.60	0.250 - 1.951	6.30	6.03	96
20+20	1.90	1.90	3.80 - 5.40	0.330 - 1.322	5.08	4.86	96
20+22	1.98	2.17	4.15 - 5.40	0.290 - 1.415	5.28	5.05	96
20+25	2.00	2.50	4.50 - 5.40	0.250 - 1.595	5.71	5.46	96
20+35	1.85	3.25	5.10 - 5.60	0.250 - 1.955	6.33	6.05	96
20+42	1.65	3.45	5.10 - 5.60	0.250 - 1.949	6.29	6.02	96
20+50	1.46	3.64	5.10 - 5.60	0.250 - 1.949	6.29	6.02	96
22+22	2.20	2.20	4.40 - 5.40	0.250 - 1.508	5.53	5.29	96
22+25	2.27	2.58	4.85 - 5.50	0.250 - 1.728	5.91	5.65	96
22+35	1.99	3.16	5.15 - 5.60	0.250 - 1.948	6.28	6.01	96
22+42	1.77	3.38	5.15 - 5.60	0.250 - 1.942	6.26	5.99	96
22+50	1.57	3.58	5.15 - 5.60	0.250 - 1.942	6.26	5.99	96
25+25	2.60	2.60	5.20 - 5.60	0.250 - 1.948	6.28	6.01	96
25+35	2.17	3.03	5.20 - 5.60	0.250 - 1.948	6.28	6.01	96
25+42	1.94	3.26	5.20 - 5.60	0.250 - 1.942	6.26	5.99	96
25+50	1.73	3.47	5.20 - 5.60	0.250 - 1.942	6.26	5.99	96
35+35	2.60	2.60	5.20 - 5.60	0.250 - 1.948	6.28	6.01	96

MXZ-2F52VF HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B			220	230	
15	1.70	-	1.70 1.40 - 2.60	0.360 0.300 - 0.630	1.70	1.63	96
20	2.20	-	2.20 1.40 - 2.60	0.500 0.300 - 0.630	2.36	2.26	96
22	3.30	-	3.30 1.50 - 4.50	0.670 0.260 - 1.130	3.17	3.03	96
25	3.60	-	3.60 1.50 - 5.40	0.720 0.250 - 1.450	3.41	3.26	96
35	4.00	-	4.00 1.50 - 5.40	0.830 0.250 - 1.450	3.93	3.76	96
42	4.80	-	4.80 1.50 - 5.40	1.289 0.250 - 1.450	6.11	5.84	96
50	5.00	-	5.00 1.50 - 5.50	1.343 0.250 - 1.477	6.36	6.08	96
15+15	1.70	1.70	3.40 1.00 - 5.00	0.776 0.360 - 1.166	3.67	3.51	96
15+20	1.67	2.23	3.90 1.00 - 5.20	0.944 0.360 - 1.314	4.47	4.28	96
15+22	1.68	2.47	4.15 1.00 - 5.30	1.007 0.360 - 1.357	4.77	4.56	96
15+25	1.69	2.81	4.50 1.00 - 5.40	1.107 0.360 - 1.447	5.24	5.01	96
15+35	1.80	4.20	6.00 1.00 - 7.00	1.447 0.200 - 1.807	6.85	6.55	96
15+42	1.58	4.42	6.00 1.00 - 7.00	1.441 0.200 - 1.801	6.83	6.53	96
15+50	1.38	4.62	6.00 1.00 - 7.00	1.441 0.200 - 1.801	6.83	6.53	96
20+20	2.20	2.20	4.40 1.00 - 5.40	1.112 0.360 - 1.452	5.27	5.04	96
20+22	2.50	2.75	5.25 1.00 - 6.10	1.285 0.280 - 1.595	6.08	5.82	96
20+25	2.67	3.33	6.00 1.00 - 6.80	1.465 0.200 - 1.755	6.93	6.63	96
20+35	2.18	3.82	6.00 1.00 - 7.00	1.445 0.200 - 1.805	6.84	6.54	96
20+42	1.94	4.06	6.00 1.00 - 7.00	1.439 0.200 - 1.799	6.82	6.52	96
20+50	1.71	4.29	6.00 1.00 - 7.00	1.439 0.200 - 1.799	6.82	6.52	96
22+22	3.00	3.00	6.00 1.00 - 6.70	1.468 0.200 - 1.738	6.95	6.65	96
22+25	2.83	3.22	6.05 1.00 - 6.90	1.448 0.200 - 1.768	6.86	6.56	96
22+35	2.34	3.71	6.05 1.00 - 7.00	1.438 0.200 - 1.798	6.81	6.51	96
22+42	2.08	3.97	6.05 1.00 - 7.00	1.432 0.200 - 1.792	6.79	6.49	96
22+50	1.85	4.20	6.05 1.00 - 7.00	1.432 0.200 - 1.792	6.79	6.49	96
25+25	3.05	3.05	6.10 1.00 - 7.00	1.438 0.200 - 1.798	6.81	6.51	96
25+35	2.54	3.56	6.10 1.00 - 7.00	1.438 0.200 - 1.798	6.81	6.51	96
25+42	2.28	3.82	6.10 1.00 - 7.00	1.432 0.200 - 1.792	6.79	6.49	96
25+50	2.03	4.07	6.10 1.00 - 7.00	1.432 0.200 - 1.792	6.79	6.49	96
35+35	3.05	3.05	6.10 1.00 - 7.00	1.438 0.200 - 1.798	6.81	6.51	96

MXZ-2F52VGD COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B			220	230	
15	1.50	-	1.50 - 2.80	0.460 - 0.700	2.13	2.04	98
20	2.00	-	2.00 - 2.80	0.520 - 0.870	2.42	2.31	98
22	2.20	-	2.20 - 3.80	0.520 - 0.870	2.42	2.31	98
25	2.50	-	2.50 - 3.80	0.810 - 0.870	3.75	3.59	98
35	3.50	-	3.50 - 5.20	0.810 - 1.500	3.75	3.59	98
42	4.20	-	4.20 - 5.00	1.030 - 1.590	4.78	4.57	98
50	4.50	-	4.50 - 5.60	1.350 - 1.780	6.26	5.99	98
15+15	1.50	1.50	3.00 - 4.80	0.686 - 1.796	3.18	3.04	98
15+20	1.46	1.94	3.40 - 5.10	0.874 - 1.804	4.06	3.88	98
15+22	1.48	2.17	3.65 - 5.20	0.947 - 1.797	4.39	4.20	98
15+25	1.46	2.44	3.90 - 5.40	1.067 - 1.797	4.95	4.73	98
15+35	1.53	3.57	5.10 - 6.00	1.337 - 1.937	6.20	5.93	98
15+42	1.34	3.76	5.10 - 6.00	1.331 - 1.931	6.18	5.91	98
15+50	1.18	3.92	5.10 - 6.00	1.331 - 1.931	6.18	5.91	98
20+20	1.90	1.90	3.80 - 5.40	1.072 - 1.802	4.98	4.76	98
20+22	1.98	2.17	4.15 - 5.40	1.115 - 1.725	5.18	4.95	98
20+25	2.00	2.50	4.50 - 5.50	1.205 - 1.695	5.59	5.35	98
20+35	1.85	3.25	5.10 - 6.00	1.335 - 1.935	6.19	5.92	98
20+42	1.65	3.45	5.10 - 6.00	1.329 - 1.929	6.17	5.90	98
20+50	1.46	3.64	5.10 - 6.00	1.329 - 1.929	6.17	5.90	98
22+22	2.20	2.20	4.40 - 5.40	1.168 - 1.638	5.42	5.18	98
22+25	2.27	2.58	4.85 - 5.70	1.248 - 1.788	5.79	5.54	98
22+35	1.99	3.16	5.15 - 6.00	1.328 - 1.928	6.16	5.89	98
22+42	1.77	3.38	5.15 - 6.00	1.322 - 1.922	6.14	5.87	98
22+50	1.57	3.58	5.15 - 6.00	1.322 - 1.922	6.14	5.87	98
25+25	2.60	2.60	5.20 - 6.00	1.328 - 1.928	6.16	5.89	98
25+35	2.17	3.03	5.20 - 6.00	1.328 - 1.928	6.16	5.89	98
25+42	1.94	3.26	5.20 - 6.00	1.322 - 1.922	6.14	5.87	98
25+50	1.73	3.47	5.20 - 6.00	1.322 - 1.922	6.14	5.87	98
35+35	2.60	2.60	5.20 - 6.00	1.328 - 1.928	6.16	5.89	98

MXZ-2F52VGD HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B			220	230	
15	1.70	-	1.70 - 2.50	0.502 - 0.780	2.33	2.23	98
20	2.20	-	2.20 - 2.50	0.598 - 1.440	2.77	2.65	98
22	3.30	-	3.30 2.00 - 4.50	0.780 - 1.250	3.62	3.46	98
25	3.60	-	3.60 2.00 - 5.30	0.830 - 1.480	3.85	3.68	98
35	4.00	-	4.00 2.00 - 5.30	0.960 - 1.480	4.45	4.26	98
42	4.80	-	4.80 2.00 - 5.60	1.508 - 1.564	6.99	6.69	98
50	5.00	-	5.00 2.00 - 6.80	1.620 - 2.431	7.52	7.19	98
15+15	1.70	1.70	3.40 1.80 - 5.00	0.776 - 1.296	3.60	3.44	98
15+20	1.67	2.23	3.90 1.80 - 5.20	0.944 - 1.624	4.38	4.19	98
15+22	1.68	2.47	4.15 1.80 - 5.30	1.007 - 1.747	4.67	4.47	98
15+25	1.69	2.81	4.50 1.80 - 5.40	1.107 - 1.947	5.13	4.91	98
15+35	1.80	4.20	6.00 1.80 - 7.20	1.407 - 2.277	6.52	6.24	98
15+42	1.58	4.42	6.00 1.80 - 7.20	1.401 - 2.271	6.50	6.22	98
15+50	1.38	4.62	6.00 1.80 - 7.20	1.401 - 2.271	6.50	6.22	98
20+20	2.20	2.20	4.40 1.80 - 5.40	1.112 - 1.952	5.15	4.93	98
20+22	2.50	2.75	5.25 1.80 - 6.10	1.285 - 1.855	5.96	5.70	98
20+25	2.67	3.33	6.00 1.80 - 6.80	1.465 - 1.855	6.80	6.50	98
20+35	2.18	3.82	6.00 1.80 - 7.20	1.405 - 2.275	6.51	6.23	98
20+42	1.94	4.06	6.00 1.80 - 7.20	1.399 - 2.269	6.49	6.21	98
20+50	1.71	4.29	6.00 1.80 - 7.20	1.399 - 2.269	6.49	6.21	98
22+22	3.00	3.00	6.00 1.80 - 6.70	1.468 - 1.758	6.81	6.51	98
22+25	2.83	3.22	6.05 1.80 - 7.00	1.428 - 2.018	6.63	6.34	98
22+35	2.34	3.71	6.05 1.80 - 7.20	1.398 - 2.268	6.48	6.20	98
22+42	2.08	3.97	6.05 1.80 - 7.20	1.392 - 2.262	6.46	6.18	98
22+50	1.85	4.20	6.05 1.80 - 7.20	1.392 - 2.262	6.46	6.18	98
25+25	3.05	3.05	6.10 1.80 - 7.20	1.398 - 2.268	6.48	6.20	98
25+35	2.54	3.56	6.10 1.80 - 7.20	1.398 - 2.268	6.48	6.20	98
25+42	2.28	3.82	6.10 1.80 - 7.20	1.392 - 2.262	6.46	6.18	98
25+50	2.03	4.07	6.10 1.80 - 7.20	1.392 - 2.262	6.46	6.18	98
35+35	3.05	3.05	6.10 1.80 - 7.20	1.398 - 2.268	6.48	6.20	98

MXZ-3F54VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15	1.50	-	-	1.50 - 2.80	0.460 - 0.700	2.13	2.04	98
20	2.00	-	-	2.00 1.60 - 2.80	0.520 - 0.870	2.42	2.31	98
22	2.20	-	-	2.20 1.60 - 3.80	0.520 - 0.870	2.42	2.31	98
25	2.50	-	-	2.50 1.80 - 3.80	0.810 - 0.870	3.75	3.59	98
35	3.50	-	-	3.50 1.80 - 5.20	0.810 - 1.500	3.75	3.59	98
42	4.20	-	-	4.20 1.80 - 5.00	1.030 - 1.590	4.78	4.57	98
50	5.00	-	-	5.00 1.80 - 5.60	1.350 - 1.780	6.26	5.99	98
15+15	1.50	1.50	-	3.00 2.00 - 5.40	0.770 - 1.800	3.58	3.42	98
15+20	1.50	2.00	-	3.50 2.00 - 5.40	0.920 - 1.800	4.27	4.08	98
15+22	1.50	2.20	-	3.70 2.00 - 5.40	0.980 - 1.800	4.55	4.35	98
15+25	1.50	2.50	-	4.00 2.00 - 5.40	1.070 - 1.800	4.97	4.75	98
15+35	1.50	3.50	-	5.00 2.00 - 6.00	1.400 - 1.980	6.49	6.21	98
15+42	1.34	3.76	-	5.10 2.00 - 6.30	1.450 - 2.200	6.72	6.43	98
15+50	1.22	4.08	-	5.30 2.00 - 6.60	1.500 - 2.460	6.95	6.65	98
20+20	2.00	2.00	-	4.00 2.00 - 5.40	1.070 - 1.800	4.97	4.75	98
20+22	2.00	2.20	-	4.20 2.00 - 5.40	1.120 - 1.720	5.20	4.97	98
20+25	2.00	2.50	-	4.50 2.00 - 5.50	1.200 - 1.700	5.56	5.32	98
20+35	1.85	3.25	-	5.10 2.00 - 6.20	1.430 - 2.140	6.63	6.34	98
20+42	1.68	3.52	-	5.20 2.00 - 6.50	1.480 - 2.360	6.87	6.57	98
20+50	1.54	3.86	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
22+22	2.20	2.20	-	4.40 2.00 - 5.40	1.170 - 1.640	5.43	5.19	98
22+25	2.20	2.50	-	4.70 2.00 - 5.70	1.280 - 1.810	5.94	5.68	98
22+35	1.97	3.13	-	5.10 2.00 - 6.30	1.450 - 2.200	6.72	6.43	98
22+42	1.82	3.48	-	5.30 2.00 - 6.60	1.490 - 2.430	6.91	6.61	98
22+50	1.65	3.75	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
25+25	2.50	2.50	-	5.00 2.00 - 6.00	1.400 - 1.980	6.49	6.21	98
25+35	2.17	3.03	-	5.20 2.00 - 6.40	1.470 - 2.300	6.82	6.52	98
25+42	1.98	3.32	-	5.30 2.00 - 6.70	1.520 - 2.520	7.05	6.74	98
25+50	1.80	3.60	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
35+35	2.70	2.70	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
35+42	2.45	2.95	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
35+50	2.22	3.18	-	5.40 2.00 - 6.80	1.530 - 2.600	7.10	6.79	98
42+42	2.70	2.70	-	5.40 2.00 - 6.80	1.540 - 2.620	7.14	6.83	98
42+50	2.47	2.93	-	5.40 2.10 - 6.80	1.510 - 2.480	7.00	6.70	98
50+50	2.70	2.70	-	5.40 2.10 - 6.80	1.480 - 2.340	6.87	6.57	98
15+15+15	1.50	1.50	1.50	4.50 2.90 - 6.80	0.939 - 1.769	4.36	4.17	98
15+15+20	1.41	1.41	1.88	4.70 2.90 - 6.80	1.097 - 1.947	5.09	4.87	98
15+15+22	1.40	1.40	2.05	4.85 2.90 - 6.80	1.160 - 2.020	5.38	5.15	98
15+15+25	1.36	1.36	2.27	5.00 2.90 - 6.80	1.250 - 2.130	5.80	5.55	98
15+15+35	1.20	1.20	2.80	5.20 2.90 - 6.80	1.310 - 1.870	6.07	5.81	98
15+15+42	1.08	1.08	3.03 *	5.20 2.90 - 6.80	1.214 - 1.784	5.64	5.39	98
15+15+50	0.98	0.98	3.25 *	5.20 2.90 - 6.80	1.184 - 1.784	5.49	5.25	98
15+20+20	1.34	1.78	1.78	4.90 2.90 - 6.80	1.255 - 2.135	5.82	5.57	98

MXZ-3F54VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15+20+22	1.33	1.77	1.95	5.05 2.90 - 6.80	1.318 0.740 - 2.198	6.12	5.85	98
15+20+25	1.30	1.73	2.17	5.20 2.90 - 6.80	1.408 0.760 - 2.308	6.53	6.25	98
15+20+35	1.11	1.49	2.60	5.20 2.90 - 6.80	1.238 0.670 - 1.788	5.74	5.49	98
15+20+42	1.01	1.35	2.84 *	5.20 2.90 - 6.80	1.182 0.670 - 1.782	5.48	5.24	98
15+20+50	0.92	1.22	3.06 *	5.20 2.90 - 6.80	1.182 0.670 - 1.782	5.48	5.24	98
15+22+22	1.32	1.94	1.94	5.20 2.90 - 6.80	1.371 0.750 - 2.261	6.36	6.08	98
15+22+25	1.27	1.86	2.12	5.25 2.90 - 6.80	1.361 0.730 - 2.121	6.31	6.04	98
15+22+35	1.09	1.60	2.55	5.25 2.90 - 6.80	1.211 0.670 - 1.781	5.61	5.37	98
15+22+42	1.00	1.46	2.79 *	5.25 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+22+50	0.91	1.33	3.02 *	5.25 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+25+25	1.22	2.04	2.04	5.30 2.90 - 6.80	1.301 0.690 - 1.861	6.03	5.77	98
15+25+35	1.06	1.77	2.47	5.30 2.90 - 6.80	1.181 0.670 - 1.781	5.48	5.24	98
15+25+42	0.97	1.62	2.71 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+25+50	0.88	1.47	2.94 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+35+35	0.94	2.18	2.18	5.30 2.90 - 6.80	1.181 0.670 - 1.781	5.48	5.24	98
15+35+42	0.86	2.02	2.42 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+35+50	0.80	1.86	2.65 *	5.30 2.90 - 6.80	1.175 0.670 - 1.775	5.45	5.21	98
15+42+42	0.80	2.25	2.25 *	5.30 2.90 - 6.80	1.169 0.670 - 1.769	5.43	5.19	98
20+20+20	1.70	1.70	1.70	5.10 2.90 - 6.80	1.413 0.760 - 2.313	6.56	6.27	98
20+20+22	1.66	1.66	1.83	5.15 2.90 - 6.80	1.366 0.730 - 2.126	6.34	6.06	98
20+20+25	1.60	1.60	2.00	5.20 2.90 - 6.80	1.306 0.690 - 1.866	6.05	5.79	98
20+20+35	1.39	1.39	2.43	5.20 2.90 - 6.80	1.186 0.670 - 1.786	5.50	5.26	98
20+20+42	1.27	1.27	2.66 *	5.20 2.90 - 6.80	1.180 0.670 - 1.780	5.48	5.24	98
20+20+50	1.16	1.16	2.89 *	5.20 2.90 - 6.80	1.180 0.670 - 1.780	5.48	5.24	98
20+22+22	1.63	1.79	1.79	5.20 2.90 - 6.80	1.319 0.700 - 1.949	6.12	5.85	98
20+22+25	1.57	1.72	1.96	5.25 2.90 - 6.80	1.269 0.670 - 1.779	5.89	5.63	98
20+22+35	1.36	1.50	2.39	5.25 2.90 - 6.80	1.179 0.670 - 1.779	5.47	5.23	98
20+22+42	1.25	1.38	2.63 *	5.25 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+22+50	1.14	1.26	2.85 *	5.25 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+25+25	1.51	1.89	1.89	5.30 2.90 - 6.80	1.229 0.670 - 1.779	5.70	5.45	98
20+25+35	1.33	1.66	2.32	5.30 2.90 - 6.80	1.179 0.670 - 1.779	5.47	5.23	98
20+25+42	1.22	1.52	2.56 *	5.30 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+25+50	1.12	1.39	2.79 *	5.30 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
20+35+35	1.18	2.06	2.06	5.30 2.90 - 6.80	1.179 0.670 - 1.779	5.47	5.23	98
20+35+42	1.09	1.91	2.29 *	5.30 2.90 - 6.80	1.173 0.670 - 1.773	5.44	5.20	98
22+22+22	1.75	1.75	1.75	5.25 2.90 - 6.80	1.272 0.670 - 1.772	5.90	5.64	98
22+22+25	1.69	1.69	1.92	5.30 2.90 - 6.80	1.232 0.670 - 1.772	5.72	5.47	98
22+22+35	1.48	1.48	2.35	5.30 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
22+22+42	1.36	1.36	2.59 *	5.30 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
22+22+50	1.24	1.24	2.82 *	5.30 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
22+25+25	1.63	1.86	1.86	5.35 2.90 - 6.80	1.202 0.670 - 1.772	5.57	5.33	98
22+25+35	1.44	1.63	2.28	5.35 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
22+25+42	1.32	1.50	2.52 *	5.35 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98

MXZ-3F54VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
22+25+50	1.21	1.38	2.76 *	5.35 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
22+35+35	1.28	2.04	2.04	5.35 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
22+35+42	1.19	1.89	2.27 *	5.35 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
25+25+25	1.80	1.80	1.80	5.40 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
25+25+35	1.59	1.59	2.22	5.40 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98
25+25+42	1.47	1.47	2.47 *	5.40 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
25+25+50	1.35	1.35	2.70 *	5.40 2.90 - 6.80	1.166 0.670 - 1.766	5.41	5.17	98
25+35+35	1.42	1.99	1.99	5.40 2.90 - 6.80	1.172 0.670 - 1.772	5.44	5.20	98

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 units	
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

- MSZ-AP25VGD : Rated capacity is 1.47kW
- MSZ-AP25VGD : Rated capacity is 1.47kW
- MSZ-AP42VG : Rated capacity is 2.22kW (=2.47*0.9)

MXZ-3F54VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15	1.70	-	-	1.70 1.70 - 2.50	0.502 0.502 - 0.780	2.33	2.23	98
20	2.20	-	-	2.20 2.20 - 2.50	0.598 0.528 - 1.440	2.77	2.65	98
22	3.30	-	-	3.30 2.00 - 4.50	0.780 0.480 - 1.250	3.62	3.46	98
25	3.60	-	-	3.60 2.00 - 5.30	0.830 0.460 - 1.480	3.85	3.68	98
35	4.00	-	-	4.00 2.00 - 5.30	0.960 0.460 - 1.480	4.45	4.26	98
42	5.40	-	-	5.40 2.00 - 5.60	1.508 0.460 - 1.564	6.99	6.69	98
50	5.80	-	-	5.80 2.00 - 6.80	1.620 0.460 - 2.431	7.52	7.19	98
15+15	1.70	1.70	-	3.40 1.80 - 5.00	0.780 0.670 - 1.300	3.62	3.46	98
15+20	1.67	2.23	-	3.90 1.80 - 5.80	0.950 0.650 - 1.630	4.40	4.21	98
15+22	1.66	2.44	-	4.10 1.80 - 6.10	1.010 0.640 - 1.760	4.68	4.48	98
15+25	1.65	2.75	-	4.40 1.80 - 6.60	1.110 0.630 - 1.950	5.14	4.92	98
15+35	2.04	4.76	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
15+42	1.79	5.01	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
15+50	1.57	5.23	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
20+20	2.20	2.20	-	4.40 1.80 - 6.60	1.110 0.630 - 1.950	5.14	4.92	98
20+22	2.62	2.88	-	5.50 1.80 - 6.90	1.290 0.520 - 1.860	5.98	5.72	98
20+25	2.93	3.67	-	6.60 1.80 - 7.50	1.480 0.410 - 1.850	6.87	6.57	98
20+35	2.47	4.33	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
20+42	2.19	4.61	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
20+50	1.94	4.86	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
22+22	3.30	3.30	-	6.60 1.80 - 7.20	1.470 0.410 - 1.760	6.82	6.52	98
22+25	3.14	3.56	-	6.70 1.80 - 8.10	1.510 0.410 - 2.040	7.00	6.70	98
22+35	2.62	4.18	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
22+42	2.34	4.46	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
22+50	2.08	4.72	-	6.80 1.80 - 9.00	1.530 0.410 - 2.310	7.10	6.79	98
25+25	3.40	3.40	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
25+35	2.83	3.97	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
25+42	2.54	4.26	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
25+50	2.27	4.53	-	6.80 1.80 - 9.00	1.500 0.410 - 2.300	6.95	6.65	98
35+35	3.40	3.40	-	6.80 1.80 - 9.00	1.550 0.410 - 2.320	7.19	6.88	98
35+42	3.09	3.71	-	6.80 1.80 - 9.00	1.480 0.410 - 2.290	6.87	6.57	98
35+50	2.80	4.00	-	6.80 1.80 - 9.00	1.410 0.400 - 2.250	6.54	6.26	98
42+42	3.40	3.40	-	6.80 1.80 - 9.00	1.410 0.400 - 2.260	6.54	6.26	98
42+50	3.10	3.70	-	6.80 1.90 - 9.00	1.380 0.380 - 2.170	6.40	6.12	98
50+50	3.40	3.40	-	6.80 1.90 - 9.00	1.340 0.360 - 2.080	6.21	5.94	98
15+15+15	1.70	1.70	1.70	5.10 2.60 - 7.90	1.129 0.710 - 2.409	5.24	5.01	98
15+15+20	1.65	1.65	2.20	5.50 2.60 - 7.90	1.297 0.700 - 2.377	6.01	5.75	98
15+15+22	1.66	1.66	2.43	5.75 2.60 - 7.90	1.350 0.700 - 2.360	6.26	5.99	98

MXZ-3F54VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
15+15+25	1.64	1.64	2.73	6.00 2.60 - 8.00	1.450 0.690 - 2.350	6.72	6.43	98
15+15+35	1.55	1.55	3.61	6.70 2.60 - 8.80	1.520 0.530 - 2.130	7.05	6.74	98
15+15+42	1.42	1.42	3.97	6.80 2.60 - 9.00	1.404 0.500 - 2.094	6.51	6.23	98
15+15+50	1.28	1.28	4.25	6.80 2.60 - 9.00	1.364 0.500 - 2.094	6.33	6.05	98
15+20+20	1.61	2.15	2.15	5.90 2.60 - 8.00	1.455 0.690 - 2.355	6.75	6.46	98
15+20+22	1.62	2.16	2.37	6.15 2.60 - 8.00	1.518 0.690 - 2.328	7.04	6.73	98
15+20+25	1.60	2.13	2.67	6.40 2.60 - 8.00	1.618 0.680 - 2.318	7.51	7.18	98
15+20+35	1.46	1.94	3.40	6.80 2.60 - 9.00	1.438 0.500 - 2.098	6.67	6.38	98
15+20+42	1.32	1.77	3.71	6.80 2.60 - 9.00	1.362 0.500 - 2.092	6.31	6.04	98
15+20+50	1.20	1.60	4.00	6.80 2.60 - 9.00	1.362 0.500 - 2.092	6.31	6.04	98
15+22+22	1.60	2.35	2.35	6.30 2.60 - 8.00	1.581 0.680 - 2.311	7.33	7.01	98
15+22+25	1.58	2.32	2.64	6.55 2.60 - 8.30	1.571 0.620 - 2.231	7.29	6.97	98
15+22+35	1.43	2.09	3.33	6.85 2.60 - 9.00	1.401 0.500 - 2.091	6.50	6.22	98
15+22+42	1.30	1.91	3.64	6.85 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+22+50	1.18	1.73	3.94	6.85 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+25+25	1.57	2.62	2.62	6.80 2.60 - 8.80	1.511 0.530 - 2.121	7.00	6.70	98
15+25+35	1.38	2.30	3.22	6.90 2.60 - 9.00	1.361 0.500 - 2.091	6.31	6.04	98
15+25+42	1.26	2.10	3.53	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+25+50	1.15	1.92	3.83	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+35+35	1.22	2.84	2.84	6.90 2.60 - 9.00	1.361 0.500 - 2.091	6.31	6.04	98
15+35+42	1.13	2.63	3.15	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+35+50	1.04	2.42	3.45	6.90 2.60 - 9.00	1.355 0.500 - 2.085	6.28	6.01	98
15+42+42	1.05	2.93	2.93	6.90 2.60 - 9.00	1.349 0.500 - 2.079	6.25	5.98	98
20+20+20	2.10	2.10	2.10	6.30 2.60 - 8.00	1.623 0.680 - 2.323	7.53	7.20	98
20+20+22	2.08	2.08	2.29	6.45 2.60 - 8.30	1.576 0.620 - 2.236	7.31	6.99	98
20+20+25	2.06	2.06	2.58	6.70 2.60 - 8.80	1.516 0.530 - 2.126	7.04	6.73	98
20+20+35	1.81	1.81	3.17	6.80 2.60 - 9.00	1.366 0.500 - 2.096	6.34	6.06	98
20+20+42	1.66	1.66	3.48	6.80 2.60 - 9.00	1.360 0.500 - 2.090	6.30	6.03	98
20+20+50	1.51	1.51	3.78	6.80 2.60 - 9.00	1.360 0.500 - 2.090	6.30	6.03	98
20+22+22	2.09	2.30	2.30	6.70 2.60 - 8.70	1.529 0.560 - 2.159	7.09	6.78	98
20+22+25	2.04	2.25	2.56	6.85 2.60 - 9.00	1.469 0.500 - 2.089	6.82	6.52	98
20+22+35	1.78	1.96	3.11	6.85 2.60 - 9.00	1.359 0.500 - 2.089	6.30	6.03	98
20+22+42	1.63	1.79	3.43	6.85 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+22+50	1.49	1.64	3.72	6.85 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+25+25	1.97	2.46	2.46	6.90 2.60 - 9.00	1.429 0.500 - 2.089	6.63	6.34	98
20+25+35	1.73	2.16	3.02	6.90 2.60 - 9.00	1.359 0.500 - 2.089	6.30	6.03	98
20+25+42	1.59	1.98	3.33	6.90 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+25+50	1.45	1.82	3.63	6.90 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
20+35+35	1.53	2.68	2.68	6.90 2.60 - 9.00	1.359 0.500 - 2.089	6.30	6.03	98
20+35+42	1.42	2.49	2.99	6.90 2.60 - 9.00	1.353 0.500 - 2.083	6.27	6.00	98
22+22+22	2.28	2.28	2.28	6.85 2.60 - 9.00	1.482 0.500 - 2.082	6.87	6.57	98
22+22+25	2.20	2.20	2.50	6.90 2.60 - 9.00	1.432 0.500 - 2.082	6.64	6.35	98
22+22+35	1.92	1.92	3.06	6.90 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98

MXZ-3F54VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C			220	230	
22+22+42	1.77	1.77	3.37	6.90 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+22+50	1.61	1.61	3.67	6.90 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+25+25	2.12	2.41	2.41	6.95 2.60 - 9.00	1.392 0.500 - 2.082	6.46	6.18	98
22+25+35	1.86	2.12	2.97	6.95 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
22+25+42	1.72	1.95	3.28	6.95 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+25+50	1.58	1.79	3.58	6.95 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
22+35+35	1.66	2.64	2.64	6.95 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
22+35+42	1.54	2.46	2.95	6.95 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
25+25+25	2.33	2.33	2.33	7.00 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
25+25+35	2.06	2.06	2.88	7.00 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98
25+25+42	1.90	1.90	3.20	7.00 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
25+25+50	1.75	1.75	3.50	7.00 2.60 - 9.00	1.346 0.500 - 2.076	6.24	5.97	98
25+35+35	1.84	2.58	2.58	7.00 2.60 - 9.00	1.352 0.500 - 2.082	6.27	6.00	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15	1.50	-	-	-	1.50 1.50 - 2.80	0.460 0.460 - 0.700	2.13	2.04	98
20	2.00	-	-	-	2.00 1.60 - 2.80	0.520 0.460 - 0.870	2.42	2.31	98
22	2.20	-	-	-	2.20 1.60 - 3.80	0.520 0.460 - 0.700	2.42	2.31	98
25	2.50	-	-	-	2.50 1.80 - 3.80	0.810 0.520 - 0.870	3.75	3.59	98
35	3.50	-	-	-	3.50 1.80 - 5.20	0.810 0.520 - 1.500	3.75	3.59	98
42	4.20	-	-	-	4.20 1.80 - 5.00	1.030 0.520 - 1.590	4.78	4.57	98
50	5.00	-	-	-	5.00 1.80 - 5.60	1.350 0.520 - 1.780	6.26	5.99	98
60	6.00	-	-	-	6.00 1.90 - 6.60	1.730 0.450 - 2.490	8.03	7.68	98
15+15	1.50	1.50	-	-	3.00 2.00 - 5.40	0.770 0.540 - 1.800	3.58	3.42	98
15+22	1.50	2.20	-	-	3.70 2.00 - 5.40	0.980 0.650 - 1.800	4.55	4.35	98
15+25	1.50	2.50	-	-	4.00 2.00 - 5.40	1.070 0.700 - 1.800	4.97	4.75	98
15+35	1.50	3.50	-	-	5.00 2.00 - 6.20	1.400 0.540 - 1.980	6.49	6.21	98
15+42	1.45	4.05	-	-	5.50 2.00 - 6.40	1.580 0.540 - 2.220	7.33	7.01	98
15+50	1.41	4.69	-	-	6.10 2.00 - 6.70	1.790 0.540 - 2.490	8.30	7.94	98
15+60	1.30	5.20	-	-	6.50 2.00 - 7.00	2.000 0.540 - 2.720	9.27	8.87	98
20+20	2.00	2.00	-	-	4.00 2.00 - 5.40	1.070 0.700 - 1.800	4.97	4.75	98
20+22	2.00	2.20	-	-	4.20 2.00 - 5.40	1.120 0.620 - 1.720	5.20	4.97	98
20+25	2.00	2.50	-	-	4.50 2.00 - 5.50	1.200 0.540 - 1.700	5.56	5.32	98
20+35	1.96	3.44	-	-	5.40 2.00 - 6.40	1.530 0.540 - 2.150	7.10	6.79	98
20+42	1.87	3.93	-	-	5.80 2.00 - 6.60	1.710 0.540 - 2.390	7.94	7.59	98
20+50	1.83	4.57	-	-	6.40 2.00 - 6.90	1.920 0.540 - 2.660	8.91	8.52	98
20+60	1.68	5.03	-	-	6.70 2.00 - 7.00	2.070 0.540 - 2.780	9.60	9.18	98
22+22	2.20	2.20	-	-	4.40 2.00 - 5.40	1.170 0.540 - 1.640	5.43	5.19	98
22+25	2.20	2.50	-	-	4.70 2.00 - 5.80	1.280 0.540 - 1.810	5.94	5.68	98
22+35	2.12	3.38	-	-	5.50 2.00 - 6.40	1.580 0.540 - 2.220	7.33	7.01	98
22+42	2.06	3.94	-	-	6.00 2.00 - 6.70	1.760 0.540 - 2.450	8.17	7.81	98
22+50	1.99	4.51	-	-	6.50 2.00 - 6.90	1.950 0.540 - 2.680	9.04	8.65	98
22+60	1.80	4.90	-	-	6.70 2.00 - 7.10	2.110 0.540 - 2.810	9.79	9.36	98
25+25	2.50	2.50	-	-	5.00 2.00 - 6.20	1.400 0.540 - 1.980	6.49	6.21	98
25+35	2.38	3.33	-	-	5.70 2.00 - 6.60	1.660 0.540 - 2.320	7.69	7.36	98
25+42	2.31	3.89	-	-	6.20 2.00 - 6.80	1.840 0.540 - 2.550	8.53	8.16	98
25+50	2.17	4.33	-	-	6.50 2.00 - 7.00	2.000 0.540 - 2.720	9.27	8.87	98
25+60	2.00	4.80	-	-	6.80 2.00 - 7.10	2.130 0.540 - 2.830	9.88	9.45	98
35+35	3.20	3.20	-	-	6.40 2.00 - 6.90	1.920 0.540 - 2.660	8.91	8.52	98
35+42	3.00	3.60	-	-	6.60 2.00 - 7.00	2.030 0.540 - 2.740	9.42	9.01	98
35+50	2.80	4.00	-	-	6.80 2.00 - 7.10	2.130 0.540 - 2.830	9.88	9.45	98
35+60	2.51	4.29	-	-	6.80 2.10 - 7.10	2.060 0.550 - 2.850	9.56	9.14	98
42+42	3.40	3.40	-	-	6.80 2.00 - 7.10	2.140 0.540 - 2.830	9.92	9.49	98
42+50	3.10	3.70	-	-	6.80 2.10 - 7.10	2.080 0.550 - 2.850	9.65	9.23	98
42+60	2.80	4.00	-	-	6.80 2.10 - 7.10	2.000 0.560 - 2.870	9.27	8.87	98
50+50	3.40	3.40	-	-	6.80 2.10 - 7.10	2.020 0.560 - 2.860	9.37	8.96	98
50+60	3.09	3.71	-	-	6.80 2.10 - 7.10	1.940 0.570 - 2.890	9.00	8.61	98
60+60	3.40	3.40	-	-	6.80 2.10 - 7.10	1.860 0.580 - 2.920	8.63	8.25	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 7.30	0.940 0.780 - 2.310	4.36	4.17	98
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.70	1.240 0.780 - 3.050	5.75	5.50	98
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 7.80	1.370 0.770 - 3.370	6.36	6.08	98
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.510 0.690 - 3.060	7.00	6.70	98
15+15+42	1.44	1.44	4.03 *	-	6.90 2.90 - 8.40	1.720 0.670 - 2.630	7.98	7.63	98
15+15+50	1.33	1.33	4.44 *	-	7.10 2.90 - 8.50	1.800 0.670 - 2.500	8.35	7.99	98
15+15+60	1.18	1.18	4.73	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 7.80	1.370 0.770 - 3.370	6.36	6.08	98
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 7.90	1.450 0.770 - 3.580	6.72	6.43	98
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.580 0.770 - 3.900	7.33	7.01	98
15+20+35	1.46	1.94	3.40	-	6.80 2.90 - 8.30	1.640 0.670 - 2.720	7.61	7.28	98
15+20+42	1.38	1.84	3.87 *	-	7.10 2.90 - 8.50	1.820 0.670 - 2.500	8.44	8.07	98
15+20+50	1.25	1.67	4.18 *	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98
15+20+60	1.12	1.49	4.48	-	7.10 2.90 - 8.50	1.700 0.670 - 2.480	7.88	7.54	98
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.00	1.540 0.770 - 3.790	7.14	6.83	98
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.550 0.740 - 3.560	7.19	6.88	98
15+22+35	1.44	2.11	3.35	-	6.90 2.90 - 8.40	1.720 0.670 - 2.630	7.98	7.63	98
15+22+42	1.35	1.98	3.77 *	-	7.10 2.90 - 8.50	1.810 0.670 - 2.500	8.40	8.03	98
15+22+50	1.22	1.80	4.08 *	-	7.10 2.90 - 8.50	1.760 0.670 - 2.490	8.17	7.81	98
15+22+60	1.10	1.61	4.39	-	7.10 2.90 - 8.50	1.690 0.670 - 2.480	7.84	7.50	98
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.510 0.690 - 3.060	7.00	6.70	98
15+25+35	1.42	2.37	3.31	-	7.10 2.90 - 8.50	1.830 0.670 - 2.500	8.49	8.12	98
15+25+42	1.30	2.16	3.64 *	-	7.10 2.90 - 8.50	1.790 0.670 - 2.490	8.30	7.94	98
15+25+50	1.18	1.97	3.94 *	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
15+25+60	1.07	1.78	4.26	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
15+35+35	1.25	2.92	2.92	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98
15+35+42	1.16	2.70	3.24 *	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
15+35+50	1.07	2.49	3.55 *	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
15+35+60	0.97	2.26	3.87	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+42+42	1.08	3.01	3.01 *	-	7.10 2.90 - 8.50	1.680 0.670 - 2.480	7.79	7.45	98
15+42+50	1.00	2.79	3.32 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+42+60	0.91	2.55	3.64	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+50+50	0.93	3.09	3.09 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+50+60	0.85	2.84	3.41	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.580 0.770 - 3.900	7.33	7.01	98
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.550 0.740 - 3.560	7.19	6.88	98
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.510 0.690 - 3.060	7.00	6.70	98
20+20+35	1.89	1.89	3.31	-	7.10 2.90 - 8.50	1.830 0.670 - 2.500	8.49	8.12	98
20+20+42	1.73	1.73	3.64 *	-	7.10 2.90 - 8.50	1.790 0.670 - 2.490	8.30	7.94	98
20+20+50	1.58	1.58	3.94 *	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
20+20+60	1.42	1.42	4.26	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
20+22+35	1.84	2.03	3.23	-	7.10 2.90 - 8.50	1.820 0.670 - 2.500	8.44	8.07	98
20+22+42	1.69	1.86	3.55 *	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+22+50	1.54	1.70	3.86 *	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
20+22+60	1.39	1.53	4.18	-	7.10 2.90 - 8.50	1.660 0.670 - 2.470	7.69	7.36	98
20+25+25	1.94	2.43	2.43	-	6.80 2.90 - 8.30	1.640 0.670 - 2.720	7.61	7.28	98
20+25+35	1.78	2.22	3.11	-	7.10 2.90 - 8.50	1.800 0.670 - 2.500	8.35	7.99	98
20+25+42	1.63	2.04	3.43 *	-	7.10 2.90 - 8.50	1.760 0.670 - 2.490	8.17	7.81	98
20+25+50	1.49	1.87	3.74 *	-	7.10 2.90 - 8.50	1.700 0.670 - 2.480	7.88	7.54	98
20+25+60	1.35	1.69	4.06	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+35+35	1.58	2.76	2.76	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
20+35+42	1.46	2.56	3.07 *	-	7.10 2.90 - 8.50	1.690 0.670 - 2.480	7.84	7.50	98
20+35+50	1.35	2.37	3.38 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+35+60	1.23	2.16	3.70	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+42+42	1.37	2.87	2.87 *	-	7.10 2.90 - 8.50	1.650 0.670 - 2.470	7.65	7.32	98
20+42+50	1.27	2.66	3.17 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+42+60	1.16	2.44	3.49	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
20+50+50	1.18	2.96	2.96 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.490 0.670 - 2.890	6.91	6.61	98
22+22+25	2.17	2.17	2.46	-	6.80 2.90 - 8.20	1.610 0.670 - 2.760	7.46	7.14	98
22+22+35	1.98	1.98	3.15	-	7.10 2.90 - 8.50	1.810 0.670 - 2.500	8.40	8.03	98
22+22+42	1.82	1.82	3.47 *	-	7.10 2.90 - 8.50	1.760 0.670 - 2.490	8.17	7.81	98
22+22+50	1.66	1.66	3.78 *	-	7.10 2.90 - 8.50	1.710 0.670 - 2.480	7.94	7.59	98
22+22+60	1.50	1.50	4.10	-	7.10 2.90 - 8.50	1.650 0.670 - 2.470	7.65	7.32	98
22+25+25	2.11	2.40	2.40	-	6.90 2.90 - 8.40	1.720 0.670 - 2.630	7.98	7.63	98
22+25+35	1.90	2.16	3.03	-	7.10 2.90 - 8.50	1.790 0.670 - 2.490	8.30	7.94	98
22+25+42	1.76	1.99	3.35 *	-	7.10 2.90 - 8.50	1.740 0.670 - 2.490	8.07	7.72	98
22+25+50	1.61	1.83	3.66 *	-	7.10 2.90 - 8.50	1.690 0.670 - 2.480	7.84	7.50	98
22+25+60	1.46	1.66	3.98	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+35+35	1.70	2.70	2.70	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
22+35+42	1.58	2.51	3.01 *	-	7.10 2.90 - 8.50	1.680 0.670 - 2.480	7.79	7.45	98
22+35+50	1.46	2.32	3.32 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+35+60	1.34	2.12	3.64	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+42+60	1.26	2.40	3.44	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
22+50+50	1.28	2.91	2.91 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+25+25	2.37	2.37	2.37	-	7.10 2.90 - 8.50	1.830 0.670 - 2.500	8.49	8.12	98
25+25+35	2.09	2.09	2.92	-	7.10 2.90 - 8.50	1.770 0.670 - 2.490	8.21	7.85	98
25+25+42	1.93	1.93	3.24 *	-	7.10 2.90 - 8.50	1.720 0.670 - 2.480	7.98	7.63	98
25+25+50	1.78	1.78	3.55 *	-	7.10 2.90 - 8.50	1.670 0.670 - 2.480	7.75	7.41	98
25+25+60	1.61	1.61	3.87	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+35+35	1.87	2.62	2.62	-	7.10 2.90 - 8.50	1.700 0.670 - 2.480	7.88	7.54	98
25+35+42	1.74	2.44	2.92 *	-	7.10 2.90 - 8.50	1.660 0.670 - 2.470	7.69	7.36	98
25+35+50	1.61	2.26	3.23 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+35+60	1.48	2.07	3.55	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+42+42	1.63	2.74	2.74 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
25+42+50	1.52	2.55	3.03 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
25+50+50	1.42	2.84	2.84 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+35+35	2.37	2.37	2.37	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+35+42	2.22	2.22	2.66 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+35+50	2.07	2.07	2.96 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
35+42+42	2.09	2.51	2.51 *	-	7.10 2.90 - 8.50	1.640 0.670 - 2.470	7.61	7.28	98
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 8.00	1.732 0.800 - 3.192	8.03	7.68	98
15+15+15+20	1.41	1.41	1.41	1.88	6.10 3.70 - 8.10	1.810 0.800 - 3.190	8.40	8.03	98
15+15+15+22	1.40	1.40	1.40	2.05	6.25 3.70 - 8.20	1.833 0.800 - 3.193	8.50	8.13	98
15+15+15+25	1.37	1.37	1.37	2.29	6.40 3.70 - 8.30	1.883 0.800 - 3.193	8.73	8.35	98
15+15+15+35	1.24	1.24	1.24	2.89	6.60 3.70 - 8.60	2.033 0.800 - 3.203	9.43	9.02	98
15+15+15+42	1.17	1.17	1.17	3.28 *	6.80 3.70 - 8.80	2.137 0.800 - 3.207	9.91	9.48	98
15+15+15+50	1.07	1.07	1.07	3.58 *	6.80 3.70 - 8.80	1.887 0.800 - 3.207	8.75	8.37	98
15+15+15+60	0.97	0.97	0.97	3.89	6.80 3.70 - 8.80	1.690 0.800 - 3.190	7.84	7.50	98
15+15+20+20	1.35	1.35	1.80	1.80	6.30 3.70 - 8.30	1.888 0.800 - 3.198	8.76	8.38	98
15+15+20+22	1.32	1.32	1.76	1.94	6.35 3.70 - 8.30	1.911 0.800 - 3.191	8.87	8.48	98
15+15+20+25	1.30	1.30	1.73	2.17	6.50 3.70 - 8.40	1.951 0.800 - 3.201	9.05	8.66	98
15+15+20+35	1.18	1.18	1.58	2.76	6.70 3.70 - 8.70	2.111 0.800 - 3.211	9.80	9.37	98
15+15+20+42	1.11	1.11	1.48	3.10 *	6.80 3.70 - 8.80	1.995 0.800 - 3.205	9.25	8.85	98
15+15+20+50	1.02	1.02	1.36	3.40 *	6.80 3.70 - 8.80	1.705 0.800 - 3.205	7.90	7.56	98
15+15+20+60	0.93	0.93	1.24	3.71	6.80 3.70 - 8.80	1.688 0.800 - 3.188	7.83	7.49	98
15+15+22+22	1.32	1.32	1.93	1.93	6.50 3.70 - 8.40	1.934 0.800 - 3.194	8.97	8.58	98
15+15+22+25	1.28	1.28	1.87	2.13	6.55 3.70 - 8.50	1.974 0.800 - 3.194	9.16	8.76	98
15+15+22+35	1.18	1.18	1.73	2.76	6.85 3.70 - 8.80	2.134 0.800 - 3.204	9.90	9.47	98
15+15+22+42	1.09	1.09	1.60	3.06 *	6.85 3.70 - 8.80	1.918 0.800 - 3.198	8.90	8.51	98
15+15+22+50	1.01	1.01	1.48	3.36 *	6.85 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+22+60	0.92	0.92	1.35	3.67	6.85 3.70 - 8.80	1.681 0.800 - 3.181	7.80	7.46	98
15+15+25+25	1.26	1.26	2.09	2.09	6.70 3.70 - 8.60	2.024 0.800 - 3.194	9.39	8.98	98
15+15+25+35	1.15	1.15	1.92	2.68	6.90 3.70 - 8.80	2.074 0.800 - 3.204	9.62	9.20	98
15+15+25+42	1.07	1.07	1.78	2.99 *	6.90 3.70 - 8.80	1.808 0.800 - 3.198	8.38	8.02	98
15+15+25+50	0.99	0.99	1.64	3.29 *	6.90 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+25+60	0.90	0.90	1.50	3.60	6.90 3.70 - 8.80	1.681 0.800 - 3.181	7.80	7.46	98
15+15+35+35	1.04	1.04	2.42	2.42	6.90 3.70 - 8.80	1.704 0.800 - 3.204	7.90	7.56	98
15+15+35+42	0.97	0.97	2.26	2.71 *	6.90 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+35+50	0.90	0.90	2.10	3.00 *	6.90 3.70 - 8.80	1.698 0.800 - 3.198	7.87	7.53	98
15+15+35+60	0.83	0.83	1.93	3.31	6.90 3.70 - 8.80	1.681 0.800 - 3.181	7.80	7.46	98
15+15+42+42	0.91	0.91	2.54 *	2.54 *	6.90 3.70 - 8.80	1.692 0.800 - 3.192	7.85	7.51	98
15+15+42+50	0.85	0.85	2.38 *	2.83 *	6.90 3.70 - 8.80	1.692 0.800 - 3.192	7.85	7.51	98
15+20+20+20	1.28	1.71	1.71	1.71	6.40 3.70 - 8.40	1.956 0.800 - 3.206	9.07	8.68	98
15+20+20+22	1.26	1.68	1.68	1.84	6.45 3.70 - 8.50	1.979 0.800 - 3.199	9.18	8.78	98
15+20+20+25	1.24	1.65	1.65	2.06	6.60 3.70 - 8.60	2.029 0.800 - 3.199	9.41	9.00	98
15+20+20+35	1.13	1.51	1.51	2.64	6.80 3.70 - 8.80	2.079 0.800 - 3.209	9.64	9.22	98
15+20+20+42	1.05	1.40	1.40	2.94 *	6.80 3.70 - 8.80	1.813 0.800 - 3.203	8.41	8.04	98
15+20+20+50	0.97	1.30	1.30	3.24 *	6.80 3.70 - 8.80	1.703 0.800 - 3.203	7.90	7.56	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15+20+20+60	0.89	1.18	1.18	3.55	6.80 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
15+20+22+22	1.25	1.67	1.84	1.84	6.60 3.70 - 8.50	2.002 0.800 - 3.192	9.28	8.88	98
15+20+22+25	1.23	1.65	1.81	2.06	6.75 3.70 - 8.60	2.052 0.800 - 3.202	9.51	9.10	98
15+20+22+35	1.12	1.49	1.64	2.61	6.85 3.70 - 8.80	1.992 0.800 - 3.202	9.24	8.84	98
15+20+22+42	1.04	1.38	1.52	2.91 *	6.85 3.70 - 8.80	1.736 0.800 - 3.196	8.05	7.70	98
15+20+22+50	0.96	1.28	1.41	3.20 *	6.85 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+22+60	0.88	1.17	1.29	3.51	6.85 3.70 - 8.80	1.679 0.800 - 3.179	7.79	7.45	98
15+20+25+25	1.20	1.60	2.00	2.00	6.80 3.70 - 8.70	2.102 0.800 - 3.202	9.75	9.33	98
15+20+25+35	1.09	1.45	1.82	2.54	6.90 3.70 - 8.80	1.882 0.800 - 3.202	8.73	8.35	98
15+20+25+42	1.01	1.35	1.69	2.84 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+25+50	0.94	1.25	1.57	3.14 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+25+60	0.86	1.15	1.44	3.45	6.90 3.70 - 8.80	1.679 0.800 - 3.179	7.79	7.45	98
15+20+35+35	0.99	1.31	2.30	2.30	6.90 3.70 - 8.80	1.702 0.800 - 3.202	7.89	7.55	98
15+20+35+42	0.92	1.23	2.16	2.59 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+35+50	0.86	1.15	2.01	2.88 *	6.90 3.70 - 8.80	1.696 0.800 - 3.196	7.86	7.52	98
15+20+42+42	0.87	1.16	2.44 *	2.44 *	6.90 3.70 - 8.80	1.690 0.800 - 3.190	7.84	7.50	98
15+22+22+22	1.23	1.81	1.81	1.81	6.65 3.70 - 8.60	2.025 0.800 - 3.195	9.39	8.98	98
15+22+22+25	1.21	1.78	1.78	2.02	6.80 3.70 - 8.70	2.075 0.800 - 3.195	9.63	9.21	98
15+22+22+35	1.10	1.61	1.61	2.57	6.90 3.70 - 8.80	1.915 0.800 - 3.195	8.89	8.50	98
15+22+22+42	1.02	1.50	1.50	2.87 *	6.90 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+22+50	0.95	1.39	1.39	3.17 *	6.90 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+22+60	0.87	1.28	1.28	3.48	6.90 3.70 - 8.80	1.672 0.800 - 3.172	7.76	7.42	98
15+22+25+25	1.20	1.76	2.00	2.00	6.95 3.70 - 8.80	2.125 0.800 - 3.195	9.86	9.43	98
15+22+25+35	1.07	1.58	1.79	2.51	6.95 3.70 - 8.80	1.805 0.800 - 3.195	8.37	8.01	98
15+22+25+42	1.00	1.47	1.67	2.81 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+25+50	0.93	1.37	1.55	3.10 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+25+60	0.85	1.25	1.42	3.42	6.95 3.70 - 8.80	1.672 0.800 - 3.172	7.76	7.42	98
15+22+35+35	0.97	1.43	2.27	2.27	6.95 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
15+22+35+42	0.91	1.34	2.13	2.56 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+35+50	0.85	1.25	1.99	2.85 *	6.95 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+22+42+42	0.86	1.26	2.41 *	2.41 *	6.95 3.70 - 8.80	1.683 0.800 - 3.183	7.81	7.47	98
15+25+25+25	1.17	1.94	1.94	1.94	7.00 3.70 - 8.80	2.065 0.800 - 3.195	9.58	9.16	98
15+25+25+35	1.05	1.75	1.75	2.45	7.00 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
15+25+25+42	0.98	1.64	1.64	2.75 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+25+50	0.91	1.52	1.52	3.04 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+25+60	0.84	1.40	1.40	3.36	7.00 3.70 - 8.80	1.672 0.800 - 3.172	7.76	7.42	98
15+25+35+35	0.95	1.59	2.23	2.23	7.00 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
15+25+35+42	0.90	1.50	2.09	2.51 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+35+50	0.84	1.40	1.96	2.80 *	7.00 3.70 - 8.80	1.689 0.800 - 3.189	7.83	7.49	98
15+25+42+42	0.85	1.41	2.37 *	2.37 *	7.00 3.70 - 8.80	1.683 0.800 - 3.183	7.81	7.47	98
15+35+35+35	0.88	2.04	2.04	2.04	7.00 3.70 - 8.80	1.695 0.800 - 3.195	7.86	7.52	98
20+20+20+20	1.63	1.63	1.63	1.63	6.50 3.70 - 8.60	2.034 0.800 - 3.204	9.43	9.02	98
20+20+20+22	1.62	1.62	1.62	1.78	6.65 3.70 - 8.60	2.057 0.800 - 3.207	9.55	9.13	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+20+20+25	1.58	1.58	1.58	1.97	6.70 3.70 - 8.70	2.107 0.800 - 3.207	9.78	9.35	98
20+20+20+35	1.43	1.43	1.43	2.51	6.80 3.70 - 8.80	1.887 0.800 - 3.207	8.75	8.37	98
20+20+20+42	1.33	1.33	1.33	2.80 *	6.80 3.70 - 8.80	1.701 0.800 - 3.201	7.89	7.55	98
20+20+20+50	1.24	1.24	1.24	3.09 *	6.80 3.70 - 8.80	1.701 0.800 - 3.201	7.89	7.55	98
20+20+20+60	1.13	1.13	1.13	3.40	6.80 3.70 - 8.80	1.684 0.800 - 3.184	7.81	7.47	98
20+20+22+22	1.60	1.60	1.75	1.75	6.70 3.70 - 8.70	2.080 0.800 - 3.200	9.65	9.23	98
20+20+22+25	1.57	1.57	1.73	1.97	6.85 3.70 - 8.80	2.130 0.800 - 3.200	9.88	9.45	98
20+20+22+35	1.41	1.41	1.55	2.47	6.85 3.70 - 8.80	1.810 0.800 - 3.200	8.40	8.03	98
20+20+22+42	1.32	1.32	1.45	2.77 *	6.85 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+22+50	1.22	1.22	1.35	3.06 *	6.85 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+22+60	1.12	1.12	1.24	3.37	6.85 3.70 - 8.80	1.677 0.800 - 3.177	7.78	7.44	98
20+20+25+25	1.53	1.53	1.92	1.92	6.90 3.70 - 8.80	2.070 0.800 - 3.200	9.60	9.18	98
20+20+25+35	1.38	1.38	1.73	2.42	6.90 3.70 - 8.80	1.700 0.800 - 3.200	7.88	7.54	98
20+20+25+42	1.29	1.29	1.61	2.71 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+25+50	1.20	1.20	1.50	3.00 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+25+60	1.10	1.10	1.38	3.31	6.90 3.70 - 8.80	1.677 0.800 - 3.177	7.78	7.44	98
20+20+35+35	1.25	1.25	2.20	2.20	6.90 3.70 - 8.80	1.700 0.800 - 3.200	7.88	7.54	98
20+20+35+42	1.18	1.18	2.06	2.48 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+35+50	1.10	1.10	1.93	2.76 *	6.90 3.70 - 8.80	1.694 0.800 - 3.194	7.86	7.52	98
20+20+42+42	1.11	1.11	2.34 *	2.34 *	6.90 3.70 - 8.80	1.688 0.800 - 3.188	7.83	7.49	98
20+22+22+22	1.59	1.75	1.75	1.75	6.85 3.70 - 8.70	2.103 0.800 - 3.193	9.75	9.33	98
20+22+22+25	1.55	1.71	1.71	1.94	6.90 3.70 - 8.80	2.103 0.800 - 3.193	9.75	9.33	98
20+22+22+35	1.39	1.53	1.53	2.44	6.90 3.70 - 8.80	1.733 0.800 - 3.193	8.04	7.69	98
20+22+22+42	1.30	1.43	1.43	2.73 *	6.90 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+22+50	1.21	1.33	1.33	3.03 *	6.90 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+22+60	1.11	1.22	1.22	3.34	6.90 3.70 - 8.80	1.670 0.800 - 3.170	7.75	7.41	98
20+22+25+25	1.51	1.66	1.89	1.89	6.95 3.70 - 8.80	1.983 0.800 - 3.193	9.20	8.80	98
20+22+25+35	1.36	1.50	1.70	2.38	6.95 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+22+25+42	1.28	1.40	1.59	2.68 *	6.95 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+25+50	1.19	1.31	1.49	2.97 *	6.95 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+22+35+35	1.24	1.37	2.17	2.17	6.95 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+22+35+42	1.17	1.28	2.04	2.45 *	6.95 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+25+25+25	1.47	1.84	1.84	1.84	7.00 3.70 - 8.80	1.873 0.800 - 3.193	8.69	8.31	98
20+25+25+35	1.33	1.67	1.67	2.33	7.00 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+25+25+42	1.25	1.56	1.56	2.63 *	7.00 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+25+25+50	1.17	1.46	1.46	2.92 *	7.00 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+25+35+35	1.22	1.52	2.13	2.13	7.00 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
20+25+35+42	1.15	1.43	2.01	2.41 *	7.00 3.70 - 8.80	1.687 0.800 - 3.187	7.82	7.48	98
20+35+35+35	1.12	1.96	1.96	1.96	7.00 3.70 - 8.80	1.693 0.800 - 3.193	7.85	7.51	98
22+22+22+22	1.73	1.73	1.73	1.73	6.90 3.70 - 8.80	2.126 0.800 - 3.186	9.86	9.43	98
22+22+22+25	1.68	1.68	1.68	1.91	6.95 3.70 - 8.80	2.016 0.800 - 3.186	9.35	8.94	98
22+22+22+35	1.51	1.51	1.51	2.41	6.95 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+22+22+42	1.42	1.42	1.42	2.70 *	6.95 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98

MXZ-4F71VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
22+22+22+50	1.32	1.32	1.32	3.00 *	6.95 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+22+25+25	1.64	1.64	1.86	1.86	7.00 3.70 - 8.80	1.906 0.800 - 3.186	8.84	8.46	98
22+22+25+35	1.48	1.48	1.68	2.36	7.00 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+22+25+42	1.39	1.39	1.58	2.65 *	7.00 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+22+25+50	1.29	1.29	1.47	2.94 *	7.00 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+22+35+35	1.35	1.35	2.15	2.15	7.00 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+22+35+42	1.27	1.27	2.02	2.43 *	7.00 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+25+25+25	1.60	1.82	1.82	1.82	7.05 3.70 - 8.80	1.796 0.800 - 3.186	8.33	7.97	98
22+25+25+35	1.45	1.65	1.65	2.31	7.05 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+25+25+42	1.36	1.55	1.55	2.60 *	7.05 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+25+25+50	1.27	1.44	1.44	2.89 *	7.05 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
22+25+35+35	1.33	1.51	2.11	2.11	7.05 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
22+25+35+42	1.25	1.42	1.99	2.39 *	7.05 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
25+25+25+25	1.78	1.78	1.78	1.78	7.10 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
25+25+25+35	1.61	1.61	1.61	2.26	7.10 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98
25+25+25+42	1.52	1.52	1.52	2.55 *	7.10 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
25+25+25+50	1.42	1.42	1.42	2.84 *	7.10 3.70 - 8.80	1.680 0.800 - 3.180	7.79	7.45	98
25+25+35+35	1.48	1.48	2.07	2.07	7.10 3.70 - 8.80	1.686 0.800 - 3.186	7.82	7.48	98

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

- MSZ-AP25VGD : Rated capacity is 1.93kW
- MSZ-AP25VGD : Rated capacity is 1.93kW
- MSZ-AP42VGD : Rated capacity is 2.92kW (=3.24*0.9)

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	
15	1.70	-	-	-	1.70 - 1.70 0.502 - 0.502	2.33	2.23	98
20	2.20	-	-	-	2.20 - 2.20 0.590 - 0.590	2.93	2.80	98
22	3.30	-	-	-	3.30 - 3.30 0.480 - 0.480	3.62	3.46	98
25	3.60	-	-	-	3.60 - 3.60 0.460 - 0.460	3.85	3.68	98
35	4.00	-	-	-	4.00 - 4.00 0.460 - 0.460	4.45	4.26	98
42	5.40	-	-	-	5.40 - 5.40 0.460 - 0.460	6.99	6.69	98
50	5.80	-	-	-	5.80 - 5.80 0.460 - 0.460	7.52	7.19	98
60	7.90	-	-	-	7.90 - 7.90 0.440 - 0.440	12.88	12.32	98
15+15	1.70	1.70	-	-	3.40 - 3.40 0.670 - 0.670	3.62	3.46	98
15+22	1.66	2.44	-	-	4.10 - 4.10 0.640 - 0.640	4.68	4.48	98
15+25	1.65	2.75	-	-	4.40 - 4.40 0.630 - 0.630	5.14	4.92	98
15+35	2.16	5.04	-	-	7.20 - 7.20 0.410 - 0.410	7.65	7.32	98
15+42	1.97	5.53	-	-	7.50 - 7.50 0.410 - 0.410	8.17	7.81	98
15+50	1.80	6.00	-	-	7.80 - 7.80 0.410 - 0.410	8.77	8.39	98
15+60	1.64	6.56	-	-	8.20 - 8.20 0.410 - 0.410	9.23	8.83	98
20+20	2.20	2.20	-	-	4.40 - 4.40 0.630 - 0.630	5.14	4.92	98
20+22	2.62	2.88	-	-	5.50 - 5.50 0.520 - 0.520	5.98	5.72	98
20+25	2.98	3.72	-	-	6.70 - 6.70 0.410 - 0.410	6.95	6.65	98
20+35	2.69	4.71	-	-	7.40 - 7.40 0.410 - 0.410	8.03	7.68	98
20+42	2.48	5.22	-	-	7.70 - 7.70 0.410 - 0.410	8.53	8.16	98
20+50	2.29	5.71	-	-	8.00 - 8.00 0.410 - 0.410	9.14	8.74	98
20+60	2.10	6.30	-	-	8.40 - 8.40 0.400 - 0.400	9.33	8.92	98
22+22	3.30	3.30	-	-	6.60 - 6.60 0.410 - 0.410	6.82	6.52	98
22+25	3.23	3.67	-	-	6.90 - 6.90 0.410 - 0.410	7.23	6.92	98
22+35	2.89	4.61	-	-	7.50 - 7.50 0.410 - 0.410	8.17	7.81	98
22+42	2.68	5.12	-	-	7.80 - 7.80 0.410 - 0.410	8.68	8.30	98
22+50	2.48	5.63	-	-	8.10 - 8.10 0.410 - 0.410	9.18	8.78	98
22+60	2.28	6.22	-	-	8.50 - 8.50 0.400 - 0.400	9.37	8.96	98
25+25	3.60	3.60	-	-	7.20 - 7.20 0.410 - 0.410	7.65	7.32	98
25+35	3.17	4.43	-	-	7.60 - 7.60 0.410 - 0.410	8.40	8.03	98
25+42	2.95	4.95	-	-	7.90 - 7.90 0.410 - 0.410	8.91	8.52	98
25+50	2.73	5.47	-	-	8.20 - 8.20 0.410 - 0.410	9.23	8.83	98
25+60	2.53	6.07	-	-	8.60 - 8.60 0.400 - 0.400	9.33	8.92	98
35+35	4.00	4.00	-	-	8.00 - 8.00 0.410 - 0.410	9.14	8.74	98
35+42	3.77	4.53	-	-	8.30 - 8.30 0.410 - 0.410	9.27	8.87	98
35+50	3.54	5.06	-	-	8.60 - 8.60 0.400 - 0.400	9.33	8.92	98
35+60	3.17	5.43	-	-	8.60 - 8.60 0.370 - 0.370	8.49	8.12	98
42+42	4.30	4.30	-	-	8.60 - 8.60 0.400 - 0.400	9.42	9.01	98
42+50	3.93	4.67	-	-	8.60 - 8.60 0.380 - 0.380	8.77	8.39	98
42+60	3.54	5.06	-	-	8.60 - 8.60 0.360 - 0.360	8.07	7.72	98
50+50	4.30	4.30	-	-	8.60 - 8.60 0.360 - 0.360	8.07	7.72	98
50+60	3.91	4.69	-	-	8.60 - 8.60 0.360 - 0.360	7.98	7.63	98
60+60	4.30	4.30	-	-	8.60 - 8.60 0.360 - 0.360	7.94	7.59	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+15+15	1.70	1.70	1.70	-	5.10 2.60 - 8.50	1.110 0.890 - 2.430	5.14	4.92	98
15+15+22	1.67	1.67	2.45	-	5.80 2.60 - 9.20	1.300 0.890 - 2.730	6.03	5.77	98
15+15+25	1.66	1.66	2.77	-	6.10 2.60 - 9.50	1.380 0.890 - 2.870	6.40	6.12	98
15+15+35	1.80	1.80	4.20	-	7.80 2.60 - 10.50	2.000 0.590 - 3.410	9.27	8.87	98
15+15+42	1.67	1.67	4.67	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+15+50	1.50	1.50	5.00	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
15+15+60	1.33	1.33	5.33	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
15+20+20	1.66	2.22	2.22	-	6.10 2.60 - 9.50	1.380 0.890 - 2.870	6.40	6.12	98
15+20+22	1.66	2.21	2.43	-	6.30 2.60 - 9.70	1.440 0.890 - 2.950	6.68	6.39	98
15+20+25	1.65	2.20	2.75	-	6.60 2.60 - 10.00	1.520 0.890 - 3.090	7.05	6.74	98
15+20+35	1.71	2.29	4.00	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+20+42	1.56	2.08	4.36	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
15+20+50	1.41	1.88	4.71	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
15+20+60	1.26	1.68	5.05	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
15+22+22	1.65	2.42	2.42	-	6.50 2.60 - 9.90	1.490 0.890 - 3.040	6.91	6.61	98
15+22+25	1.72	2.52	2.86	-	7.10 2.60 - 10.20	1.710 0.770 - 3.220	7.94	7.59	98
15+22+35	1.67	2.44	3.89	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+22+42	1.52	2.23	4.25	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
15+22+50	1.38	2.02	4.60	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
15+22+60	1.24	1.81	4.95	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+25+25	1.80	3.00	3.00	-	7.80 2.60 - 10.50	2.000 0.590 - 3.410	9.27	8.87	98
15+25+35	1.60	2.67	3.73	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
15+25+42	1.46	2.44	4.10	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
15+25+50	1.33	2.22	4.44	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
15+25+60	1.20	2.00	4.80	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+35+35	1.41	3.29	3.29	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
15+35+42	1.30	3.04	3.65	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
15+35+50	1.20	2.80	4.00	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+35+60	1.09	2.55	4.36	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+42+42	1.21	3.39	3.39	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
15+42+50	1.12	3.14	3.74	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+42+60	1.03	2.87	4.10	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+50+50	1.04	3.48	3.48	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+50+60	0.96	3.20	3.84	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	1.520 0.890 - 3.090	7.05	6.74	98
20+20+22	2.29	2.29	2.52	-	7.10 2.60 - 10.20	1.710 0.770 - 3.220	7.94	7.59	98
20+20+25	2.40	2.40	3.00	-	7.80 2.60 - 10.50	2.000 0.590 - 3.410	9.27	8.87	98
20+20+35	2.13	2.13	3.73	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
20+20+42	1.95	1.95	4.10	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
20+20+50	1.78	1.78	4.44	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
20+20+60	1.60	1.60	4.80	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
20+22+35	2.08	2.29	3.64	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
20+22+42	1.90	2.10	4.00	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+22+50	1.74	1.91	4.35	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
20+22+60	1.57	1.73	4.71	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+25+25	2.29	2.86	2.86	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
20+25+35	2.00	2.50	3.50	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
20+25+42	1.84	2.30	3.86	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
20+25+50	1.68	2.11	4.21	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
20+25+60	1.52	1.90	4.57	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+35+35	1.78	3.11	3.11	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
20+35+42	1.65	2.89	3.46	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
20+35+50	1.52	2.67	3.81	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+35+60	1.39	2.43	4.17	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+42+42	1.54	3.23	3.23	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+42+50	1.43	3.00	3.57	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+42+60	1.31	2.75	3.93	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
20+50+50	1.33	3.33	3.33	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+22+22	2.67	2.67	2.67	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
22+22+25	2.55	2.55	2.90	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
22+22+35	2.23	2.23	3.54	-	8.00 2.60 - 10.60	2.100 0.530 - 3.470	9.74	9.32	98
22+22+42	2.05	2.05	3.91	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
22+22+50	1.87	1.87	4.26	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
22+22+60	1.69	1.69	4.62	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+25+25	2.44	2.78	2.78	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
22+25+35	2.15	2.44	3.41	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
22+25+42	1.98	2.25	3.78	-	8.00 2.60 - 10.60	2.090 0.530 - 3.460	9.69	9.27	98
22+25+50	1.81	2.06	4.12	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
22+25+60	1.64	1.87	4.49	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+35+35	1.91	3.04	3.04	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
22+35+42	1.78	2.83	3.39	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
22+35+50	1.64	2.62	3.74	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+35+60	1.50	2.39	4.10	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+42+60	1.42	2.71	3.87	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
22+50+50	1.44	3.28	3.28	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+25+25	2.67	2.67	2.67	-	8.00 2.60 - 10.60	2.100 0.530 - 3.480	9.74	9.32	98
25+25+35	2.35	2.35	3.29	-	8.00 2.60 - 10.60	2.090 0.530 - 3.470	9.69	9.27	98
25+25+42	2.17	2.17	3.65	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
25+25+50	2.00	2.00	4.00	-	8.00 2.60 - 10.60	2.080 0.530 - 3.450	9.65	9.23	98
25+25+60	1.82	1.82	4.36	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+35+35	2.11	2.95	2.95	-	8.00 2.60 - 10.60	2.080 0.530 - 3.460	9.65	9.23	98
25+35+42	1.96	2.75	3.29	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+35+50	1.82	2.55	3.64	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+35+60	1.67	2.33	4.00	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+42+42	1.83	3.08	3.08	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
25+42+50	1.71	2.87	3.42	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
25+50+50	1.60	3.20	3.20	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+35+35	2.67	2.67	2.67	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+35+42	2.50	2.50	3.00	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+35+50	2.33	2.33	3.33	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
35+42+42	2.35	2.82	2.82	-	8.00 2.60 - 10.60	2.070 0.530 - 3.450	9.60	9.18	98
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	1.462 0.590 - 2.472	6.79	6.49	98
15+15+15+20	1.59	1.59	1.59	2.12	6.90 3.40 - 9.70	1.560 0.590 - 2.560	7.23	6.92	98
15+15+15+22	1.58	1.58	1.58	2.31	7.05 3.40 - 9.80	1.593 0.590 - 2.593	7.39	7.07	98
15+15+15+25	1.54	1.54	1.54	2.57	7.20 3.40 - 9.90	1.653 0.590 - 2.653	7.66	7.33	98
15+15+15+35	1.41	1.41	1.41	3.28	7.50 3.40 - 10.40	1.853 0.600 - 2.843	8.59	8.22	98
15+15+15+42	1.33	1.33	1.33	3.72	7.70 3.40 - 10.70	1.977 0.600 - 2.967	9.17	8.77	98
15+15+15+50	1.22	1.22	1.22	4.05	7.70 3.40 - 10.70	1.757 0.600 - 2.987	8.15	7.80	98
15+15+15+60	1.10	1.10	1.10	4.40	7.70 3.40 - 10.70	1.570 0.600 - 2.970	7.29	6.97	98
15+15+20+20	1.52	1.52	2.03	2.03	7.10 3.40 - 9.90	1.658 0.590 - 2.658	7.69	7.36	98
15+15+20+22	1.49	1.49	1.99	2.18	7.15 3.40 - 10.00	1.691 0.590 - 2.691	7.84	7.50	98
15+15+20+25	1.46	1.46	1.95	2.43	7.30 3.40 - 10.10	1.751 0.600 - 2.751	8.12	7.77	98
15+15+20+35	1.34	1.34	1.79	3.13	7.60 3.40 - 10.60	1.941 0.600 - 2.941	9.00	8.61	98
15+15+20+42	1.26	1.26	1.67	3.52	7.70 3.40 - 10.70	1.865 0.600 - 2.985	8.65	8.27	98
15+15+20+50	1.16	1.16	1.54	3.85	7.70 3.40 - 10.70	1.585 0.600 - 2.985	7.35	7.03	98
15+15+20+60	1.05	1.05	1.40	4.20	7.70 3.40 - 10.70	1.568 0.600 - 2.968	7.28	6.96	98
15+15+22+22	1.48	1.48	2.17	2.17	7.30 3.40 - 10.10	1.724 0.600 - 2.724	8.00	7.65	98
15+15+22+25	1.45	1.45	2.13	2.42	7.45 3.40 - 10.20	1.784 0.600 - 2.774	8.27	7.91	98
15+15+22+35	1.34	1.34	1.96	3.12	7.75 3.40 - 10.70	1.974 0.600 - 2.964	9.16	8.76	98
15+15+22+42	1.24	1.24	1.81	3.46	7.75 3.40 - 10.70	1.788 0.600 - 2.978	8.29	7.93	98
15+15+22+50	1.14	1.14	1.67	3.80	7.75 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+22+60	1.04	1.04	1.52	4.15	7.75 3.40 - 10.70	1.561 0.600 - 2.961	7.25	6.93	98
15+15+25+25	1.43	1.43	2.38	2.38	7.60 3.40 - 10.40	1.844 0.600 - 2.834	8.55	8.18	98
15+15+25+35	1.30	1.30	2.17	3.03	7.80 3.40 - 10.70	1.934 0.600 - 2.984	8.97	8.58	98
15+15+25+42	1.21	1.21	2.01	3.38	7.80 3.40 - 10.70	1.678 0.600 - 2.978	7.78	7.44	98
15+15+25+50	1.11	1.11	1.86	3.71	7.80 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+25+60	1.02	1.02	1.70	4.07	7.80 3.40 - 10.70	1.561 0.600 - 2.961	7.25	6.93	98
15+15+35+35	1.17	1.17	2.73	2.73	7.80 3.40 - 10.70	1.584 0.600 - 2.984	7.35	7.03	98
15+15+35+42	1.09	1.09	2.55	3.06	7.80 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+35+50	1.02	1.02	2.37	3.39	7.80 3.40 - 10.70	1.578 0.600 - 2.978	7.32	7.00	98
15+15+35+60	0.94	0.94	2.18	3.74	7.80 3.40 - 10.70	1.561 0.600 - 2.961	7.25	6.93	98
15+15+42+42	1.03	1.03	2.87	2.87	7.80 3.40 - 10.70	1.572 0.600 - 2.972	7.29	6.97	98
15+15+42+50	0.96	0.96	2.69	3.20	7.80 3.40 - 10.70	1.572 0.600 - 2.972	7.29	6.97	98
15+20+20+20	1.44	1.92	1.92	1.92	7.20 3.40 - 10.10	1.756 0.600 - 2.756	8.14	7.79	98
15+20+20+22	1.43	1.91	1.91	2.10	7.35 3.40 - 10.20	1.789 0.600 - 2.779	8.30	7.94	98
15+20+20+25	1.41	1.88	1.88	2.34	7.50 3.40 - 10.40	1.849 0.600 - 2.839	8.57	8.20	98
15+20+20+35	1.28	1.71	1.71	2.99	7.70 3.40 - 10.70	1.939 0.600 - 2.989	8.99	8.60	98
15+20+20+42	1.19	1.59	1.59	3.33	7.70 3.40 - 10.70	1.683 0.600 - 2.983	7.81	7.47	98
15+20+20+50	1.10	1.47	1.47	3.67	7.70 3.40 - 10.70	1.583 0.600 - 2.983	7.34	7.02	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
15+20+20+60	1.00	1.34	1.34	4.02	7.70 3.40 - 10.70	1.566 0.600 - 2.966	7.27	6.95	98
15+20+22+22	1.41	1.87	2.06	2.06	7.40 3.40 - 10.30	1.822 0.600 - 2.812	8.45	8.08	98
15+20+22+25	1.38	1.84	2.03	2.30	7.55 3.40 - 10.40	1.882 0.600 - 2.872	8.73	8.35	98
15+20+22+35	1.26	1.68	1.85	2.95	7.75 3.40 - 10.70	1.862 0.600 - 2.982	8.64	8.26	98
15+20+22+42	1.17	1.57	1.72	3.29	7.75 3.40 - 10.70	1.606 0.600 - 2.976	7.45	7.13	98
15+20+22+50	1.09	1.45	1.59	3.62	7.75 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+22+60	0.99	1.32	1.46	3.97	7.75 3.40 - 10.70	1.559 0.600 - 2.959	7.23	6.92	98
15+20+25+25	1.36	1.81	2.26	2.26	7.70 3.40 - 10.60	1.932 0.600 - 2.932	8.96	8.57	98
15+20+25+35	1.23	1.64	2.05	2.87	7.80 3.40 - 10.70	1.752 0.600 - 2.982	8.12	7.77	98
15+20+25+42	1.15	1.53	1.91	3.21	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+25+50	1.06	1.42	1.77	3.55	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+25+60	0.98	1.30	1.63	3.90	7.80 3.40 - 10.70	1.559 0.600 - 2.959	7.23	6.92	98
15+20+35+35	1.11	1.49	2.60	2.60	7.80 3.40 - 10.70	1.582 0.600 - 2.982	7.34	7.02	98
15+20+35+42	1.04	1.39	2.44	2.93	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+35+50	0.98	1.30	2.28	3.25	7.80 3.40 - 10.70	1.576 0.600 - 2.976	7.31	6.99	98
15+20+42+42	0.98	1.31	2.75	2.75	7.80 3.40 - 10.70	1.570 0.600 - 2.970	7.29	6.97	98
15+22+22+22	1.40	2.05	2.05	2.05	7.55 3.40 - 10.40	1.855 0.600 - 2.845	8.60	8.23	98
15+22+22+25	1.38	2.02	2.02	2.29	7.70 3.40 - 10.50	1.905 0.600 - 2.905	8.83	8.45	98
15+22+22+35	1.24	1.83	1.83	2.90	7.80 3.40 - 10.70	1.785 0.600 - 2.975	8.28	7.92	98
15+22+22+42	1.16	1.70	1.70	3.24	7.80 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+22+50	1.07	1.57	1.57	3.58	7.80 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+22+60	0.98	1.44	1.44	3.93	7.80 3.40 - 10.70	1.552 0.600 - 2.952	7.20	6.89	98
15+22+25+25	1.35	1.99	2.26	2.26	7.85 3.40 - 10.70	1.965 0.600 - 2.955	9.12	8.72	98
15+22+25+35	1.21	1.78	2.02	2.83	7.85 3.40 - 10.70	1.675 0.600 - 2.975	7.77	7.43	98
15+22+25+42	1.13	1.66	1.89	3.17	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+25+50	1.05	1.54	1.75	3.50	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+25+60	0.97	1.42	1.61	3.86	7.85 3.40 - 10.70	1.552 0.600 - 2.952	7.20	6.89	98
15+22+35+35	1.10	1.61	2.57	2.57	7.85 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
15+22+35+42	1.03	1.51	2.41	2.89	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+35+50	0.97	1.42	2.25	3.22	7.85 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+22+42+42	0.97	1.43	2.72	2.72	7.85 3.40 - 10.70	1.563 0.600 - 2.963	7.25	6.93	98
15+25+25+25	1.32	2.19	2.19	2.19	7.90 3.40 - 10.70	1.925 0.600 - 2.975	8.93	8.54	98
15+25+25+35	1.19	1.98	1.98	2.77	7.90 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
15+25+25+42	1.11	1.85	1.85	3.10	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+25+50	1.03	1.72	1.72	3.43	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+25+60	0.95	1.58	1.58	3.79	7.90 3.40 - 10.70	1.552 0.600 - 2.952	7.20	6.89	98
15+25+35+35	1.08	1.80	2.51	2.51	7.90 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
15+25+35+42	1.01	1.69	2.36	2.84	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+35+50	0.95	1.58	2.21	3.16	7.90 3.40 - 10.70	1.569 0.600 - 2.969	7.28	6.96	98
15+25+42+42	0.96	1.59	2.68	2.68	7.90 3.40 - 10.70	1.563 0.600 - 2.963	7.25	6.93	98
15+35+35+35	0.99	2.30	2.30	2.30	7.90 3.40 - 10.70	1.575 0.600 - 2.975	7.31	6.99	98
20+20+20+20	1.85	1.85	1.85	1.85	7.40 3.40 - 10.40	1.854 0.600 - 2.844	8.60	8.23	98
20+20+20+22	1.82	1.82	1.82	2.00	7.45 3.40 - 10.40	1.887 0.600 - 2.877	8.75	8.37	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	220		230		
20+20+20+25	1.79	1.79	1.79	2.24	7.60 3.40 - 10.60	1.937 0.600 - 2.937	8.98	8.59	98
20+20+20+35	1.62	1.62	1.62	2.84	7.70 3.40 - 10.70	1.757 0.600 - 2.987	8.15	7.80	98
20+20+20+42	1.51	1.51	1.51	3.17	7.70 3.40 - 10.70	1.581 0.600 - 2.981	7.33	7.01	98
20+20+20+50	1.40	1.40	1.40	3.50	7.70 3.40 - 10.70	1.581 0.600 - 2.981	7.33	7.01	98
20+20+20+60	1.28	1.28	1.28	3.85	7.70 3.40 - 10.70	1.564 0.600 - 2.964	7.26	6.94	98
20+20+22+22	1.81	1.81	1.99	1.99	7.60 3.40 - 10.50	1.910 0.600 - 2.910	8.86	8.47	98
20+20+22+25	1.78	1.78	1.96	2.23	7.75 3.40 - 10.70	1.970 0.600 - 2.960	9.14	8.74	98
20+20+22+35	1.60	1.60	1.76	2.80	7.75 3.40 - 10.70	1.680 0.600 - 2.980	7.79	7.45	98
20+20+22+42	1.49	1.49	1.64	3.13	7.75 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+22+50	1.38	1.38	1.52	3.46	7.75 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+22+60	1.27	1.27	1.40	3.81	7.75 3.40 - 10.70	1.557 0.600 - 2.957	7.22	6.91	98
20+20+25+25	1.73	1.73	2.17	2.17	7.80 3.40 - 10.70	1.930 0.600 - 2.980	8.95	8.56	98
20+20+25+35	1.56	1.56	1.95	2.73	7.80 3.40 - 10.70	1.580 0.600 - 2.980	7.33	7.01	98
20+20+25+42	1.46	1.46	1.82	3.06	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+25+50	1.36	1.36	1.70	3.39	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+25+60	1.25	1.25	1.56	3.74	7.80 3.40 - 10.70	1.557 0.600 - 2.957	7.22	6.91	98
20+20+35+35	1.42	1.42	2.48	2.48	7.80 3.40 - 10.70	1.580 0.600 - 2.980	7.33	7.01	98
20+20+35+42	1.33	1.33	2.33	2.80	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+35+50	1.25	1.25	2.18	3.12	7.80 3.40 - 10.70	1.574 0.600 - 2.974	7.30	6.98	98
20+20+42+42	1.26	1.26	2.64	2.64	7.80 3.40 - 10.70	1.568 0.600 - 2.968	7.28	6.96	98
20+22+22+22	1.78	1.96	1.96	1.96	7.65 3.40 - 10.60	1.943 0.600 - 2.943	9.01	8.62	98
20+22+22+25	1.75	1.93	1.93	2.19	7.80 3.40 - 10.70	1.953 0.600 - 2.973	9.05	8.66	98
20+22+22+35	1.58	1.73	1.73	2.76	7.80 3.40 - 10.70	1.603 0.600 - 2.973	7.43	7.11	98
20+22+22+42	1.47	1.62	1.62	3.09	7.80 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+22+50	1.37	1.51	1.51	3.42	7.80 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+22+60	1.26	1.38	1.38	3.77	7.80 3.40 - 10.70	1.550 0.600 - 2.950	7.19	6.88	98
20+22+25+25	1.71	1.88	2.13	2.13	7.85 3.40 - 10.70	1.853 0.600 - 2.973	8.59	8.22	98
20+22+25+35	1.54	1.69	1.92	2.69	7.85 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+22+25+42	1.44	1.58	1.80	3.02	7.85 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+25+50	1.34	1.48	1.68	3.35	7.85 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+22+35+35	1.40	1.54	2.45	2.45	7.85 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+22+35+42	1.32	1.45	2.31	2.77	7.85 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+25+25+25	1.66	2.08	2.08	2.08	7.90 3.40 - 10.70	1.743 0.600 - 2.973	8.08	7.73	98
20+25+25+35	1.50	1.88	1.88	2.63	7.90 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+25+25+42	1.41	1.76	1.76	2.96	7.90 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+25+25+50	1.32	1.65	1.65	3.29	7.90 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+25+35+35	1.37	1.72	2.40	2.40	7.90 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
20+25+35+42	1.30	1.62	2.27	2.72	7.90 3.40 - 10.70	1.567 0.600 - 2.967	7.27	6.95	98
20+35+35+35	1.26	2.21	2.21	2.21	7.90 3.40 - 10.70	1.573 0.600 - 2.973	7.30	6.98	98
22+22+22+22	1.95	1.95	1.95	1.95	7.80 3.40 - 10.70	1.976 0.600 - 2.966	9.17	8.77	98
22+22+22+25	1.90	1.90	1.90	2.16	7.85 3.40 - 10.70	1.876 0.600 - 2.966	8.70	8.32	98
22+22+22+35	1.71	1.71	1.71	2.72	7.85 3.40 - 10.70	1.566 0.600 - 2.966	7.27	6.95	98
22+22+22+42	1.60	1.60	1.60	3.05	7.85 3.40 - 10.70	1.560 0.600 - 2.960	7.23	6.92	98

MXZ-4F71VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
22+22+22+50	1.49	1.49	1.49	3.38	7.85 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+22+25+25	1.85	1.85	2.10	2.10	7.90 3.40 - 10.70	1.776 - 2.966	8.24	7.88	98
22+22+25+35	1.67	1.67	1.90	2.66	7.90 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+22+25+42	1.57	1.57	1.78	2.99	7.90 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+22+25+50	1.46	1.46	1.66	3.32	7.90 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+22+35+35	1.52	1.52	2.43	2.43	7.90 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+22+35+42	1.44	1.44	2.29	2.74	7.90 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+25+25+25	1.80	2.05	2.05	2.05	7.95 3.40 - 10.70	1.666 - 2.966	7.73	7.39	98
22+25+25+35	1.63	1.86	1.86	2.60	7.95 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+25+25+42	1.53	1.74	1.74	2.93	7.95 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+25+25+50	1.43	1.63	1.63	3.26	7.95 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
22+25+35+35	1.49	1.70	2.38	2.38	7.95 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
22+25+35+42	1.41	1.60	2.24	2.69	7.95 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
25+25+25+25	2.00	2.00	2.00	2.00	8.00 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
25+25+25+35	1.82	1.82	1.82	2.55	8.00 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98
25+25+25+42	1.71	1.71	1.71	2.87	8.00 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
25+25+25+50	1.60	1.60	1.60	3.20	8.00 3.40 - 10.70	1.560 - 2.960	7.23	6.92	98
25+25+35+35	1.67	1.67	2.33	2.33	8.00 3.40 - 10.70	1.566 - 2.966	7.27	6.95	98

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
15	1.50	-	-	-	1.50 1.50 - 2.20	0.570 0.570 - 0.870	2.61	2.50	99
20	2.00	-	-	-	2.00 1.50 - 2.40	0.580 0.570 - 0.870	2.67	2.55	99
22	2.20	-	-	-	2.20 1.50 - 4.20	0.610 0.580 - 1.060	2.80	2.68	99
25	2.50	-	-	-	2.50 1.50 - 4.20	0.630 0.580 - 1.060	2.90	2.77	99
35	3.50	-	-	-	3.50 1.50 - 4.30	0.790 0.580 - 1.120	3.63	3.47	99
42	4.20	-	-	-	4.20 1.50 - 5.00	0.960 0.580 - 1.740	4.41	4.22	99
50	5.00	-	-	-	5.00 1.50 - 5.50	1.270 0.620 - 1.780	5.83	5.58	99
60	6.00	-	-	-	6.00 1.50 - 6.40	1.780 0.620 - 1.950	8.18	7.82	99
71	7.10	-	-	-	7.10 1.50 - 7.40	2.480 0.650 - 2.930	11.39	10.89	99
15+15	1.50	1.50	-	-	3.00 2.00 - 4.40	0.606 0.600 - 1.486	2.78	2.66	99
15+20	1.50	2.00	-	-	3.50 2.00 - 5.00	0.754 0.600 - 1.484	3.46	3.31	99
15+22	1.50	2.20	-	-	3.70 2.00 - 5.20	0.797 0.600 - 1.477	3.66	3.50	99
15+25	1.50	2.50	-	-	4.00 2.00 - 5.60	0.887 0.600 - 1.477	4.08	3.90	99
15+35	1.50	3.50	-	-	5.00 2.00 - 6.20	1.197 0.590 - 1.807	5.50	5.26	99
15+42	1.50	4.20	-	-	5.70 2.00 - 6.70	1.481 0.590 - 2.151	6.80	6.50	99
15+50	1.50	5.00	-	-	6.50 2.00 - 7.30	1.811 0.580 - 2.541	8.31	7.95	99
15+60	1.46	5.84	-	-	7.30 2.00 - 8.10	2.234 0.580 - 2.854	10.26	9.81	99
15+71	1.36	6.44	-	-	7.80 2.00 - 8.80	2.678 0.580 - 3.028	12.29	11.76	99
20+20	2.00	2.00	-	-	4.00 2.00 - 5.60	0.892 0.600 - 1.482	4.10	3.92	99
20+22	2.00	2.20	-	-	4.20 2.00 - 5.60	0.935 0.600 - 1.475	4.30	4.11	99
20+25	2.00	2.50	-	-	4.50 2.00 - 5.70	1.015 0.600 - 1.535	4.66	4.46	99
20+35	2.00	3.50	-	-	5.50 2.00 - 6.60	1.405 0.590 - 2.055	6.45	6.17	99
20+42	2.00	4.20	-	-	6.20 2.00 - 7.10	1.689 0.580 - 2.389	7.76	7.42	99
20+50	2.00	5.00	-	-	7.00 2.00 - 7.70	2.019 0.580 - 2.789	9.27	8.87	99
20+60	1.90	5.70	-	-	7.60 2.00 - 8.50	2.462 0.580 - 2.932	11.30	10.81	99
20+71	1.74	6.16	-	-	7.90 2.00 - 8.90	2.736 0.580 - 3.106	12.57	12.02	99
22+22	2.20	2.20	-	-	4.40 2.00 - 5.60	0.968 0.600 - 1.468	4.44	4.25	99
22+25	2.20	2.50	-	-	4.70 2.00 - 5.90	1.078 0.600 - 1.638	4.95	4.73	99
22+35	2.20	3.50	-	-	5.70 2.00 - 6.70	1.478 0.590 - 2.148	6.79	6.49	99
22+42	2.20	4.20	-	-	6.40 2.00 - 7.30	1.762 0.580 - 2.482	8.09	7.74	99
22+50	2.17	4.93	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	9.65	9.23	99
22+60	2.07	5.63	-	-	7.70 2.00 - 8.60	2.545 0.580 - 2.955	11.69	11.18	99
22+71	1.87	6.03	-	-	7.90 2.10 - 9.00	2.749 0.580 - 3.129	12.62	12.07	99
25+25	2.50	2.50	-	-	5.00 2.00 - 6.20	1.188 0.590 - 1.798	5.46	5.22	99
25+35	2.50	3.50	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	7.38	7.06	99
25+42	2.50	4.20	-	-	6.70 2.00 - 7.50	1.892 0.580 - 2.632	8.69	8.31	99
25+50	2.43	4.87	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	10.30	9.85	99
25+60	2.29	5.51	-	-	7.80 2.00 - 8.80	2.645 0.580 - 3.005	12.15	11.62	99
25+71	2.08	5.92	-	-	8.00 2.10 - 9.00	2.789 0.580 - 3.179	12.81	12.25	99
35+35	3.50	3.50	-	-	7.00 2.00 - 7.70	2.018 0.580 - 2.788	9.26	8.86	99
35+42	3.36	4.04	-	-	7.40 2.00 - 8.30	2.332 0.580 - 2.892	10.71	10.24	99
35+50	3.21	4.59	-	-	7.80 2.00 - 8.80	2.662 0.580 - 3.022	12.22	11.69	99
35+60	2.91	4.99	-	-	7.90 2.10 - 9.00	2.775 0.580 - 3.155	12.74	12.19	99
35+71	2.64	5.36	-	-	8.00 2.10 - 9.10	2.839 0.570 - 3.269	13.04	12.47	99
42+42	3.90	3.90	-	-	7.80 2.00 - 8.80	2.646 0.580 - 2.996	12.15	11.62	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
42+50	3.61	4.29	-	-	7.90 2.10 - 9.00	2.746 - 3.126	0.580	12.61	12.06	99
42+60	3.29	4.71	-	-	8.00 2.10 - 9.10	2.829 - 3.239	0.580	12.98	12.42	99
42+71	2.97	5.03	-	-	8.00 2.10 - 9.20	2.833 - 3.303	0.560	13.01	12.44	99
50+50	4.00	4.00	-	-	8.00 2.10 - 9.10	2.846 - 3.246	0.580	13.07	12.50	99
50+60	3.64	4.36	-	-	8.00 2.10 - 9.20	2.829 - 3.289	0.570	12.98	12.42	99
50+71	3.31	4.69	-	-	8.00 2.10 - 9.20	2.833 - 3.353	0.550	13.01	12.44	99
60+60	4.00	4.00	-	-	8.00 2.10 - 9.20	2.812 - 3.322	0.550	12.91	12.35	99
60+71	3.66	4.34	-	-	8.00 2.10 - 9.20	2.816 - 3.416	0.550	12.93	12.37	99
71+71	4.00	4.00	-	-	8.00 2.10 - 9.20	2.820 - 3.510	0.550	12.94	12.38	99
35+71	2.64	5.36	-	-	8.00 2.10 - 9.10	2.839 - 3.269	0.570	13.04	12.47	99
42+42	3.90	3.90	-	-	7.80 2.00 - 8.80	2.646 - 2.996	0.580	12.15	11.62	99
42+50	3.61	4.29	-	-	7.90 2.10 - 9.00	2.746 - 3.126	0.580	12.61	12.06	99
42+71	2.97	5.03	-	-	8.00 2.10 - 9.20	2.833 - 3.303	0.560	13.01	12.44	99
50+50	4.00	4.00	-	-	8.00 2.10 - 9.10	2.846 - 3.246	0.580	13.07	12.50	99
50+60	3.64	4.36	-	-	8.00 2.10 - 9.20	2.829 - 3.289	0.570	12.98	12.42	99
50+71	3.31	4.69	-	-	8.00 2.10 - 9.20	2.833 - 3.353	0.550	13.01	12.44	99
60+60	4.00	4.00	-	-	8.00 2.10 - 9.20	2.812 - 3.322	0.550	12.91	12.35	99
60+71	3.66	4.34	-	-	8.00 2.10 - 9.20	2.816 - 3.416	0.550	12.93	12.37	99
71+71	4.00	4.00	-	-	8.00 2.10 - 9.20	2.820 - 3.510	0.550	12.94	12.38	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 6.30	1.009 - 2.359	0.690	4.63	4.43	99
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 6.90	1.127 - 2.357	0.690	5.18	4.95	99
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.10	1.160 - 2.350	0.690	5.32	5.09	99
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 7.50	1.230 - 2.350	0.690	5.65	5.40	99
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.480 - 2.350	0.690	6.80	6.50	99
15+15+42	1.50	1.50	4.20 *	-	7.20 2.90 - 8.70	1.654 - 2.614	0.690	7.59	7.26	99
15+15+50	1.43	1.43	4.75 *	-	7.60 2.90 - 9.00	1.864 - 2.774	0.690	8.56	8.19	99
15+15+60	1.30	1.30	5.20	-	7.80 2.90 - 9.10	2.117 - 2.787	0.690	9.72	9.30	99
15+15+71	1.17	1.17	5.55	-	7.90 2.90 - 9.20	2.411 - 2.821	0.690	11.07	10.59	99
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 7.50	1.235 - 2.355	0.690	5.67	5.42	99
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 7.70	1.278 - 2.348	0.690	5.87	5.61	99
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.348 - 2.348	0.690	6.19	5.92	99
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.50	1.608 - 2.528	0.690	7.38	7.06	99
15+20+42	1.46	1.95	4.09 *	-	7.50 2.90 - 9.00	1.782 - 2.762	0.690	8.19	7.83	99
15+20+50	1.36	1.81	4.53 *	-	7.70 2.90 - 9.10	2.002 - 2.782	0.690	9.19	8.79	99
15+20+60	1.23	1.64	4.93	-	7.80 2.90 - 9.10	2.245 - 2.795	0.690	10.31	9.86	99
15+20+71	1.13	1.51	5.36	-	8.00 2.90 - 9.20	2.519 - 2.829	0.690	11.56	11.06	99
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.00	1.321 - 2.341	0.690	6.06	5.80	99
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.391 - 2.341	0.690	6.39	6.11	99
15+22+35	1.50	2.20	3.50	-	7.20 2.90 - 8.70	1.651 - 2.611	0.690	7.58	7.25	99
15+22+42	1.44	2.12	4.04 *	-	7.60 2.90 - 9.00	1.835 - 2.755	0.690	8.43	8.06	99
15+22+50	1.33	1.95	4.43 *	-	7.70 2.90 - 9.10	2.045 - 2.785	0.690	9.39	8.98	99
15+22+60	1.22	1.79	4.89	-	7.90 2.90 - 9.10	2.298 - 2.798	0.690	10.55	10.09	99
15+22+71	1.11	1.63	5.26	-	8.00 2.90 - 9.20	2.512 - 2.832	0.690	11.53	11.03	99
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.471 - 2.341	0.690	6.75	6.46	99
15+25+35	1.50	2.50	3.50	-	7.50 2.90 - 9.00	1.731 - 2.751	0.690	7.95	7.60	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+25+42	1.39	2.32	3.89 *	-	7.60 2.90 - 9.00	1.915 0.690 - 2.765	8.79	8.41	99
15+25+50	1.30	2.17	4.33 *	-	7.80 2.90 - 9.10	2.125 0.690 - 2.795	9.75	9.33	99
15+25+60	1.19	1.98	4.74	-	7.90 2.90 - 9.20	2.378 0.690 - 2.808	10.91	10.44	99
15+25+71	1.08	1.80	5.12	-	8.00 2.90 - 9.20	2.512 0.690 - 2.842	11.53	11.03	99
15+35+35	1.36	3.17	3.17	-	7.70 2.90 - 9.10	2.001 0.690 - 2.781	9.19	8.79	99
15+35+42	1.27	2.97	3.56 *	-	7.80 2.90 - 9.10	2.175 0.690 - 2.795	9.98	9.55	99
15+35+50	1.19	2.77	3.95 *	-	7.90 2.90 - 9.20	2.395 0.690 - 2.825	11.00	10.52	99
15+35+60	1.09	2.55	4.36	-	8.00 2.90 - 9.20	2.508 0.690 - 2.838	11.51	11.01	99
15+35+71	0.99	2.31	4.69	-	8.00 2.90 - 9.20	2.512 0.690 - 2.882	11.53	11.03	99
15+42+42	1.20	3.35	3.35 *	-	7.90 2.90 - 9.20	2.359 0.690 - 2.809	10.83	10.36	99
15+42+50	1.12	3.14	3.74 *	-	8.00 2.90 - 9.20	2.519 0.690 - 2.839	11.56	11.06	99
15+42+60	1.03	2.87	4.10	-	8.00 2.90 - 9.20	2.502 0.690 - 2.862	11.49	10.99	99
15+42+71	0.94	2.63	4.44	-	8.00 2.90 - 9.20	2.506 0.690 - 2.906	11.51	11.01	99
15+50+50	1.04	3.48	3.48 *	-	8.00 2.90 - 9.20	2.519 0.690 - 2.869	11.56	11.06	99
15+50+60	0.96	3.20	3.84	-	8.00 2.90 - 9.20	2.502 0.690 - 2.892	11.49	10.99	99
15+50+71	0.88	2.94	4.18	-	8.00 2.90 - 9.20	2.506 0.690 - 2.966	11.51	11.01	99
15+60+60	0.89	3.56	3.56	-	8.00 2.90 - 9.20	2.485 0.690 - 2.945	11.41	10.91	99
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.353 0.690 - 2.353	6.21	5.94	99
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.396 0.690 - 2.346	6.41	6.13	99
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.476 0.690 - 2.346	6.77	6.48	99
20+20+35	2.00	2.00	3.50	-	7.50 2.90 - 9.00	1.736 0.690 - 2.756	7.97	7.62	99
20+20+42	1.85	1.85	3.89 *	-	7.60 2.90 - 9.00	1.920 0.690 - 2.770	8.81	8.43	99
20+20+50	1.73	1.73	4.33 *	-	7.80 2.90 - 9.10	2.130 0.690 - 2.800	9.78	9.35	99
20+20+60	1.58	1.58	4.74	-	7.90 2.90 - 9.20	2.383 0.690 - 2.813	10.95	10.47	99
20+20+71	1.44	1.44	5.12	-	8.00 2.90 - 9.20	2.517 0.690 - 2.847	11.55	11.05	99
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.439 0.690 - 2.339	6.61	6.32	99
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.519 0.690 - 2.389	6.97	6.67	99
20+22+35	1.95	2.14	3.41	-	7.50 2.90 - 9.00	1.779 0.690 - 2.759	8.17	7.81	99
20+22+42	1.83	2.02	3.85 *	-	7.70 2.90 - 9.10	1.963 0.690 - 2.773	9.01	8.62	99
20+22+50	1.70	1.87	4.24 *	-	7.80 2.90 - 9.10	2.173 0.690 - 2.793	9.97	9.54	99
20+22+60	1.57	1.73	4.71	-	8.00 2.90 - 9.20	2.426 0.690 - 2.806	11.13	10.65	99
20+22+71	1.42	1.56	5.03	-	8.00 2.90 - 9.20	2.510 0.690 - 2.850	11.52	11.02	99
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.50	1.599 0.690 - 2.519	7.34	7.02	99
20+25+35	1.90	2.38	3.33	-	7.60 2.90 - 9.00	1.859 0.690 - 2.769	8.53	8.16	99
20+25+42	1.77	2.21	3.72 *	-	7.70 2.90 - 9.10	2.043 0.690 - 2.783	9.38	8.97	99
20+25+50	1.64	2.05	4.11 *	-	7.80 2.90 - 9.10	2.253 0.690 - 2.803	10.34	9.89	99
20+25+60	1.52	1.90	4.57	-	8.00 2.90 - 9.20	2.506 0.690 - 2.816	11.51	11.01	99
20+25+71	1.38	1.72	4.90	-	8.00 2.90 - 9.20	2.510 0.690 - 2.860	11.52	11.02	99
20+35+35	1.73	3.03	3.03	-	7.80 2.90 - 9.10	2.129 0.690 - 2.799	9.78	9.35	99
20+35+42	1.63	2.85	3.42 *	-	7.90 2.90 - 9.10	2.313 0.690 - 2.813	10.62	10.16	99
20+35+50	1.52	2.67	3.81 *	-	8.00 2.90 - 9.20	2.523 0.690 - 2.833	11.58	11.08	99
20+35+60	1.39	2.43	4.17	-	8.00 2.90 - 9.20	2.506 0.690 - 2.856	11.51	11.01	99
20+35+71	1.27	2.22	4.51	-	8.00 2.90 - 9.20	2.510 0.690 - 2.900	11.52	11.02	99
20+42+42	1.54	3.23	3.23 *	-	8.00 2.90 - 9.20	2.487 0.690 - 2.827	11.42	10.92	99
20+42+50	1.43	3.00	3.57 *	-	8.00 2.90 - 9.20	2.517 0.690 - 2.857	11.55	11.05	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
20+42+60	1.31	2.75	3.93	-	8.00 2.90 - 9.20	2.500 0.690 - 2.870	11.48	10.98	99
20+42+71	1.20	2.53	4.27	-	8.00 2.90 - 9.20	2.504 0.690 - 2.944	11.50	11.00	99
20+50+50	1.33	3.33	3.33 *	-	8.00 2.90 - 9.20	2.517 0.690 - 2.887	11.55	11.05	99
20+50+60	1.23	3.08	3.69	-	8.00 2.90 - 9.20	2.500 0.690 - 2.920	11.48	10.98	99
20+50+71	1.13	2.84	4.03	-	8.00 2.90 - 9.20	2.504 0.690 - 3.004	11.50	11.00	99
20+60+60	1.14	3.43	3.43	-	8.00 2.90 - 9.20	2.483 0.690 - 2.973	11.40	10.90	99
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.482 0.690 - 2.332	6.81	6.51	99
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	7.17	6.86	99
22+22+35	2.12	2.12	3.37	-	7.60 2.90 - 9.00	1.832 0.690 - 2.752	8.42	8.05	99
22+22+42	1.97	1.97	3.76 *	-	7.70 2.90 - 9.10	2.006 0.690 - 2.766	9.21	8.81	99
22+22+50	1.83	1.83	4.15 *	-	7.80 2.90 - 9.10	2.226 0.690 - 2.796	10.22	9.78	99
22+22+60	1.69	1.69	4.62	-	8.00 2.90 - 9.20	2.469 0.690 - 2.809	11.33	10.84	99
22+22+71	1.53	1.53	4.94	-	8.00 2.90 - 9.20	2.503 0.690 - 2.853	11.49	10.99	99
22+25+25	2.20	2.50	2.50	-	7.20 2.90 - 8.70	1.642 0.690 - 2.602	7.54	7.21	99
22+25+35	2.04	2.32	3.24	-	7.60 2.90 - 9.00	1.912 0.690 - 2.762	8.78	8.40	99
22+25+42	1.90	2.16	3.63 *	-	7.70 2.90 - 9.10	2.086 0.690 - 2.776	9.58	9.16	99
22+25+50	1.79	2.04	4.07 *	-	7.90 2.90 - 9.10	2.306 0.690 - 2.806	10.59	10.13	99
22+25+60	1.64	1.87	4.49	-	8.00 2.90 - 9.20	2.499 0.690 - 2.819	11.47	10.97	99
22+25+71	1.49	1.69	4.81	-	8.00 2.90 - 9.20	2.503 0.690 - 2.863	11.49	10.99	99
22+35+35	1.87	2.97	2.97	-	7.80 2.90 - 9.10	2.172 0.690 - 2.792	9.97	9.54	99
22+35+42	1.76	2.79	3.35 *	-	7.90 2.90 - 9.20	2.356 0.690 - 2.806	10.82	10.35	99
22+35+50	1.64	2.62	3.74 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.836	11.55	11.05	99
22+35+60	1.50	2.39	4.10	-	8.00 2.90 - 9.20	2.499 0.690 - 2.859	11.47	10.97	99
22+35+71	1.38	2.19	4.44	-	8.00 2.90 - 9.20	2.503 0.690 - 2.903	11.49	10.99	99
22+42+42	1.66	3.17	3.17 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.820	11.52	11.02	99
22+42+50	1.54	2.95	3.51 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.850	11.52	11.02	99
22+42+60	1.42	2.71	3.87	-	8.00 2.90 - 9.20	2.493 0.690 - 2.873	11.45	10.95	99
22+42+71	1.30	2.49	4.21	-	8.00 2.90 - 9.20	2.497 0.690 - 2.957	11.47	10.97	99
22+50+50	1.44	3.28	3.28 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.880	11.52	11.02	99
22+50+60	1.33	3.03	3.64	-	8.00 2.90 - 9.20	2.493 0.690 - 2.923	11.45	10.95	99
22+50+71	1.23	2.80	3.97	-	8.00 2.90 - 9.20	2.497 0.690 - 3.017	11.47	10.97	99
22+60+60	1.24	3.38	3.38	-	8.00 2.90 - 9.20	2.476 0.690 - 2.986	11.36	10.87	99
25+25+25	2.50	2.50	2.50	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	99
25+25+35	2.26	2.26	3.17	-	7.70 2.90 - 9.10	1.992 0.690 - 2.772	9.15	8.75	99
25+25+42	2.12	2.12	3.56 *	-	7.80 2.90 - 9.10	2.166 0.690 - 2.786	9.94	9.51	99
25+25+50	1.98	1.98	3.95 *	-	7.90 2.90 - 9.20	2.386 0.690 - 2.816	10.96	10.48	99
25+25+60	1.82	1.82	4.36	-	8.00 2.90 - 9.20	2.499 0.690 - 2.829	11.47	10.97	99
25+25+71	1.65	1.65	4.69	-	8.00 2.90 - 9.20	2.503 0.690 - 2.873	11.49	10.99	99
25+35+35	2.05	2.87	2.87	-	7.80 2.90 - 9.10	2.252 0.690 - 2.802	10.34	9.89	99
25+35+42	1.96	2.75	3.29 *	-	8.00 2.90 - 9.20	2.436 0.690 - 2.816	11.19	10.70	99
25+35+50	1.82	2.55	3.64 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.846	11.55	11.05	99
25+35+60	1.67	2.33	4.00	-	8.00 2.90 - 9.20	2.499 0.690 - 2.869	11.47	10.97	99
25+35+71	1.53	2.14	4.34	-	8.00 2.90 - 9.20	2.503 0.690 - 2.933	11.49	10.99	99
25+42+42	1.83	3.08	3.08 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.840	11.52	11.02	99
25+42+50	1.71	2.87	3.42 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.870	11.52	11.02	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
25+42+60	1.57	2.65	3.78	-	8.00 2.90 - 9.20	2.493 0.690 - 2.893	11.45	10.95	99
25+42+71	1.45	2.43	4.12	-	8.00 2.90 - 9.20	2.497 0.690 - 2.977	11.47	10.97	99
25+50+50	1.60	3.20	3.20 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.900	11.52	11.02	99
25+50+60	1.48	2.96	3.56	-	8.00 2.90 - 9.20	2.493 0.690 - 2.953	11.45	10.95	99
25+60+60	1.38	3.31	3.31	-	8.00 2.90 - 9.20	2.476 0.690 - 3.006	11.36	10.87	99
35+35+35	2.67	2.67	2.67	-	8.00 2.90 - 9.20	2.522 0.690 - 2.832	11.58	11.08	99
35+35+42	2.50	2.50	3.00 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.856	11.55	11.05	99
35+35+50	2.33	2.33	3.33 *	-	8.00 2.90 - 9.20	2.516 0.690 - 2.886	11.55	11.05	99
35+35+60	2.15	2.15	3.69	-	8.00 2.90 - 9.20	2.499 0.690 - 2.919	11.47	10.97	99
35+35+71	1.99	1.99	4.03	-	8.00 2.90 - 9.20	2.503 0.690 - 3.003	11.49	10.99	99
35+42+42	2.35	2.82	2.82 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.870	11.52	11.02	99
35+42+50	2.20	2.65	3.15 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.910	11.52	11.02	99
35+42+60	2.04	2.45	3.50	-	8.00 2.90 - 9.20	2.493 0.690 - 2.963	11.45	10.95	99
35+50+50	2.07	2.96	2.96 *	-	8.00 2.90 - 9.20	2.510 0.690 - 2.970	11.52	11.02	99
35+50+60	1.93	2.76	3.31	-	8.00 2.90 - 9.20	2.493 0.690 - 3.023	11.45	10.95	99
42+42+42	2.67	2.67	2.67 *	-	8.00 2.90 - 9.20	2.504 0.690 - 2.894	11.50	11.00	99
42+42+50	2.51	2.51	2.99 *	-	8.00 2.90 - 9.20	2.504 0.690 - 2.954	11.50	11.00	99
42+42+60	2.33	2.33	3.33	-	8.00 2.90 - 9.20	2.487 0.690 - 3.007	11.42	10.92	99
42+50+50	2.37	2.82	2.82 *	-	8.00 2.90 - 9.20	2.504 0.690 - 3.014	11.50	11.00	99
15+15+15+15	1.40	1.40	1.40	1.40	5.60 3.70 - 7.20	1.352 0.660 - 2.972	6.21	5.94	99
15+15+15+20	1.38	1.38	1.38	1.85	6.00 3.70 - 7.60	1.450 0.660 - 3.160	6.66	6.37	99
15+15+15+22	1.38	1.38	1.38	2.02	6.15 3.70 - 7.70	1.483 0.660 - 3.233	6.81	6.51	99
15+15+15+25	1.37	1.37	1.37	2.29	6.40 3.70 - 7.90	1.543 0.660 - 3.353	7.09	6.78	99
15+15+15+35	1.33	1.33	1.33	3.11	7.10 3.70 - 8.60	1.743 0.660 - 3.733	8.00	7.65	99
15+15+15+42	1.31	1.31	1.31	3.67 *	7.60 3.70 - 9.10	1.877 0.660 - 3.997	8.61	8.24	99
15+15+15+50	1.22	1.22	1.22	4.05 *	7.70 3.70 - 9.20	1.897 0.660 - 4.037	8.71	8.33	99
15+15+15+60	1.10	1.10	1.10	4.40	7.70 3.70 - 9.20	1.880 0.660 - 4.020	8.64	8.26	99
15+15+15+71	1.00	1.00	1.00	4.71	7.70 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	99
15+15+20+20	1.35	1.35	1.80	1.80	6.30 3.70 - 7.90	1.548 0.660 - 3.358	7.11	6.80	99
15+15+20+22	1.36	1.36	1.82	2.00	6.55 3.70 - 8.10	1.581 0.660 - 3.421	7.26	6.94	99
15+15+20+25	1.36	1.36	1.81	2.27	6.80 3.70 - 8.30	1.641 0.660 - 3.541	7.54	7.21	99
15+15+20+35	1.32	1.32	1.76	3.09	7.50 3.70 - 9.00	1.841 0.660 - 3.921	8.46	8.09	99
15+15+20+42	1.26	1.26	1.67	3.52 *	7.70 3.70 - 9.20	1.895 0.660 - 4.035	8.70	8.32	99
15+15+20+50	1.16	1.16	1.54	3.85 *	7.70 3.70 - 9.20	1.895 0.660 - 4.035	8.70	8.32	99
15+15+20+60	1.05	1.05	1.40	4.20	7.70 3.70 - 9.20	1.878 0.660 - 4.018	8.63	8.25	99
15+15+20+71	0.95	0.95	1.27	4.52	7.70 3.70 - 9.20	1.882 0.660 - 4.022	8.65	8.27	99
15+15+22+22	1.36	1.36	1.99	1.99	6.70 3.70 - 8.20	1.614 0.660 - 3.494	7.41	7.09	99
15+15+22+25	1.35	1.35	1.99	2.26	6.95 3.70 - 8.40	1.674 0.660 - 3.614	7.68	7.35	99
15+15+22+35	1.32	1.32	1.93	3.08	7.65 3.70 - 9.10	1.874 0.660 - 3.994	8.60	8.23	99
15+15+22+42	1.24	1.24	1.81	3.46 *	7.75 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	99
15+15+22+50	1.14	1.14	1.67	3.80 *	7.75 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	99
15+15+22+60	1.04	1.04	1.52	4.15	7.75 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	99
15+15+22+71	0.95	0.95	1.39	4.47	7.75 3.70 - 9.20	1.875 0.660 - 4.015	8.60	8.23	99
15+15+25+25	1.35	1.35	2.25	2.25	7.20 3.70 - 8.60	1.734 0.660 - 3.724	7.97	7.62	99
15+15+25+35	1.30	1.30	2.17	3.03	7.80 3.70 - 9.20	1.894 0.660 - 4.034	8.70	8.32	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)		
	Unit A	Unit B	Unit C	Unit D		220	230			
15+15+25+42	1.21	1.21	2.01	3.38 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+25+50	1.11	1.11	1.86	3.71 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+25+60	1.02	1.02	1.70	4.07	7.80 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
15+15+25+71	0.93	0.93	1.55	4.40	7.80 3.70 - 9.20	1.875 - 4.015	0.660	8.60	8.23	99
15+15+35+35	1.17	1.17	2.73	2.73	7.80 3.70 - 9.20	1.894 - 4.034	0.660	8.70	8.32	99
15+15+35+42	1.09	1.09	2.55	3.06 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+35+50	1.02	1.02	2.37	3.39 *	7.80 3.70 - 9.20	1.888 - 4.028	0.660	8.67	8.29	99
15+15+35+60	0.94	0.94	2.18	3.74	7.80 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
15+15+35+71	0.86	0.86	2.01	4.07	7.80 3.70 - 9.20	1.875 - 4.015	0.660	8.60	8.23	99
15+15+42+42	1.03	1.03	2.87 *	2.87 *	7.80 3.70 - 9.20	1.882 - 4.022	0.660	8.65	8.27	99
15+15+42+50	0.96	0.96	2.69 *	3.20 *	7.80 3.70 - 9.20	1.882 - 4.022	0.660	8.65	8.27	99
15+15+42+60	0.89	0.89	2.48 *	3.55	7.80 3.70 - 9.20	1.865 - 4.005	0.660	8.56	8.19	99
15+15+42+71	0.82	0.82	2.29 *	3.87	7.80 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+15+50+50	0.90	0.90	3.00 *	3.00 *	7.80 3.70 - 9.20	1.882 - 4.022	0.660	8.65	8.27	99
15+15+50+60	0.84	0.84	2.79 *	3.34	7.80 3.70 - 9.20	1.865 - 4.005	0.660	8.56	8.19	99
15+20+20+20	1.34	1.79	1.79	1.79	6.70 3.70 - 8.30	1.646 - 3.546	0.660	7.56	7.23	99
15+20+20+22	1.33	1.78	1.78	1.96	6.85 3.70 - 8.40	1.679 - 3.619	0.660	7.71	7.37	99
15+20+20+25	1.33	1.78	1.78	2.22	7.10 3.70 - 8.60	1.739 - 3.729	0.660	7.99	7.64	99
15+20+20+35	1.28	1.71	1.71	2.99	7.70 3.70 - 9.20	1.899 - 4.039	0.660	8.72	8.34	99
15+20+20+42	1.19	1.59	1.59	3.33 *	7.70 3.70 - 9.20	1.893 - 4.033	0.660	8.69	8.31	99
15+20+20+50	1.10	1.47	1.47	3.67 *	7.70 3.70 - 9.20	1.893 - 4.033	0.660	8.69	8.31	99
15+20+20+60	1.00	1.34	1.34	4.02	7.70 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
15+20+20+71	0.92	1.22	1.22	4.34	7.70 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99
15+20+22+22	1.35	1.80	1.98	1.98	7.10 3.70 - 8.60	1.712 - 3.682	0.660	7.86	7.52	99
15+20+22+25	1.34	1.79	1.97	2.24	7.35 3.70 - 8.80	1.772 - 3.802	0.660	8.13	7.78	99
15+20+22+35	1.26	1.68	1.85	2.95	7.75 3.70 - 9.20	1.892 - 4.032	0.660	8.69	8.31	99
15+20+22+42	1.17	1.57	1.72	3.29 *	7.75 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+22+50	1.09	1.45	1.59	3.62 *	7.75 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+22+60	0.99	1.32	1.46	3.97	7.75 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+20+22+71	0.91	1.21	1.33	4.30	7.75 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+20+25+25	1.34	1.79	2.24	2.24	7.60 3.70 - 9.00	1.832 - 3.912	0.660	8.42	8.05	99
15+20+25+35	1.23	1.64	2.05	2.87	7.80 3.70 - 9.20	1.892 - 4.032	0.660	8.69	8.31	99
15+20+25+42	1.15	1.53	1.91	3.21 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+25+50	1.06	1.42	1.77	3.55 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+25+60	0.98	1.30	1.63	3.90	7.80 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+20+25+71	0.89	1.19	1.49	4.23	7.80 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+20+35+35	1.11	1.49	2.60	2.60	7.80 3.70 - 9.20	1.892 - 4.032	0.660	8.69	8.31	99
15+20+35+42	1.04	1.39	2.44	2.93 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+35+50	0.98	1.30	2.28	3.25 *	7.80 3.70 - 9.20	1.886 - 4.026	0.660	8.66	8.28	99
15+20+35+60	0.90	1.20	2.10	3.60	7.80 3.70 - 9.20	1.869 - 4.009	0.660	8.58	8.21	99
15+20+35+71	0.83	1.11	1.94	3.93	7.80 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+20+42+42	0.98	1.31	2.75 *	2.75 *	7.80 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99
15+20+42+50	0.92	1.23	2.58 *	3.07 *	7.80 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99
15+20+42+60	0.85	1.14	2.39 *	3.42	7.80 3.70 - 9.20	1.863 - 4.003	0.660	8.55	8.18	99
15+20+50+50	0.87	1.16	2.89 *	2.89 *	7.80 3.70 - 9.20	1.880 - 4.020	0.660	8.64	8.26	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
15+20+50+60	0.81	1.08	2.69 *	3.23	7.80 3.70 - 9.20	1.863 - 4.003	0.660	8.55	8.18	99
15+22+22+22	1.34	1.97	1.97	1.97	7.25 3.70 - 8.70	1.745 - 3.755	0.660	8.01	7.66	99
15+22+22+25	1.34	1.96	1.96	2.23	7.50 3.70 - 8.90	1.805 - 3.875	0.660	8.29	7.93	99
15+22+22+35	1.24	1.83	1.83	2.90	7.80 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+22+22+42	1.16	1.70	1.70	3.24 *	7.80 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+22+50	1.07	1.57	1.57	3.58 *	7.80 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+22+60	0.98	1.44	1.44	3.93	7.80 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+22+22+71	0.90	1.32	1.32	4.26	7.80 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+22+25+25	1.34	1.96	2.23	2.23	7.75 3.70 - 9.10	1.865 - 3.985	0.660	8.56	8.19	99
15+22+25+35	1.21	1.78	2.02	2.83	7.85 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+22+25+42	1.13	1.66	1.89	3.17 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+25+50	1.05	1.54	1.75	3.50 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+25+60	0.97	1.42	1.61	3.86	7.85 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+22+25+71	0.89	1.30	1.48	4.19	7.85 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+22+35+35	1.10	1.61	2.57	2.57	7.85 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+22+35+42	1.03	1.51	2.41	2.89 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+35+50	0.97	1.42	2.25	3.22 *	7.85 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+22+35+60	0.89	1.31	2.08	3.57	7.85 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+22+35+71	0.82	1.21	1.92	3.90	7.85 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+22+42+42	0.97	1.43	2.72 *	2.72 *	7.85 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+22+42+50	0.91	1.34	2.56 *	3.04 *	7.85 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+22+42+60	0.85	1.24	2.37 *	3.39	7.85 3.70 - 9.20	1.856 - 3.996	0.660	8.52	8.15	99
15+22+50+50	0.86	1.26	2.86 *	2.86 *	7.85 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+25+25+25	1.32	2.19	2.19	2.19	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+25+25+35	1.19	1.98	1.98	2.77	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+25+25+42	1.11	1.85	1.85	3.10 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+25+50	1.03	1.72	1.72	3.43 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+25+60	0.95	1.58	1.58	3.79	7.90 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+25+25+71	0.87	1.45	1.45	4.12	7.90 3.70 - 9.20	1.866 - 4.006	0.660	8.56	8.19	99
15+25+35+35	1.08	1.80	2.51	2.51	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+25+35+42	1.01	1.69	2.36	2.84 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+35+50	0.95	1.58	2.21	3.16 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+25+35+60	0.88	1.46	2.05	3.51	7.90 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+25+42+42	0.96	1.59	2.68 *	2.68 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+25+42+50	0.90	1.50	2.51 *	2.99 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+25+42+60	0.83	1.39	2.34 *	3.34	7.90 3.70 - 9.20	1.856 - 3.996	0.660	8.52	8.15	99
15+25+50+50	0.85	1.41	2.82 *	2.82 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+35+35+35	0.99	2.30	2.30	2.30	7.90 3.70 - 9.20	1.885 - 4.025	0.660	8.66	8.28	99
15+35+35+42	0.93	2.18	2.18	2.61 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+35+35+50	0.88	2.05	2.05	2.93 *	7.90 3.70 - 9.20	1.879 - 4.019	0.660	8.63	8.25	99
15+35+35+60	0.82	1.91	1.91	3.27	7.90 3.70 - 9.20	1.862 - 4.002	0.660	8.55	8.18	99
15+35+42+42	0.88	2.06	2.48 *	2.48 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+35+42+50	0.83	1.95	2.34 *	2.78 *	7.90 3.70 - 9.20	1.873 - 4.013	0.660	8.60	8.23	99
15+42+42+42	0.84	2.35	2.35 *	2.35 *	7.90 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+20+20	1.75	1.75	1.75	1.75	7.00 3.70 - 8.60	1.744 - 3.734	0.660	8.01	7.66	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
20+20+20+22	1.77	1.77	1.77	1.95	7.25 3.70 - 8.80	1.777 - 3.807	0.660	8.15	7.80	99
20+20+20+25	1.76	1.76	1.76	2.21	7.50 3.70 - 9.00	1.837 - 3.917	0.660	8.44	8.07	99
20+20+20+35	1.62	1.62	1.62	2.84	7.70 3.70 - 9.20	1.897 - 4.037	0.660	8.71	8.33	99
20+20+20+42	1.51	1.51	1.51	3.17 *	7.70 3.70 - 9.20	1.891 - 4.031	0.660	8.68	8.30	99
20+20+20+50	1.40	1.40	1.40	3.50 *	7.70 3.70 - 9.20	1.891 - 4.031	0.660	8.68	8.30	99
20+20+20+60	1.28	1.28	1.28	3.85	7.70 3.70 - 9.20	1.874 - 4.014	0.660	8.60	8.23	99
20+20+20+71	1.18	1.18	1.18	4.17	7.70 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+20+22+22	1.76	1.76	1.94	1.94	7.40 3.70 - 8.90	1.810 - 3.880	0.660	8.31	7.95	99
20+20+22+25	1.76	1.76	1.93	2.20	7.65 3.70 - 9.10	1.870 - 3.990	0.660	8.58	8.21	99
20+20+22+35	1.60	1.60	1.76	2.80	7.75 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+22+42	1.49	1.49	1.64	3.13 *	7.75 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+22+50	1.38	1.38	1.52	3.46 *	7.75 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+22+60	1.27	1.27	1.40	3.81	7.75 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+22+71	1.17	1.17	1.28	4.14	7.75 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+20+25+25	1.73	1.73	2.17	2.17	7.80 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+25+35	1.56	1.56	1.95	2.73	7.80 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+25+42	1.46	1.46	1.82	3.06 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+25+50	1.36	1.36	1.70	3.39 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+25+60	1.25	1.25	1.56	3.74	7.80 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+25+71	1.15	1.15	1.43	4.07	7.80 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+20+35+35	1.42	1.42	2.48	2.48	7.80 3.70 - 9.20	1.890 - 4.030	0.660	8.68	8.30	99
20+20+35+42	1.33	1.33	2.33	2.80 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+35+50	1.25	1.25	2.18	3.12 *	7.80 3.70 - 9.20	1.884 - 4.024	0.660	8.65	8.27	99
20+20+35+60	1.16	1.16	2.02	3.47	7.80 3.70 - 9.20	1.867 - 4.007	0.660	8.57	8.20	99
20+20+42+42	1.26	1.26	2.64 *	2.64 *	7.80 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+20+42+50	1.18	1.18	2.48 *	2.95 *	7.80 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+20+42+60	1.10	1.10	2.31 *	3.30	7.80 3.70 - 9.20	1.861 - 4.001	0.660	8.54	8.17	99
20+20+50+50	1.11	1.11	2.79 *	2.79 *	7.80 3.70 - 9.20	1.878 - 4.018	0.660	8.63	8.25	99
20+22+22+22	1.78	1.96	1.96	1.96	7.65 3.70 - 9.10	1.843 - 3.943	0.660	8.46	8.09	99
20+22+22+25	1.75	1.93	1.93	2.19	7.80 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+22+35	1.58	1.73	1.73	2.76	7.80 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+22+42	1.47	1.62	1.62	3.09 *	7.80 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+22+50	1.37	1.51	1.51	3.42 *	7.80 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+22+60	1.26	1.38	1.38	3.77	7.80 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+22+22+71	1.16	1.27	1.27	4.10	7.80 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
20+22+25+25	1.71	1.88	2.13	2.13	7.85 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+25+35	1.54	1.69	1.92	2.69	7.85 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+25+42	1.44	1.58	1.80	3.02 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+25+50	1.34	1.48	1.68	3.35 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+25+60	1.24	1.36	1.55	3.71	7.85 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+22+25+71	1.14	1.25	1.42	4.04	7.85 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
20+22+35+35	1.40	1.54	2.45	2.45	7.85 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+22+35+42	1.32	1.45	2.31	2.77 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+35+50	1.24	1.36	2.16	3.09 *	7.85 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+22+35+60	1.15	1.26	2.01	3.44	7.85 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
20+22+42+42	1.25	1.37	2.62 *	2.62 *	7.85 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+22+42+50	1.17	1.29	2.46 *	2.93 *	7.85 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+22+42+60	1.09	1.20	2.29 *	3.27	7.85 3.70 - 9.20	1.854 - 3.994	0.660	8.51	8.14	99
20+22+50+50	1.11	1.22	2.76 *	2.76 *	7.85 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+25+25+25	1.66	2.08	2.08	2.08	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+25+25+35	1.50	1.88	1.88	2.63	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+25+25+42	1.41	1.76	1.76	2.96 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+25+50	1.32	1.65	1.65	3.29 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+25+60	1.22	1.52	1.52	3.65	7.90 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+25+25+71	1.12	1.40	1.40	3.98	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
20+25+35+35	1.37	1.72	2.40	2.40	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+25+35+42	1.30	1.62	2.27	2.72 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+35+50	1.22	1.52	2.13	3.04 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+25+35+60	1.13	1.41	1.98	3.39	7.90 3.70 - 9.20	1.860 - 4.000	0.660	8.54	8.17	99
20+25+42+42	1.22	1.53	2.57 *	2.57 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+25+42+50	1.15	1.44	2.42 *	2.88 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+25+50+50	1.09	1.36	2.72 *	2.72 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
20+35+35+35	1.26	2.21	2.21	2.21	7.90 3.70 - 9.20	1.883 - 4.023	0.660	8.65	8.27	99
20+35+35+42	1.20	2.09	2.09	2.51 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+35+35+50	1.13	1.98	1.98	2.82 *	7.90 3.70 - 9.20	1.877 - 4.017	0.660	8.61	8.24	99
20+35+42+42	1.14	1.99	2.39 *	2.39 *	7.90 3.70 - 9.20	1.871 - 4.011	0.660	8.59	8.22	99
22+22+22+22	1.95	1.95	1.95	1.95	7.80 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+22+25	1.90	1.90	1.90	2.16	7.85 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+22+35	1.71	1.71	1.71	2.72	7.85 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+22+42	1.60	1.60	1.60	3.05 *	7.85 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+22+50	1.49	1.49	1.49	3.38 *	7.85 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+22+60	1.37	1.37	1.37	3.74	7.85 3.70 - 9.20	1.853 - 3.993	0.660	8.51	8.14	99
22+22+22+71	1.26	1.26	1.26	4.07	7.85 3.70 - 9.20	1.857 - 3.997	0.660	8.53	8.16	99
22+22+25+25	1.85	1.85	2.10	2.10	7.90 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+25+35	1.67	1.67	1.90	2.66	7.90 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+25+42	1.57	1.57	1.78	2.99 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+25+50	1.46	1.46	1.66	3.32 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+25+60	1.35	1.35	1.53	3.67	7.90 3.70 - 9.20	1.853 - 3.993	0.660	8.51	8.14	99
22+22+25+71	1.24	1.24	1.41	4.01	7.90 3.70 - 9.20	1.857 - 3.997	0.660	8.53	8.16	99
22+22+35+35	1.52	1.52	2.43	2.43	7.90 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+22+35+42	1.44	1.44	2.29	2.74 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+35+50	1.35	1.35	2.14	3.06 *	7.90 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+22+35+60	1.25	1.25	1.99	3.41	7.90 3.70 - 9.20	1.853 - 3.993	0.660	8.51	8.14	99
22+22+42+42	1.36	1.36	2.59 *	2.59 *	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
22+22+42+50	1.28	1.28	2.44 *	2.90 *	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
22+22+50+50	1.21	1.21	2.74 *	2.74 *	7.90 3.70 - 9.20	1.864 - 4.004	0.660	8.56	8.19	99
22+25+25+25	1.80	2.05	2.05	2.05	7.95 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+25+25+35	1.63	1.86	1.86	2.60	7.95 3.70 - 9.20	1.876 - 4.016	0.660	8.61	8.24	99
22+25+25+42	1.53	1.74	1.74	2.93 *	7.95 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99
22+25+25+50	1.43	1.63	1.63	3.26 *	7.95 3.70 - 9.20	1.870 - 4.010	0.660	8.58	8.21	99

MXZ-4F80VGD COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
22+25+25+60	1.33	1.51	1.51	3.61	7.95 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
22+25+25+71	1.22	1.39	1.39	3.95	7.95 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	99
22+25+35+35	1.49	1.70	2.38	2.38	7.95 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
22+25+35+42	1.41	1.60	2.24	2.69 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+25+35+50	1.33	1.51	2.11	3.01 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+25+35+60	1.23	1.40	1.96	3.36	7.95 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
22+25+42+42	1.34	1.52	2.55 *	2.55 *	7.95 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
22+25+42+50	1.26	1.43	2.40 *	2.86 *	7.95 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
22+35+35+35	1.38	2.19	2.19	2.19	7.95 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
22+35+35+42	1.31	2.08	2.08	2.49 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+35+35+50	1.23	1.96	1.96	2.80 *	7.95 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
22+35+42+42	1.24	1.97	2.37 *	2.37 *	7.95 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
25+25+25+25	2.00	2.00	2.00	2.00	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+25+25+35	1.82	1.82	1.82	2.55	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+25+25+42	1.71	1.71	1.71	2.87 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+25+50	1.60	1.60	1.60	3.20 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+25+60	1.48	1.48	1.48	3.56	8.00 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
25+25+35+35	1.67	1.67	2.33	2.33	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+25+35+42	1.57	1.57	2.20	2.65 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+35+50	1.48	1.48	2.07	2.96 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+25+35+60	1.38	1.38	1.93	3.31	8.00 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	99
25+25+42+42	1.49	1.49	2.51 *	2.51 *	8.00 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
25+25+42+50	1.41	1.41	2.37 *	2.82 *	8.00 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
25+35+35+35	1.54	2.15	2.15	2.15	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99
25+35+35+42	1.46	2.04	2.04	2.45 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+35+35+50	1.38	1.93	1.93	2.76 *	8.00 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	99
25+35+42+42	1.39	1.94	2.33 *	2.33 *	8.00 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	99
35+35+35+35	2.00	2.00	2.00	2.00	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	99

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3 or more units
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

- MSZ-AP25VGD : Rated capacity is 2.12kW
- MSZ-AP25VGD : Rated capacity is 2.12kW
- MSZ-AP42VGD : Rated capacity is 3.20kW (=3.56*0.9)

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
15	1.70	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.71	2.59	99
20	2.20	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.84	2.72	99
22	3.30	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.44	3.29	99
25	3.60	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.67	3.51	99
35	4.00	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	4.09	3.91	99
42	5.40	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.74	5.49	99
50	7.20	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.87	8.48	99
60	7.90	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	10.10	9.66	99
71	8.60	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	11.75	11.24	99
15+15	1.70	1.70	-	-	3.40 3.00 - 5.00	0.786 - 2.466	3.61	3.45	99
15+20	1.67	2.23	-	-	3.90 3.00 - 5.80	0.854 - 2.554	3.92	3.75	99
15+22	1.66	2.44	-	-	4.10 3.00 - 6.10	0.877 - 2.587	4.03	3.85	99
15+25	1.65	2.75	-	-	4.40 3.00 - 6.60	0.917 - 2.637	4.21	4.03	99
15+35	2.16	5.04	-	-	7.20 3.00 - 8.80	1.547 - 2.787	7.10	6.79	99
15+42	1.97	5.53	-	-	7.50 3.00 - 9.20	1.651 - 2.841	7.58	7.25	99
15+50	1.80	6.00	-	-	7.80 3.00 - 9.60	1.771 - 2.921	8.13	7.78	99
15+60	1.66	6.64	-	-	8.30 3.00 - 10.20	1.984 - 3.024	9.11	8.71	99
15+71	1.53	7.27	-	-	8.80 3.00 - 11.00	2.258 - 3.158	10.37	9.92	99
20+20	2.20	2.20	-	-	4.40 3.00 - 6.60	0.922 - 2.642	4.23	4.05	99
20+22	2.62	2.88	-	-	5.50 3.00 - 6.90	1.145 - 2.635	5.26	5.03	99
20+25	2.98	3.72	-	-	6.70 3.00 - 7.50	1.405 - 2.665	6.45	6.17	99
20+35	2.69	4.71	-	-	7.40 3.00 - 9.10	1.625 - 2.835	7.46	7.14	99
20+42	2.48	5.22	-	-	7.70 3.00 - 9.40	1.729 - 2.889	7.94	7.59	99
20+50	2.29	5.71	-	-	8.00 3.00 - 9.80	1.849 - 2.959	8.49	8.12	99
20+60	2.15	6.45	-	-	8.60 3.00 - 10.70	2.132 - 3.092	9.79	9.36	99
20+71	1.93	6.87	-	-	8.80 3.00 - 11.00	2.256 - 3.156	10.36	9.91	99
22+22	3.30	3.30	-	-	6.60 3.00 - 7.20	1.368 - 2.628	6.28	6.01	99
22+25	3.23	3.67	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.69	6.40	99
22+35	2.89	4.61	-	-	7.50 3.00 - 9.20	1.648 - 2.838	7.57	7.24	99
22+42	2.68	5.12	-	-	7.80 3.00 - 9.50	1.752 - 2.902	8.04	7.69	99
22+50	2.48	5.63	-	-	8.10 3.00 - 10.00	1.902 - 2.982	8.73	8.35	99
22+60	2.33	6.37	-	-	8.70 3.00 - 10.80	2.185 - 3.115	10.04	9.60	99
22+71	2.08	6.72	-	-	8.80 3.00 - 11.00	2.249 - 3.149	10.33	9.88	99
25+25	3.60	3.60	-	-	7.20 3.00 - 8.80	1.538 - 2.778	7.06	6.75	99
25+35	3.17	4.43	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.80	7.46	99
25+42	2.95	4.95	-	-	7.90 3.00 - 9.70	1.792 - 2.922	8.23	7.87	99
25+50	2.77	5.53	-	-	8.30 3.00 - 10.20	1.992 - 3.032	9.15	8.75	99
25+60	2.59	6.21	-	-	8.80 3.00 - 11.00	2.245 - 3.145	10.31	9.86	99
25+71	2.29	6.51	-	-	8.80 3.00 - 11.00	2.249 - 3.149	10.33	9.88	99
35+35	4.00	4.00	-	-	8.00 3.00 - 9.80	1.848 - 2.958	8.49	8.12	99
35+42	3.82	4.58	-	-	8.40 3.00 - 10.40	2.052 - 3.062	9.42	9.01	99
35+50	3.62	5.18	-	-	8.80 3.00 - 11.00	2.262 - 3.162	10.38	9.93	99
35+60	3.24	5.56	-	-	8.80 3.00 - 11.00	2.245 - 3.145	10.31	9.86	99
35+71	2.91	5.89	-	-	8.80 3.00 - 11.00	2.249 - 3.149	10.33	9.88	99
42+42	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 - 3.156	10.36	9.91	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
42+50	4.02	4.78	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
42+60	3.62	5.18	-	-	8.80 3.00 - 11.00	2.239 0.690 - 3.139	10.28	9.83	99
42+71	3.27	5.53	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
50+50	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
50+60	4.00	4.80	-	-	8.80 3.00 - 11.00	2.239 0.690 - 3.139	10.28	9.83	99
50+71	3.64	5.16	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
60+60	4.40	4.40	-	-	8.80 3.00 - 11.00	2.222 0.690 - 3.122	10.20	9.76	99
60+71	4.03	4.77	-	-	8.80 3.00 - 11.00	2.226 0.690 - 3.126	10.22	9.78	99
71+71	4.40	4.40	-	-	8.80 3.00 - 11.00	2.230 0.690 - 3.130	10.24	9.79	99
35+71	2.91	5.89	-	-	8.80 3.00 - 11.00	2.249 0.690 - 3.149	10.33	9.88	99
42+42	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
42+50	4.02	4.78	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
42+71	3.27	5.53	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
50+50	4.40	4.40	-	-	8.80 3.00 - 11.00	2.256 0.690 - 3.156	10.36	9.91	99
50+60	4.00	4.80	-	-	8.80 3.00 - 11.00	2.239 0.690 - 3.139	10.28	9.83	99
50+71	3.64	5.16	-	-	8.80 3.00 - 11.00	2.243 0.690 - 3.143	10.30	9.85	99
60+60	4.40	4.40	-	-	8.80 3.00 - 11.00	2.222 0.690 - 3.122	10.20	9.76	99
60+71	4.03	4.77	-	-	8.80 3.00 - 11.00	2.226 0.690 - 3.126	10.22	9.78	99
71+71	4.40	4.40	-	-	8.80 3.00 - 11.00	2.230 0.690 - 3.130	10.24	9.79	99
15+15+15	1.70	1.70	1.70	-	5.10 3.20 - 8.50	0.909 - 3.879	4.17	3.99	99
15+15+20	1.68	1.68	2.24	-	5.60 3.20 - 8.90	1.067 - 3.877	4.90	4.69	99
15+15+22	1.67	1.67	2.45	-	5.80 3.20 - 9.10	1.120 - 3.870	5.14	4.92	99
15+15+25	1.66	1.66	2.77	-	6.10 3.20 - 9.30	1.220 - 3.870	5.60	5.36	99
15+15+35	1.94	1.94	4.52	-	8.40 3.20 - 10.50	1.660 - 3.870	7.62	7.29	99
15+15+42	1.83	1.83	5.13	-	8.80 3.20 - 11.30	1.794 - 3.864	8.24	7.88	99
15+15+50	1.65	1.65	5.50	-	8.80 3.20 - 11.60	1.834 - 3.864	8.42	8.05	99
15+15+60	1.47	1.47	5.87	-	8.80 3.20 - 11.60	1.817 - 3.847	8.34	7.98	99
15+15+71	1.31	1.31	6.19	-	8.80 3.20 - 11.60	1.821 - 3.851	8.36	8.00	99
15+20+20	1.66	2.22	2.22	-	6.10 3.20 - 9.30	1.225 - 3.875	5.62	5.38	99
15+20+22	1.66	2.21	2.43	-	6.30 3.20 - 9.50	1.278 - 3.868	5.87	5.61	99
15+20+25	1.65	2.20	2.75	-	6.60 3.20 - 9.70	1.378 - 3.868	6.33	6.05	99
15+20+35	1.86	2.49	4.35	-	8.70 3.20 - 11.00	1.768 - 3.868	8.11	7.76	99
15+20+42	1.71	2.29	4.80	-	8.80 3.20 - 11.60	1.832 - 3.862	8.42	8.05	99
15+20+50	1.55	2.07	5.18	-	8.80 3.20 - 11.60	1.832 - 3.862	8.42	8.05	99
15+20+60	1.39	1.85	5.56	-	8.80 3.20 - 11.60	1.815 - 3.845	8.33	7.97	99
15+20+71	1.25	1.66	5.89	-	8.80 3.20 - 11.60	1.819 - 3.849	8.35	7.99	99
15+22+22	1.65	2.42	2.42	-	6.50 3.20 - 9.60	1.341 - 3.861	6.16	5.89	99
15+22+25	1.77	2.59	2.94	-	7.30 3.20 - 10.00	1.481 - 3.861	6.80	6.50	99
15+22+35	1.83	2.69	4.28	-	8.80 3.20 - 11.30	1.791 - 3.861	8.23	7.87	99
15+22+42	1.67	2.45	4.68	-	8.80 3.20 - 11.60	1.825 - 3.855	8.37	8.01	99
15+22+50	1.52	2.23	5.06	-	8.80 3.20 - 11.60	1.825 - 3.855	8.37	8.01	99
15+22+60	1.36	2.00	5.44	-	8.80 3.20 - 11.60	1.808 - 3.838	8.30	7.94	99
15+22+71	1.22	1.79	5.79	-	8.80 3.20 - 11.60	1.812 - 3.842	8.32	7.96	99
15+25+25	1.94	3.23	3.23	-	8.40 3.20 - 10.50	1.651 - 3.861	7.58	7.25	99
15+25+35	1.76	2.93	4.11	-	8.80 3.20 - 11.60	1.831 - 3.861	8.41	8.04	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+25+42	1.61	2.68	4.51	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+25+50	1.47	2.44	4.89	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+25+60	1.32	2.20	5.28	-	8.80 3.20 - 11.60	1.808 0.530 - 3.838	8.30	7.94	99
15+25+71	1.19	1.98	5.63	-	8.80 3.20 - 11.60	1.812 0.530 - 3.842	8.32	7.96	99
15+35+35	1.55	3.62	3.62	-	8.80 3.20 - 11.60	1.831 0.530 - 3.861	8.41	8.04	99
15+35+42	1.43	3.35	4.02	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+35+50	1.32	3.08	4.40	-	8.80 3.20 - 11.60	1.825 0.530 - 3.855	8.37	8.01	99
15+35+60	1.20	2.80	4.80	-	8.80 3.20 - 11.60	1.808 0.530 - 3.838	8.30	7.94	99
15+35+71	1.09	2.55	5.16	-	8.80 3.20 - 11.60	1.812 0.530 - 3.842	8.32	7.96	99
15+42+42	1.33	3.73	3.73	-	8.80 3.20 - 11.60	1.819 0.530 - 3.849	8.35	7.99	99
15+42+50	1.23	3.45	4.11	-	8.80 3.20 - 11.60	1.819 0.530 - 3.849	8.35	7.99	99
15+42+60	1.13	3.16	4.51	-	8.80 3.20 - 11.60	1.802 0.530 - 3.832	8.27	7.91	99
15+42+71	1.03	2.89	4.88	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
15+50+50	1.15	3.83	3.83	-	8.80 3.20 - 11.60	1.819 0.530 - 3.849	8.35	7.99	99
15+50+60	1.06	3.52	4.22	-	8.80 3.20 - 11.60	1.802 0.530 - 3.832	8.27	7.91	99
15+50+71	0.97	3.24	4.59	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
15+60+60	0.98	3.91	3.91	-	8.80 3.20 - 11.60	1.785 0.530 - 3.815	8.20	7.84	99
20+20+20	2.20	2.20	2.20	-	6.60 3.20 - 9.70	1.383 0.530 - 3.873	6.35	6.07	99
20+20+22	2.35	2.35	2.59	-	7.30 3.20 - 10.00	1.486 0.530 - 3.866	6.83	6.53	99
20+20+25	2.58	2.58	3.23	-	8.40 3.20 - 10.50	1.656 0.530 - 3.866	7.60	7.27	99
20+20+35	2.35	2.35	4.11	-	8.80 3.20 - 11.60	1.836 0.530 - 3.866	8.43	8.06	99
20+20+42	2.15	2.15	4.51	-	8.80 3.20 - 11.60	1.830 0.530 - 3.860	8.41	8.04	99
20+20+50	1.96	1.96	4.89	-	8.80 3.20 - 11.60	1.830 0.530 - 3.860	8.41	8.04	99
20+20+60	1.76	1.76	5.28	-	8.80 3.20 - 11.60	1.813 0.530 - 3.843	8.32	7.96	99
20+20+71	1.59	1.59	5.63	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99
20+22+22	2.50	2.75	2.75	-	8.00 3.20 - 10.30	1.589 0.530 - 3.859	7.30	6.98	99
20+22+25	2.60	2.86	3.25	-	8.70 3.20 - 10.70	1.709 0.530 - 3.859	7.85	7.51	99
20+22+35	2.29	2.51	4.00	-	8.80 3.20 - 11.60	1.829 0.530 - 3.859	8.40	8.03	99
20+22+42	2.10	2.30	4.40	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+22+50	1.91	2.10	4.78	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+22+60	1.73	1.90	5.18	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
20+22+71	1.56	1.71	5.53	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
20+25+25	2.49	3.11	3.11	-	8.70 3.20 - 11.00	1.759 0.530 - 3.859	8.08	7.73	99
20+25+35	2.20	2.75	3.85	-	8.80 3.20 - 11.60	1.829 0.530 - 3.859	8.40	8.03	99
20+25+42	2.02	2.53	4.25	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+25+50	1.85	2.32	4.63	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+25+60	1.68	2.10	5.03	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
20+25+71	1.52	1.90	5.39	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
20+35+35	1.96	3.42	3.42	-	8.80 3.20 - 11.60	1.829 0.530 - 3.859	8.40	8.03	99
20+35+42	1.81	3.18	3.81	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+35+50	1.68	2.93	4.19	-	8.80 3.20 - 11.60	1.823 0.530 - 3.853	8.37	8.01	99
20+35+60	1.53	2.68	4.59	-	8.80 3.20 - 11.60	1.806 0.530 - 3.836	8.29	7.93	99
20+35+71	1.40	2.44	4.96	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
20+42+42	1.69	3.55	3.55	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99
20+42+50	1.57	3.30	3.93	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
20+42+60	1.44	3.03	4.33	-	8.80 3.20 - 11.60	1.800 0.530 - 3.830	8.27	7.91	99
20+42+71	1.32	2.78	4.70	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
20+50+50	1.47	3.67	3.67	-	8.80 3.20 - 11.60	1.817 0.530 - 3.847	8.34	7.98	99
20+50+60	1.35	3.38	4.06	-	8.80 3.20 - 11.60	1.800 0.530 - 3.830	8.27	7.91	99
20+50+71	1.25	3.12	4.43	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
20+60+60	1.26	3.77	3.77	-	8.80 3.20 - 11.60	1.783 0.530 - 3.813	8.19	7.83	99
22+22+22	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	99
22+22+25	2.77	2.77	3.15	-	8.70 3.20 - 10.90	1.732 0.530 - 3.852	7.96	7.61	99
22+22+35	2.45	2.45	3.90	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
22+22+42	2.25	2.25	4.30	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+22+50	2.06	2.06	4.68	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+22+60	1.86	1.86	5.08	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
22+22+71	1.68	1.68	5.43	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
22+25+25	2.69	3.06	3.06	-	8.80 3.20 - 11.30	1.782 0.530 - 3.852	8.19	7.83	99
22+25+35	2.36	2.68	3.76	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
22+25+42	2.18	2.47	4.15	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+25+50	2.00	2.27	4.54	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+25+60	1.81	2.06	4.93	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
22+25+71	1.64	1.86	5.29	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
22+35+35	2.10	3.35	3.35	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
22+35+42	1.96	3.11	3.73	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+35+50	1.81	2.88	4.11	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
22+35+60	1.65	2.63	4.51	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
22+35+71	1.51	2.41	4.88	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
22+42+42	1.83	3.49	3.49	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
22+42+50	1.70	3.24	3.86	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
22+42+60	1.56	2.98	4.26	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
22+42+71	1.43	2.74	4.63	-	8.80 3.20 - 11.60	1.797 0.530 - 3.827	8.25	7.89	99
22+50+50	1.59	3.61	3.61	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
22+50+60	1.47	3.33	4.00	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
22+50+71	1.35	3.08	4.37	-	8.80 3.20 - 11.60	1.797 0.530 - 3.827	8.25	7.89	99
22+60+60	1.36	3.72	3.72	-	8.80 3.20 - 11.60	1.776 0.530 - 3.806	8.15	7.80	99
25+25+25	2.93	2.93	2.93	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
25+25+35	2.59	2.59	3.62	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
25+25+42	2.39	2.39	4.02	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+25+50	2.20	2.20	4.40	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+25+60	2.00	2.00	4.80	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
25+25+71	1.82	1.82	5.16	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
25+35+35	2.32	3.24	3.24	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
25+35+42	2.16	3.02	3.62	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+35+50	2.00	2.80	4.00	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
25+35+60	1.83	2.57	4.40	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
25+35+71	1.68	2.35	4.77	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
25+42+42	2.02	3.39	3.39	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
25+42+50	1.88	3.16	3.76	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
25+42+60	1.73	2.91	4.16	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
25+42+71	1.59	2.68	4.53	-	8.80 3.20 - 11.60	1.797 0.530 - 3.827	8.25	7.89	99
25+50+50	1.76	3.52	3.52	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
25+50+60	1.63	3.26	3.91	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
25+60+60	1.52	3.64	3.64	-	8.80 3.20 - 11.60	1.776 0.530 - 3.806	8.15	7.80	99
35+35+35	2.93	2.93	2.93	-	8.80 3.20 - 11.60	1.822 0.530 - 3.852	8.36	8.00	99
35+35+42	2.75	2.75	3.30	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
35+35+50	2.57	2.57	3.67	-	8.80 3.20 - 11.60	1.816 0.530 - 3.846	8.34	7.98	99
35+35+60	2.37	2.37	4.06	-	8.80 3.20 - 11.60	1.799 0.530 - 3.829	8.26	7.90	99
35+35+71	2.18	2.18	4.43	-	8.80 3.20 - 11.60	1.803 0.530 - 3.833	8.28	7.92	99
35+42+42	2.59	3.11	3.11	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
35+42+50	2.43	2.91	3.46	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
35+42+60	2.25	2.70	3.85	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
35+50+50	2.28	3.26	3.26	-	8.80 3.20 - 11.60	1.810 0.530 - 3.840	8.31	7.95	99
35+50+60	2.12	3.03	3.64	-	8.80 3.20 - 11.60	1.793 0.530 - 3.823	8.23	7.87	99
42+42+42	2.93	2.93	2.93	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
42+42+50	2.76	2.76	3.28	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
42+42+60	2.57	2.57	3.67	-	8.80 3.20 - 11.60	1.787 0.530 - 3.817	8.21	7.85	99
42+50+50	2.60	3.10	3.10	-	8.80 3.20 - 11.60	1.804 0.530 - 3.834	8.28	7.92	99
15+15+15+15	2.10	2.10	2.10	2.10	8.40 3.40 - 11.60	1.652 0.590 - 3.862	7.59	7.26	99
15+15+15+20	1.94	1.94	1.94	2.58	8.40 3.40 - 11.60	1.680 0.590 - 3.860	7.72	7.38	99
15+15+15+22	1.89	1.89	1.89	2.77	8.45 3.40 - 11.60	1.683 0.590 - 3.853	7.73	7.39	99
15+15+15+25	1.82	1.82	1.82	3.04	8.50 3.40 - 11.60	1.703 0.590 - 3.853	7.82	7.48	99
15+15+15+35	1.59	1.59	1.59	3.72	8.50 3.40 - 11.60	1.763 0.590 - 3.853	8.09	7.74	99
15+15+15+42	1.47	1.47	1.47	4.10	8.50 3.40 - 11.60	1.797 0.590 - 3.847	8.25	7.89	99
15+15+15+50	1.34	1.34	1.34	4.47	8.50 3.40 - 11.60	1.687 0.590 - 3.847	7.75	7.41	99
15+15+15+60	1.21	1.21	1.21	4.86	8.50 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+15+15+71	1.10	1.10	1.10	5.20	8.50 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
15+15+20+20	1.80	1.80	2.40	2.40	8.40 3.40 - 11.60	1.708 0.590 - 3.858	7.84	7.50	99
15+15+20+22	1.76	1.76	2.35	2.58	8.45 3.40 - 11.60	1.711 0.590 - 3.851	7.85	7.51	99
15+15+20+25	1.70	1.70	2.27	2.83	8.50 3.40 - 11.60	1.731 0.590 - 3.851	7.95	7.60	99
15+15+20+35	1.50	1.50	2.00	3.50	8.50 3.40 - 11.60	1.791 0.590 - 3.851	8.23	7.87	99
15+15+20+42	1.39	1.39	1.85	3.88	8.50 3.40 - 11.60	1.735 0.590 - 3.845	7.97	7.62	99
15+15+20+50	1.28	1.28	1.70	4.25	8.50 3.40 - 11.60	1.595 0.590 - 3.845	7.32	7.00	99
15+15+20+60	1.16	1.16	1.55	4.64	8.50 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
15+15+20+71	1.05	1.05	1.40	4.99	8.50 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+22+22	1.72	1.72	2.53	2.53	8.50 3.40 - 11.60	1.724 0.590 - 3.844	7.91	7.57	99
15+15+22+25	1.67	1.67	2.44	2.78	8.55 3.40 - 11.60	1.734 0.590 - 3.844	7.97	7.62	99
15+15+22+35	1.47	1.47	2.16	3.44	8.55 3.40 - 11.60	1.794 0.590 - 3.844	8.24	7.88	99
15+15+22+42	1.36	1.36	2.00	3.82	8.55 3.40 - 11.60	1.698 0.590 - 3.838	7.80	7.46	99
15+15+22+50	1.26	1.26	1.84	4.19	8.55 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+22+60	1.15	1.15	1.68	4.58	8.55 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
15+15+22+71	1.04	1.04	1.53	4.94	8.55 3.40 - 11.60	1.575 0.590 - 3.825	7.23	6.92	99
15+15+25+25	1.61	1.61	2.69	2.69	8.60 3.40 - 11.60	1.754 0.590 - 3.844	8.05	7.70	99
15+15+25+35	1.43	1.43	2.39	3.34	8.60 3.40 - 11.60	1.774 0.590 - 3.844	8.14	7.79	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	
15+15+25+42	1.33	1.33	2.22	3.72	8.60 3.40 - 11.60	1.638 0.590 - 3.838	7.52	7.19	99
15+15+25+50	1.23	1.23	2.05	4.10	8.60 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+25+60	1.12	1.12	1.87	4.49	8.60 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
15+15+25+71	1.02	1.02	1.71	4.85	8.60 3.40 - 11.60	1.575 0.590 - 3.825	7.23	6.92	99
15+15+35+35	1.29	1.29	3.01	3.01	8.60 3.40 - 11.60	1.594 0.590 - 3.844	7.32	7.00	99
15+15+35+42	1.21	1.21	2.81	3.38	8.60 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+35+50	1.12	1.12	2.62	3.74	8.60 3.40 - 11.60	1.588 0.590 - 3.838	7.29	6.97	99
15+15+35+60	1.03	1.03	2.41	4.13	8.60 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
15+15+35+71	0.95	0.95	2.21	4.49	8.60 3.40 - 11.60	1.575 0.590 - 3.825	7.23	6.92	99
15+15+42+42	1.13	1.13	3.17	3.17	8.60 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+42+50	1.06	1.06	2.96	3.52	8.60 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+42+60	0.98	0.98	2.74	3.91	8.60 3.40 - 11.60	1.565 0.590 - 3.815	7.18	6.87	99
15+15+42+71	0.90	0.90	2.53	4.27	8.60 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+15+50+50	0.99	0.99	3.31	3.31	8.60 3.40 - 11.60	1.582 0.590 - 3.832	7.27	6.95	99
15+15+50+60	0.92	0.92	3.07	3.69	8.60 3.40 - 11.60	1.565 0.590 - 3.815	7.18	6.87	99
15+20+20+20	1.68	2.24	2.24	2.24	8.40 3.40 - 11.60	1.736 0.590 - 3.856	7.97	7.62	99
15+20+20+22	1.65	2.19	2.19	2.41	8.45 3.40 - 11.60	1.739 0.590 - 3.849	7.99	7.64	99
15+20+20+25	1.59	2.13	2.13	2.66	8.50 3.40 - 11.60	1.759 0.590 - 3.849	8.08	7.73	99
15+20+20+35	1.42	1.89	1.89	3.31	8.50 3.40 - 11.60	1.779 0.590 - 3.849	8.17	7.81	99
15+20+20+42	1.31	1.75	1.75	3.68	8.50 3.40 - 11.60	1.643 0.590 - 3.843	7.55	7.22	99
15+20+20+50	1.21	1.62	1.62	4.05	8.50 3.40 - 11.60	1.593 0.590 - 3.843	7.32	7.00	99
15+20+20+60	1.11	1.48	1.48	4.43	8.50 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
15+20+20+71	1.01	1.35	1.35	4.79	8.50 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+20+22+22	1.61	2.15	2.37	2.37	8.50 3.40 - 11.60	1.752 0.590 - 3.842	8.04	7.69	99
15+20+22+25	1.56	2.09	2.29	2.61	8.55 3.40 - 11.60	1.762 0.590 - 3.842	8.09	7.74	99
15+20+22+35	1.39	1.86	2.04	3.25	8.55 3.40 - 11.60	1.732 0.590 - 3.842	7.96	7.61	99
15+20+22+42	1.30	1.73	1.90	3.63	8.55 3.40 - 11.60	1.606 0.590 - 3.836	7.37	7.05	99
15+20+22+50	1.20	1.60	1.76	4.00	8.55 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+22+60	1.10	1.46	1.61	4.38	8.55 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+20+22+71	1.00	1.34	1.47	4.74	8.55 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+20+25+25	1.52	2.02	2.53	2.53	8.60 3.40 - 11.60	1.782 0.590 - 3.842	8.19	7.83	99
15+20+25+35	1.36	1.81	2.26	3.17	8.60 3.40 - 11.60	1.682 0.590 - 3.842	7.73	7.39	99
15+20+25+42	1.26	1.69	2.11	3.54	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+25+50	1.17	1.56	1.95	3.91	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+25+60	1.08	1.43	1.79	4.30	8.60 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+20+25+71	0.98	1.31	1.64	4.66	8.60 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+20+35+35	1.23	1.64	2.87	2.87	8.60 3.40 - 11.60	1.592 0.590 - 3.842	7.31	6.99	99
15+20+35+42	1.15	1.54	2.69	3.23	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+35+50	1.08	1.43	2.51	3.58	8.60 3.40 - 11.60	1.586 0.590 - 3.836	7.29	6.97	99
15+20+35+60	0.99	1.32	2.32	3.97	8.60 3.40 - 11.60	1.569 0.590 - 3.819	7.20	6.89	99
15+20+35+71	0.91	1.22	2.13	4.33	8.60 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+20+42+42	1.08	1.45	3.04	3.04	8.60 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+20+42+50	1.02	1.35	2.84	3.39	8.60 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99
15+20+42+60	0.94	1.26	2.64	3.77	8.60 3.40 - 11.60	1.563 0.590 - 3.813	7.17	6.86	99
15+20+50+50	0.96	1.27	3.19	3.19	8.60 3.40 - 11.60	1.580 0.590 - 3.830	7.26	6.94	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
15+20+50+60	0.89	1.19	2.97	3.56	8.60 3.40 - 11.60	1.563 0.590 - 3.813	7.17	6.86	99
15+22+22+22	1.58	2.32	2.32	2.32	8.55 3.40 - 11.60	1.755 0.590 - 3.835	8.06	7.71	99
15+22+22+25	1.54	2.25	2.25	2.56	8.60 3.40 - 11.60	1.775 0.590 - 3.835	8.15	7.80	99
15+22+22+35	1.37	2.01	2.01	3.20	8.60 3.40 - 11.60	1.695 0.590 - 3.835	7.78	7.44	99
15+22+22+42	1.28	1.87	1.87	3.58	8.60 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+22+50	1.18	1.74	1.74	3.94	8.60 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+22+60	1.08	1.59	1.59	4.34	8.60 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+22+22+71	0.99	1.46	1.46	4.70	8.60 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+22+25+25	1.49	2.19	2.49	2.49	8.65 3.40 - 11.60	1.785 0.590 - 3.835	8.20	7.84	99
15+22+25+35	1.34	1.96	2.23	3.12	8.65 3.40 - 11.60	1.635 0.590 - 3.835	7.51	7.18	99
15+22+25+42	1.25	1.83	2.08	3.49	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+25+50	1.16	1.70	1.93	3.86	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+25+60	1.06	1.56	1.77	4.25	8.65 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+22+25+71	0.98	1.43	1.63	4.62	8.65 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+22+35+35	1.21	1.78	2.83	2.83	8.65 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+22+35+42	1.14	1.67	2.66	3.19	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+35+50	1.06	1.56	2.48	3.55	8.65 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+22+35+60	0.98	1.44	2.29	3.93	8.65 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+22+35+71	0.91	1.33	2.12	4.29	8.65 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+22+42+42	1.07	1.57	3.00	3.00	8.65 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+22+42+50	1.01	1.48	2.82	3.35	8.65 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+22+42+60	0.93	1.37	2.61	3.73	8.65 3.40 - 11.60	1.556 0.590 - 3.806	7.14	6.83	99
15+22+50+50	0.95	1.39	3.16	3.16	8.65 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+25+25+25	1.45	2.42	2.42	2.42	8.70 3.40 - 11.60	1.765 0.590 - 3.835	8.10	7.75	99
15+25+25+35	1.31	2.18	2.18	3.05	8.70 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+25+25+42	1.22	2.03	2.03	3.41	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+25+50	1.13	1.89	1.89	3.78	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+25+60	1.04	1.74	1.74	4.18	8.70 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+25+25+71	0.96	1.60	1.60	4.54	8.70 3.40 - 11.60	1.566 0.590 - 3.816	7.19	6.88	99
15+25+35+35	1.19	1.98	2.77	2.77	8.70 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+25+35+42	1.12	1.86	2.60	3.12	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+35+50	1.04	1.74	2.44	3.48	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+25+35+60	0.97	1.61	2.26	3.87	8.70 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+25+42+42	1.05	1.75	2.95	2.95	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+25+42+50	0.99	1.65	2.77	3.30	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+25+42+60	0.92	1.53	2.57	3.68	8.70 3.40 - 11.60	1.556 0.590 - 3.806	7.14	6.83	99
15+25+50+50	0.93	1.55	3.11	3.11	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+35+35+35	1.09	2.54	2.54	2.54	8.70 3.40 - 11.60	1.585 0.590 - 3.835	7.28	6.96	99
15+35+35+42	1.03	2.40	2.40	2.88	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+35+35+50	0.97	2.26	2.26	3.22	8.70 3.40 - 11.60	1.579 0.590 - 3.829	7.25	6.93	99
15+35+35+60	0.90	2.10	2.10	3.60	8.70 3.40 - 11.60	1.562 0.590 - 3.812	7.17	6.86	99
15+35+42+42	0.97	2.27	2.73	2.73	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+35+42+50	0.92	2.14	2.57	3.06	8.70 3.40 - 11.60	1.573 0.590 - 3.823	7.22	6.91	99
15+42+42+42	0.93	2.59	2.59	2.59	8.70 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+20+20	2.10	2.10	2.10	2.10	8.40 3.40 - 11.60	1.764 0.590 - 3.854	8.10	7.75	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
20+20+20+22	2.06	2.06	2.06	2.27	8.45 3.40 - 11.60	1.767 0.590 - 3.847	8.11	7.76	99
20+20+20+25	2.00	2.00	2.00	2.50	8.50 3.40 - 11.60	1.787 0.590 - 3.847	8.21	7.85	99
20+20+20+35	1.79	1.79	1.79	3.13	8.50 3.40 - 11.60	1.687 0.590 - 3.847	7.75	7.41	99
20+20+20+42	1.67	1.67	1.67	3.50	8.50 3.40 - 11.60	1.591 0.590 - 3.841	7.31	6.99	99
20+20+20+50	1.55	1.55	1.55	3.86	8.50 3.40 - 11.60	1.591 0.590 - 3.841	7.31	6.99	99
20+20+20+60	1.42	1.42	1.42	4.25	8.50 3.40 - 11.60	1.574 0.590 - 3.824	7.22	6.91	99
20+20+20+71	1.30	1.30	1.30	4.61	8.50 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+20+22+22	2.02	2.02	2.23	2.23	8.50 3.40 - 11.60	1.780 0.590 - 3.840	8.18	7.82	99
20+20+22+25	1.97	1.97	2.16	2.46	8.55 3.40 - 11.60	1.790 0.590 - 3.840	8.22	7.86	99
20+20+22+35	1.76	1.76	1.94	3.09	8.55 3.40 - 11.60	1.640 0.590 - 3.840	7.53	7.20	99
20+20+22+42	1.64	1.64	1.81	3.45	8.55 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+22+50	1.53	1.53	1.68	3.82	8.55 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+22+60	1.40	1.40	1.54	4.20	8.55 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+22+71	1.29	1.29	1.41	4.56	8.55 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
20+20+25+25	1.91	1.91	2.39	2.39	8.60 3.40 - 11.60	1.770 0.590 - 3.840	8.12	7.77	99
20+20+25+35	1.72	1.72	2.15	3.01	8.60 3.40 - 11.60	1.590 0.590 - 3.840	7.30	6.98	99
20+20+25+42	1.61	1.61	2.01	3.38	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+25+50	1.50	1.50	1.87	3.74	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+25+60	1.38	1.38	1.72	4.13	8.60 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+25+71	1.26	1.26	1.58	4.49	8.60 3.40 - 11.60	1.571 0.590 - 3.821	7.21	6.90	99
20+20+35+35	1.56	1.56	2.74	2.74	8.60 3.40 - 11.60	1.590 0.590 - 3.840	7.30	6.98	99
20+20+35+42	1.47	1.47	2.57	3.09	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+35+50	1.38	1.38	2.41	3.44	8.60 3.40 - 11.60	1.584 0.590 - 3.834	7.28	6.96	99
20+20+35+60	1.27	1.27	2.23	3.82	8.60 3.40 - 11.60	1.567 0.590 - 3.817	7.19	6.88	99
20+20+42+42	1.39	1.39	2.91	2.91	8.60 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+20+42+50	1.30	1.30	2.74	3.26	8.60 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+20+42+60	1.21	1.21	2.54	3.63	8.60 3.40 - 11.60	1.561 0.590 - 3.811	7.17	6.86	99
20+20+50+50	1.23	1.23	3.07	3.07	8.60 3.40 - 11.60	1.578 0.590 - 3.828	7.25	6.93	99
20+22+22+22	1.99	2.19	2.19	2.19	8.55 3.40 - 11.60	1.783 0.590 - 3.833	8.19	7.83	99
20+22+22+25	1.93	2.13	2.13	2.42	8.60 3.40 - 11.60	1.773 0.590 - 3.833	8.14	7.79	99
20+22+22+35	1.74	1.91	1.91	3.04	8.60 3.40 - 11.60	1.603 0.590 - 3.833	7.36	7.04	99
20+22+22+42	1.62	1.78	1.78	3.41	8.60 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+22+50	1.51	1.66	1.66	3.77	8.60 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+22+60	1.39	1.53	1.53	4.16	8.60 3.40 - 11.60	1.560 0.590 - 3.810	7.16	6.85	99
20+22+22+71	1.27	1.40	1.40	4.52	8.60 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
20+22+25+25	1.88	2.07	2.35	2.35	8.65 3.40 - 11.60	1.723 0.590 - 3.833	7.91	7.57	99
20+22+25+35	1.70	1.87	2.12	2.97	8.65 3.40 - 11.60	1.583 0.590 - 3.833	7.27	6.95	99
20+22+25+42	1.59	1.75	1.98	3.33	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+25+50	1.48	1.63	1.85	3.70	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+25+60	1.36	1.50	1.70	4.09	8.65 3.40 - 11.60	1.560 0.590 - 3.810	7.16	6.85	99
20+22+25+71	1.25	1.38	1.57	4.45	8.65 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
20+22+35+35	1.54	1.70	2.70	2.70	8.65 3.40 - 11.60	1.583 0.590 - 3.833	7.27	6.95	99
20+22+35+42	1.45	1.60	2.54	3.05	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+35+50	1.36	1.50	2.38	3.41	8.65 3.40 - 11.60	1.577 0.590 - 3.827	7.25	6.93	99
20+22+35+60	1.26	1.39	2.21	3.79	8.65 3.40 - 11.60	1.560 0.590 - 3.810	7.16	6.85	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D			220	230		
20+22+42+42	1.37	1.51	2.88	2.88	8.65 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+22+42+50	1.29	1.42	2.71	3.23	8.65 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+22+42+60	1.20	1.32	2.52	3.60	8.65 3.40 - 11.60	1.554 - 3.804	0.590	7.13	6.82	99
20+22+50+50	1.22	1.34	3.05	3.05	8.65 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+25+25+25	1.83	2.29	2.29	2.29	8.70 3.40 - 11.60	1.673 - 3.833	0.590	7.68	7.35	99
20+25+25+35	1.66	2.07	2.07	2.90	8.70 3.40 - 11.60	1.583 - 3.833	0.590	7.27	6.95	99
20+25+25+42	1.55	1.94	1.94	3.26	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+25+50	1.45	1.81	1.81	3.63	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+25+60	1.34	1.67	1.67	4.02	8.70 3.40 - 11.60	1.560 - 3.810	0.590	7.16	6.85	99
20+25+25+71	1.23	1.54	1.54	4.38	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
20+25+35+35	1.51	1.89	2.65	2.65	8.70 3.40 - 11.60	1.583 - 3.833	0.590	7.27	6.95	99
20+25+35+42	1.43	1.78	2.50	3.00	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+35+50	1.34	1.67	2.34	3.35	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+25+35+60	1.24	1.55	2.18	3.73	8.70 3.40 - 11.60	1.560 - 3.810	0.590	7.16	6.85	99
20+25+42+42	1.35	1.69	2.83	2.83	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+25+42+50	1.27	1.59	2.67	3.18	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+25+50+50	1.20	1.50	3.00	3.00	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
20+35+35+35	1.39	2.44	2.44	2.44	8.70 3.40 - 11.60	1.583 - 3.833	0.590	7.27	6.95	99
20+35+35+42	1.32	2.31	2.31	2.77	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+35+35+50	1.24	2.18	2.18	3.11	8.70 3.40 - 11.60	1.577 - 3.827	0.590	7.25	6.93	99
20+35+42+42	1.25	2.19	2.63	2.63	8.70 3.40 - 11.60	1.571 - 3.821	0.590	7.21	6.90	99
22+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 11.60	1.786 - 3.826	0.590	8.20	7.84	99
22+22+22+25	2.09	2.09	2.09	2.38	8.65 3.40 - 11.60	1.736 - 3.826	0.590	7.97	7.62	99
22+22+22+35	1.88	1.88	1.88	3.00	8.65 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+22+22+42	1.76	1.76	1.76	3.36	8.65 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+22+50	1.64	1.64	1.64	3.73	8.65 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+22+60	1.51	1.51	1.51	4.12	8.65 3.40 - 11.60	1.553 - 3.803	0.590	7.13	6.82	99
22+22+22+71	1.39	1.39	1.39	4.48	8.65 3.40 - 11.60	1.557 - 3.807	0.590	7.15	6.84	99
22+22+25+25	2.04	2.04	2.31	2.31	8.70 3.40 - 11.60	1.686 - 3.826	0.590	7.74	7.40	99
22+22+25+35	1.84	1.84	2.09	2.93	8.70 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+22+25+42	1.72	1.72	1.96	3.29	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+25+50	1.61	1.61	1.83	3.66	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+25+60	1.48	1.48	1.69	4.05	8.70 3.40 - 11.60	1.553 - 3.803	0.590	7.13	6.82	99
22+22+25+71	1.37	1.37	1.55	4.41	8.70 3.40 - 11.60	1.557 - 3.807	0.590	7.15	6.84	99
22+22+35+35	1.68	1.68	2.67	2.67	8.70 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+22+35+42	1.58	1.58	2.52	3.02	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+35+50	1.48	1.48	2.36	3.37	8.70 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+22+35+60	1.38	1.38	2.19	3.76	8.70 3.40 - 11.60	1.553 - 3.803	0.590	7.13	6.82	99
22+22+42+42	1.50	1.50	2.85	2.85	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
22+22+42+50	1.41	1.41	2.69	3.20	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
22+22+50+50	1.33	1.33	3.02	3.02	8.70 3.40 - 11.60	1.564 - 3.814	0.590	7.18	6.87	99
22+25+25+25	1.98	2.26	2.26	2.26	8.75 3.40 - 11.60	1.626 - 3.826	0.590	7.46	7.14	99
22+25+25+35	1.80	2.04	2.04	2.86	8.75 3.40 - 11.60	1.576 - 3.826	0.590	7.23	6.92	99
22+25+25+42	1.69	1.92	1.92	3.22	8.75 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99
22+25+25+50	1.58	1.79	1.79	3.59	8.75 3.40 - 11.60	1.570 - 3.820	0.590	7.21	6.90	99

MXZ-4F80VGD HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D		220	230		
22+25+25+60	1.46	1.66	1.66	3.98	8.75 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
22+25+25+71	1.35	1.53	1.53	4.34	8.75 3.40 - 11.60	1.557 0.590 - 3.807	7.15	6.84	99
22+25+35+35	1.65	1.87	2.62	2.62	8.75 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
22+25+35+42	1.55	1.76	2.47	2.96	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+25+35+50	1.46	1.66	2.32	3.31	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+25+35+60	1.36	1.54	2.16	3.70	8.75 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
22+25+42+42	1.47	1.67	2.81	2.81	8.75 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
22+25+42+50	1.38	1.57	2.64	3.15	8.75 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
22+35+35+35	1.52	2.41	2.41	2.41	8.75 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
22+35+35+42	1.44	2.29	2.29	2.74	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+35+35+50	1.36	2.16	2.16	3.08	8.75 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
22+35+42+42	1.37	2.17	2.61	2.61	8.75 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
25+25+25+25	2.20	2.20	2.20	2.20	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+25+25+35	2.00	2.00	2.00	2.80	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+25+25+42	1.88	1.88	1.88	3.16	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+25+50	1.76	1.76	1.76	3.52	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+25+60	1.63	1.63	1.63	3.91	8.80 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
25+25+35+35	1.83	1.83	2.57	2.57	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+25+35+42	1.73	1.73	2.43	2.91	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+35+50	1.63	1.63	2.28	3.26	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+25+35+60	1.52	1.52	2.12	3.64	8.80 3.40 - 11.60	1.553 0.590 - 3.803	7.13	6.82	99
25+25+42+42	1.64	1.64	2.76	2.76	8.80 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
25+25+42+50	1.55	1.55	2.60	3.10	8.80 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
25+35+35+35	1.69	2.37	2.37	2.37	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99
25+35+35+42	1.61	2.25	2.25	2.70	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+35+35+50	1.52	2.12	2.12	3.03	8.80 3.40 - 11.60	1.570 0.590 - 3.820	7.21	6.90	99
25+35+42+42	1.53	2.14	2.57	2.57	8.80 3.40 - 11.60	1.564 0.590 - 3.814	7.18	6.87	99
35+35+35+35	2.20	2.20	2.20	2.20	8.80 3.40 - 11.60	1.576 0.590 - 3.826	7.23	6.92	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	
15	1.50	-	-	-	-	1.50 0.570	2.61	2.50	99
20	2.00	-	-	-	-	2.00 0.570	2.67	2.55	99
22	2.20	-	-	-	-	2.20 0.580	2.80	2.68	99
25	2.50	-	-	-	-	2.50 0.580	2.90	2.77	99
35	3.50	-	-	-	-	3.50 0.580	3.63	3.47	99
42	4.20	-	-	-	-	4.20 0.580	4.41	4.22	99
50	5.00	-	-	-	-	5.00 0.620	5.83	5.58	99
60	6.00	-	-	-	-	6.00 0.620	8.18	7.82	99
71	7.10	-	-	-	-	7.10 0.650	11.39	10.89	99
15+15	1.50	1.50	-	-	-	3.00 0.600	2.78	2.66	99
15+20	1.50	2.00	-	-	-	3.50 0.600	3.46	3.31	99
15+22	1.50	2.20	-	-	-	3.70 0.600	3.66	3.50	99
15+25	1.50	2.50	-	-	-	4.00 0.600	4.08	3.90	99
15+35	1.50	3.50	-	-	-	5.00 0.590	5.50	5.26	99
15+42	1.50	4.20	-	-	-	5.70 0.590	6.80	6.50	99
15+50	1.50	5.00	-	-	-	6.50 0.580	8.31	7.95	99
15+60	1.46	5.84	-	-	-	7.30 0.580	10.26	9.81	99
15+71	1.38	6.52	-	-	-	7.90 0.580	12.35	11.81	99
20+20	2.00	2.00	-	-	-	4.00 0.600	4.10	3.92	99
20+22	2.00	2.20	-	-	-	4.20 0.600	4.30	4.11	99
20+25	2.00	2.50	-	-	-	4.50 0.600	4.66	4.46	99
20+35	2.00	3.50	-	-	-	5.50 0.590	6.45	6.17	99
20+42	2.00	4.20	-	-	-	6.20 0.580	7.76	7.42	99
20+50	2.00	5.00	-	-	-	7.00 0.580	9.27	8.87	99
20+60	1.90	5.70	-	-	-	7.60 0.580	11.30	10.81	99
20+71	1.76	6.24	-	-	-	8.00 0.580	12.80	12.24	99
22+22	2.20	2.20	-	-	-	4.40 0.600	4.44	4.25	99
22+25	2.20	2.50	-	-	-	4.70 0.600	4.95	4.73	99
22+35	2.20	3.50	-	-	-	5.70 0.590	6.79	6.49	99
22+42	2.20	4.20	-	-	-	6.40 0.580	8.09	7.74	99
22+50	2.17	4.93	-	-	-	7.10 0.580	9.65	9.23	99
22+60	2.07	5.63	-	-	-	7.70 0.580	11.69	11.18	99
22+71	1.92	6.18	-	-	-	8.10 0.580	12.90	12.34	99
25+25	2.50	2.50	-	-	-	5.00 0.590	5.46	5.22	99
25+35	2.50	3.50	-	-	-	6.00 0.590	7.38	7.06	99
25+42	2.50	4.20	-	-	-	6.70 0.580	8.69	8.31	99
25+50	2.43	4.87	-	-	-	7.30 0.580	10.30	9.85	99
25+60	2.29	5.51	-	-	-	7.80 0.580	12.19	11.66	99
25+71	2.14	6.06	-	-	-	8.20 0.580	13.17	12.60	99
35+35	3.50	3.50	-	-	-	7.00 0.580	9.26	8.86	99
35+42	3.36	4.04	-	-	-	7.40 0.580	10.71	10.24	99
35+50	3.21	4.59	-	-	-	7.80 0.580	12.26	11.73	99
35+60	2.98	5.12	-	-	-	8.10 0.580	13.06	12.49	99
35+71	2.81	5.69	-	-	-	8.50 0.570	13.96	13.35	99
42+42	3.90	3.90	-	-	-	7.80 0.580	12.15	11.62	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230		
42+50	3.70	4.40	-	-	-	8.10 2.10 - 9.00	2.806 - 3.126	0.580	12.88	12.32	99
42+60	3.46	4.94	-	-	-	8.40 2.10 - 9.10	2.969 - 3.239	0.580	13.63	13.04	99
42+71	3.23	5.47	-	-	-	8.70 2.10 - 9.20	3.133 - 3.303	0.560	14.39	13.76	99
50+50	4.15	4.15	-	-	-	8.30 2.10 - 9.10	2.956 - 3.246	0.580	13.57	12.98	99
50+60	3.91	4.69	-	-	-	8.60 2.10 - 9.20	3.089 - 3.289	0.570	14.19	13.57	99
50+71	3.68	5.22	-	-	-	8.90 2.10 - 9.20	3.243 - 3.353	0.550	14.89	14.24	99
60+60	4.45	4.45	-	-	-	8.90 2.10 - 9.20	3.212 - 3.322	0.550	14.75	14.11	99
60+71	4.12	4.88	-	-	-	9.00 2.10 - 9.20	3.346 - 3.416	0.550	15.36	14.69	99
71+71	4.55	4.55	-	-	-	9.10 2.10 - 9.20	3.470 - 3.510	0.550	15.93	15.24	99
35+71	2.81	5.69	-	-	-	8.50 2.10 - 9.10	3.039 - 3.269	0.570	13.96	13.35	99
42+42	3.90	3.90	-	-	-	7.80 2.00 - 8.80	2.646 - 2.996	0.580	12.15	11.62	99
42+50	3.70	4.40	-	-	-	8.10 2.10 - 9.00	2.806 - 3.126	0.580	12.88	12.32	99
42+71	3.23	5.47	-	-	-	8.70 2.10 - 9.20	3.133 - 3.303	0.560	14.39	13.76	99
50+50	4.15	4.15	-	-	-	8.30 2.10 - 9.10	2.956 - 3.246	0.580	13.57	12.98	99
50+60	3.91	4.69	-	-	-	8.60 2.10 - 9.20	3.089 - 3.289	0.570	14.19	13.57	99
50+71	3.68	5.22	-	-	-	8.90 2.10 - 9.20	3.243 - 3.353	0.550	14.89	14.24	99
60+60	4.45	4.45	-	-	-	8.90 2.10 - 9.20	3.212 - 3.322	0.550	14.75	14.11	99
60+71	4.12	4.88	-	-	-	9.00 2.10 - 9.20	3.346 - 3.416	0.550	15.36	14.69	99
71+71	4.55	4.55	-	-	-	9.10 2.10 - 9.20	3.470 - 3.510	0.550	15.93	15.24	99
15+15+15	1.50	1.50	1.50	-	-	4.50 2.90 - 6.30	1.009 - 2.359	0.690	4.63	4.43	99
15+15+20	1.50	1.50	2.00	-	-	5.00 2.90 - 6.90	1.127 - 2.357	0.690	5.18	4.95	99
15+15+22	1.50	1.50	2.20	-	-	5.20 2.90 - 7.10	1.160 - 2.350	0.690	5.32	5.09	99
15+15+25	1.50	1.50	2.50	-	-	5.50 2.90 - 7.50	1.230 - 2.350	0.690	5.65	5.40	99
15+15+35	1.50	1.50	3.50	-	-	6.50 2.90 - 8.10	1.480 - 2.350	0.690	6.80	6.50	99
15+15+42	1.50	1.50	4.20 *	-	-	7.20 2.90 - 8.70	1.654 - 2.614	0.690	7.59	7.26	99
15+15+50	1.44	1.44	4.81 *	-	-	7.70 2.90 - 9.00	1.884 - 2.774	0.690	8.65	8.27	99
15+15+60	1.35	1.35	5.40	-	-	8.10 2.90 - 9.10	2.177 - 2.787	0.690	9.99	9.56	99
15+15+71	1.26	1.26	5.98	-	-	8.50 2.90 - 9.20	2.521 - 2.821	0.690	11.57	11.07	99
15+20+20	1.50	2.00	2.00	-	-	5.50 2.90 - 7.50	1.235 - 2.355	0.690	5.67	5.42	99
15+20+22	1.50	2.00	2.20	-	-	5.70 2.90 - 7.70	1.278 - 2.348	0.690	5.87	5.61	99
15+20+25	1.50	2.00	2.50	-	-	6.00 2.90 - 8.10	1.348 - 2.348	0.690	6.19	5.92	99
15+20+35	1.50	2.00	3.50	-	-	7.00 2.90 - 8.50	1.608 - 2.528	0.690	7.38	7.06	99
15+20+42	1.48	1.97	4.15 *	-	-	7.60 2.90 - 9.00	1.792 - 2.762	0.690	8.23	7.87	99
15+20+50	1.39	1.86	4.65 *	-	-	7.90 2.90 - 9.10	2.042 - 2.782	0.690	9.38	8.97	99
15+20+60	1.29	1.73	5.18	-	-	8.20 2.90 - 9.10	2.325 - 2.795	0.690	10.67	10.21	99
15+20+71	1.22	1.62	5.76	-	-	8.60 2.90 - 9.20	2.649 - 2.829	0.690	12.16	11.63	99
15+22+22	1.50	2.20	2.20	-	-	5.90 2.90 - 8.00	1.321 - 2.341	0.690	6.06	5.80	99
15+22+25	1.50	2.20	2.50	-	-	6.20 2.90 - 8.10	1.391 - 2.341	0.690	6.39	6.11	99
15+22+35	1.50	2.20	3.50	-	-	7.20 2.90 - 8.70	1.651 - 2.611	0.690	7.58	7.25	99
15+22+42	1.44	2.12	4.04 *	-	-	7.60 2.90 - 9.00	1.845 - 2.755	0.690	8.47	8.10	99
15+22+50	1.36	2.00	4.54 *	-	-	7.90 2.90 - 9.10	2.095 - 2.785	0.690	9.62	9.20	99
15+22+60	1.28	1.88	5.13	-	-	8.30 2.90 - 9.10	2.378 - 2.798	0.690	10.91	10.44	99
15+22+71	1.21	1.77	5.72	-	-	8.70 2.90 - 9.20	2.652 - 2.832	0.690	12.18	11.65	99
15+25+25	1.50	2.50	2.50	-	-	6.50 2.90 - 8.10	1.471 - 2.341	0.690	6.75	6.46	99
15+25+35	1.50	2.50	3.50	-	-	7.50 2.90 - 9.00	1.731 - 2.751	0.690	7.95	7.60	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+25+42	1.43	2.38	4.00 *	-	-	7.80 2.90 - 9.00	1.935 0.690 - 2.765	8.89	8.50	99
15+25+50	1.35	2.25	4.50 *	-	-	8.10 2.90 - 9.10	2.185 0.690 - 2.795	10.04	9.60	99
15+25+60	1.26	2.10	5.04	-	-	8.40 2.90 - 9.20	2.478 0.690 - 2.808	11.37	10.88	99
15+25+71	1.18	1.96	5.56	-	-	8.70 2.90 - 9.20	2.672 0.690 - 2.842	12.26	11.73	99
15+35+35	1.39	3.25	3.25	-	-	7.90 2.90 - 9.10	2.041 0.690 - 2.781	9.37	8.96	99
15+35+42	1.32	3.08	3.70 *	-	-	8.10 2.90 - 9.10	2.245 0.690 - 2.795	10.31	9.86	99
15+35+50	1.26	2.94	4.20 *	-	-	8.40 2.90 - 9.20	2.495 0.690 - 2.825	11.46	10.96	99
15+35+60	1.19	2.77	4.75	-	-	8.70 2.90 - 9.20	2.668 0.690 - 2.838	12.25	11.72	99
15+35+71	1.10	2.57	5.22	-	-	8.90 2.90 - 9.20	2.742 0.690 - 2.882	12.59	12.04	99
15+42+42	1.27	3.56	3.56 *	-	-	8.40 2.90 - 9.20	2.459 0.690 - 2.809	11.29	10.80	99
15+42+50	1.21	3.38	4.02 *	-	-	8.60 2.90 - 9.20	2.649 0.690 - 2.839	12.16	11.63	99
15+42+60	1.13	3.16	4.51	-	-	8.80 2.90 - 9.20	2.712 0.690 - 2.862	12.45	11.91	99
15+42+71	1.05	2.95	4.99	-	-	9.00 2.90 - 9.20	2.796 0.690 - 2.906	12.84	12.28	99
15+50+50	1.15	3.83	3.83 *	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.869	12.44	11.90	99
15+50+60	1.08	3.60	4.32	-	-	9.00 2.90 - 9.20	2.762 0.690 - 2.892	12.68	12.13	99
15+50+71	0.99	3.31	4.70	-	-	9.00 2.90 - 9.20	2.876 0.690 - 2.966	13.20	12.63	99
15+60+60	1.00	4.00	4.00	-	-	9.00 2.90 - 9.20	2.845 0.690 - 2.945	13.06	12.49	99
15+60+71	0.93	3.74	4.43	-	-	9.10 2.90 - 9.30	2.979 0.690 - 3.049	13.67	13.08	99
15+71+71	0.90	4.25	4.25	-	-	9.40 2.90 - 9.60	3.093 0.690 - 3.163	14.20	13.58	99
20+20+20	2.00	2.00	2.00	-	-	6.00 2.90 - 8.10	1.353 0.690 - 2.353	6.21	5.94	99
20+20+22	2.00	2.00	2.20	-	-	6.20 2.90 - 8.10	1.396 0.690 - 2.346	6.41	6.13	99
20+20+25	2.00	2.00	2.50	-	-	6.50 2.90 - 8.10	1.476 0.690 - 2.346	6.77	6.48	99
20+20+35	2.00	2.00	3.50	-	-	7.50 2.90 - 9.00	1.736 0.690 - 2.756	7.97	7.62	99
20+20+42	1.90	1.90	4.00 *	-	-	7.80 2.90 - 9.00	1.940 0.690 - 2.770	8.91	8.52	99
20+20+50	1.80	1.80	4.50 *	-	-	8.10 2.90 - 9.10	2.190 0.690 - 2.800	10.06	9.62	99
20+20+60	1.68	1.68	5.04	-	-	8.40 2.90 - 9.20	2.483 0.690 - 2.813	11.40	10.90	99
20+20+71	1.57	1.57	5.56	-	-	8.70 2.90 - 9.20	2.677 0.690 - 2.847	12.29	11.76	99
20+22+22	2.00	2.20	2.20	-	-	6.40 2.90 - 8.10	1.439 0.690 - 2.339	6.61	6.32	99
20+22+25	2.00	2.20	2.50	-	-	6.70 2.90 - 8.20	1.519 0.690 - 2.389	6.97	6.67	99
20+22+35	1.97	2.17	3.45	-	-	7.60 2.90 - 9.00	1.789 0.690 - 2.759	8.22	7.86	99
20+22+42	1.86	2.04	3.90 *	-	-	7.80 2.90 - 9.10	2.003 0.690 - 2.773	9.20	8.80	99
20+22+50	1.76	1.94	4.40 *	-	-	8.10 2.90 - 9.10	2.243 0.690 - 2.793	10.30	9.85	99
20+22+60	1.67	1.83	5.00	-	-	8.50 2.90 - 9.20	2.536 0.690 - 2.806	11.65	11.14	99
20+22+71	1.56	1.71	5.53	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	12.35	11.81	99
20+25+25	2.00	2.50	2.50	-	-	7.00 2.90 - 8.50	1.599 0.690 - 2.519	7.34	7.02	99
20+25+35	1.93	2.41	3.37	-	-	7.70 2.90 - 9.00	1.879 0.690 - 2.769	8.63	8.25	99
20+25+42	1.82	2.27	3.81 *	-	-	7.90 2.90 - 9.10	2.093 0.690 - 2.783	9.61	9.19	99
20+25+50	1.73	2.16	4.32 *	-	-	8.20 2.90 - 9.10	2.333 0.690 - 2.803	10.72	10.25	99
20+25+60	1.64	2.05	4.91	-	-	8.60 2.90 - 9.20	2.626 0.690 - 2.816	12.05	11.53	99
20+25+71	1.52	1.90	5.39	-	-	8.80 2.90 - 9.20	2.710 0.690 - 2.860	12.44	11.90	99
20+35+35	1.80	3.15	3.15	-	-	8.10 2.90 - 9.10	2.189 0.690 - 2.799	10.05	9.61	99
20+35+42	1.71	2.99	3.59 *	-	-	8.30 2.90 - 9.10	2.393 0.690 - 2.813	10.99	10.51	99
20+35+50	1.64	2.87	4.10 *	-	-	8.60 2.90 - 9.20	2.643 0.690 - 2.833	12.14	11.61	99
20+35+60	1.53	2.68	4.59	-	-	8.80 2.90 - 9.20	2.696 0.690 - 2.856	12.38	11.84	99
20+35+71	1.43	2.50	5.07	-	-	9.00 2.90 - 9.20	2.780 0.690 - 2.900	12.77	12.21	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+42+42	1.65	3.47	3.47 *	-	-	8.60 2.90 - 9.20	2.607 0.690 - 2.827	11.97	11.45	99
20+42+50	1.55	3.26	3.88 *	-	-	8.70 2.90 - 9.20	2.687 0.690 - 2.857	12.34	11.80	99
20+42+60	1.46	3.06	4.38	-	-	8.90 2.90 - 9.20	2.740 0.690 - 2.870	12.58	12.03	99
20+42+71	1.35	2.84	4.80	-	-	9.00 2.90 - 9.20	2.844 0.690 - 2.944	13.06	12.49	99
20+50+50	1.48	3.71	3.71 *	-	-	8.90 2.90 - 9.20	2.747 0.690 - 2.887	12.61	12.06	99
20+50+60	1.38	3.46	4.15	-	-	9.00 2.90 - 9.20	2.810 0.690 - 2.920	12.90	12.34	99
20+50+71	1.28	3.19	4.53	-	-	9.00 2.90 - 9.20	2.924 0.690 - 3.004	13.42	12.84	99
20+60+60	1.29	3.86	3.86	-	-	9.00 2.90 - 9.20	2.893 0.690 - 2.973	13.29	12.71	99
20+60+71	1.25	3.74	4.42	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	99
20+71+71	1.16	4.12	4.12	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
22+22+22	2.20	2.20	2.20	-	-	6.60 2.90 - 8.10	1.482 0.690 - 2.332	6.81	6.51	99
22+22+25	2.20	2.20	2.50	-	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	7.17	6.86	99
22+22+35	2.12	2.12	3.37	-	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	8.46	8.09	99
22+22+42	2.02	2.02	3.86 *	-	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	9.44	9.03	99
22+22+50	1.92	1.92	4.36 *	-	-	8.20 2.90 - 9.10	2.296 0.690 - 2.796	10.54	10.08	99
22+22+60	1.82	1.82	4.96	-	-	8.60 2.90 - 9.20	2.589 0.690 - 2.809	11.89	11.37	99
22+22+71	1.68	1.68	5.43	-	-	8.80 2.90 - 9.20	2.693 0.690 - 2.853	12.37	11.83	99
22+25+25	2.20	2.50	2.50	-	-	7.20 2.90 - 8.70	1.642 0.690 - 2.602	7.54	7.21	99
22+25+35	2.09	2.38	3.33	-	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.87	8.48	99
22+25+42	1.98	2.25	3.78 *	-	-	8.00 2.90 - 9.10	2.146 0.690 - 2.776	9.85	9.42	99
22+25+50	1.88	2.14	4.28 *	-	-	8.30 2.90 - 9.10	2.386 0.690 - 2.806	10.96	10.48	99
22+25+60	1.77	2.01	4.82	-	-	8.60 2.90 - 9.20	2.629 0.690 - 2.819	12.08	11.55	99
22+25+71	1.64	1.86	5.29	-	-	8.80 2.90 - 9.20	2.713 0.690 - 2.863	12.45	11.91	99
22+35+35	1.94	3.08	3.08	-	-	8.10 2.90 - 9.10	2.242 0.690 - 2.792	10.30	9.85	99
22+35+42	1.87	2.97	3.56 *	-	-	8.40 2.90 - 9.20	2.456 0.690 - 2.806	11.28	10.79	99
22+35+50	1.77	2.81	4.02 *	-	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	12.15	11.62	99
22+35+60	1.65	2.63	4.51	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.859	12.44	11.90	99
22+35+71	1.55	2.46	4.99	-	-	9.00 2.90 - 9.20	2.793 0.690 - 2.903	12.83	12.27	99
22+42+42	1.78	3.41	3.41 *	-	-	8.60 2.90 - 9.20	2.640 0.690 - 2.820	12.12	11.59	99
22+42+50	1.70	3.24	3.86 *	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	12.35	11.81	99
22+42+60	1.60	3.05	4.35	-	-	9.00 2.90 - 9.20	2.753 0.690 - 2.873	12.64	12.09	99
22+42+71	1.47	2.80	4.73	-	-	9.00 2.90 - 9.20	2.857 0.690 - 2.957	13.12	12.55	99
22+50+50	1.60	3.65	3.65 *	-	-	8.90 2.90 - 9.20	2.750 0.690 - 2.880	12.63	12.08	99
22+50+60	1.50	3.41	4.09	-	-	9.00 2.90 - 9.20	2.823 0.690 - 2.923	12.96	12.40	99
22+50+71	1.38	3.15	4.47	-	-	9.00 2.90 - 9.20	2.937 0.690 - 3.017	13.49	12.90	99
22+60+60	1.39	3.80	3.80	-	-	9.00 2.90 - 9.20	2.906 0.690 - 2.986	13.34	12.76	99
22+60+71	1.35	3.69	4.36	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	99
22+71+71	1.26	4.07	4.07	-	-	9.40 2.90 - 9.60	3.084 0.690 - 3.154	14.16	13.54	99
25+25+25	2.50	2.50	2.50	-	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	99
25+25+35	2.32	2.32	3.25	-	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	9.33	8.92	99
25+25+42	2.20	2.20	3.70 *	-	-	8.10 2.90 - 9.10	2.236 0.690 - 2.786	10.27	9.82	99
25+25+50	2.10	2.10	4.20 *	-	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	11.42	10.92	99
25+25+60	1.98	1.98	4.75	-	-	8.70 2.90 - 9.20	2.659 0.690 - 2.829	12.21	11.68	99
25+25+71	1.84	1.84	5.22	-	-	8.90 2.90 - 9.20	2.733 0.690 - 2.873	12.55	12.00	99
25+35+35	2.16	3.02	3.02	-	-	8.20 2.90 - 9.10	2.332 0.690 - 2.802	10.71	10.24	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
25+35+42	2.08	2.92	3.50 *	-	-	8.50 2.90 - 9.20	2.546 0.690 - 2.816	11.69	11.18	99
25+35+50	1.98	2.77	3.95 *	-	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	12.28	11.75	99
25+35+60	1.85	2.60	4.45	-	-	8.90 2.90 - 9.20	2.729 0.690 - 2.869	12.54	11.99	99
25+35+71	1.72	2.40	4.88	-	-	9.00 2.90 - 9.20	2.823 0.690 - 2.933	12.96	12.40	99
25+42+42	2.00	3.35	3.35 *	-	-	8.70 2.90 - 9.20	2.660 0.690 - 2.840	12.21	11.68	99
25+42+50	1.88	3.16	3.76 *	-	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	12.49	11.95	99
25+42+60	1.77	2.98	4.25	-	-	9.00 2.90 - 9.20	2.773 0.690 - 2.893	12.73	12.18	99
25+42+71	1.63	2.74	4.63	-	-	9.00 2.90 - 9.20	2.887 0.690 - 2.977	13.26	12.68	99
25+50+50	1.80	3.60	3.60 *	-	-	9.00 2.90 - 9.20	2.770 0.690 - 2.900	12.72	12.17	99
25+50+60	1.67	3.33	4.00	-	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	13.10	12.53	99
25+50+71	1.56	3.12	4.43	-	-	9.10 2.90 - 9.30	2.987 0.690 - 3.057	13.72	13.12	99
25+60+60	1.55	3.72	3.72	-	-	9.00 2.90 - 9.20	2.936 0.690 - 3.006	13.48	12.89	99
25+60+71	1.51	3.62	4.28	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	99
25+71+71	1.41	4.00	4.00	-	-	9.40 2.90 - 9.60	3.084 0.690 - 3.154	14.16	13.54	99
35+35+35	2.87	2.87	2.87	-	-	8.60 2.90 - 9.20	2.642 0.690 - 2.832	12.13	11.60	99
35+35+42	2.72	2.72	3.26 *	-	-	8.70 2.90 - 9.20	2.686 0.690 - 2.856	12.34	11.80	99
35+35+50	2.60	2.60	3.71 *	-	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	12.61	12.06	99
35+35+60	2.42	2.42	4.15	-	-	9.00 2.90 - 9.20	2.809 0.690 - 2.919	12.90	12.34	99
35+35+71	2.23	2.23	4.53	-	-	9.00 2.90 - 9.20	2.923 0.690 - 3.003	13.42	12.84	99
35+42+42	2.62	3.14	3.14 *	-	-	8.90 2.90 - 9.20	2.730 0.690 - 2.870	12.54	11.99	99
35+42+50	2.48	2.98	3.54 *	-	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	12.81	12.25	99
35+42+60	2.30	2.76	3.94	-	-	9.00 2.90 - 9.20	2.873 0.690 - 2.963	13.19	12.62	99
35+42+71	2.18	2.61	4.41	-	-	9.20 2.90 - 9.40	3.037 0.690 - 3.107	13.95	13.34	99
35+50+50	2.33	3.33	3.33 *	-	-	9.00 2.90 - 9.20	2.870 0.690 - 2.970	13.17	12.60	99
35+50+60	2.17	3.10	3.72	-	-	9.00 2.90 - 9.20	2.953 0.690 - 3.023	13.56	12.97	99
35+50+71	2.11	3.01	4.28	-	-	9.40 2.90 - 9.60	3.097 0.690 - 3.167	14.22	13.60	99
35+60+60	2.12	3.64	3.64	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	14.12	13.51	99
35+60+71	1.98	3.40	4.02	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	99
42+42+42	3.00	3.00	3.00 *	-	-	9.00 2.90 - 9.20	2.774 0.690 - 2.894	12.73	12.18	99
42+42+50	2.82	2.82	3.36 *	-	-	9.00 2.90 - 9.20	2.854 0.690 - 2.954	13.10	12.53	99
42+42+60	2.63	2.63	3.75	-	-	9.00 2.90 - 9.20	2.937 0.690 - 3.007	13.49	12.90	99
42+42+71	2.55	2.55	4.31	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
42+50+50	2.66	3.17	3.17 *	-	-	9.00 2.90 - 9.20	2.934 0.690 - 3.014	13.48	12.89	99
42+50+60	2.60	3.09	3.71	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	99
42+50+71	2.42	2.88	4.09	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
42+60+60	2.44	3.48	3.48	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	14.09	13.48	99
50+50+50	3.13	3.13	3.13 *	-	-	9.40 2.90 - 9.60	3.104 0.690 - 3.174	14.25	13.63	99
50+50+60	2.94	2.94	3.53	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	99
50+50+71	2.75	2.75	3.90	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	99
50+60+60	2.76	3.32	3.32	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	14.09	13.48	99
15+15+15+15	1.50	1.50	1.50	1.50	-	6.00 3.70 - 7.20	1.352 0.660 - 2.972	6.21	5.94	99
15+15+15+20	1.48	1.48	1.48	1.97	-	6.40 3.70 - 7.60	1.470 0.660 - 3.160	6.75	6.46	99
15+15+15+22	1.46	1.46	1.46	2.13	-	6.50 3.70 - 7.70	1.513 0.660 - 3.233	6.94	6.64	99
15+15+15+25	1.44	1.44	1.44	2.39 *	-	6.70 3.70 - 7.90	1.583 0.660 - 3.353	7.27	6.95	99
15+15+15+35	1.39	1.39	1.39	3.24 *	-	7.40 3.70 - 8.60	1.823 0.660 - 3.733	8.37	8.01	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+15+15+42	1.36	1.36	1.36	3.81	-	7.90 3.70 - 9.10	1.987 0.660 - 3.997	9.13	8.73	99
15+15+15+50	1.33	1.33	1.33	4.42	-	8.40 3.70 - 9.60	1.597 0.660 - 3.417	7.33	7.01	99
15+15+15+60	1.24	1.24	1.24	4.97	-	8.70 3.70 - 9.90	2.050 0.660 - 4.020	9.41	9.00	99
15+15+15+71	1.14	1.14	1.14	5.39	-	8.80 3.70 - 10.00	2.294 0.660 - 4.024	10.53	10.07	99
15+15+20+20	1.44	1.44	1.91	1.91	-	6.70 3.70 - 7.90	1.588 0.660 - 3.358	7.29	6.97	99
15+15+20+22	1.44	1.44	1.92	2.11 *	-	6.90 3.70 - 8.10	1.631 0.660 - 3.421	7.49	7.16	99
15+15+20+25	1.42	1.42	1.89	2.37 *	-	7.10 3.70 - 8.30	1.701 0.660 - 3.541	7.81	7.47	99
15+15+20+35	1.38	1.38	1.84	3.21	-	7.80 3.70 - 9.00	1.941 0.660 - 3.921	8.91	8.52	99
15+15+20+42	1.34	1.34	1.78	3.74	-	8.20 3.70 - 9.40	1.605 0.660 - 3.415	7.37	7.05	99
15+15+20+50	1.29	1.29	1.72	4.30	-	8.60 3.70 - 9.90	1.955 0.660 - 4.035	8.98	8.59	99
15+15+20+60	1.19	1.19	1.58	4.75	-	8.70 3.70 - 10.00	2.158 0.660 - 4.018	9.91	9.48	99
15+15+20+71	1.09	1.09	1.45	5.16	-	8.80 3.70 - 10.10	2.402 0.660 - 4.022	11.03	10.55	99
15+15+22+22	1.42	1.42	2.08	2.08	-	7.00 3.70 - 8.20	1.674 0.660 - 3.494	7.68	7.35	99
15+15+22+25	1.40	1.40	2.06	2.34	-	7.20 3.70 - 8.40	1.744 0.660 - 3.614	8.01	7.66	99
15+15+22+35	1.36	1.36	2.00	3.18	-	7.90 3.70 - 9.10	1.984 0.660 - 3.994	9.11	8.71	99
15+15+22+42	1.32	1.32	1.94	3.71	-	8.30 3.70 - 9.60	1.598 0.660 - 3.408	7.34	7.02	99
15+15+22+50	1.26	1.26	1.85	4.22 *	-	8.60 3.70 - 9.90	1.988 0.660 - 4.028	9.13	8.73	99
15+15+22+60	1.17	1.17	1.71	4.66	-	8.70 3.70 - 10.00	2.191 0.660 - 4.011	10.06	9.62	99
15+15+22+71	1.07	1.07	1.57	5.08	-	8.80 3.70 - 10.10	2.435 0.660 - 4.015	11.18	10.69	99
15+15+25+25	1.39	1.39	2.31	2.31	-	7.40 3.70 - 8.60	1.814 0.660 - 3.724	8.33	7.97	99
15+15+25+35	1.35	1.35	2.25	3.15	-	8.10 3.70 - 9.30	1.614 0.660 - 3.414	7.41	7.09	99
15+15+25+42	1.31	1.31	2.19	3.68 *	-	8.50 3.70 - 9.70	1.578 0.660 - 3.408	7.25	6.93	99
15+15+25+50	1.24	1.24	2.07	4.14 *	-	8.70 3.70 - 9.90	2.058 0.660 - 4.028	9.45	9.04	99
15+15+25+60	1.15	1.15	1.91	4.59	-	8.80 3.70 - 10.00	2.261 0.660 - 4.011	10.38	9.93	99
15+15+25+71	1.06	1.06	1.77	5.02	-	8.90 3.70 - 10.10	2.505 0.660 - 4.015	11.50	11.00	99
15+15+35+35	1.29	1.29	3.01	3.01	-	8.60 3.70 - 9.90	1.954 0.660 - 4.034	8.97	8.58	99
15+15+35+42	1.22	1.22	2.85	3.41	-	8.70 3.70 - 10.00	2.098 0.660 - 4.028	9.63	9.21	99
15+15+35+50	1.15	1.15	2.68	3.83	-	8.80 3.70 - 10.00	2.278 0.660 - 4.028	10.45	10.00	99
15+15+35+60	1.07	1.07	2.49	4.27	-	8.90 3.70 - 10.10	2.471 0.660 - 4.011	11.34	10.85	99
15+15+35+71	0.99	0.99	2.32	4.70	-	9.00 3.70 - 10.20	2.715 0.660 - 4.015	12.46	11.92	99
15+15+42+42	1.14	1.14	3.21 *	3.21 *	-	8.70 3.70 - 10.00	2.242 0.660 - 4.022	10.30	9.85	99
15+15+42+50	1.08	1.08	3.03 *	3.61 *	-	8.80 3.70 - 10.10	2.422 0.660 - 4.022	11.12	10.64	99
15+15+42+60	1.01	1.01	2.83 *	4.05	-	8.90 3.70 - 10.10	2.625 0.660 - 4.005	12.05	11.53	99
15+15+42+71	0.94	0.94	2.64 *	4.47	-	9.00 3.70 - 10.20	2.799 0.660 - 4.009	12.85	12.29	99
15+15+50+50	1.03	1.03	3.42 *	3.42 *	-	8.90 3.70 - 10.10	2.592 0.660 - 4.022	11.90	11.38	99
15+15+50+60	0.96	0.96	3.21 *	3.86	-	9.00 3.70 - 10.20	2.795 0.660 - 4.005	12.83	12.27	99
15+15+50+71	0.90	0.90	3.01 *	4.28	-	9.10 3.70 - 10.20	2.879 0.660 - 4.009	13.21	12.64	99
15+15+60+60	0.91	0.91	3.64	3.64	-	9.10 3.70 - 10.20	2.838 0.660 - 3.988	13.03	12.46	99
15+15+60+71	0.87	0.87	3.47	4.10	-	9.30 3.70 - 10.20	2.982 0.660 - 3.992	13.70	13.10	99
15+15+71+71	0.82	0.82	3.88	3.88	-	9.40 3.70 - 10.20	3.076 0.660 - 3.996	14.12	13.51	99
15+20+20+20	1.42	1.89	1.89	1.89	-	7.10 3.70 - 8.30	1.706 0.660 - 3.546	7.83	7.49	99
15+20+20+22	1.40	1.87	1.87	2.06	-	7.20 3.70 - 8.40	1.749 0.660 - 3.619	8.03	7.68	99
15+20+20+25	1.39	1.85	1.85	2.31	-	7.40 3.70 - 8.60	1.819 0.660 - 3.729	8.35	7.99	99
15+20+20+35	1.35	1.80	1.80	3.15	-	8.10 3.70 - 9.30	1.619 0.660 - 3.419	7.43	7.11	99
15+20+20+42	1.31	1.75	1.75	3.68 *	-	8.50 3.70 - 9.70	1.583 0.660 - 3.413	7.27	6.95	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+20+20+50	1.24	1.66	1.66	4.14	-	8.70 3.70 - 9.90	2.063 0.660 - 4.033	9.47	9.06	99
15+20+20+60	1.15	1.53	1.53	4.59	-	8.80 3.70 - 10.00	2.266 0.660 - 4.016	10.40	9.95	99
15+20+20+71	1.06	1.41	1.41	5.02	-	8.90 3.70 - 10.10	2.510 0.660 - 4.020	11.52	11.02	99
15+20+22+22	1.41	1.87	2.06	2.06	-	7.40 3.70 - 8.60	1.782 0.660 - 3.682	8.19	7.83	99
15+20+22+25	1.39	1.85	2.04	2.32	-	7.60 3.70 - 8.80	1.862 0.660 - 3.802	8.55	8.18	99
15+20+22+35	1.34	1.78	1.96	3.12	-	8.20 3.70 - 9.40	1.602 0.660 - 3.412	7.36	7.04	99
15+20+22+42	1.30	1.74	1.91	3.65 *	-	8.60 3.70 - 9.80	1.566 0.660 - 3.406	7.19	6.88	99
15+20+22+50	1.22	1.63	1.79	4.07 *	-	8.70 3.70 - 10.00	2.096 0.660 - 4.026	9.63	9.21	99
15+20+22+60	1.13	1.50	1.65	4.51	-	8.80 3.70 - 10.00	2.299 0.660 - 4.009	10.56	10.10	99
15+20+22+71	1.04	1.39	1.53	4.94	-	8.90 3.70 - 10.10	2.543 0.660 - 4.013	11.68	11.17	99
15+20+25+25	1.38	1.84	2.29	2.29	-	7.80 3.70 - 9.00	1.932 0.660 - 3.912	8.87	8.48	99
15+20+25+35	1.33	1.77	2.21	3.09	-	8.40 3.70 - 9.60	1.592 0.660 - 3.412	7.31	6.99	99
15+20+25+42	1.26	1.69	2.11	3.54 *	-	8.60 3.70 - 9.90	1.986 0.660 - 4.026	9.12	8.72	99
15+20+25+50	1.19	1.58	1.98	3.95 *	-	8.70 3.70 - 10.00	2.166 0.660 - 4.026	9.94	9.51	99
15+20+25+60	1.10	1.47	1.83	4.40	-	8.80 3.70 - 10.10	2.369 0.660 - 4.009	10.87	10.40	99
15+20+25+71	1.02	1.36	1.70	4.82	-	8.90 3.70 - 10.10	2.603 0.660 - 4.013	11.95	11.43	99
15+20+35+35	1.24	1.66	2.90	2.90	-	8.70 3.70 - 9.90	2.062 0.660 - 4.032	9.47	9.06	99
15+20+35+42	1.17	1.55	2.72	3.26 *	-	8.70 3.70 - 10.00	2.206 0.660 - 4.026	10.13	9.69	99
15+20+35+50	1.10	1.47	2.57	3.67 *	-	8.80 3.70 - 10.10	2.386 0.660 - 4.026	10.96	10.48	99
15+20+35+60	1.03	1.37	2.40	4.11	-	8.90 3.70 - 10.10	2.579 0.660 - 4.009	11.85	11.33	99
15+20+35+71	0.96	1.28	2.23	4.53	-	9.00 3.70 - 10.20	2.803 0.660 - 4.013	12.87	12.31	99
15+20+42+42	1.11	1.48	3.11 *	3.11 *	-	8.80 3.70 - 10.00	2.350 0.660 - 4.020	10.79	10.32	99
15+20+42+50	1.05	1.40	2.94 *	3.50 *	-	8.90 3.70 - 10.10	2.530 0.660 - 4.020	11.62	11.11	99
15+20+42+60	0.99	1.31	2.76 *	3.94	-	9.00 3.70 - 10.20	2.723 0.660 - 4.003	12.50	11.96	99
15+20+42+71	0.92	1.23	2.58 *	4.37	-	9.10 3.70 - 10.20	2.837 0.660 - 4.007	13.03	12.46	99
15+20+50+50	1.00	1.33	3.33 *	3.33 *	-	9.00 3.70 - 10.20	2.700 0.660 - 4.020	12.40	11.86	99
15+20+50+60	0.93	1.24	3.10 *	3.72	-	9.00 3.70 - 10.20	2.793 0.660 - 4.003	12.83	12.27	99
15+20+50+71	0.88	1.18	2.95 *	4.19	-	9.20 3.70 - 10.20	2.937 0.660 - 4.007	13.49	12.90	99
15+20+60+60	0.89	1.19	3.56	3.56	-	9.20 3.70 - 10.20	2.906 0.660 - 3.986	13.34	12.76	99
15+20+60+71	0.85	1.13	3.40	4.02	-	9.40 3.70 - 10.20	3.040 0.660 - 3.990	13.96	13.35	99
15+22+22+22	1.39	2.04	2.04	2.04	-	7.50 3.70 - 8.70	1.825 0.660 - 3.755	8.37	8.01	99
15+22+22+25	1.38	2.02	2.02	2.29	-	7.70 3.70 - 8.90	1.895 0.660 - 3.875	8.70	8.32	99
15+22+22+35	1.32	1.94	1.94	3.09	-	8.30 3.70 - 9.60	1.595 0.660 - 3.405	7.32	7.00	99
15+22+22+42	1.28	1.87	1.87	3.58	-	8.60 3.70 - 9.90	1.959 0.660 - 4.019	8.99	8.60	99
15+22+22+50	1.20	1.76	1.76	3.99 *	-	8.70 3.70 - 10.00	2.139 0.660 - 4.019	9.82	9.39	99
15+22+22+60	1.11	1.63	1.63	4.44	-	8.80 3.70 - 10.00	2.332 0.660 - 4.002	10.71	10.24	99
15+22+22+71	1.03	1.51	1.51	4.86	-	8.90 3.70 - 10.10	2.576 0.660 - 4.006	11.82	11.31	99
15+22+25+25	1.36	2.00	2.27	2.27	-	7.90 3.70 - 9.10	1.975 0.660 - 3.985	9.06	8.67	99
15+22+25+35	1.31	1.93	2.19	3.07	-	8.50 3.70 - 9.70	1.575 0.660 - 3.405	7.23	6.92	99
15+22+25+42	1.24	1.82	2.07	3.47 *	-	8.60 3.70 - 9.90	2.029 0.660 - 4.019	9.32	8.91	99
15+22+25+50	1.17	1.71	1.94	3.88 *	-	8.70 3.70 - 10.00	2.199 0.660 - 4.019	10.10	9.66	99
15+22+25+60	1.08	1.59	1.80	4.33	-	8.80 3.70 - 10.10	2.402 0.660 - 4.002	11.03	10.55	99
15+22+25+71	1.00	1.47	1.67	4.75	-	8.90 3.70 - 10.10	2.646 0.660 - 4.006	12.15	11.62	99
15+22+35+35	1.22	1.79	2.85	2.85	-	8.70 3.70 - 10.00	2.095 0.660 - 4.025	9.62	9.20	99
15+22+35+42	1.14	1.68	2.67	3.21 *	-	8.70 3.70 - 10.00	2.239 0.660 - 4.019	10.28	9.83	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230		
15+22+35+50	1.08	1.59	2.52	3.61 *	-	8.80 3.70 - 10.10	2.419 - 4.019	0.660	11.10	10.62	99
15+22+35+60	1.01	1.48	2.36	4.05	-	8.90 3.70 - 10.10	2.622 - 4.002	0.660	12.04	11.52	99
15+22+35+71	0.94	1.38	2.20	4.47	-	9.00 3.70 - 10.20	2.796 - 4.006	0.660	12.84	12.28	99
15+22+42+42	1.09	1.60	3.05 *	3.05 *	-	8.80 3.70 - 10.10	2.393 - 4.013	0.660	10.99	10.51	99
15+22+42+50	1.03	1.52	2.90 *	3.45 *	-	8.90 3.70 - 10.10	2.563 - 4.013	0.660	11.77	11.26	99
15+22+42+60	0.97	1.42	2.72 *	3.88	-	9.00 3.70 - 10.20	2.766 - 3.996	0.660	12.70	12.15	99
15+22+42+71	0.91	1.33	2.55 *	4.31	-	9.10 3.70 - 10.20	2.850 - 4.000	0.660	13.09	12.52	99
15+22+50+50	0.99	1.45	3.28 *	3.28 *	-	9.00 3.70 - 10.20	2.733 - 4.013	0.660	12.55	12.00	99
15+22+50+60	0.92	1.35	3.06 *	3.67	-	9.00 3.70 - 10.20	2.816 - 3.996	0.660	12.93	12.37	99
15+22+50+71	0.87	1.28	2.91 *	4.13	-	9.20 3.70 - 10.20	2.950 - 4.000	0.660	13.55	12.96	99
15+22+60+60	0.88	1.29	3.52	3.52	-	9.20 3.70 - 10.20	2.919 - 3.979	0.660	13.40	12.82	99
15+22+60+71	0.84	1.23	3.36	3.97	-	9.40 3.70 - 10.20	3.063 - 3.983	0.660	14.06	13.45	99
15+25+25+25	1.35	2.25	2.25	2.25	-	8.10 3.70 - 9.30	1.605 - 3.405	0.660	7.37	7.05	99
15+25+25+35	1.29	2.15	2.15	3.01	-	8.60 3.70 - 9.90	1.945 - 4.025	0.660	8.93	8.54	99
15+25+25+42	1.22	2.03	2.03	3.41 *	-	8.70 3.70 - 10.00	2.089 - 4.019	0.660	9.59	9.17	99
15+25+25+50	1.15	1.91	1.91	3.83 *	-	8.80 3.70 - 10.00	2.269 - 4.019	0.660	10.41	9.96	99
15+25+25+60	1.07	1.78	1.78	4.27	-	8.90 3.70 - 10.10	2.462 - 4.002	0.660	11.30	10.81	99
15+25+25+71	0.99	1.65	1.65	4.70	-	9.00 3.70 - 10.20	2.706 - 4.006	0.660	12.42	11.88	99
15+25+35+35	1.19	1.98	2.77	2.77	-	8.70 3.70 - 10.00	2.165 - 4.025	0.660	9.94	9.51	99
15+25+35+42	1.13	1.88	2.63	3.16 *	-	8.80 3.70 - 10.00	2.309 - 4.019	0.660	10.60	10.14	99
15+25+35+50	1.07	1.78	2.49	3.56 *	-	8.90 3.70 - 10.10	2.479 - 4.019	0.660	11.39	10.89	99
15+25+35+60	1.00	1.67	2.33	4.00	-	9.00 3.70 - 10.20	2.682 - 4.002	0.660	12.32	11.78	99
15+25+35+71	0.92	1.54	2.16	4.38	-	9.00 3.70 - 10.20	2.806 - 4.006	0.660	12.88	12.32	99
15+25+42+42	1.06	1.77	2.98 *	2.98 *	-	8.80 3.70 - 10.10	2.453 - 4.013	0.660	11.26	10.77	99
15+25+42+50	1.01	1.69	2.83 *	3.37 *	-	8.90 3.70 - 10.10	2.633 - 4.013	0.660	12.09	11.56	99
15+25+42+60	0.95	1.58	2.66 *	3.80	-	9.00 3.70 - 10.20	2.786 - 3.996	0.660	12.80	12.24	99
15+25+42+71	0.89	1.49	2.50 *	4.22	-	9.10 3.70 - 10.20	2.890 - 4.000	0.660	13.27	12.69	99
15+25+50+50	0.96	1.61	3.21 *	3.21 *	-	9.00 3.70 - 10.20	2.803 - 4.013	0.660	12.87	12.31	99
15+25+50+60	0.91	1.52	3.03 *	3.64	-	9.10 3.70 - 10.20	2.846 - 3.996	0.660	13.07	12.50	99
15+25+50+71	0.87	1.44	2.89 *	4.10	-	9.30 3.70 - 10.20	2.990 - 4.000	0.660	13.73	13.13	99
15+25+60+60	0.87	1.45	3.49	3.49	-	9.30 3.70 - 10.20	2.959 - 3.979	0.660	13.59	13.00	99
15+25+60+71	0.82	1.37	3.30	3.90	-	9.40 3.70 - 10.20	3.063 - 3.983	0.660	14.06	13.45	99
15+35+35+35	1.10	2.57	2.57	2.57	-	8.80 3.70 - 10.10	2.385 - 4.025	0.660	10.95	10.47	99
15+35+35+42	1.05	2.45	2.45	2.94 *	-	8.90 3.70 - 10.10	2.529 - 4.019	0.660	11.62	11.11	99
15+35+35+50	1.00	2.33	2.33	3.33 *	-	9.00 3.70 - 10.20	2.699 - 4.019	0.660	12.39	11.85	99
15+35+35+60	0.93	2.17	2.17	3.72	-	9.00 3.70 - 10.20	2.792 - 4.002	0.660	12.82	12.26	99
15+35+35+71	0.88	2.06	2.06	4.19	-	9.20 3.70 - 10.20	2.936 - 4.006	0.660	13.48	12.89	99
15+35+42+42	1.00	2.32	2.79 *	2.79 *	-	8.90 3.70 - 10.20	2.673 - 4.013	0.660	12.27	11.74	99
15+35+42+50	0.95	2.22	2.66 *	3.17 *	-	9.00 3.70 - 10.20	2.803 - 4.013	0.660	12.87	12.31	99
15+35+42+60	0.90	2.10	2.51 *	3.59	-	9.10 3.70 - 10.20	2.876 - 3.996	0.660	13.20	12.63	99
15+35+42+71	0.86	2.00	2.40 *	4.05	-	9.30 3.70 - 10.20	3.020 - 4.000	0.660	13.86	13.26	99
15+35+50+50	0.91	2.12	3.03 *	3.03 *	-	9.10 3.70 - 10.20	2.863 - 4.013	0.660	13.14	12.57	99
15+35+50+60	0.87	2.03	2.91 *	3.49	-	9.30 3.70 - 10.20	2.976 - 3.996	0.660	13.66	13.07	99
15+35+50+71	0.82	1.92	2.75 *	3.90	-	9.40 3.70 - 10.20	3.080 - 4.000	0.660	14.15	13.53	99
15+35+60+60	0.83	1.94	3.32	3.32	-	9.40 3.70 - 10.20	3.059 - 3.979	0.660	14.04	13.43	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+42+42+42	0.96	2.68	2.68 *	2.68 *	-	9.00 3.70 - 10.20	2.797 0.660 - 4.007	12.84	12.28	99
15+42+42+50	0.92	2.57	2.57 *	3.05 *	-	9.10 3.70 - 10.20	2.847 0.660 - 4.007	13.07	12.50	99
15+42+42+60	0.87	2.43	2.43 *	3.47 *	-	9.20 3.70 - 10.20	2.960 0.660 - 3.990	13.59	13.00	99
15+42+42+71	0.83	2.32	2.32 *	3.93	-	9.40 3.70 - 10.20	3.074 0.660 - 3.994	14.11	13.50	99
15+42+50+50	0.88	2.46	2.93 *	2.93 *	-	9.20 3.70 - 10.20	2.947 0.660 - 4.007	13.53	12.94	99
15+42+50+60	0.84	2.36	2.81 *	3.38	-	9.40 3.70 - 10.20	3.060 0.660 - 3.990	14.05	13.44	99
15+50+50+50	0.85	2.82	2.82 *	2.82 *	-	9.30 3.70 - 10.20	3.047 0.660 - 4.007	13.99	13.38	99
20+20+20+20	1.85	1.85	1.85	1.85	-	7.40 3.70 - 8.60	1.824 0.660 - 3.734	8.37	8.01	99
20+20+20+22	1.85	1.85	1.85	2.04	-	7.60 3.70 - 8.80	1.867 0.660 - 3.807	8.57	8.20	99
20+20+20+25	1.84	1.84	1.84	2.29	-	7.80 3.70 - 9.00	1.937 0.660 - 3.917	8.90	8.51	99
20+20+20+35	1.77	1.77	1.77	3.09	-	8.40 3.70 - 9.60	1.597 0.660 - 3.417	7.33	7.01	99
20+20+20+42	1.69	1.69	1.69	3.54 *	-	8.60 3.70 - 9.90	1.991 0.660 - 4.031	9.14	8.74	99
20+20+20+50	1.58	1.58	1.58	3.95 *	-	8.70 3.70 - 10.00	2.171 0.660 - 4.031	9.96	9.53	99
20+20+20+60	1.47	1.47	1.47	4.40	-	8.80 3.70 - 10.10	2.374 0.660 - 4.014	10.90	10.43	99
20+20+20+71	1.36	1.36	1.36	4.82	-	8.90 3.70 - 10.10	2.608 0.660 - 4.018	11.97	11.45	99
20+20+22+22	1.83	1.83	2.02	2.02	-	7.70 3.70 - 8.90	1.900 0.660 - 3.880	8.72	8.34	99
20+20+22+25	1.82	1.82	2.00	2.27	-	7.90 3.70 - 9.10	1.980 0.660 - 3.990	9.10	8.70	99
20+20+22+35	1.75	1.75	1.93	3.07	-	8.50 3.70 - 9.70	1.580 0.660 - 3.410	7.26	6.94	99
20+20+22+42	1.65	1.65	1.82	3.47 *	-	8.60 3.70 - 9.90	2.034 0.660 - 4.024	9.34	8.93	99
20+20+22+50	1.55	1.55	1.71	3.88 *	-	8.70 3.70 - 10.00	2.204 0.660 - 4.024	10.12	9.68	99
20+20+22+60	1.44	1.44	1.59	4.33	-	8.80 3.70 - 10.10	2.407 0.660 - 4.007	11.05	10.57	99
20+20+22+71	1.34	1.34	1.47	4.75	-	8.90 3.70 - 10.10	2.651 0.660 - 4.011	12.17	11.64	99
20+20+25+25	1.80	1.80	2.25	2.25	-	8.10 3.70 - 9.30	1.610 0.660 - 3.410	7.39	7.07	99
20+20+25+35	1.72	1.72	2.15	3.01	-	8.60 3.70 - 9.90	1.950 0.660 - 4.030	8.95	8.56	99
20+20+25+42	1.63	1.63	2.03	3.41 *	-	8.70 3.70 - 10.00	2.094 0.660 - 4.024	9.62	9.20	99
20+20+25+50	1.53	1.53	1.91	3.83 *	-	8.80 3.70 - 10.00	2.274 0.660 - 4.024	10.44	9.99	99
20+20+25+60	1.42	1.42	1.78	4.27	-	8.90 3.70 - 10.10	2.467 0.660 - 4.007	11.32	10.83	99
20+20+25+71	1.32	1.32	1.65	4.70	-	9.00 3.70 - 10.20	2.711 0.660 - 4.011	12.45	11.91	99
20+20+35+35	1.58	1.58	2.77	2.77	-	8.70 3.70 - 10.00	2.170 0.660 - 4.030	9.96	9.53	99
20+20+35+42	1.50	1.50	2.63	3.16 *	-	8.80 3.70 - 10.00	2.314 0.660 - 4.024	10.62	10.16	99
20+20+35+50	1.42	1.42	2.49	3.56 *	-	8.90 3.70 - 10.10	2.484 0.660 - 4.024	11.41	10.91	99
20+20+35+60	1.33	1.33	2.33	4.00	-	9.00 3.70 - 10.20	2.687 0.660 - 4.007	12.34	11.80	99
20+20+35+71	1.23	1.23	2.16	4.38	-	9.00 3.70 - 10.20	2.811 0.660 - 4.011	12.91	12.35	99
20+20+42+42	1.42	1.42	2.98 *	2.98 *	-	8.80 3.70 - 10.10	2.458 0.660 - 4.018	11.28	10.79	99
20+20+42+50	1.35	1.35	2.83 *	3.37 *	-	8.90 3.70 - 10.10	2.638 0.660 - 4.018	12.12	11.59	99
20+20+42+60	1.27	1.27	2.66 *	3.80	-	9.00 3.70 - 10.20	2.791 0.660 - 4.001	12.82	12.26	99
20+20+42+71	1.19	1.19	2.50 *	4.22	-	9.10 3.70 - 10.20	2.895 0.660 - 4.005	13.29	12.71	99
20+20+50+50	1.29	1.29	3.21 *	3.21 *	-	9.00 3.70 - 10.20	2.808 0.660 - 4.018	12.89	12.33	99
20+20+50+60	1.21	1.21	3.03 *	3.64	-	9.10 3.70 - 10.20	2.851 0.660 - 4.001	13.09	12.52	99
20+20+50+71	1.16	1.16	2.89 *	4.10	-	9.30 3.70 - 10.20	2.995 0.660 - 4.005	13.75	13.15	99
20+20+60+60	1.16	1.16	3.49	3.49	-	9.30 3.70 - 10.20	2.964 0.660 - 3.984	13.61	13.02	99
20+20+60+71	1.10	1.10	3.30	3.90	-	9.40 3.70 - 10.20	3.068 0.660 - 3.988	14.08	13.47	99
20+22+22+22	1.84	2.02	2.02	2.02	-	7.90 3.70 - 9.10	1.943 0.660 - 3.943	8.92	8.53	99
20+22+22+25	1.82	2.00	2.00	2.28	-	8.10 3.70 - 9.30	1.613 0.660 - 3.403	7.40	7.08	99
20+22+22+35	1.74	1.91	1.91	3.04	-	8.60 3.70 - 9.80	1.563 0.660 - 3.403	7.17	6.86	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
20+22+22+42	1.64	1.81	1.81	3.45 *	-	8.70 3.70 - 9.90	2.067 0.660 - 4.017	9.49	9.08	99
20+22+22+50	1.53	1.68	1.68	3.82 *	-	8.70 3.70 - 10.00	2.237 0.660 - 4.017	10.27	9.82	99
20+22+22+60	1.42	1.56	1.56	4.26	-	8.80 3.70 - 10.10	2.440 0.660 - 4.000	11.21	10.72	99
20+22+22+71	1.33	1.47	1.47	4.73	-	9.00 3.70 - 10.20	2.684 0.660 - 4.004	12.33	11.79	99
20+22+25+25	1.78	1.96	2.23	2.23	-	8.20 3.70 - 9.40	1.593 0.660 - 3.403	7.32	7.00	99
20+22+25+35	1.69	1.85	2.11	2.95	-	8.60 3.70 - 9.90	1.983 0.660 - 4.023	9.11	8.71	99
20+22+25+42	1.60	1.76	2.00	3.35 *	-	8.70 3.70 - 10.00	2.137 0.660 - 4.017	9.82	9.39	99
20+22+25+50	1.50	1.65	1.88	3.76 *	-	8.80 3.70 - 10.00	2.307 0.660 - 4.017	10.59	10.13	99
20+22+25+60	1.40	1.54	1.75	4.20	-	8.90 3.70 - 10.10	2.510 0.660 - 4.000	11.52	11.02	99
20+22+25+71	1.30	1.43	1.63	4.63	-	9.00 3.70 - 10.20	2.754 0.660 - 4.004	12.64	12.09	99
20+22+35+35	1.55	1.71	2.72	2.72	-	8.70 3.70 - 10.00	2.203 0.660 - 4.023	10.12	9.68	99
20+22+35+42	1.48	1.63	2.59	3.11 *	-	8.80 3.70 - 10.00	2.347 0.660 - 4.017	10.78	10.31	99
20+22+35+50	1.40	1.54	2.45	3.50 *	-	8.90 3.70 - 10.10	2.527 0.660 - 4.017	11.60	11.10	99
20+22+35+60	1.31	1.45	2.30	3.94	-	9.00 3.70 - 10.20	2.720 0.660 - 4.000	12.49	11.95	99
20+22+35+71	1.23	1.35	2.15	4.37	-	9.10 3.70 - 10.20	2.834 0.660 - 4.004	13.02	12.45	99
20+22+42+42	1.41	1.55	2.97 *	2.97 *	-	8.90 3.70 - 10.10	2.501 0.660 - 4.011	11.48	10.98	99
20+22+42+50	1.33	1.46	2.79 *	3.32 *	-	8.90 3.70 - 10.20	2.671 0.660 - 4.011	12.26	11.73	99
20+22+42+60	1.25	1.38	2.63 *	3.75	-	9.00 3.70 - 10.20	2.784 0.660 - 3.994	12.79	12.23	99
20+22+42+71	1.19	1.31	2.49 *	4.21	-	9.20 3.70 - 10.20	2.918 0.660 - 3.998	13.40	12.82	99
20+22+50+50	1.27	1.39	3.17 *	3.17 *	-	9.00 3.70 - 10.20	2.801 0.660 - 4.011	12.86	12.30	99
20+22+50+60	1.20	1.32	2.99 *	3.59	-	9.10 3.70 - 10.20	2.874 0.660 - 3.994	13.19	12.62	99
20+22+50+71	1.14	1.26	2.85 *	4.05	-	9.30 3.70 - 10.20	3.018 0.660 - 3.998	13.85	13.25	99
20+22+60+60	1.15	1.26	3.44	3.44	-	9.30 3.70 - 10.20	2.977 0.660 - 3.977	13.66	13.07	99
20+25+25+25	1.77	2.21	2.21	2.21	-	8.40 3.70 - 9.60	1.583 0.660 - 3.403	7.27	6.95	99
20+25+25+35	1.66	2.07	2.07	2.90	-	8.70 3.70 - 9.90	2.053 0.660 - 4.023	9.43	9.02	99
20+25+25+42	1.55	1.94	1.94	3.26 *	-	8.70 3.70 - 10.00	2.197 0.660 - 4.017	10.09	9.65	99
20+25+25+50	1.47	1.83	1.83	3.67 *	-	8.80 3.70 - 10.10	2.377 0.660 - 4.017	10.91	10.44	99
20+25+25+60	1.37	1.71	1.71	4.11	-	8.90 3.70 - 10.10	2.570 0.660 - 4.000	11.80	11.29	99
20+25+25+71	1.28	1.60	1.60	4.53	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
20+25+35+35	1.53	1.91	2.68	2.68	-	8.80 3.70 - 10.00	2.273 0.660 - 4.023	10.43	9.98	99
20+25+35+42	1.44	1.80	2.52	3.03 *	-	8.80 3.70 - 10.10	2.417 0.660 - 4.017	11.09	10.61	99
20+25+35+50	1.37	1.71	2.40	3.42 *	-	8.90 3.70 - 10.10	2.587 0.660 - 4.017	11.88	11.36	99
20+25+35+60	1.29	1.61	2.25	3.86	-	9.00 3.70 - 10.20	2.790 0.660 - 4.000	12.81	12.25	99
20+25+35+71	1.21	1.51	2.11	4.28	-	9.10 3.70 - 10.20	2.874 0.660 - 4.004	13.19	12.62	99
20+25+42+42	1.38	1.72	2.90 *	2.90 *	-	8.90 3.70 - 10.10	2.561 0.660 - 4.011	11.76	11.25	99
20+25+42+50	1.31	1.64	2.76 *	3.28 *	-	9.00 3.70 - 10.20	2.731 0.660 - 4.011	12.54	11.99	99
20+25+42+60	1.22	1.53	2.57 *	3.67	-	9.00 3.70 - 10.20	2.814 0.660 - 3.994	12.92	12.36	99
20+25+42+71	1.16	1.46	2.45 *	4.13	-	9.20 3.70 - 10.20	2.948 0.660 - 3.998	13.54	12.95	99
20+25+50+50	1.24	1.55	3.10 *	3.10 *	-	9.00 3.70 - 10.20	2.801 0.660 - 4.011	12.86	12.30	99
20+25+50+60	1.19	1.48	2.97 *	3.56	-	9.20 3.70 - 10.20	2.914 0.660 - 3.994	13.38	12.80	99
20+25+50+71	1.13	1.42	2.83 *	4.02	-	9.40 3.70 - 10.20	3.048 0.660 - 3.998	14.00	13.39	99
20+25+60+60	1.13	1.41	3.38	3.38	-	9.30 3.70 - 10.20	3.017 0.660 - 3.977	13.85	13.25	99
20+35+35+35	1.42	2.49	2.49	2.49	-	8.90 3.70 - 10.10	2.483 0.660 - 4.023	11.40	10.90	99
20+35+35+42	1.35	2.36	2.36	2.83 *	-	8.90 3.70 - 10.10	2.637 0.660 - 4.017	12.11	11.58	99
20+35+35+50	1.29	2.25	2.25	3.21 *	-	9.00 3.70 - 10.20	2.807 0.660 - 4.017	12.89	12.33	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+35+35+60	1.21	2.12	2.12	3.64	-	9.10 3.70 - 10.20	2.850 0.660 - 4.000	13.09	12.52	99
20+35+35+71	1.16	2.02	2.02	4.10	-	9.30 3.70 - 10.20	2.994 0.660 - 4.004	13.75	13.15	99
20+35+42+42	1.29	2.27	2.72 *	2.72 *	-	9.00 3.70 - 10.20	2.781 0.660 - 4.011	12.77	12.21	99
20+35+42+50	1.22	2.14	2.57 *	3.06 *	-	9.00 3.70 - 10.20	2.831 0.660 - 4.011	13.00	12.43	99
20+35+42+60	1.17	2.05	2.46 *	3.52	-	9.20 3.70 - 10.20	2.934 0.660 - 3.994	13.48	12.89	99
20+35+42+71	1.12	1.96	2.35 *	3.97	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	99
20+35+50+50	1.19	2.08	2.97 *	2.97 *	-	9.20 3.70 - 10.20	2.931 0.660 - 4.011	13.46	12.87	99
20+35+50+60	1.13	1.97	2.82 *	3.38	-	9.30 3.70 - 10.20	3.034 0.660 - 3.994	13.93	13.32	99
20+42+42+42	1.23	2.59	2.59 *	2.59 *	-	9.00 3.70 - 10.20	2.805 0.660 - 4.005	12.88	12.32	99
20+42+42+50	1.19	2.51	2.51 *	2.99 *	-	9.20 3.70 - 10.20	2.905 0.660 - 4.005	13.34	12.76	99
20+42+42+60	1.13	2.38	2.38 *	3.40	-	9.30 3.70 - 10.20	3.018 0.660 - 3.988	13.85	13.25	99
20+42+50+50	1.15	2.41	2.87 *	2.87 *	-	9.30 3.70 - 10.20	3.005 0.660 - 4.005	13.80	13.20	99
20+42+50+60	1.09	2.30	2.73 *	3.28	-	9.40 3.70 - 10.20	3.068 0.660 - 3.988	14.08	13.47	99
20+50+50+50	1.11	2.76	2.76 *	2.76 *	-	9.40 3.70 - 10.20	3.085 0.660 - 4.005	14.17	13.55	99
22+22+22+22	2.00	2.00	2.00	2.00	-	8.00 3.70 - 9.20	1.986 0.660 - 4.016	9.12	8.72	99
22+22+22+25	1.98	1.98	1.98	2.25	-	8.20 3.70 - 9.40	1.596 0.660 - 3.396	7.33	7.01	99
22+22+22+35	1.87	1.87	1.87	2.98	-	8.60 3.70 - 9.90	1.956 0.660 - 4.016	8.98	8.59	99
22+22+22+42	1.77	1.77	1.77	3.38 *	-	8.70 3.70 - 10.00	2.100 0.660 - 4.010	9.64	9.22	99
22+22+22+50	1.67	1.67	1.67	3.79 *	-	8.80 3.70 - 10.00	2.280 0.660 - 4.010	10.47	10.01	99
22+22+22+60	1.55	1.55	1.55	4.24 *	-	8.90 3.70 - 10.10	2.483 0.660 - 3.993	11.40	10.90	99
22+22+22+71	1.45	1.45	1.45	4.66	-	9.00 3.70 - 10.20	2.717 0.660 - 3.997	12.47	11.93	99
22+22+25+25	1.94	1.94	2.21	2.21	-	8.30 3.70 - 9.60	1.586 0.660 - 3.396	7.29	6.97	99
22+22+25+35	1.82	1.82	2.07	2.89	-	8.60 3.70 - 9.90	2.026 0.660 - 4.016	9.30	8.90	99
22+22+25+42	1.72	1.72	1.96	3.29 *	-	8.70 3.70 - 10.00	2.170 0.660 - 4.010	9.96	9.53	99
22+22+25+50	1.63	1.63	1.85	3.70 *	-	8.80 3.70 - 10.00	2.340 0.660 - 4.010	10.75	10.28	99
22+22+25+60	1.52	1.52	1.72	4.14	-	8.90 3.70 - 10.10	2.543 0.660 - 3.993	11.68	11.17	99
22+22+25+71	1.41	1.41	1.61	4.56	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	12.80	12.24	99
22+22+35+35	1.68	1.68	2.67	2.67	-	8.70 3.70 - 10.00	2.236 0.660 - 4.016	10.27	9.82	99
22+22+35+42	1.60	1.60	2.55	3.05 *	-	8.80 3.70 - 10.10	2.390 0.660 - 4.010	10.98	10.50	99
22+22+35+50	1.52	1.52	2.41	3.45 *	-	8.90 3.70 - 10.10	2.560 0.660 - 4.010	11.75	11.24	99
22+22+35+60	1.42	1.42	2.27	3.88	-	9.00 3.70 - 10.20	2.763 0.660 - 3.993	12.68	12.13	99
22+22+35+71	1.33	1.33	2.12	4.31	-	9.10 3.70 - 10.20	2.847 0.660 - 3.997	13.07	12.50	99
22+22+42+42	1.53	1.53	2.92 *	2.92 *	-	8.90 3.70 - 10.10	2.534 0.660 - 4.004	11.64	11.13	99
22+22+42+50	1.46	1.46	2.78 *	3.31 *	-	9.00 3.70 - 10.20	2.704 0.660 - 4.004	12.42	11.88	99
22+22+42+60	1.36	1.36	2.59 *	3.70	-	9.00 3.70 - 10.20	2.787 0.660 - 3.987	12.80	12.24	99
22+22+42+71	1.29	1.29	2.46 *	4.16	-	9.20 3.70 - 10.20	2.931 0.660 - 3.991	13.46	12.87	99
22+22+50+50	1.38	1.38	3.13 *	3.13 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
22+22+50+60	1.31	1.31	2.99 *	3.58	-	9.20 3.70 - 10.20	2.887 0.660 - 3.987	13.26	12.68	99
22+22+50+71	1.24	1.24	2.82 *	4.00	-	9.30 3.70 - 10.20	3.031 0.660 - 3.991	13.92	13.31	99
22+22+60+60	1.25	1.25	3.40	3.40	-	9.30 3.70 - 10.20	3.000 0.660 - 3.970	13.78	13.18	99
22+25+25+25	1.93	2.19	2.19	2.19	-	8.50 3.70 - 9.70	1.566 0.660 - 3.396	7.19	6.88	99
22+25+25+35	1.79	2.03	2.03	2.85	-	8.70 3.70 - 10.00	2.086 0.660 - 4.016	9.58	9.16	99
22+25+25+42	1.68	1.91	1.91	3.21 *	-	8.70 3.70 - 10.00	2.230 0.660 - 4.010	10.24	9.79	99
22+25+25+50	1.59	1.80	1.80	3.61 *	-	8.80 3.70 - 10.10	2.410 0.660 - 4.010	11.06	10.58	99
22+25+25+60	1.48	1.69	1.69	4.05	-	8.90 3.70 - 10.10	2.613 0.660 - 3.993	12.00	11.48	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
22+25+25+71	1.38	1.57	1.57	4.47	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	12.80	12.24	99
22+25+35+35	1.65	1.88	2.63	2.63	-	8.80 3.70 - 10.00	2.306 0.660 - 4.016	10.59	10.13	99
22+25+35+42	1.56	1.77	2.48	2.98 *	-	8.80 3.70 - 10.10	2.450 0.660 - 4.010	11.25	10.76	99
22+25+35+50	1.48	1.69	2.36	3.37 *	-	8.90 3.70 - 10.10	2.630 0.660 - 4.010	12.08	11.55	99
22+25+35+60	1.39	1.58	2.22	3.80	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	12.78	12.22	99
22+25+35+71	1.31	1.49	2.08	4.22	-	9.10 3.70 - 10.20	2.887 0.660 - 3.997	13.26	12.68	99
22+25+42+42	1.49	1.70	2.85 *	2.85 *	-	8.90 3.70 - 10.10	2.594 0.660 - 4.004	11.91	11.39	99
22+25+42+50	1.42	1.62	2.72 *	3.24 *	-	9.00 3.70 - 10.20	2.774 0.660 - 4.004	12.73	12.18	99
22+25+42+60	1.34	1.53	2.57 *	3.66	-	9.10 3.70 - 10.20	2.827 0.660 - 3.987	12.98	12.42	99
22+25+42+71	1.28	1.45	2.44 *	4.13 *	-	9.30 3.70 - 10.20	2.971 0.660 - 3.991	13.64	13.05	99
22+25+50+50	1.35	1.53	3.06 *	3.06 *	-	9.00 3.70 - 10.20	2.824 0.660 - 4.004	12.96	12.40	99
22+25+50+60	1.29	1.46	2.93 *	3.52	-	9.20 3.70 - 10.20	2.927 0.660 - 3.987	13.43	12.85	99
22+25+50+71	1.23	1.40	2.80 *	3.97	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	14.10	13.49	99
22+25+60+60	1.24	1.41	3.38	3.38	-	9.40 3.70 - 10.20	3.040 0.660 - 3.970	13.96	13.35	99
22+35+35+35	1.54	2.45	2.45	2.45	-	8.90 3.70 - 10.10	2.526 0.660 - 4.016	11.59	11.09	99
22+35+35+42	1.46	2.32	2.32	2.79 *	-	8.90 3.70 - 10.20	2.670 0.660 - 4.010	12.26	11.73	99
22+35+35+50	1.39	2.22	2.22	3.17 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	12.86	12.30	99
22+35+35+60	1.32	2.10	2.10	3.59	-	9.10 3.70 - 10.20	2.873 0.660 - 3.993	13.19	12.62	99
22+35+35+71	1.26	2.00	2.00	4.05	-	9.30 3.70 - 10.20	3.017 0.660 - 3.997	13.85	13.25	99
22+35+42+42	1.40	2.23	2.68 *	2.68 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
22+35+42+50	1.34	2.14	2.57 *	3.05 *	-	9.10 3.70 - 10.20	2.844 0.660 - 4.004	13.06	12.49	99
22+35+42+60	1.27	2.03	2.43 *	3.47	-	9.20 3.70 - 10.20	2.957 0.660 - 3.987	13.58	12.99	99
22+35+42+71	1.22	1.94	2.32 *	3.93	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	14.10	13.49	99
22+35+50+50	1.29	2.05	2.93 *	2.93 *	-	9.20 3.70 - 10.20	2.944 0.660 - 4.004	13.52	12.93	99
22+35+50+60	1.24	1.97	2.81 *	3.38	-	9.40 3.70 - 10.20	3.057 0.660 - 3.987	14.04	13.43	99
22+42+42+42	1.35	2.58	2.58 *	2.58 *	-	9.10 3.70 - 10.20	2.828 0.660 - 3.998	12.98	12.42	99
22+42+42+50	1.30	2.48	2.48 *	2.95 *	-	9.20 3.70 - 10.20	2.928 0.660 - 3.998	13.44	12.86	99
22+42+42+60	1.25	2.38	2.38 *	3.40	-	9.40 3.70 - 10.20	3.031 0.660 - 3.981	13.92	13.31	99
22+42+50+50	1.25	2.38	2.84 *	2.84 *	-	9.30 3.70 - 10.20	3.028 0.660 - 3.998	13.90	13.30	99
22+50+50+50	1.20	2.73	2.73 *	2.73 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	99
25+25+25+25	2.15	2.15	2.15	2.15	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.89	8.50	99
25+25+25+35	1.98	1.98	1.98	2.77	-	8.70 3.70 - 10.00	2.156 0.660 - 4.016	9.90	9.47	99
25+25+25+42	1.88	1.88	1.88	3.16 *	-	8.80 3.70 - 10.00	2.300 0.660 - 4.010	10.56	10.10	99
25+25+25+50	1.78	1.78	1.78	3.56 *	-	8.90 3.70 - 10.10	2.470 0.660 - 4.010	11.34	10.85	99
25+25+25+60	1.67	1.67	1.67	4.00	-	9.00 3.70 - 10.20	2.673 0.660 - 3.993	12.27	11.74	99
25+25+25+71	1.54	1.54	1.54	4.38	-	9.00 3.70 - 10.20	2.797 0.660 - 3.997	12.84	12.28	99
25+25+35+35	1.83	1.83	2.57	2.57	-	8.80 3.70 - 10.10	2.376 0.660 - 4.016	10.90	10.43	99
25+25+35+42	1.75	1.75	2.45	2.94 *	-	8.90 3.70 - 10.10	2.520 0.660 - 4.010	11.57	11.07	99
25+25+35+50	1.67	1.67	2.33	3.33 *	-	9.00 3.70 - 10.20	2.690 0.660 - 4.010	12.35	11.81	99
25+25+35+60	1.55	1.55	2.17	3.72	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	12.78	12.22	99
25+25+35+71	1.47	1.47	2.06	4.19	-	9.20 3.70 - 10.20	2.927 0.660 - 3.997	13.43	12.85	99
25+25+42+42	1.66	1.66	2.79 *	2.79 *	-	8.90 3.70 - 10.20	2.664 0.660 - 4.004	12.23	11.70	99
25+25+42+50	1.58	1.58	2.66 *	3.17 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	99
25+25+42+60	1.50	1.50	2.51 *	3.59	-	9.10 3.70 - 10.20	2.867 0.660 - 3.987	13.16	12.59	99
25+25+42+71	1.43	1.43	2.40 *	4.05	-	9.30 3.70 - 10.20	3.011 0.660 - 3.991	13.82	13.22	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230		
25+25+50+50	1.52	1.52	3.03 *	3.03 *	-	9.10 3.70 - 10.20	2.854 - 4.004	0.660	13.10	12.53	99
25+25+50+60	1.45	1.45	2.91 *	3.49	-	9.30 3.70 - 10.20	2.967 - 3.987	0.660	13.62	13.03	99
25+25+50+71	1.37	1.37	2.75 *	3.90	-	9.40 3.70 - 10.20	3.071 - 3.991	0.660	14.10	13.49	99
25+25+60+60	1.38	1.38	3.32	3.32	-	9.40 3.70 - 10.20	3.050 - 3.970	0.660	14.00	13.39	99
25+35+35+35	1.71	2.40	2.40	2.40	-	8.90 3.70 - 10.10	2.586 - 4.016	0.660	11.88	11.36	99
25+35+35+42	1.64	2.30	2.30	2.76 *	-	9.00 3.70 - 10.20	2.730 - 4.010	0.660	12.54	11.99	99
25+35+35+50	1.55	2.17	2.17	3.10 *	-	9.00 3.70 - 10.20	2.800 - 4.010	0.660	12.86	12.30	99
25+35+35+60	1.48	2.08	2.08	3.56	-	9.20 3.70 - 10.20	2.913 - 3.993	0.660	13.37	12.79	99
25+35+35+71	1.42	1.98	1.98	4.02	-	9.40 3.70 - 10.20	3.047 - 3.997	0.660	13.99	13.38	99
25+35+42+42	1.56	2.19	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.794 - 4.004	0.660	12.83	12.27	99
25+35+42+50	1.50	2.10	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.884 - 4.004	0.660	13.25	12.67	99
25+35+42+60	1.44	2.01	2.41 *	3.44	-	9.30 3.70 - 10.20	2.987 - 3.987	0.660	13.72	13.12	99
25+35+50+50	1.45	2.03	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.984 - 4.004	0.660	13.70	13.10	99
25+35+50+60	1.38	1.94	2.76 *	3.32	-	9.40 3.70 - 10.20	3.067 - 3.987	0.660	14.08	13.47	99
25+42+42+42	1.51	2.53	2.53 *	2.53 *	-	9.10 3.70 - 10.20	2.868 - 3.998	0.660	13.17	12.60	99
25+42+42+50	1.45	2.43	2.43 *	2.89 *	-	9.20 3.70 - 10.20	2.968 - 3.998	0.660	13.62	13.03	99
25+42+42+60	1.39	2.34	2.34 *	3.34	-	9.40 3.70 - 10.20	3.061 - 3.981	0.660	14.05	13.44	99
25+42+50+50	1.41	2.36	2.81 *	2.81 *	-	9.40 3.70 - 10.20	3.068 - 3.998	0.660	14.08	13.47	99
35+35+35+35	2.25	2.25	2.25	2.25	-	9.00 3.70 - 10.20	2.806 - 4.016	0.660	12.88	12.32	99
35+35+35+42	2.14	2.14	2.14	2.57 *	-	9.00 3.70 - 10.20	2.830 - 4.010	0.660	13.00	12.43	99
35+35+35+50	2.08	2.08	2.08	2.97 *	-	9.20 3.70 - 10.20	2.930 - 4.010	0.660	13.46	12.87	99
35+35+35+60	1.97	1.97	1.97	3.38	-	9.30 3.70 - 10.20	3.033 - 3.993	0.660	13.93	13.32	99
35+35+42+42	2.09	2.09	2.51 *	2.51 *	-	9.20 3.70 - 10.20	2.904 - 4.004	0.660	13.33	12.75	99
35+35+42+50	2.01	2.01	2.41 *	2.87 *	- *	9.30 3.70 - 10.20	3.004 - 4.004	0.660	13.79	13.19	99
35+35+42+60	1.91	1.91	2.30 *	3.28	- *	9.40 3.70 - 10.20	3.067 - 3.987	0.660	14.08	13.47	99
35+35+50+50	1.94	1.94	2.76 *	2.76 *	-	9.40 3.70 - 10.20	3.084 - 4.004	0.660	14.16	13.54	99
35+42+42+42	2.02	2.43	2.43 *	2.43 *	-	9.30 3.70 - 10.20	2.988 - 3.998	0.660	13.72	13.12	99
35+42+42+50	1.95	2.34	2.34 *	2.78 *	-	9.40 3.70 - 10.20	3.078 - 3.998	0.660	14.13	13.52	99
42+42+42+42	2.35	2.35	2.35 *	2.35 *	-	9.40 3.70 - 10.20	3.072 - 3.992	0.660	14.10	13.49	99
15+15+15+15+15	1.40	1.40	1.40	1.40	1.40	7.00 3.90 - 8.90	1.975 - 4.035	0.640	9.06	8.67	99
15+15+15+15+22	1.35	1.35	1.35	1.35	1.99	7.40 3.90 - 9.19	2.076 - 4.046	0.640	9.53	9.12	99
15+15+15+15+25	1.34	1.34	1.34	1.34	2.24	7.60 3.90 - 9.32	2.126 - 4.056	0.640	9.76	9.34	99
15+15+15+15+35	1.28	1.28	1.28	1.28	2.98	8.10 3.90 - 9.74	2.276 - 4.086	0.640	10.45	10.00	99
15+15+15+15+42	1.24	1.24	1.24	1.24	3.48 *	8.45 3.90 - 10.03	2.380 - 4.100	0.640	10.93	10.45	99
15+15+15+15+50	1.21	1.21	1.21	1.21	4.02 *	8.85 3.90 - 10.37	2.510 - 4.130	0.640	11.52	11.02	99
15+15+15+15+60	1.17	1.17	1.17	1.17	4.68	9.35 3.90 - 10.79	2.643 - 4.143	0.640	12.14	11.61	99
15+15+15+15+71	1.10	1.10	1.10	1.10	5.20	9.60 3.90 - 11.00	2.727 - 4.157	0.640	12.52	11.98	99
15+15+15+20+20	1.32	1.32	1.32	1.76	1.76	7.50 3.90 - 9.32	2.131 - 4.061	0.640	9.79	9.36	99
15+15+15+20+22	1.32	1.32	1.32	1.76	1.93	7.65 3.90 - 9.40	2.154 - 4.064	0.640	9.89	9.46	99
15+15+15+20+25	1.31	1.31	1.31	1.74	2.18	7.85 3.90 - 9.53	2.194 - 4.074	0.640	10.08	9.64	99
15+15+15+20+35	1.25	1.25	1.25	1.67	2.92	8.35 3.90 - 9.95	2.354 - 4.104	0.640	10.81	10.34	99
15+15+15+20+42	1.22	1.22	1.22	1.63	3.41 *	8.70 3.90 - 10.24	2.458 - 4.118	0.640	11.28	10.79	99
15+15+15+20+50	1.19	1.19	1.19	1.58	3.96 *	9.10 3.90 - 10.58	2.578 - 4.138	0.640	11.83	11.32	99
15+15+15+20+60	1.15	1.15	1.15	1.54	4.61	9.60 3.90 - 11.00	2.721 - 4.151	0.640	12.49	11.95	99
15+15+15+20+71	1.06	1.06	1.06	1.41	5.01	9.60 3.90 - 11.00	2.725 - 4.155	0.640	12.51	11.97	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+15+15+22+22	1.31	1.31	1.31	1.93	1.93	7.80 3.90 - 9.49	2.177 0.640 - 4.057	9.99	9.56	99
15+15+15+22+25	1.30	1.30	1.30	1.91	2.17	8.00 3.90 - 9.61	2.227 0.640 - 4.067	10.22	9.78	99
15+15+15+22+35	1.25	1.25	1.25	1.83	2.92	8.50 3.90 - 10.03	2.377 0.640 - 4.097	10.91	10.44	99
15+15+15+22+42	1.22	1.22	1.22	1.79	3.41 *	8.85 3.90 - 10.33	2.481 0.640 - 4.111	11.40	10.90	99
15+15+15+22+50	1.19	1.19	1.19	1.74	3.95 *	9.25 3.90 - 10.66	2.611 0.640 - 4.141	11.99	11.47	99
15+15+15+22+60	1.14	1.14	1.14	1.67	4.56	9.65 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+15+15+22+71	1.05	1.05	1.05	1.54	4.96	9.65 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
15+15+15+25+25	1.29	1.29	1.29	2.16	2.16	8.20 3.90 - 9.74	2.267 0.640 - 4.077	10.41	9.96	99
15+15+15+25+35	1.24	1.24	1.24	2.07	2.90	8.70 3.90 - 10.16	2.427 0.640 - 4.107	11.14	10.66	99
15+15+15+25+42	1.21	1.21	1.21	2.02	3.39 *	9.05 3.90 - 10.45	2.531 0.640 - 4.121	11.63	11.12	99
15+15+15+25+50	1.18	1.18	1.18	1.97	3.94 *	9.45 3.90 - 10.79	2.651 0.640 - 4.151	12.17	11.64	99
15+15+15+25+60	1.12	1.12	1.12	1.87	4.48	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+15+15+25+71	1.03	1.03	1.03	1.72	4.88	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
15+15+15+35+35	1.20	1.20	1.20	2.80	2.80	9.20 3.90 - 10.58	2.577 0.640 - 4.137	11.83	11.32	99
15+15+15+35+42	1.17	1.17	1.17	2.74	3.29 *	9.55 3.90 - 10.87	2.681 0.640 - 4.151	12.31	11.77	99
15+15+15+35+50	1.12	1.12	1.12	2.61	3.73 *	9.70 3.90 - 11.00	2.731 0.640 - 4.161	12.54	11.99	99
15+15+15+35+60	1.04	1.04	1.04	2.43	4.16	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+15+15+35+71	0.96	0.96	0.96	2.25	4.56	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
15+15+15+42+42	1.13	1.13	1.13	3.16 *	3.16 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
15+15+15+42+50	1.06	1.06	1.06	2.97 *	3.54 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
15+15+15+42+60	0.99	0.99	0.99	2.77 *	3.96	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+15+15+42+71	0.92	0.92	0.92	2.58 *	4.36	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+15+50+50	1.00	1.00	1.00	3.34 *	3.34 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
15+15+15+50+60	0.94	0.94	0.94	3.13 *	3.75	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+15+15+50+71	0.88	0.88	0.88	2.92 *	4.15	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+15+60+60	0.88	0.88	0.88	3.53	3.53	9.70 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
15+15+20+20+20	1.29	1.29	1.72	1.72	1.72	7.75 3.90 - 9.53	2.199 0.640 - 4.079	10.10	9.66	99
15+15+20+20+22	1.29	1.29	1.72	1.72	1.89	7.90 3.90 - 9.61	2.232 0.640 - 4.072	10.25	9.80	99
15+15+20+20+25	1.28	1.28	1.71	1.71	2.13	8.10 3.90 - 9.74	2.272 0.640 - 4.082	10.43	9.98	99
15+15+20+20+35	1.23	1.23	1.64	1.64	2.87	8.60 3.90 - 10.16	2.432 0.640 - 4.112	11.17	10.68	99
15+15+20+20+42	1.20	1.20	1.60	1.60	3.36 *	8.95 3.90 - 10.45	2.536 0.640 - 4.126	11.65	11.14	99
15+15+20+20+50	1.17	1.17	1.56	1.56	3.90 *	9.35 3.90 - 10.79	2.656 0.640 - 4.156	12.19	11.66	99
15+15+20+20+60	1.11	1.11	1.48	1.48	4.43	9.60 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+15+20+20+71	1.02	1.02	1.36	1.36	4.83	9.60 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+22+22	1.28	1.28	1.71	1.88	1.88	8.05 3.90 - 9.70	2.255 0.640 - 4.075	10.35	9.90	99
15+15+20+22+25	1.28	1.28	1.70	1.87	2.13	8.25 3.90 - 9.82	2.295 0.640 - 4.085	10.54	10.08	99
15+15+20+22+35	1.23	1.23	1.64	1.80	2.86	8.75 3.90 - 10.24	2.455 0.640 - 4.115	11.27	10.78	99
15+15+20+22+42	1.20	1.20	1.60	1.76	3.35 *	9.10 3.90 - 10.54	2.559 0.640 - 4.129	11.75	11.24	99
15+15+20+22+50	1.17	1.17	1.56	1.71	3.89 *	9.50 3.90 - 10.87	2.679 0.640 - 4.149	12.31	11.77	99
15+15+20+22+60	1.10	1.10	1.46	1.61	4.39	9.65 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+20+22+71	1.01	1.01	1.35	1.48	4.79	9.65 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+20+25+25	1.27	1.27	1.69	2.11	2.11	8.45 3.90 - 9.95	2.345 0.640 - 4.095	10.77	10.30	99
15+15+20+25+35	1.22	1.22	1.63	2.03	2.85	8.95 3.90 - 10.37	2.505 0.640 - 4.125	11.50	11.00	99
15+15+20+25+42	1.19	1.19	1.59	1.99	3.34 *	9.30 3.90 - 10.66	2.609 0.640 - 4.139	11.98	11.46	99
15+15+20+25+50	1.16	1.16	1.55	1.94	3.88 *	9.70 3.90 - 11.00	2.729 0.640 - 4.159	12.54	11.99	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+15+20+25+60	1.08	1.08	1.44	1.80	4.31	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+20+25+71	1.00	1.00	1.33	1.66	4.72	9.70 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+20+35+35	1.18	1.18	1.58	2.76	2.76	9.45 3.90 - 10.79	2.655 0.640 - 4.155	12.19	11.66	99
15+15+20+35+42	1.15	1.15	1.53	2.67	3.21 *	9.70 3.90 - 11.00	2.729 0.640 - 4.159	12.54	11.99	99
15+15+20+35+50	1.08	1.08	1.44	2.51	3.59 *	9.70 3.90 - 11.00	2.729 0.640 - 4.159	12.54	11.99	99
15+15+20+35+60	1.00	1.00	1.34	2.34	4.01	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
15+15+20+35+71	0.93	0.93	1.24	2.18	4.41	9.70 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+20+42+42	1.09	1.09	1.45	3.04 *	3.04 *	9.70 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+42+50	1.02	1.02	1.37	2.87 *	3.42 *	9.70 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+42+60	0.96	0.96	1.28	2.68 *	3.83	9.70 3.90 - 11.00	2.706 0.640 - 4.136	12.42	11.88	99
15+15+20+42+71	0.89	0.89	1.19	2.50 *	4.23	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+20+50+50	0.97	0.97	1.29	3.23 *	3.23 *	9.70 3.90 - 11.00	2.723 0.640 - 4.153	12.50	11.96	99
15+15+20+50+60	0.91	0.91	1.21	3.03 *	3.64	9.70 3.90 - 11.00	2.706 0.640 - 4.136	12.42	11.88	99
15+15+20+50+71	0.85	0.85	1.13	2.84 *	4.03	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+20+60+60	0.86	0.86	1.14	3.42	3.42	9.70 3.90 - 11.00	2.689 0.640 - 4.119	12.35	11.81	99
15+15+22+22+22	1.28	1.28	1.88	1.88	1.88	8.20 3.90 - 9.78	2.278 0.640 - 4.068	10.45	10.00	99
15+15+22+22+25	1.27	1.27	1.87	1.87	2.12	8.40 3.90 - 9.91	2.318 0.640 - 4.078	10.64	10.18	99
15+15+22+22+35	1.22	1.22	1.80	1.80	2.86	8.90 3.90 - 10.33	2.478 0.640 - 4.108	11.37	10.88	99
15+15+22+22+42	1.20	1.20	1.75	1.75	3.35 *	9.25 3.90 - 10.62	2.582 0.640 - 4.122	11.86	11.34	99
15+15+22+22+50	1.17	1.17	1.71	1.71	3.89 *	9.65 3.90 - 10.96	2.702 0.640 - 4.152	12.41	11.87	99
15+15+22+22+60	1.09	1.09	1.59	1.59	4.34	9.70 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+22+22+71	1.00	1.00	1.47	1.47	4.75	9.70 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+22+25+25	1.26	1.26	1.85	2.11	2.11	8.60 3.90 - 10.03	2.368 0.640 - 4.088	10.87	10.40	99
15+15+22+25+35	1.22	1.22	1.79	2.03	2.84	9.10 3.90 - 10.45	2.528 0.640 - 4.118	11.60	11.10	99
15+15+22+25+42	1.19	1.19	1.75	1.99	3.34 *	9.45 3.90 - 10.75	2.632 0.640 - 4.132	12.09	11.56	99
15+15+22+25+50	1.15	1.15	1.69	1.92	3.84 *	9.75 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+22+25+60	1.07	1.07	1.57	1.78	4.27	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+22+25+71	0.99	0.99	1.45	1.65	4.68	9.75 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+22+35+35	1.18	1.18	1.73	2.75	2.75	9.60 3.90 - 10.87	2.678 0.640 - 4.148	12.29	11.76	99
15+15+22+35+42	1.13	1.13	1.66	2.65	3.17 *	9.75 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+22+35+50	1.07	1.07	1.57	2.49	3.56 *	9.75 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+22+35+60	0.99	0.99	1.46	2.32	3.98	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+22+35+71	0.93	0.93	1.36	2.16	4.38	9.75 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+22+42+42	1.08	1.08	1.58	3.01 *	3.01 *	9.75 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+22+42+50	1.02	1.02	1.49	2.84 *	3.39 *	9.75 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+22+42+60	0.95	0.95	1.39	2.66 *	3.80	9.75 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+22+42+71	0.89	0.89	1.30	2.48 *	4.20	9.75 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+15+22+50+50	0.96	0.96	1.41	3.21 *	3.21 *	9.75 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+22+50+60	0.90	0.90	1.32	3.01 *	3.61	9.75 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+22+60+60	0.85	0.85	1.25	3.40	3.40	9.75 3.90 - 11.00	2.682 0.640 - 4.112	12.32	11.78	99
15+15+25+25+25	1.26	1.26	2.10	2.10	2.10	8.80 3.90 - 10.16	2.418 0.640 - 4.098	11.10	10.62	99
15+15+25+25+35	1.21	1.21	2.02	2.02	2.83	9.30 3.90 - 10.58	2.568 0.640 - 4.128	11.79	11.28	99
15+15+25+25+42	1.19	1.19	1.98	1.98	3.32 *	9.65 3.90 - 10.87	2.672 0.640 - 4.142	12.26	11.73	99
15+15+25+25+50	1.13	1.13	1.88	1.88	3.77 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+25+25+60	1.05	1.05	1.75	1.75	4.20	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+25+25+71	0.97	0.97	1.62	1.62	4.61	9.80 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+25+35+35	1.18	1.18	1.96	2.74	2.74	9.80 3.90 - 11.00	2.728 0.640 - 4.158	12.52	11.98	99
15+15+25+35+42	1.11	1.11	1.86	2.60	3.12 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+25+35+50	1.05	1.05	1.75	2.45	3.50 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+25+35+60	0.98	0.98	1.63	2.29	3.92	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+25+35+71	0.91	0.91	1.52	2.13	4.32	9.80 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+25+42+42	1.06	1.06	1.76	2.96 *	2.96 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+25+42+50	1.00	1.00	1.67	2.80 *	3.33 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+25+42+60	0.94	0.94	1.56	2.62 *	3.75	9.80 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+25+42+71	0.88	0.88	1.46	2.45 *	4.14	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+15+25+50+50	0.95	0.95	1.58	3.16 *	3.16 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+25+50+60	0.89	0.89	1.48	2.97 *	3.56	9.80 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+35+35+35	1.09	1.09	2.54	2.54	2.54	9.80 3.90 - 11.00	2.728 0.640 - 4.158	12.52	11.98	99
15+15+35+35+42	1.04	1.04	2.42	2.42	2.90 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+35+35+50	0.98	0.98	2.29	2.29	3.27 *	9.80 3.90 - 11.00	2.722 0.640 - 4.152	12.49	11.95	99
15+15+35+35+60	0.92	0.92	2.14	2.14	3.68	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
15+15+35+35+71	0.86	0.86	2.01	2.01	4.07	9.80 3.90 - 11.00	2.709 0.640 - 4.139	12.44	11.90	99
15+15+35+42+42	0.99	0.99	2.30	2.76 *	2.76 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+35+42+50	0.94	0.94	2.18	2.62 *	3.12 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+35+42+60	0.88	0.88	2.05	2.46 *	3.52	9.80 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
15+15+35+50+50	0.89	0.89	2.08	2.97 *	2.97 *	9.80 3.90 - 11.00	2.716 0.640 - 4.146	12.47	11.93	99
15+15+42+42+42	0.94	0.94	2.64 *	2.64 *	2.64 *	9.80 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+42+42+50	0.90	0.90	2.51 *	2.51 *	2.99 *	9.80 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+15+42+50+50	0.85	0.85	2.39 *	2.85 *	2.85 *	9.80 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+20+20	1.26	1.68	1.68	1.68	1.68	8.00 3.90 - 9.74	2.277 0.640 - 4.087	10.45	10.00	99
15+20+20+20+22	1.26	1.68	1.68	1.68	1.85	8.15 3.90 - 9.82	2.300 0.640 - 4.090	10.56	10.10	99
15+20+20+20+25	1.25	1.67	1.67	1.67	2.09	8.35 3.90 - 9.95	2.350 0.640 - 4.100	10.79	10.32	99
15+20+20+20+35	1.21	1.61	1.61	1.61	2.82	8.85 3.90 - 10.37	2.510 0.640 - 4.130	11.52	11.02	99
15+20+20+20+42	1.18	1.57	1.57	1.57	3.30 *	9.20 3.90 - 10.66	2.614 0.640 - 4.144	12.00	11.48	99
15+20+20+20+50	1.15	1.54	1.54	1.54	3.84 *	9.60 3.90 - 11.00	2.734 0.640 - 4.164	12.56	12.01	99
15+20+20+20+60	1.07	1.42	1.42	1.42	4.27	9.60 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
15+20+20+20+71	0.99	1.32	1.32	1.32	4.67	9.60 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+22+22	1.26	1.68	1.68	1.84	1.84	8.30 3.90 - 9.91	2.323 0.640 - 4.083	10.66	10.20	99
15+20+20+22+25	1.25	1.67	1.67	1.83	2.08	8.50 3.90 - 10.03	2.373 0.640 - 4.093	10.89	10.42	99
15+20+20+22+35	1.21	1.61	1.61	1.77	2.81	9.00 3.90 - 10.45	2.533 0.640 - 4.123	11.63	11.12	99
15+20+20+22+42	1.18	1.57	1.57	1.73	3.30 *	9.35 3.90 - 10.75	2.637 0.640 - 4.137	12.11	11.58	99
15+20+20+22+50	1.14	1.52	1.52	1.67	3.80 *	9.65 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+22+60	1.06	1.41	1.41	1.55	4.23	9.65 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+22+71	0.98	1.30	1.30	1.43	4.63	9.65 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+20+25+25	1.24	1.66	1.66	2.07	2.07	8.70 3.90 - 10.16	2.423 0.640 - 4.103	11.12	10.64	99
15+20+20+25+35	1.20	1.60	1.60	2.00	2.80	9.20 3.90 - 10.58	2.573 0.640 - 4.133	11.81	11.30	99
15+20+20+25+42	1.17	1.57	1.57	1.96	3.29 *	9.55 3.90 - 10.87	2.677 0.640 - 4.147	12.29	11.76	99
15+20+20+25+50	1.12	1.49	1.49	1.87	3.73 *	9.70 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+25+60	1.04	1.39	1.39	1.73	4.16	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+25+71	0.96	1.28	1.28	1.61	4.56	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+20+35+35	1.16	1.55	1.55	2.72	2.72	9.70 3.90 - 11.00	2.733 0.640 - 4.163	12.55	12.00	99
15+20+20+35+42	1.10	1.47	1.47	2.57	3.09 *	9.70 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+35+50	1.04	1.39	1.39	2.43	3.46 *	9.70 3.90 - 11.00	2.727 0.640 - 4.157	12.52	11.98	99
15+20+20+35+60	0.97	1.29	1.29	2.26	3.88	9.70 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
15+20+20+35+71	0.90	1.20	1.20	2.11	4.28	9.70 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+20+42+42	1.05	1.40	1.40	2.93 *	2.93 *	9.70 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+42+50	0.99	1.32	1.32	2.77 *	3.30 *	9.70 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+42+60	0.93	1.24	1.24	2.59 *	3.71	9.70 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
15+20+20+42+71	0.87	1.15	1.15	2.43 *	4.10	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+20+20+50+50	0.94	1.25	1.25	3.13 *	3.13 *	9.70 3.90 - 11.00	2.721 0.640 - 4.151	12.49	11.95	99
15+20+20+50+60	0.88	1.18	1.18	2.94 *	3.53	9.70 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
15+20+22+22+22	1.25	1.67	1.84	1.84	1.84	8.45 3.90 - 9.99	2.356 0.640 - 4.086	10.82	10.35	99
15+20+22+22+25	1.25	1.66	1.83	1.83	2.08	8.65 3.90 - 10.12	2.396 0.640 - 4.096	11.00	10.52	99
15+20+22+22+35	1.20	1.61	1.77	1.77	2.81	9.15 3.90 - 10.54	2.556 0.640 - 4.126	11.74	11.23	99
15+20+22+22+42	1.18	1.57	1.73	1.73	3.30 *	9.50 3.90 - 10.83	2.660 0.640 - 4.140	12.21	11.68	99
15+20+22+22+50	1.13	1.50	1.65	1.65	3.76 *	9.70 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+22+60	1.05	1.40	1.54	1.54	4.19	9.70 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+22+22+71	0.97	1.29	1.42	1.42	4.59	9.70 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+22+25+25	1.24	1.65	1.82	2.07	2.07	8.85 3.90 - 10.24	2.446 0.640 - 4.106	11.23	10.74	99
15+20+22+25+35	1.20	1.60	1.76	2.00	2.80	9.35 3.90 - 10.66	2.606 0.640 - 4.136	11.96	11.44	99
15+20+22+25+42	1.17	1.56	1.72	1.96	3.29 *	9.70 3.90 - 10.96	2.700 0.640 - 4.150	12.40	11.86	99
15+20+22+25+50	1.11	1.48	1.63	1.85	3.69 *	9.75 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+25+60	1.03	1.37	1.51	1.72	4.12	9.75 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+22+25+71	0.96	1.27	1.40	1.59	4.52	9.75 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+22+35+35	1.15	1.54	1.69	2.69	2.69	9.75 3.90 - 11.00	2.726 0.640 - 4.156	12.51	11.97	99
15+20+22+35+42	1.09	1.46	1.60	2.55	3.06 *	9.75 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+35+50	1.03	1.37	1.51	2.40	3.43 *	9.75 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+22+35+60	0.96	1.28	1.41	2.25	3.85	9.75 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+22+35+71	0.90	1.20	1.32	2.09	4.25	9.75 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+22+42+42	1.04	1.38	1.52	2.90 *	2.90 *	9.75 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+22+42+50	0.98	1.31	1.44	2.75 *	3.27 *	9.75 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+22+42+60	0.92	1.23	1.35	2.58 *	3.68	9.75 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+22+42+71	0.86	1.15	1.26	2.41 *	4.07	9.75 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+20+22+50+50	0.93	1.24	1.37	3.11 *	3.11 *	9.75 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+22+50+60	0.88	1.17	1.28	2.92 *	3.50	9.75 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+25+25+25	1.23	1.65	2.06	2.06	2.06	9.05 3.90 - 10.37	2.496 0.640 - 4.116	11.46	10.96	99
15+20+25+25+35	1.19	1.59	1.99	1.99	2.79	9.55 3.90 - 10.79	2.646 0.640 - 4.146	12.15	11.62	99
15+20+25+25+42	1.16	1.54	1.93	1.93	3.24 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+25+50	1.09	1.45	1.81	1.81	3.63 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+25+60	1.01	1.35	1.69	1.69	4.06	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+25+25+71	0.94	1.26	1.57	1.57	4.46	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+25+35+35	1.13	1.51	1.88	2.64	2.64	9.80 3.90 - 11.00	2.726 0.640 - 4.156	12.51	11.97	99
15+20+25+35+42	1.07	1.43	1.79	2.50	3.00 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+35+50	1.01	1.35	1.69	2.37	3.38 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+25+35+60	0.95	1.26	1.58	2.21	3.79	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+25+35+71	0.89	1.18	1.48	2.07	4.19	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+20+25+42+42	1.02	1.36	1.70	2.86 *	2.86 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+25+42+50	0.97	1.29	1.61	2.71 *	3.22 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+25+42+60	0.91	1.21	1.51	2.54 *	3.63	9.80 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+25+50+50	0.92	1.23	1.53	3.06 *	3.06 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+25+50+60	0.86	1.15	1.44	2.88 *	3.46	9.80 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+35+35+35	1.05	1.40	2.45	2.45	2.45	9.80 3.90 - 11.00	2.726 0.640 - 4.156	12.51	11.97	99
15+20+35+35+42	1.00	1.33	2.33	2.33	2.80 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+35+35+50	0.95	1.26	2.21	2.21	3.16 *	9.80 3.90 - 11.00	2.720 0.640 - 4.150	12.49	11.95	99
15+20+35+35+60	0.89	1.19	2.08	2.08	3.56	9.80 3.90 - 11.00	2.703 0.640 - 4.133	12.41	11.87	99
15+20+35+42+42	0.95	1.27	2.23	2.67 *	2.67 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+35+42+50	0.91	1.21	2.12	2.54 *	3.02 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+35+42+60	0.85	1.14	1.99	2.39 *	3.42	9.80 3.90 - 11.00	2.697 0.640 - 4.127	12.38	11.84	99
15+20+35+50+50	0.86	1.15	2.02	2.88 *	2.88 *	9.80 3.90 - 11.00	2.714 0.640 - 4.144	12.46	11.92	99
15+20+42+42+42	0.91	1.22	2.56 *	2.56 *	2.56 *	9.80 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+20+42+42+50	0.87	1.16	2.44 *	2.44 *	2.90 *	9.80 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
15+22+22+22+22	1.25	1.84	1.84	1.84	1.84	8.60 3.90 - 10.08	2.379 0.640 - 4.079	10.93	10.45	99
15+22+22+22+25	1.25	1.83	1.83	1.83	2.08	8.80 3.90 - 10.20	2.419 0.640 - 4.089	11.10	10.62	99
15+22+22+22+35	1.20	1.76	1.76	1.76	2.81	9.30 3.90 - 10.62	2.579 0.640 - 4.119	11.85	11.33	99
15+22+22+22+42	1.18	1.73	1.73	1.73	3.30 *	9.65 3.90 - 10.92	2.683 0.640 - 4.133	12.32	11.78	99
15+22+22+22+50	1.12	1.64	1.64	1.64	3.72 *	9.75 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+22+60	1.04	1.52	1.52	1.52	4.15	9.75 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+22+22+71	0.96	1.41	1.41	1.41	4.55	9.75 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+22+25+25	1.24	1.82	1.82	2.06	2.06	9.00 3.90 - 10.33	2.469 0.640 - 4.099	11.33	10.84	99
15+22+22+25+35	1.20	1.76	1.76	2.00	2.79	9.50 3.90 - 10.75	2.629 0.640 - 4.129	12.08	11.55	99
15+22+22+25+42	1.17	1.71	1.71	1.94	3.27 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+25+50	1.10	1.61	1.61	1.83	3.66 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+25+60	1.02	1.50	1.50	1.70	4.08	9.80 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+22+25+71	0.95	1.39	1.39	1.58	4.49	9.80 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+22+35+35	1.14	1.67	1.67	2.66	2.66	9.80 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+22+22+35+42	1.08	1.59	1.59	2.52	3.03 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+35+50	1.02	1.50	1.50	2.38	3.40 *	9.80 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+22+35+60	0.95	1.40	1.40	2.23	3.82	9.80 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+22+35+71	0.89	1.31	1.31	2.08	4.22	9.80 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+22+42+42	1.03	1.51	1.51	2.88 *	2.88 *	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+22+42+50	0.97	1.43	1.43	2.73 *	3.25 *	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+22+42+60	0.91	1.34	1.34	2.56 *	3.65	9.80 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+22+42+71	0.85	1.25	1.25	2.39 *	4.05	9.80 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
15+22+22+50+50	0.92	1.36	1.36	3.08 *	3.08 *	9.80 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+22+50+60	0.87	1.28	1.28	2.90 *	3.48	9.80 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+25+25+25	1.23	1.81	2.05	2.05	2.05	9.20 3.90 - 10.45	2.519 0.640 - 4.109	11.56	11.06	99
15+22+25+25+35	1.19	1.75	1.99	1.99	2.78	9.70 3.90 - 10.87	2.669 0.640 - 4.139	12.25	11.72	99
15+22+25+25+42	1.15	1.68	1.91	1.91	3.21 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+25+50	1.08	1.58	1.80	1.80	3.59 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+25+60	1.01	1.47	1.68	1.68	4.02	9.85 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+22+25+25+71	0.94	1.37	1.56	1.56	4.43	9.85 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+25+35+35	1.12	1.64	1.87	2.61	2.61	9.85 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+22+25+35+42	1.06	1.56	1.77	2.48	2.98 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+35+50	1.01	1.47	1.68	2.35	3.35 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+25+35+60	0.94	1.38	1.57	2.20	3.76	9.85 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+25+35+71	0.88	1.29	1.47	2.05	4.16	9.85 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+22+25+42+42	1.01	1.48	1.69	2.83 *	2.83 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+25+42+50	0.96	1.41	1.60	2.69 *	3.20 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+25+42+60	0.90	1.32	1.50	2.52 *	3.60	9.85 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+25+50+50	0.91	1.34	1.52	3.04 *	3.04 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+25+50+60	0.86	1.26	1.43	2.86 *	3.44	9.85 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+22+35+35+35	1.04	1.53	2.43	2.43	2.43	9.85 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+22+35+35+42	0.99	1.45	2.31	2.31	2.78 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+35+35+50	0.94	1.38	2.20	2.20	3.14 *	9.85 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+22+35+35+60	0.88	1.30	2.06	2.06	3.54	9.85 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+22+35+42+42	0.95	1.39	2.21	2.65 *	2.65 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+35+42+50	0.90	1.32	2.10	2.52 *	3.00 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+35+50+50	0.86	1.26	2.00	2.86 *	2.86 *	9.85 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+22+42+42+42	0.91	1.33	2.54 *	2.54 *	2.54 *	9.85 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+22+42+42+50	0.86	1.27	2.42 *	2.42 *	2.88 *	9.85 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+25+25+25+25	1.23	2.04	2.04	2.04	2.04	9.40 3.90 - 10.58	2.559 0.640 - 4.119	11.75	11.24	99
15+25+25+25+35	1.19	1.98	1.98	1.98	2.77	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+25+25+25+42	1.13	1.88	1.88	1.88	3.15 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+25+50	1.06	1.77	1.77	1.77	3.54 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+25+60	0.99	1.65	1.65	1.65	3.96	9.90 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+25+25+25+71	0.92	1.54	1.54	1.54	4.37	9.90 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+25+25+35+35	1.10	1.83	1.83	2.57	2.57	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+25+25+35+42	1.05	1.74	1.74	2.44	2.93 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+35+50	0.99	1.65	1.65	2.31	3.30 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+25+35+60	0.93	1.55	1.55	2.17	3.71	9.90 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+25+25+35+71	0.87	1.45	1.45	2.03	4.11	9.90 3.90 - 11.00	2.700 0.640 - 4.130	12.40	11.86	99
15+25+25+42+42	1.00	1.66	1.66	2.79 *	2.79 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+25+42+50	0.95	1.58	1.58	2.65 *	3.15 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+25+42+60	0.89	1.48	1.48	2.49 *	3.56	9.90 3.90 - 11.00	2.690 0.640 - 4.120	12.35	11.81	99
15+25+25+50+50	0.90	1.50	1.50	3.00 *	3.00 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+35+35+35	1.02	1.71	2.39	2.39	2.39	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+25+35+35+42	0.98	1.63	2.28	2.28	2.74 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+35+35+50	0.93	1.55	2.17	2.17	3.09 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+25+35+35+60	0.87	1.46	2.04	2.04	3.49	9.90 3.90 - 11.00	2.696 0.640 - 4.126	12.38	11.84	99
15+25+35+42+42	0.93	1.56	2.18	2.62 *	2.62 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+35+42+50	0.89	1.48	2.07	2.49 *	2.96 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
15+25+42+42+42	0.89	1.49	2.50 *	2.50 *	2.50 *	9.90 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
15+35+35+35+35	0.96	2.24	2.24	2.24	2.24	9.90 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
15+35+35+35+42	0.92	2.14	2.14	2.14	2.57 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99
15+35+35+35+50	0.87	2.04	2.04	2.04	2.91 *	9.90 3.90 - 11.00	2.713 0.640 - 4.143	12.45	11.91	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+35+35+42+42	0.88	2.05	2.05	2.46 *	2.46 *	9.90 3.90 - 11.00	2.707 0.640 - 4.137	12.43	11.89	99
20+20+20+20+20	1.65	1.65	1.65	1.65	1.65	8.25 3.90 - 9.95	2.355 0.640 - 4.105	10.81	10.34	99
20+20+20+20+22	1.65	1.65	1.65	1.65	1.81	8.40 3.90 - 10.03	2.378 0.640 - 4.098	10.91	10.44	99
20+20+20+20+25	1.64	1.64	1.64	1.64	2.05	8.60 3.90 - 10.16	2.428 0.640 - 4.108	11.14	10.66	99
20+20+20+20+35	1.58	1.58	1.58	1.58	2.77	9.10 3.90 - 10.58	2.578 0.640 - 4.138	11.83	11.32	99
20+20+20+20+42	1.55	1.55	1.55	1.55	3.25 *	9.45 3.90 - 10.87	2.682 0.640 - 4.152	12.32	11.78	99
20+20+20+20+50	1.48	1.48	1.48	1.48	3.69 *	9.60 3.90 - 11.00	2.732 0.640 - 4.162	12.55	12.00	99
20+20+20+20+60	1.37	1.37	1.37	1.37	4.11	9.60 3.90 - 11.00	2.715 0.640 - 4.145	12.46	11.92	99
20+20+20+20+71	1.27	1.27	1.27	1.27	4.51	9.60 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+22+22	1.64	1.64	1.64	1.81	1.81	8.55 3.90 - 10.12	2.401 0.640 - 4.101	11.02	10.54	99
20+20+20+22+25	1.64	1.64	1.64	1.80	2.04	8.75 3.90 - 10.24	2.451 0.640 - 4.111	11.25	10.76	99
20+20+20+22+35	1.58	1.58	1.58	1.74	2.77	9.25 3.90 - 10.66	2.611 0.640 - 4.141	11.99	11.47	99
20+20+20+22+42	1.55	1.55	1.55	1.70	3.25 *	9.60 3.90 - 10.96	2.705 0.640 - 4.155	12.42	11.88	99
20+20+20+22+50	1.46	1.46	1.46	1.61	3.66 *	9.65 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+22+60	1.36	1.36	1.36	1.50	4.08	9.65 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
20+20+20+22+71	1.26	1.26	1.26	1.39	4.48	9.65 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+20+25+25	1.63	1.63	1.63	2.03	2.03	8.95 3.90 - 10.37	2.501 0.640 - 4.121	11.48	10.98	99
20+20+20+25+35	1.58	1.58	1.58	1.97	2.76	9.45 3.90 - 10.79	2.651 0.640 - 4.151	12.17	11.64	99
20+20+20+25+42	1.53	1.53	1.53	1.91	3.21 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+25+50	1.44	1.44	1.44	1.80	3.59 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+25+60	1.34	1.34	1.34	1.67	4.01	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
20+20+20+25+71	1.24	1.24	1.24	1.55	4.41	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+20+35+35	1.49	1.49	1.49	2.61	2.61	9.70 3.90 - 11.00	2.731 0.640 - 4.161	12.54	11.99	99
20+20+20+35+42	1.42	1.42	1.42	2.48	2.97 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+35+50	1.34	1.34	1.34	2.34	3.34 *	9.70 3.90 - 11.00	2.725 0.640 - 4.155	12.51	11.97	99
20+20+20+35+60	1.25	1.25	1.25	2.19	3.75	9.70 3.90 - 11.00	2.708 0.640 - 4.138	12.43	11.89	99
20+20+20+35+71	1.17	1.17	1.17	2.05	4.15	9.70 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+20+42+42	1.35	1.35	1.35	2.83 *	2.83 *	9.70 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+42+50	1.28	1.28	1.28	2.68 *	3.19 *	9.70 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+42+60	1.20	1.20	1.20	2.51 *	3.59	9.70 3.90 - 11.00	2.702 0.640 - 4.132	12.41	11.87	99
20+20+20+50+50	1.21	1.21	1.21	3.03 *	3.03 *	9.70 3.90 - 11.00	2.719 0.640 - 4.149	12.48	11.94	99
20+20+20+50+60	1.14	1.14	1.14	2.85 *	3.42	9.70 3.90 - 11.00	2.702 0.640 - 4.132	12.41	11.87	99
20+20+22+22+22	1.64	1.64	1.81	1.81	1.81	8.70 3.90 - 10.20	2.424 0.640 - 4.094	11.13	10.65	99
20+20+22+22+25	1.63	1.63	1.80	1.80	2.04	8.90 3.90 - 10.33	2.474 0.640 - 4.104	11.36	10.87	99
20+20+22+22+35	1.58	1.58	1.74	1.74	2.76	9.40 3.90 - 10.75	2.634 0.640 - 4.134	12.10	11.57	99
20+20+22+22+42	1.54	1.54	1.69	1.69	3.23 *	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+22+50	1.45	1.45	1.59	1.59	3.62 *	9.70 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+22+60	1.35	1.35	1.48	1.48	4.04	9.70 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+22+22+71	1.25	1.25	1.38	1.38	4.44	9.70 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+22+25+25	1.63	1.63	1.79	2.03	2.03	9.10 3.90 - 10.45	2.524 0.640 - 4.114	11.58	11.08	99
20+20+22+25+35	1.57	1.57	1.73	1.97	2.75	9.60 3.90 - 10.87	2.674 0.640 - 4.144	12.27	11.74	99
20+20+22+25+42	1.51	1.51	1.66	1.89	3.17 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+25+50	1.42	1.42	1.57	1.78	3.56 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+25+60	1.33	1.33	1.46	1.66	3.98	9.75 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+22+25+71	1.23	1.23	1.36	1.54	4.38	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+22+35+35	1.48	1.48	1.63	2.59	2.59	9.75 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+22+35+42	1.40	1.40	1.54	2.46	2.95 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+35+50	1.33	1.33	1.46	2.32	3.32 *	9.75 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+22+35+60	1.24	1.24	1.37	2.17	3.73	9.75 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+22+35+71	1.16	1.16	1.28	2.03	4.12	9.75 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+22+42+42	1.34	1.34	1.47	2.80 *	2.80 *	9.75 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+22+42+50	1.27	1.27	1.39	2.66 *	3.17 *	9.75 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+22+42+60	1.19	1.19	1.31	2.50 *	3.57	9.75 3.90 - 11.00	2.695 0.640 - 4.125	12.38	11.84	99
20+20+22+50+50	1.20	1.20	1.32	3.01 *	3.01 *	9.75 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+22+50+60	1.13	1.13	1.25	2.83 *	3.40	9.75 3.90 - 11.00	2.695 0.640 - 4.125	12.38	11.84	99
20+20+25+25+25	1.62	1.62	2.02	2.02	2.02	9.30 3.90 - 10.58	2.564 0.640 - 4.124	11.77	11.26	99
20+20+25+25+35	1.57	1.57	1.96	1.96	2.74	9.80 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+25+25+42	1.48	1.48	1.86	1.86	3.12 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+25+25+50	1.40	1.40	1.75	1.75	3.50 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+25+25+60	1.31	1.31	1.63	1.63	3.92	9.80 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+25+25+71	1.22	1.22	1.52	1.52	4.32	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+25+35+35	1.45	1.45	1.81	2.54	2.54	9.80 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+25+35+42	1.38	1.38	1.73	2.42	2.90 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+25+35+50	1.31	1.31	1.63	2.29	3.27 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+25+35+60	1.23	1.23	1.53	2.14	3.68	9.80 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+25+35+71	1.15	1.15	1.43	2.01	4.07	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+20+25+42+42	1.32	1.32	1.64	2.76 *	2.76 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+25+42+50	1.25	1.25	1.56	2.62 *	3.12 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+25+42+60	1.17	1.17	1.47	2.46 *	3.52	9.80 3.90 - 11.00	2.695 0.640 - 4.125	12.38	11.84	99
20+20+25+50+50	1.19	1.19	1.48	2.97 *	2.97 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+35+35+35	1.35	1.35	2.37	2.37	2.37	9.80 3.90 - 11.00	2.724 0.640 - 4.154	12.50	11.96	99
20+20+35+35+42	1.29	1.29	2.26	2.26	2.71 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+35+35+50	1.23	1.23	2.14	2.14	3.06 *	9.80 3.90 - 11.00	2.718 0.640 - 4.148	12.48	11.94	99
20+20+35+35+60	1.15	1.15	2.02	2.02	3.46	9.80 3.90 - 11.00	2.701 0.640 - 4.131	12.40	11.86	99
20+20+35+42+42	1.23	1.23	2.16	2.59 *	2.59 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+35+42+50	1.17	1.17	2.05	2.46 *	2.93 *	9.80 3.90 - 11.00	2.712 0.640 - 4.142	12.45	11.91	99
20+20+42+42+42	1.18	1.18	2.48 *	2.48 *	2.48 *	9.80 3.90 - 11.00	2.706 0.640 - 4.136	12.42	11.88	99
20+22+22+22+22	1.64	1.80	1.80	1.80	1.80	8.85 3.90 - 10.29	2.447 0.640 - 4.097	11.24	10.75	99
20+22+22+22+25	1.63	1.79	1.79	1.79	2.04	9.05 3.90 - 10.41	2.497 0.640 - 4.107	11.47	10.97	99
20+22+22+22+35	1.58	1.74	1.74	1.74	2.76	9.55 3.90 - 10.83	2.657 0.640 - 4.137	12.20	11.67	99
20+22+22+22+42	1.52	1.68	1.68	1.68	3.20	9.75 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+22+50	1.43	1.58	1.58	1.58	3.58 *	9.75 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+22+60	1.34	1.47	1.47	1.47	4.01	9.75 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+22+22+71	1.24	1.37	1.37	1.37	4.41	9.75 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+22+25+25	1.62	1.79	1.79	2.03	2.03	9.25 3.90 - 10.54	2.547 0.640 - 4.117	11.70	11.19	99
20+22+22+25+35	1.57	1.73	1.73	1.97	2.75	9.75 3.90 - 10.96	2.697 0.640 - 4.147	12.38	11.84	99
20+22+22+25+42	1.50	1.65	1.65	1.87	3.14 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+25+50	1.41	1.55	1.55	1.76	3.53 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+25+60	1.32	1.45	1.45	1.64	3.95	9.80 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+22+25+71	1.23	1.35	1.35	1.53	4.35	9.80 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+22+35+35	1.46	1.61	1.61	2.56	2.56	9.80 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+22+35+42	1.39	1.53	1.53	2.43	2.92 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+35+50	1.32	1.45	1.45	2.30	3.29 *	9.80 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+22+35+60	1.23	1.36	1.36	2.16	3.70	9.80 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+22+35+71	1.15	1.27	1.27	2.02	4.09	9.80 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+22+42+42	1.32	1.46	1.46	2.78 *	2.78 *	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+22+42+50	1.26	1.38	1.38	2.64 *	3.14 *	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+22+42+60	1.18	1.30	1.30	2.48 *	3.54	9.80 3.90 - 11.00	2.688 0.640 - 4.118	12.35	11.81	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
20+22+22+50+50	1.20	1.31	1.31	2.99 *	2.99 *	9.80 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+25+25+25	1.62	1.78	2.02	2.02	2.02	9.45 3.90 - 10.66	2.597 0.640 - 4.127	11.93	11.41	99
20+22+25+25+35	1.55	1.71	1.94	1.94	2.71	9.85 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+25+25+42	1.47	1.62	1.84	1.84	3.09 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+25+50	1.39	1.53	1.73	1.73	3.47 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+25+60	1.30	1.43	1.62	1.62	3.89	9.85 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+25+25+71	1.21	1.33	1.51	1.51	4.29	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+22+25+35+35	1.44	1.58	1.80	2.52	2.52	9.85 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+25+35+42	1.37	1.50	1.71	2.39	2.87 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+35+50	1.30	1.43	1.62	2.27	3.24 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+25+35+60	1.22	1.34	1.52	2.13	3.65	9.85 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+25+42+42	1.30	1.44	1.63	2.74 *	2.74 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+25+42+50	1.24	1.36	1.55	2.60 *	3.10 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+25+42+60	1.17	1.28	1.46	2.45 *	3.50	9.85 3.90 - 11.00	2.688 0.640 - 4.118	12.35	11.81	99
20+22+25+50+50	1.18	1.30	1.47	2.95 *	2.95 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+35+35+35	1.34	1.47	2.35	2.35	2.35	9.85 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+22+35+35+42	1.28	1.41	2.24	2.24	2.69 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+35+35+50	1.22	1.34	2.13	2.13	3.04 *	9.85 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+22+35+35+60	1.15	1.26	2.00	2.00	3.44	9.85 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+22+35+42+42	1.22	1.35	2.14	2.57 *	2.57 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+35+42+50	1.17	1.28	2.04	2.45 *	2.91 *	9.85 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+22+42+42+42	1.17	1.29	2.46 *	2.46 *	2.46 *	9.85 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
20+25+25+25+25	1.61	2.01	2.01	2.01	2.01	9.65 3.90 - 10.79	2.637 0.640 - 4.137	12.11	11.58	99
20+25+25+25+35	1.52	1.90	1.90	1.90	2.67	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+25+25+25+42	1.45	1.81	1.81	1.81	3.04 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+25+50	1.37	1.71	1.71	1.71	3.41 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+25+60	1.28	1.60	1.60	1.60	3.83	9.90 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+25+25+25+71	1.19	1.49	1.49	1.49	4.23	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
20+25+25+35+35	1.41	1.77	1.77	2.48	2.48	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+25+25+35+42	1.35	1.68	1.68	2.36	2.83 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+35+50	1.28	1.60	1.60	2.24	3.19 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+25+35+60	1.20	1.50	1.50	2.10	3.60	9.90 3.90 - 11.00	2.694 0.640 - 4.124	12.37	11.83	99
20+25+25+42+42	1.29	1.61	1.61	2.70 *	2.70 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+25+42+50	1.22	1.53	1.53	2.57 *	3.06 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+25+42+60	1.15	1.44	1.44	2.42 *	3.45	9.90 3.90 - 11.00	2.688 0.640 - 4.118	12.35	11.81	99
20+25+25+50+50	1.16	1.46	1.46	2.91 *	2.91 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+35+35+35	1.32	1.65	2.31	2.31	2.31	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+25+35+35+42	1.26	1.58	2.21	2.21	2.65 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+35+35+50	1.20	1.50	2.10	2.10	3.00 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
20+25+35+42+42	1.21	1.51	2.11	2.54 *	2.54 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+35+42+50	1.15	1.44	2.01	2.42 *	2.88 *	9.90 3.90 - 11.00	2.705 0.640 - 4.135	12.42	11.88	99
20+25+42+42+42	1.16	1.45	2.43 *	2.43 *	2.43 *	9.90 3.90 - 11.00	2.699 0.640 - 4.129	12.39	11.85	99
20+35+35+35+35	1.24	2.17	2.17	2.17	2.17	9.90 3.90 - 11.00	2.717 0.640 - 4.147	12.47	11.93	99
20+35+35+35+42	1.19	2.07	2.07	2.07	2.49 *	9.90 3.90 - 11.00	2.711 0.640 - 4.141	12.45	11.91	99
22+22+22+22+22	1.80	1.80	1.80	1.80	1.80	9.00 3.90 - 10.37	2.480 0.640 - 4.100	11.39	10.89	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+22+22+22+25	1.79	1.79	1.79	1.79	2.04	9.20 3.90 - 10.50	2.520 0.640 - 4.100	11.57	11.07	99
22+22+22+22+35	1.73	1.73	1.73	1.73	2.76	9.70 3.90 - 10.92	2.680 0.640 - 4.130	12.31	11.77	99
22+22+22+22+42	1.66	1.66	1.66	1.66	3.17 *	9.80 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+22+50	1.56	1.56	1.56	1.56	3.55 *	9.80 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+22+60	1.46	1.46	1.46	1.46	3.97	9.80 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+22+22+71	1.36	1.36	1.36	1.36	4.38	9.80 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+22+25+25	1.78	1.78	1.78	2.03	2.03	9.40 3.90 - 10.62	2.570 0.640 - 4.110	11.80	11.29	99
22+22+22+25+35	1.72	1.72	1.72	1.95	2.74	9.85 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+22+25+42	1.63	1.63	1.63	1.85	3.11 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+25+50	1.54	1.54	1.54	1.75	3.49 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+25+60	1.44	1.44	1.44	1.63	3.91	9.85 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+22+25+71	1.34	1.34	1.34	1.52	4.32	9.85 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+22+35+35	1.59	1.59	1.59	2.53	2.53	9.85 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+22+35+42	1.52	1.52	1.52	2.41	2.89 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+35+50	1.44	1.44	1.44	2.28	3.26 *	9.85 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+22+35+60	1.35	1.35	1.35	2.14	3.67	9.85 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+22+35+71	1.26	1.26	1.26	2.00	4.07	9.85 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+22+42+42	1.44	1.44	1.44	2.76 *	2.76 *	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+22+42+50	1.37	1.37	1.37	2.62 *	3.12 *	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+22+42+60	1.29	1.29	1.29	2.46 *	3.52	9.85 3.90 - 11.00	2.681 0.640 - 4.111	12.31	11.77	99
22+22+22+50+50	1.31	1.31	1.31	2.97 *	2.97 *	9.85 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+25+25+25	1.77	1.77	2.02	2.02	2.02	9.60 3.90 - 10.75	2.620 0.640 - 4.120	12.03	11.51	99
22+22+25+25+35	1.69	1.69	1.92	1.92	2.69	9.90 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+25+25+42	1.60	1.60	1.82	1.82	3.06 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+25+50	1.51	1.51	1.72	1.72	3.44 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+25+60	1.41	1.41	1.61	1.61	3.86	9.90 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+25+25+71	1.32	1.32	1.50	1.50	4.26	9.90 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+22+25+35+35	1.57	1.57	1.78	2.49	2.49	9.90 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+25+35+42	1.49	1.49	1.70	2.37	2.85 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+35+50	1.41	1.41	1.61	2.25	3.21 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+25+35+60	1.33	1.33	1.51	2.11	3.62	9.90 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+22+25+42+42	1.42	1.42	1.62	2.72 *	2.72 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+25+42+50	1.35	1.35	1.54	2.58 *	3.07 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+25+42+60	1.27	1.27	1.45	2.43 *	3.47	9.90 3.90 - 11.00	2.681 0.640 - 4.111	12.31	11.77	99
22+22+25+50+50	1.29	1.29	1.46	2.93 *	2.93 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+35+35+35	1.46	1.46	2.33	2.33	2.33	9.90 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+22+35+35+42	1.40	1.40	2.22	2.22	2.67 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+35+35+50	1.33	1.33	2.11	2.11	3.02 *	9.90 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+22+35+42+42	1.34	1.34	2.13	2.55 *	2.55 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+35+42+50	1.27	1.27	2.03	2.43 *	2.89 *	9.90 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+22+42+42+42	1.28	1.28	2.45 *	2.45 *	2.45 *	9.90 3.90 - 11.00	2.692 0.640 - 4.122	12.36	11.82	99

MXZ-5F100VGD COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+25+25+25+25	1.77	2.01	2.01	2.01	2.01	9.80 3.90 - 10.87	2.660 0.640 - 4.130	12.21	11.68	99
22+25+25+25+35	1.66	1.88	1.88	1.88	2.64	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+25+25+25+42	1.57	1.79	1.79	1.79	3.01 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+25+50	1.49	1.69	1.69	1.69	3.38 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+25+60	1.39	1.58	1.58	1.58	3.80	9.95 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+25+25+25+71	1.30	1.48	1.48	1.48	4.21	9.95 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
22+25+25+35+35	1.54	1.75	1.75	2.45	2.45	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+25+25+35+42	1.47	1.67	1.67	2.34	2.80 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+35+50	1.39	1.58	1.58	2.22	3.17 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+25+35+60	1.31	1.49	1.49	2.09	3.57	9.95 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
22+25+25+42+42	1.40	1.59	1.59	2.68 *	2.68 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+25+25+42+50	1.33	1.52	1.52	2.55 *	3.03 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+25+25+50+50	1.27	1.45	1.45	2.89 *	2.89 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+25+35+35+35	1.44	1.64	2.29	2.29	2.29	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+25+35+35+42	1.38	1.56	2.19	2.19	2.63 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+35+35+50	1.31	1.49	2.09	2.09	2.98 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
22+25+35+42+42	1.32	1.50	2.10	2.52 *	2.52 *	9.95 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
22+35+35+35+35	1.35	2.15	2.15	2.15	2.15 *	9.95 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
22+35+35+35+42	1.30	2.06	2.06	2.06	2.47 *	9.95 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+25+25+35	1.85	1.85	1.85	1.85	2.59	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+25+25+42	1.76	1.76	1.76	1.76	2.96 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+25+50	1.67	1.67	1.67	1.67	3.33 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+25+60	1.56	1.56	1.56	1.56	3.75	10.00 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
25+25+25+25+71	1.46	1.46	1.46	1.46	4.15	10.00 3.90 - 11.00	2.691 0.640 - 4.121	12.36	11.82	99
25+25+25+35+35	1.72	1.72	1.72	2.41	2.41	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+25+35+42	1.64	1.64	1.64	2.30	2.76 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+35+50	1.56	1.56	1.56	2.19	3.13 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+25+35+60	1.47	1.47	1.47	2.06	3.53	10.00 3.90 - 11.00	2.687 0.640 - 4.117	12.34	11.80	99
25+25+25+42+42	1.57	1.57	1.57	2.64 *	2.64 *	10.00 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
25+25+25+42+50	1.50	1.50	1.50	2.51 *	2.99 *	10.00 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
25+25+35+35+35	1.61	1.61	2.26	2.26	2.26	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+25+35+35+42	1.54	1.54	2.16	2.16	2.59 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+35+35+50	1.47	1.47	2.06	2.06	2.94 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99
25+25+35+42+42	1.48	1.48	2.07	2.49 *	2.49 *	10.00 3.90 - 11.00	2.698 0.640 - 4.128	12.39	11.85	99
25+35+35+35+35	1.52	2.12	2.12	2.12	2.12	10.00 3.90 - 11.00	2.710 0.640 - 4.140	12.44	11.90	99
25+35+35+35+42	1.45	2.03	2.03	2.03	2.44 *	10.00 3.90 - 11.00	2.704 0.640 - 4.134	12.42	11.88	99

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD
 · MSZ-AP25VGD : Rated capacity is 2.2kW
 · MSZ-AP25VGD : Rated capacity is 2.2kW
 · MSZ-AP42VGD : Rated capacity is 3.33kW (=3.7*0.9)

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15	1.70	-	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.71	2.59	99
20	2.20	-	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.84	2.72	99
22	3.30	-	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.44	3.29	99
25	3.60	-	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.67	3.51	99
35	4.00	-	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	4.09	3.91	99
42	5.40	-	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.74	5.49	99
50	7.20	-	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.87	8.48	99
60	7.90	-	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	10.10	9.66	99
71	8.60	-	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	11.75	11.24	99
15+15	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.386 - 2.466	6.37	6.09	99
15+20	2.83	3.77	-	-	-	6.60 3.00 - 7.20	1.384 - 2.554	6.36	6.08	99
15+22	2.68	3.92	-	-	-	6.60 3.00 - 7.20	1.377 - 2.587	6.33	6.05	99
15+25	2.48	4.13	-	-	-	6.60 3.00 - 7.20	1.377 - 2.637	6.33	6.05	99
15+35	2.16	5.04	-	-	-	7.20 3.00 - 8.80	1.547 - 2.787	7.10	6.79	99
15+42	1.97	5.53	-	-	-	7.50 3.00 - 9.20	1.651 - 2.841	7.58	7.25	99
15+50	1.80	6.00	-	-	-	7.80 3.00 - 9.60	1.771 - 2.921	8.13	7.78	99
15+60	1.68	6.72	-	-	-	8.40 3.00 - 10.20	2.004 - 3.024	9.20	8.80	99
15+71	1.59	7.51	-	-	-	9.10 3.00 - 11.00	2.338 - 3.158	10.74	10.27	99
20+20	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.382 - 2.642	6.35	6.07	99
20+22	3.14	3.46	-	-	-	6.60 3.00 - 7.20	1.375 - 2.635	6.31	6.04	99
20+25	2.98	3.72	-	-	-	6.70 3.00 - 7.50	1.405 - 2.665	6.45	6.17	99
20+35	2.69	4.71	-	-	-	7.40 3.00 - 9.10	1.625 - 2.835	7.46	7.14	99
20+42	2.48	5.22	-	-	-	7.70 3.00 - 9.40	1.729 - 2.889	7.94	7.59	99
20+50	2.29	5.71	-	-	-	8.00 3.00 - 9.80	1.849 - 2.959	8.49	8.12	99
20+60	2.18	6.53	-	-	-	8.70 3.00 - 10.70	2.172 - 3.092	9.97	9.54	99
20+71	2.07	7.33	-	-	-	9.40 3.00 - 11.00	2.426 - 3.156	11.13	10.65	99
22+22	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.368 - 2.628	6.28	6.01	99
22+25	3.23	3.67	-	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.69	6.40	99
22+35	2.89	4.61	-	-	-	7.50 3.00 - 9.20	1.648 - 2.838	7.57	7.24	99
22+42	2.68	5.12	-	-	-	7.80 3.00 - 9.50	1.752 - 2.902	8.04	7.69	99
22+50	2.48	5.63	-	-	-	8.10 3.00 - 10.00	1.912 - 2.982	8.78	8.40	99
22+60	2.39	6.51	-	-	-	8.90 3.00 - 10.80	2.225 - 3.115	10.21	9.77	99
22+71	2.27	7.33	-	-	-	9.60 3.00 - 11.00	2.449 - 3.149	11.25	10.76	99
25+25	3.60	3.60	-	-	-	7.20 3.00 - 8.80	1.538 - 2.778	7.06	6.75	99
25+35	3.17	4.43	-	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.80	7.46	99
25+42	2.95	4.95	-	-	-	7.90 3.00 - 9.70	1.792 - 2.922	8.23	7.87	99
25+50	2.80	5.60	-	-	-	8.40 3.00 - 10.20	2.012 - 3.032	9.24	8.84	99
25+60	2.68	6.42	-	-	-	9.10 3.00 - 11.00	2.315 - 3.145	10.63	10.17	99
25+71	2.55	7.25	-	-	-	9.80 3.00 - 11.00	2.499 - 3.149	11.47	10.97	99
35+35	4.00	4.00	-	-	-	8.00 3.00 - 9.80	1.848 - 2.958	8.49	8.12	99
35+42	3.86	4.64	-	-	-	8.50 3.00 - 10.40	2.082 - 3.062	9.56	9.14	99
35+50	3.75	5.35	-	-	-	9.10 3.00 - 11.00	2.332 - 3.162	10.71	10.24	99
35+60	3.57	6.13	-	-	-	9.70 3.00 - 11.00	2.485 - 3.145	11.41	10.91	99
35+71	3.30	6.70	-	-	-	10.00 3.00 - 11.00	2.569 - 3.149	11.79	11.28	99
42+42	4.50	4.50	-	-	-	9.00 3.00 - 11.00	2.306 - 3.156	10.59	10.13	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit			Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)			220	230	
42+50	4.34	5.16	-	-	-	9.50 3.00 - 11.00	2.446 0.690 - 3.156		11.23	10.74	99
42+60	4.12	5.88	-	-	-	10.00 3.00 - 11.00	2.559 0.690 - 3.139		11.75	11.24	99
42+71	3.72	6.28	-	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143		11.77	11.26	99
50+50	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.576 0.690 - 3.156		11.82	11.31	99
50+60	4.55	5.45	-	-	-	10.00 3.00 - 11.00	2.559 0.690 - 3.139		11.75	11.24	99
50+71	4.13	5.87	-	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143		11.77	11.26	99
60+60	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.542 0.690 - 3.122		11.67	11.16	99
60+71	4.58	5.42	-	-	-	10.00 3.00 - 11.00	2.546 0.690 - 3.126		11.69	11.18	99
71+71	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.550 0.690 - 3.130		11.71	11.20	99
15+15+15	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.719 0.530 - 3.879		7.89	7.55	99
15+15+20	2.61	2.61	3.48	-	-	8.70 3.20 - 10.60	1.717 0.530 - 3.877		7.88	7.54	99
15+15+22	2.51	2.51	3.68	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870		7.85	7.51	99
15+15+25	2.37	2.37	3.95	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870		7.85	7.51	99
15+15+35	2.01	2.01	4.68	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870		7.85	7.51	99
15+15+42	1.85	1.85	5.19	-	-	8.90 3.20 - 11.30	1.814 0.530 - 3.864		8.33	7.97	99
15+15+50	1.73	1.73	5.75	-	-	9.20 3.20 - 11.80	2.034 0.560 - 3.864		9.34	8.93	99
15+15+60	1.58	1.58	6.33	-	-	9.50 3.20 - 12.10	2.327 0.610 - 3.847		10.68	10.22	99
15+15+71	1.47	1.47	6.96	-	-	9.90 3.20 - 12.50	2.671 0.660 - 3.851		12.26	11.73	99
15+20+20	2.37	3.16	3.16	-	-	8.70 3.20 - 10.60	1.715 0.530 - 3.875		7.87	7.53	99
15+20+22	2.29	3.05	3.36	-	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868		7.84	7.50	99
15+20+25	2.18	2.90	3.63	-	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868		7.84	7.50	99
15+20+35	1.89	2.51	4.40	-	-	8.80 3.20 - 11.00	1.788 0.530 - 3.868		8.21	7.85	99
15+20+42	1.77	2.36	4.96	-	-	9.10 3.20 - 11.70	1.932 0.540 - 3.862		8.87	8.48	99
15+20+50	1.64	2.19	5.47	-	-	9.30 3.20 - 11.90	2.182 0.580 - 3.862		10.02	9.58	99
15+20+60	1.53	2.04	6.13	-	-	9.70 3.20 - 12.30	2.485 0.630 - 3.845		11.41	10.91	99
15+20+71	1.42	1.89	6.70	-	-	10.00 3.20 - 12.60	2.799 0.680 - 3.849		12.85	12.29	99
15+22+22	2.21	3.24	3.24	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861		7.81	7.47	99
15+22+25	2.10	3.09	3.51	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861		7.81	7.47	99
15+22+35	1.85	2.72	4.33	-	-	8.90 3.20 - 11.30	1.811 0.530 - 3.861		8.31	7.95	99
15+22+42	1.73	2.53	4.84	-	-	9.10 3.20 - 11.70	1.995 0.550 - 3.855		9.16	8.76	99
15+22+50	1.62	2.38	5.40	-	-	9.40 3.20 - 12.00	2.245 0.590 - 3.855		10.31	9.86	99
15+22+60	1.50	2.20	6.00	-	-	9.70 3.20 - 12.30	2.538 0.640 - 3.838		11.66	11.15	99
15+22+71	1.39	2.04	6.57	-	-	10.00 3.20 - 12.60	2.792 0.680 - 3.842		12.82	12.26	99
15+25+25	2.01	3.35	3.35	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861		7.81	7.47	99
15+25+35	1.80	3.00	4.20	-	-	9.00 3.20 - 11.60	1.871 0.530 - 3.861		8.59	8.22	99
15+25+42	1.68	2.80	4.71	-	-	9.20 3.20 - 11.80	2.085 0.570 - 3.855		9.58	9.16	99
15+25+50	1.58	2.64	5.28	-	-	9.50 3.20 - 12.10	2.335 0.610 - 3.855		10.72	10.25	99
15+25+60	1.47	2.45	5.88	-	-	9.80 3.20 - 12.40	2.628 0.660 - 3.838		12.06	11.54	99
15+25+71	1.35	2.25	6.40	-	-	10.00 3.20 - 12.60	2.792 0.680 - 3.842		12.82	12.26	99
15+35+35	1.64	3.83	3.83	-	-	9.30 3.20 - 11.90	2.181 0.580 - 3.861		10.02	9.58	99
15+35+42	1.57	3.65	4.38	-	-	9.60 3.20 - 12.20	2.395 0.620 - 3.855		11.00	10.52	99
15+35+50	1.47	3.43	4.90	-	-	9.80 3.20 - 12.40	2.645 0.660 - 3.855		12.15	11.62	99
15+35+60	1.36	3.18	5.45	-	-	10.00 3.20 - 12.60	2.788 0.680 - 3.838		12.80	12.24	99
15+35+71	1.24	2.89	5.87	-	-	10.00 3.20 - 12.60	2.792 0.680 - 3.842		12.82	12.26	99
15+42+42	1.48	4.16	4.16	-	-	9.80 3.20 - 12.40	2.609 0.650 - 3.849		11.98	11.46	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
15+42+50	1.40	3.93	4.67	-	-	10.00 3.20 - 12.60	2.799 0.680 - 3.849	12.85	12.29	99
15+42+60	1.28	3.59	5.13	-	-	10.00 3.20 - 12.60	2.782 0.680 - 3.832	12.78	12.22	99
15+42+71	1.17	3.28	5.55	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
15+50+50	1.30	4.35	4.35	-	-	10.00 3.20 - 12.60	2.799 0.680 - 3.849	12.85	12.29	99
15+50+60	1.20	4.00	4.80	-	-	10.00 3.20 - 12.60	2.782 0.680 - 3.832	12.78	12.22	99
15+50+71	1.10	3.68	5.22	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
15+60+60	1.11	4.44	4.44	-	-	10.00 3.20 - 12.60	2.765 0.680 - 3.815	12.69	12.14	99
15+60+71	1.03	4.11	4.86	-	-	10.00 3.20 - 12.60	2.769 0.680 - 3.819	12.71	12.16	99
15+71+71	0.96	4.52	4.52	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
20+20+20	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.713 0.530 - 3.873	7.86	7.52	99
20+20+22	2.81	2.81	3.09	-	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	99
20+20+25	2.68	2.68	3.35	-	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	99
20+20+35	2.40	2.40	4.20	-	-	9.00 3.20 - 11.60	1.876 0.530 - 3.866	8.61	8.24	99
20+20+42	2.24	2.24	4.71	-	-	9.20 3.20 - 11.80	2.090 0.570 - 3.860	9.60	9.18	99
20+20+50	2.11	2.11	5.28	-	-	9.50 3.20 - 12.10	2.340 0.610 - 3.860	10.75	10.28	99
20+20+60	1.96	1.96	5.88	-	-	9.80 3.20 - 12.40	2.633 0.660 - 3.843	12.09	11.56	99
20+20+71	1.80	1.80	6.40	-	-	10.00 3.20 - 12.60	2.797 0.680 - 3.847	12.84	12.28	99
20+22+22	2.72	2.99	2.99	-	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	99
20+22+25	2.60	2.86	3.25	-	-	8.70 3.20 - 10.70	1.719 0.530 - 3.859	7.89	7.55	99
20+22+35	2.36	2.60	4.14	-	-	9.10 3.20 - 11.70	1.929 0.540 - 3.859	8.86	8.47	99
20+22+42	2.21	2.44	4.65	-	-	9.30 3.20 - 11.90	2.143 0.580 - 3.853	9.84	9.41	99
20+22+50	2.09	2.30	5.22	-	-	9.60 3.20 - 12.20	2.393 0.620 - 3.853	10.99	10.51	99
20+22+60	1.94	2.14	5.82	-	-	9.90 3.20 - 12.50	2.696 0.670 - 3.836	12.38	11.84	99
20+22+71	1.77	1.95	6.28	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
20+25+25	2.51	3.14	3.14	-	-	8.80 3.20 - 11.00	1.779 0.530 - 3.859	8.17	7.81	99
20+25+35	2.30	2.88	4.03	-	-	9.20 3.20 - 11.80	2.029 0.560 - 3.859	9.32	8.91	99
20+25+42	2.16	2.70	4.54	-	-	9.40 3.20 - 12.00	2.243 0.590 - 3.853	10.30	9.85	99
20+25+50	2.04	2.55	5.11	-	-	9.70 3.20 - 12.30	2.493 0.630 - 3.853	11.45	10.95	99
20+25+60	1.90	2.38	5.71	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
20+25+71	1.72	2.16	6.12	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
20+35+35	2.11	3.69	3.69	-	-	9.50 3.20 - 12.10	2.339 0.610 - 3.859	10.74	10.27	99
20+35+42	2.00	3.50	4.20	-	-	9.70 3.20 - 12.30	2.553 0.640 - 3.853	11.72	11.21	99
20+35+50	1.90	3.33	4.76	-	-	10.00 3.20 - 12.60	2.803 0.680 - 3.853	12.87	12.31	99
20+35+60	1.74	3.04	5.22	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	99
20+35+71	1.59	2.78	5.63	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
20+42+42	1.92	4.04	4.04	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.847	12.70	12.15	99
20+42+50	1.79	3.75	4.46	-	-	10.00 3.20 - 12.60	2.797 0.680 - 3.847	12.84	12.28	99
20+42+60	1.64	3.44	4.92	-	-	10.00 3.20 - 12.60	2.780 0.680 - 3.830	12.77	12.21	99
20+42+71	1.50	3.16	5.34	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
20+50+50	1.67	4.17	4.17	-	-	10.00 3.20 - 12.60	2.797 0.680 - 3.847	12.84	12.28	99
20+50+60	1.54	3.85	4.62	-	-	10.00 3.20 - 12.60	2.780 0.680 - 3.830	12.77	12.21	99
20+50+71	1.42	3.55	5.04	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
20+60+60	1.43	4.29	4.29	-	-	10.00 3.20 - 12.60	2.763 0.680 - 3.813	12.68	12.13	99
20+60+71	1.32	3.97	4.70	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
20+71+71	1.23	4.38	4.38	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+22+22	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	99
22+22+25	2.81	2.81	3.19	-	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	8.04	7.69	99
22+22+35	2.53	2.53	4.03	-	-	9.10 3.20 - 11.70	1.992 0.550 - 3.852	9.15	8.75	99
22+22+42	2.40	2.40	4.59	-	-	9.40 3.20 - 12.00	2.196 0.590 - 3.846	10.08	9.64	99
22+22+50	2.25	2.25	5.11	-	-	9.60 3.20 - 12.20	2.456 0.630 - 3.846	11.28	10.79	99
22+22+60	2.12	2.12	5.77	-	-	10.00 3.20 - 12.60	2.749 0.680 - 3.829	12.62	12.07	99
22+22+71	1.91	1.91	6.17	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
22+25+25	2.72	3.09	3.09	-	-	8.90 3.20 - 11.30	1.802 0.530 - 3.852	8.27	7.91	99
22+25+35	2.47	2.80	3.93	-	-	9.20 3.20 - 11.80	2.082 0.570 - 3.852	9.56	9.14	99
22+25+42	2.35	2.67	4.48	-	-	9.50 3.20 - 12.10	2.296 0.600 - 3.846	10.54	10.08	99
22+25+50	2.20	2.50	5.00	-	-	9.70 3.20 - 12.30	2.546 0.640 - 3.846	11.69	11.18	99
22+25+60	2.06	2.34	5.61	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
22+25+71	1.86	2.12	6.02	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
22+35+35	2.30	3.65	3.65	-	-	9.60 3.20 - 12.20	2.392 0.620 - 3.852	10.99	10.51	99
22+35+42	2.18	3.46	4.16	-	-	9.80 3.20 - 12.40	2.606 0.650 - 3.846	11.96	11.44	99
22+35+50	2.06	3.27	4.67	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
22+35+60	1.88	2.99	5.13	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
22+35+71	1.72	2.73	5.55	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
22+42+42	2.08	3.96	3.96	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
22+42+50	1.93	3.68	4.39	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
22+42+60	1.77	3.39	4.84	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
22+42+71	1.63	3.11	5.26	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
22+50+50	1.80	4.10	4.10	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
22+50+60	1.67	3.79	4.55	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
22+50+71	1.54	3.50	4.97	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
22+60+60	1.55	4.23	4.23	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	99
22+60+71	1.44	3.92	4.64	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	99
22+71+71	1.34	4.33	4.33	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	12.69	12.14	99
25+25+25	3.00	3.00	3.00	-	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	8.55	8.18	99
25+25+35	2.74	2.74	3.83	-	-	9.30 3.20 - 11.90	2.172 0.580 - 3.852	9.97	9.54	99
25+25+42	2.61	2.61	4.38	-	-	9.60 3.20 - 12.20	2.386 0.620 - 3.846	10.96	10.48	99
25+25+50	2.45	2.45	4.90	-	-	9.80 3.20 - 12.40	2.636 0.660 - 3.846	12.11	11.58	99
25+25+60	2.27	2.27	5.45	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
25+25+71	2.07	2.07	5.87	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
25+35+35	2.55	3.57	3.57	-	-	9.70 3.20 - 12.30	2.492 0.630 - 3.852	11.44	10.94	99
25+35+42	2.43	3.40	4.08	-	-	9.90 3.20 - 12.50	2.706 0.670 - 3.846	12.42	11.88	99
25+35+50	2.27	3.18	4.55	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
25+35+60	2.08	2.92	5.00	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
25+35+71	1.91	2.67	5.42	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
25+42+42	2.29	3.85	3.85	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
25+42+50	2.14	3.59	4.27	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
25+42+60	1.97	3.31	4.72	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
25+42+71	1.81	3.04	5.14	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
25+50+50	2.00	4.00	4.00	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
25+50+60	1.85	3.70	4.44	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
25+50+71	1.71	3.42	4.86	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
25+60+60	1.72	4.14	4.14	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	99
25+60+71	1.60	3.85	4.55	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	99
25+71+71	1.50	4.25	4.25	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	12.69	12.14	99
35+35+35	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.802 0.680 - 3.852	12.87	12.31	99
35+35+42	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
35+35+50	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	12.84	12.28	99
35+35+60	2.69	2.69	4.62	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	99
35+35+71	2.48	2.48	5.04	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	99
35+42+42	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
35+42+50	2.76	3.31	3.94	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
35+42+60	2.55	3.07	4.38	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
35+42+71	2.36	2.84	4.80	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
35+50+50	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	99
35+50+60	2.41	3.45	4.14	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	99
35+50+71	2.24	3.21	4.55	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	99
35+60+60	2.26	3.87	3.87	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	99
35+60+71	2.11	3.61	4.28	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	99
42+42+42	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
42+42+50	3.13	3.13	3.73	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
42+42+60	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
42+42+71	2.71	2.71	4.58	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99
42+50+50	2.96	3.52	3.52	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
42+50+60	2.76	3.29	3.95	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
42+50+71	2.58	3.07	4.36	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99
42+60+60	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	12.63	12.08	99
50+50+50	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	99
50+50+60	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	99
50+50+71	2.92	2.92	4.15	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	99
50+60+60	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	12.63	12.08	99
15+15+15+15	2.25	2.25	2.25	2.25	-	9.00 3.40 - 11.60	1.872 0.590 - 3.862	8.59	8.22	99
15+15+15+20	2.10	2.10	2.10	2.80	-	9.10 3.40 - 11.60	1.880 0.590 - 3.860	8.64	8.26	99
15+15+15+22	2.04	2.04	2.04	2.99	-	9.10 3.40 - 11.60	1.883 0.590 - 3.853	8.65	8.27	99
15+15+15+25	1.95	1.95	1.95	3.25	-	9.10 3.40 - 11.60	1.883 0.590 - 3.853	8.65	8.27	99
15+15+15+35	1.73	1.73	1.73	4.03	-	9.20 3.40 - 11.60	1.903 0.590 - 3.853	8.74	8.36	99
15+15+15+42	1.60	1.60	1.60	4.49	-	9.30 3.40 - 11.60	1.917 0.590 - 3.847	8.80	8.42	99
15+15+15+50	1.44	1.44	1.44	4.79	-	9.10 3.40 - 11.60	1.887 0.590 - 3.847	8.67	8.29	99
15+15+15+60	1.34	1.34	1.34	5.37	-	9.40 3.40 - 11.80	1.950 0.590 - 3.830	8.95	8.56	99
15+15+15+71	1.24	1.24	1.24	5.88	-	9.60 3.40 - 12.30	2.064 0.590 - 3.834	9.47	9.06	99
15+15+20+20	1.95	1.95	2.60	2.60	-	9.10 3.40 - 11.60	1.888 0.590 - 3.858	8.67	8.29	99
15+15+20+22	1.90	1.90	2.53	2.78	-	9.10 3.40 - 11.60	1.891 0.590 - 3.851	8.68	8.30	99
15+15+20+25	1.84	1.84	2.45	3.07	-	9.20 3.40 - 11.60	1.891 0.590 - 3.851	8.68	8.30	99
15+15+20+35	1.64	1.64	2.19	3.83	-	9.30 3.40 - 11.60	1.911 0.590 - 3.851	8.77	8.39	99
15+15+20+42	1.48	1.48	1.98	4.15	-	9.10 3.40 - 11.60	1.885 0.590 - 3.845	8.66	8.28	99
15+15+20+50	1.40	1.40	1.86	4.65	-	9.30 3.40 - 11.60	1.915 0.590 - 3.845	8.79	8.41	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+20+60	1.30	1.30	1.73	5.18	-	9.50 3.40 - 12.00	1.998 0.590 - 3.828	9.17	8.77	99
15+15+20+71	1.20	1.20	1.60	5.69	-	9.70 3.40 - 12.50	2.102 0.590 - 3.832	9.65	9.23	99
15+15+22+22	1.86	1.86	2.74	2.74	-	9.20 3.40 - 11.60	1.884 0.590 - 3.844	8.65	8.27	99
15+15+22+25	1.79	1.79	2.63	2.99	-	9.20 3.40 - 11.60	1.894 0.590 - 3.844	8.70	8.32	99
15+15+22+35	1.60	1.60	2.35	3.74	-	9.30 3.40 - 11.60	1.914 0.590 - 3.844	8.79	8.41	99
15+15+22+42	1.45	1.45	2.13	4.07	-	9.10 3.40 - 11.60	1.878 0.590 - 3.838	8.63	8.25	99
15+15+22+50	1.37	1.37	2.01	4.56	-	9.30 3.40 - 11.70	1.928 0.590 - 3.838	8.86	8.47	99
15+15+22+60	1.27	1.27	1.87	5.09	-	9.50 3.40 - 12.10	2.011 0.590 - 3.821	9.23	8.83	99
15+15+22+71	1.18	1.18	1.73	5.60	-	9.70 3.40 - 12.60	2.115 0.590 - 3.825	9.71	9.29	99
15+15+25+25	1.73	1.73	2.88	2.88	-	9.20 3.40 - 11.60	1.894 0.590 - 3.844	8.70	8.32	99
15+15+25+35	1.52	1.52	2.53	3.54	-	9.10 3.40 - 11.60	1.884 0.590 - 3.844	8.65	8.27	99
15+15+25+42	1.41	1.41	2.35	3.94	-	9.10 3.40 - 11.60	1.878 0.590 - 3.838	8.63	8.25	99
15+15+25+50	1.34	1.34	2.24	4.48	-	9.40 3.40 - 11.80	1.958 0.590 - 3.838	8.99	8.60	99
15+15+25+60	1.25	1.25	2.09	5.01	-	9.60 3.40 - 12.20	2.041 0.590 - 3.821	9.37	8.96	99
15+15+25+71	1.17	1.17	1.94	5.52	-	9.80 3.40 - 12.70	2.145 0.590 - 3.825	9.85	9.42	99
15+15+35+35	1.40	1.40	3.26	3.26	-	9.30 3.40 - 11.60	1.914 0.590 - 3.844	8.79	8.41	99
15+15+35+42	1.32	1.32	3.07	3.69	-	9.40 3.40 - 11.90	1.978 0.590 - 3.838	9.09	8.69	99
15+15+35+50	1.25	1.25	2.92	4.17	-	9.60 3.40 - 12.20	2.058 0.590 - 3.838	9.45	9.04	99
15+15+35+60	1.16	1.16	2.72	4.66	-	9.70 3.40 - 12.70	2.131 0.590 - 3.821	9.79	9.36	99
15+15+35+71	1.09	1.09	2.55	5.17	-	9.90 3.40 - 13.10	2.245 0.590 - 3.825	10.31	9.86	99
15+15+42+42	1.25	1.25	3.50	3.50	-	9.50 3.40 - 12.20	2.042 0.590 - 3.832	9.38	8.97	99
15+15+42+50	1.19	1.19	3.34	3.98	-	9.70 3.40 - 12.50	2.112 0.590 - 3.832	9.70	9.28	99
15+15+42+60	1.13	1.13	3.15	4.50	-	9.90 3.40 - 13.00	2.195 0.590 - 3.815	10.08	9.64	99
15+15+42+71	1.05	1.05	2.94	4.97	-	10.00 3.40 - 13.30	2.279 0.590 - 3.819	10.47	10.01	99
15+15+50+50	1.13	1.13	3.77	3.77	-	9.80 3.40 - 12.90	2.192 0.590 - 3.832	10.07	9.63	99
15+15+50+60	1.07	1.07	3.57	4.29	-	10.00 3.40 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
15+15+50+71	0.99	0.99	3.31	4.70	-	10.00 3.40 - 13.30	2.279 0.590 - 3.819	10.47	10.01	99
15+15+60+60	1.00	1.00	4.00	4.00	-	10.00 3.40 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
15+15+60+71	0.93	0.93	3.73	4.41	-	10.00 3.50 - 13.30	2.262 0.590 - 3.802	10.38	9.93	99
15+15+71+71	0.87	0.87	4.13	4.13	-	10.00 3.50 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+20+20+20	1.84	2.45	2.45	2.45	-	9.20 3.40 - 11.60	1.896 0.590 - 3.856	8.71	8.33	99
15+20+20+22	1.79	2.39	2.39	2.63	-	9.20 3.40 - 11.60	1.899 0.590 - 3.849	8.72	8.34	99
15+20+20+25	1.73	2.30	2.30	2.88	-	9.20 3.40 - 11.60	1.899 0.590 - 3.849	8.72	8.34	99
15+20+20+35	1.52	2.02	2.02	3.54	-	9.10 3.40 - 11.60	1.889 0.590 - 3.849	8.68	8.30	99
15+20+20+42	1.41	1.88	1.88	3.94	-	9.10 3.40 - 11.60	1.883 0.590 - 3.843	8.65	8.27	99
15+20+20+50	1.34	1.79	1.79	4.48	-	9.40 3.40 - 11.80	1.963 0.590 - 3.843	9.01	8.62	99
15+20+20+60	1.25	1.67	1.67	5.01	-	9.60 3.40 - 12.20	2.046 0.590 - 3.826	9.40	8.99	99
15+20+20+71	1.17	1.56	1.56	5.52	-	9.80 3.40 - 12.70	2.150 0.590 - 3.830	9.87	9.44	99
15+20+22+22	1.75	2.33	2.56	2.56	-	9.20 3.40 - 11.60	1.892 0.590 - 3.842	8.69	8.31	99
15+20+22+25	1.68	2.24	2.47	2.80	-	9.20 3.40 - 11.60	1.902 0.590 - 3.842	8.73	8.35	99
15+20+22+35	1.48	1.98	2.18	3.46	-	9.10 3.40 - 11.60	1.882 0.590 - 3.842	8.65	8.27	99
15+20+22+42	1.38	1.84	2.02	3.86	-	9.10 3.40 - 11.60	1.876 0.590 - 3.836	8.61	8.24	99
15+20+22+50	1.32	1.76	1.93	4.39	-	9.40 3.40 - 11.90	1.976 0.590 - 3.836	9.07	8.68	99
15+20+22+60	1.23	1.64	1.81	4.92	-	9.60 3.40 - 12.30	2.059 0.590 - 3.819	9.45	9.04	99
15+20+22+71	1.15	1.53	1.68	5.44	-	9.80 3.40 - 12.80	2.163 0.590 - 3.823	9.93	9.50	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+20+25+25	1.64	2.19	2.74	2.74	-	9.30 3.40 - 11.60	1.902 0.590 - 3.842	8.73	8.35	99
15+20+25+35	1.44	1.92	2.39	3.35	-	9.10 3.40 - 11.60	1.882 0.590 - 3.842	8.65	8.27	99
15+20+25+42	1.37	1.82	2.28	3.83	-	9.30 3.40 - 11.70	1.926 0.590 - 3.836	8.84	8.46	99
15+20+25+50	1.30	1.73	2.16	4.32	-	9.50 3.40 - 12.00	2.006 0.590 - 3.836	9.21	8.81	99
15+20+25+60	1.21	1.62	2.02	4.85	-	9.70 3.40 - 12.50	2.089 0.590 - 3.819	9.59	9.17	99
15+20+25+71	1.12	1.50	1.87	5.31	-	9.80 3.40 - 12.90	2.193 0.590 - 3.823	10.07	9.63	99
15+20+35+35	1.34	1.79	3.13	3.13	-	9.40 3.40 - 11.80	1.962 0.590 - 3.842	9.01	8.62	99
15+20+35+42	1.27	1.70	2.97	3.56	-	9.50 3.40 - 12.10	2.026 0.590 - 3.836	9.30	8.90	99
15+20+35+50	1.21	1.62	2.83	4.04	-	9.70 3.40 - 12.50	2.106 0.590 - 3.836	9.67	9.25	99
15+20+35+60	1.13	1.51	2.64	4.52	-	9.80 3.40 - 12.90	2.179 0.590 - 3.819	10.01	9.57	99
15+20+35+71	1.06	1.42	2.48	5.04	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+20+42+42	1.21	1.61	3.39	3.39	-	9.60 3.40 - 12.40	2.090 0.590 - 3.830	9.60	9.18	99
15+20+42+50	1.16	1.54	3.24	3.86	-	9.80 3.40 - 12.70	2.160 0.590 - 3.830	9.92	9.49	99
15+20+42+60	1.08	1.45	3.04	4.34	-	9.90 3.40 - 13.20	2.243 0.590 - 3.813	10.30	9.85	99
15+20+42+71	1.01	1.35	2.84	4.80	-	10.00 3.40 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+20+50+50	1.10	1.47	3.67	3.67	-	9.90 3.40 - 13.10	2.240 0.590 - 3.830	10.29	9.84	99
15+20+50+60	1.03	1.38	3.45	4.14	-	10.00 3.40 - 13.30	2.273 0.590 - 3.813	10.43	9.98	99
15+20+50+71	0.96	1.28	3.21	4.55	-	10.00 3.50 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+20+60+60	0.97	1.29	3.87	3.87	-	10.00 3.50 - 13.30	2.256 0.590 - 3.796	10.36	9.91	99
15+20+60+71	0.90	1.20	3.61	4.28	-	10.00 3.50 - 13.30	2.260 0.590 - 3.800	10.38	9.93	99
15+22+22+22	1.70	2.50	2.50	2.50	-	9.20 3.40 - 11.60	1.895 0.590 - 3.835	8.70	8.32	99
15+22+22+25	1.66	2.44	2.44	2.77	-	9.30 3.40 - 11.60	1.895 0.590 - 3.835	8.70	8.32	99
15+22+22+35	1.45	2.13	2.13	3.39	-	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	99
15+22+22+42	1.38	2.03	2.03	3.87	-	9.30 3.40 - 11.60	1.909 0.590 - 3.829	8.76	8.38	99
15+22+22+50	1.31	1.92	1.92	4.36	-	9.50 3.40 - 12.00	1.989 0.590 - 3.829	9.14	8.74	99
15+22+22+60	1.21	1.77	1.77	4.84	-	9.60 3.40 - 12.40	2.072 0.590 - 3.812	9.51	9.10	99
15+22+22+71	1.13	1.66	1.66	5.35	-	9.80 3.40 - 12.90	2.176 0.590 - 3.816	9.99	9.56	99
15+22+25+25	1.60	2.35	2.67	2.67	-	9.30 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	99
15+22+25+35	1.41	2.06	2.35	3.28	-	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	99
15+22+25+42	1.36	1.99	2.26	3.80	-	9.40 3.40 - 11.80	1.939 0.590 - 3.829	8.91	8.52	99
15+22+25+50	1.27	1.87	2.12	4.24	-	9.50 3.40 - 12.10	2.019 0.590 - 3.829	9.27	8.87	99
15+22+25+60	1.19	1.75	1.99	4.77	-	9.70 3.40 - 12.50	2.092 0.590 - 3.812	9.61	9.19	99
15+22+25+71	1.12	1.64	1.86	5.28	-	9.90 3.40 - 13.00	2.206 0.590 - 3.816	10.13	9.69	99
15+22+35+35	1.32	1.93	3.07	3.07	-	9.40 3.40 - 11.90	1.975 0.590 - 3.835	9.06	8.67	99
15+22+35+42	1.25	1.83	2.92	3.50	-	9.50 3.40 - 12.20	2.039 0.590 - 3.829	9.36	8.95	99
15+22+35+50	1.19	1.75	2.78	3.98	-	9.70 3.40 - 12.50	2.109 0.590 - 3.829	9.68	9.26	99
15+22+35+60	1.13	1.65	2.63	4.50	-	9.90 3.40 - 13.00	2.192 0.590 - 3.812	10.07	9.63	99
15+22+35+71	1.05	1.54	2.45	4.97	-	10.00 3.40 - 13.30	2.276 0.590 - 3.816	10.45	10.00	99
15+22+42+42	1.20	1.76	3.37	3.37	-	9.70 3.40 - 12.50	2.093 0.590 - 3.823	9.61	9.19	99
15+22+42+50	1.14	1.67	3.19	3.80	-	9.80 3.40 - 12.80	2.173 0.590 - 3.823	9.97	9.54	99
15+22+42+60	1.08	1.58	3.02	4.32	-	10.00 3.40 - 13.30	2.256 0.590 - 3.806	10.36	9.91	99
15+22+42+71	1.00	1.47	2.80	4.73	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+22+50+50	1.08	1.59	3.61	3.61	-	9.90 3.40 - 13.20	2.253 0.590 - 3.823	10.34	9.89	99
15+22+50+60	1.02	1.50	3.40	4.08	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+22+50+71	0.95	1.39	3.16	4.49	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	power consumption(kW)		220	230	
15+22+60+60	0.96	1.40	3.82	3.82	-	10.00 3.50 - 13.30	2.249 0.590 - 3.789	10.33	9.88	99
15+22+60+71	0.89	1.31	3.57	4.23	-	10.00 3.50 - 13.30	2.253 0.590 - 3.793	10.34	9.89	99
15+25+25+25	1.52	2.53	2.53	2.53	-	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	99
15+25+25+35	1.40	2.33	2.33	3.26	-	9.30 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	99
15+25+25+42	1.32	2.20	2.20	3.69	-	9.40 3.40 - 11.90	1.969 0.590 - 3.829	9.04	8.65	99
15+25+25+50	1.25	2.09	2.09	4.17	-	9.60 3.40 - 12.20	2.049 0.590 - 3.829	9.41	9.00	99
15+25+25+60	1.16	1.94	1.94	4.66	-	9.70 3.40 - 12.70	2.122 0.590 - 3.812	9.74	9.32	99
15+25+25+71	1.09	1.82	1.82	5.17	-	9.90 3.40 - 13.10	2.236 0.590 - 3.816	10.27	9.82	99
15+25+35+35	1.30	2.16	3.02	3.02	-	9.50 3.40 - 12.00	2.005 0.590 - 3.835	9.21	8.81	99
15+25+35+42	1.23	2.05	2.87	3.45	-	9.60 3.40 - 12.30	2.069 0.590 - 3.829	9.50	9.09	99
15+25+35+50	1.16	1.94	2.72	3.88	-	9.70 3.40 - 12.70	2.139 0.590 - 3.829	9.82	9.39	99
15+25+35+60	1.10	1.83	2.57	4.40	-	9.90 3.40 - 13.10	2.222 0.590 - 3.812	10.20	9.76	99
15+25+35+71	1.03	1.71	2.40	4.86	-	10.00 3.40 - 13.30	2.276 0.590 - 3.816	10.45	10.00	99
15+25+42+42	1.17	1.96	3.29	3.29	-	9.70 3.40 - 12.60	2.123 0.590 - 3.823	9.74	9.32	99
15+25+42+50	1.13	1.88	3.15	3.75	-	9.90 3.40 - 13.00	2.203 0.590 - 3.823	10.12	9.68	99
15+25+42+60	1.06	1.76	2.96	4.23	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+25+42+71	0.98	1.63	2.75	4.64	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+25+50+50	1.07	1.79	3.57	3.57	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+25+50+60	1.00	1.67	3.33	4.00	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+25+50+71	0.93	1.55	3.11	4.41	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+25+60+60	0.94	1.56	3.75	3.75	-	10.00 3.50 - 13.30	2.249 0.590 - 3.789	10.33	9.88	99
15+25+60+71	0.88	1.46	3.51	4.15	-	10.00 3.50 - 13.30	2.253 0.590 - 3.793	10.34	9.89	99
15+35+35+35	1.21	2.83	2.83	2.83	-	9.70 3.40 - 12.50	2.105 0.590 - 3.835	9.66	9.24	99
15+35+35+42	1.16	2.70	2.70	3.24	-	9.80 3.40 - 12.70	2.159 0.590 - 3.829	9.91	9.48	99
15+35+35+50	1.10	2.57	2.57	3.67	-	9.90 3.40 - 13.10	2.239 0.590 - 3.829	10.28	9.83	99
15+35+35+60	1.03	2.41	2.41	4.14	-	10.00 3.40 - 13.30	2.272 0.590 - 3.812	10.43	9.98	99
15+35+35+71	0.96	2.24	2.24	4.55	-	10.00 3.50 - 13.30	2.276 0.590 - 3.816	10.45	10.00	99
15+35+42+42	1.11	2.59	3.10	3.10	-	9.90 3.40 - 13.00	2.223 0.590 - 3.823	10.20	9.76	99
15+35+42+50	1.06	2.46	2.96	3.52	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+35+42+60	0.99	2.30	2.76	3.95	-	10.00 3.40 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+35+42+71	0.92	2.15	2.58	4.36	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+35+50+50	1.00	2.33	3.33	3.33	-	10.00 3.40 - 13.30	2.283 0.590 - 3.823	10.49	10.03	99
15+35+50+60	0.94	2.19	3.13	3.75	-	10.00 3.50 - 13.30	2.266 0.590 - 3.806	10.40	9.95	99
15+35+50+71	0.88	2.05	2.92	4.15	-	10.00 3.50 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
15+35+60+60	0.88	2.06	3.53	3.53	-	10.00 3.50 - 13.30	2.249 0.590 - 3.789	10.33	9.88	99
15+42+42+42	1.06	2.98	2.98	2.98	-	10.00 3.40 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+42+42+50	1.01	2.82	2.82	3.36	-	10.00 3.40 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+42+42+60	0.94	2.64	2.64	3.77	-	10.00 3.50 - 13.30	2.260 0.590 - 3.800	10.38	9.93	99
15+42+42+71	0.88	2.47	2.47	4.18	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
15+42+50+50	0.96	2.68	3.18	3.18	-	10.00 3.50 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
15+42+50+60	0.90	2.51	2.99	3.59	-	10.00 3.50 - 13.30	2.260 0.590 - 3.800	10.38	9.93	99
15+50+50+50	0.91	3.03	3.03	3.03	-	10.00 3.50 - 13.30	2.277 0.590 - 3.817	10.45	10.00	99
20+20+20+20	2.30	2.30	2.30	2.30	-	9.20 3.40 - 11.60	1.904 0.590 - 3.854	8.74	8.36	99
20+20+20+22	2.24	2.24	2.24	2.47	-	9.20 3.40 - 11.60	1.907 0.590 - 3.847	8.76	8.38	99
20+20+20+25	2.19	2.19	2.19	2.74	-	9.30 3.40 - 11.60	1.907 0.590 - 3.847	8.76	8.38	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+20+20+35	1.92	1.92	1.92	3.35	-	9.10 3.40 - 11.60	1.887 0.590 - 3.847	8.67	8.29	99
20+20+20+42	1.82	1.82	1.82	3.83	-	9.30 3.40 - 11.70	1.931 0.590 - 3.841	8.87	8.48	99
20+20+20+50	1.73	1.73	1.73	4.32	-	9.50 3.40 - 12.00	2.011 0.590 - 3.841	9.23	8.83	99
20+20+20+60	1.62	1.62	1.62	4.85	-	9.70 3.40 - 12.50	2.094 0.590 - 3.824	9.62	9.20	99
20+20+20+71	1.50	1.50	1.50	5.31	-	9.80 3.40 - 12.90	2.198 0.590 - 3.828	10.09	9.65	99
20+20+22+22	2.21	2.21	2.44	2.44	-	9.30 3.40 - 11.60	1.900 0.590 - 3.840	8.72	8.34	99
20+20+22+25	2.14	2.14	2.35	2.67	-	9.30 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	99
20+20+22+35	1.88	1.88	2.06	3.28	-	9.10 3.40 - 11.60	1.880 0.590 - 3.840	8.64	8.26	99
20+20+22+42	1.81	1.81	1.99	3.80	-	9.40 3.40 - 11.80	1.944 0.590 - 3.834	8.93	8.54	99
20+20+22+50	1.70	1.70	1.87	4.24	-	9.50 3.40 - 12.10	2.024 0.590 - 3.834	9.29	8.89	99
20+20+22+60	1.59	1.59	1.75	4.77	-	9.70 3.40 - 12.50	2.097 0.590 - 3.817	9.63	9.21	99
20+20+22+71	1.49	1.49	1.64	5.28	-	9.90 3.40 - 13.00	2.211 0.590 - 3.821	10.15	9.71	99
20+20+25+25	2.02	2.02	2.53	2.53	-	9.10 3.40 - 11.60	1.880 0.590 - 3.840	8.64	8.26	99
20+20+25+35	1.86	1.86	2.33	3.26	-	9.30 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	99
20+20+25+42	1.76	1.76	2.20	3.69	-	9.40 3.40 - 11.90	1.974 0.590 - 3.834	9.06	8.67	99
20+20+25+50	1.67	1.67	2.09	4.17	-	9.60 3.40 - 12.20	2.054 0.590 - 3.834	9.43	9.02	99
20+20+25+60	1.55	1.55	1.94	4.66	-	9.70 3.40 - 12.70	2.127 0.590 - 3.817	9.76	9.34	99
20+20+25+71	1.46	1.46	1.82	5.17	-	9.90 3.40 - 13.10	2.241 0.590 - 3.821	10.29	9.84	99
20+20+35+35	1.73	1.73	3.02	3.02	-	9.50 3.40 - 12.00	2.010 0.590 - 3.840	9.23	8.83	99
20+20+35+42	1.64	1.64	2.87	3.45	-	9.60 3.40 - 12.30	2.074 0.590 - 3.834	9.52	9.11	99
20+20+35+50	1.55	1.55	2.72	3.88	-	9.70 3.40 - 12.70	2.144 0.590 - 3.834	9.85	9.42	99
20+20+35+60	1.47	1.47	2.57	4.40	-	9.90 3.40 - 13.10	2.227 0.590 - 3.817	10.22	9.78	99
20+20+35+71	1.37	1.37	2.40	4.86	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+20+42+42	1.56	1.56	3.29	3.29	-	9.70 3.40 - 12.60	2.128 0.590 - 3.828	9.78	9.35	99
20+20+42+50	1.50	1.50	3.15	3.75	-	9.90 3.40 - 13.00	2.208 0.590 - 3.828	10.14	9.70	99
20+20+42+60	1.41	1.41	2.96	4.23	-	10.00 3.40 - 13.30	2.271 0.590 - 3.811	10.42	9.97	99
20+20+42+71	1.31	1.31	2.75	4.64	-	10.00 3.40 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+20+50+50	1.43	1.43	3.57	3.57	-	10.00 3.40 - 13.30	2.288 0.590 - 3.828	10.51	10.05	99
20+20+50+60	1.33	1.33	3.33	4.00	-	10.00 3.40 - 13.30	2.271 0.590 - 3.811	10.42	9.97	99
20+20+50+71	1.24	1.24	3.11	4.41	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+20+60+60	1.25	1.25	3.75	3.75	-	10.00 3.50 - 13.30	2.254 0.590 - 3.794	10.35	9.90	99
20+20+60+71	1.17	1.17	3.51	4.15	-	10.00 3.50 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
20+22+22+22	2.16	2.38	2.38	2.38	-	9.30 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	99
20+22+22+25	2.04	2.25	2.25	2.56	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+22+22+35	1.84	2.02	2.02	3.22	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+22+22+42	1.77	1.95	1.95	3.72	-	9.40 3.40 - 11.90	1.957 0.590 - 3.827	8.98	8.59	99
20+22+22+50	1.67	1.83	1.83	4.17	-	9.50 3.40 - 12.20	2.037 0.590 - 3.827	9.36	8.95	99
20+22+22+60	1.56	1.72	1.72	4.69	-	9.70 3.40 - 12.60	2.110 0.590 - 3.810	9.69	9.27	99
20+22+22+71	1.47	1.61	1.61	5.21	-	9.90 3.40 - 13.10	2.224 0.590 - 3.814	10.21	9.77	99
20+22+25+25	1.98	2.18	2.47	2.47	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+22+25+35	1.82	2.01	2.28	3.19	-	9.30 3.40 - 11.70	1.923 0.590 - 3.833	8.83	8.45	99
20+22+25+42	1.74	1.92	2.18	3.66	-	9.50 3.40 - 12.00	1.987 0.590 - 3.827	9.13	8.73	99
20+22+25+50	1.64	1.81	2.05	4.10	-	9.60 3.40 - 12.30	2.067 0.590 - 3.827	9.49	9.08	99
20+22+25+60	1.54	1.70	1.93	4.63	-	9.80 3.40 - 12.70	2.140 0.590 - 3.810	9.83	9.40	99
20+22+25+71	1.45	1.59	1.81	5.14	-	10.00 3.40 - 13.20	2.254 0.590 - 3.814	10.35	9.90	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+22+35+35	1.70	1.87	2.97	2.97	-	9.50 3.40 - 12.10	2.023 0.590 - 3.833	9.28	8.88	99
20+22+35+42	1.61	1.77	2.82	3.39	-	9.60 3.40 - 12.40	2.087 0.590 - 3.827	9.59	9.17	99
20+22+35+50	1.54	1.70	2.70	3.86	-	9.80 3.40 - 12.70	2.157 0.590 - 3.827	9.90	9.47	99
20+22+35+60	1.45	1.59	2.53	4.34	-	9.90 3.40 - 13.20	2.240 0.590 - 3.810	10.29	9.84	99
20+22+35+71	1.35	1.49	2.36	4.80	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+22+42+42	1.56	1.71	3.27	3.27	-	9.80 3.40 - 12.70	2.141 0.590 - 3.821	9.83	9.40	99
20+22+42+50	1.48	1.63	3.10	3.69	-	9.90 3.40 - 13.00	2.221 0.590 - 3.821	10.19	9.75	99
20+22+42+60	1.39	1.53	2.92	4.17	-	10.00 3.40 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+22+42+71	1.29	1.42	2.71	4.58	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+22+50+50	1.41	1.55	3.52	3.52	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+22+50+60	1.32	1.45	3.29	3.95	-	10.00 3.40 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+22+50+71	1.23	1.35	3.07	4.36	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+22+60+60	1.23	1.36	3.70	3.70	-	10.00 3.50 - 13.30	2.247 0.590 - 3.787	10.32	9.87	99
20+25+25+25	1.92	2.39	2.39	2.39	-	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	99
20+25+25+35	1.79	2.24	2.24	3.13	-	9.40 3.40 - 11.80	1.953 0.590 - 3.833	8.97	8.58	99
20+25+25+42	1.70	2.12	2.12	3.56	-	9.50 3.40 - 12.10	2.017 0.590 - 3.827	9.26	8.86	99
20+25+25+50	1.62	2.02	2.02	4.04	-	9.70 3.40 - 12.50	2.097 0.590 - 3.827	9.63	9.21	99
20+25+25+60	1.51	1.88	1.88	4.52	-	9.80 3.40 - 12.90	2.170 0.590 - 3.810	9.96	9.53	99
20+25+25+71	1.42	1.77	1.77	5.04	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+25+35+35	1.67	2.09	2.92	2.92	-	9.60 3.40 - 12.20	2.053 0.590 - 3.833	9.43	9.02	99
20+25+35+42	1.59	1.99	2.78	3.34	-	9.70 3.40 - 12.50	2.107 0.590 - 3.827	9.67	9.25	99
20+25+35+50	1.51	1.88	2.64	3.77	-	9.80 3.40 - 12.90	2.187 0.590 - 3.827	10.04	9.60	99
20+25+35+60	1.43	1.79	2.50	4.29	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
20+25+35+71	1.32	1.66	2.32	4.70	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+25+42+42	1.52	1.90	3.19	3.19	-	9.80 3.40 - 12.80	2.171 0.590 - 3.821	9.96	9.53	99
20+25+42+50	1.45	1.81	3.04	3.61	-	9.90 3.40 - 13.20	2.251 0.590 - 3.821	10.34	9.89	99
20+25+42+60	1.36	1.70	2.86	4.08	-	10.00 3.40 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+25+42+71	1.27	1.58	2.66	4.49	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+25+50+50	1.38	1.72	3.45	3.45	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+25+50+60	1.29	1.61	3.23	3.87	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+25+50+71	1.20	1.51	3.01	4.28	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+25+60+60	1.21	1.52	3.64	3.64	-	10.00 3.50 - 13.30	2.247 0.590 - 3.787	10.32	9.87	99
20+35+35+35	1.55	2.72	2.72	2.72	-	9.70 3.40 - 12.70	2.143 0.590 - 3.833	9.84	9.41	99
20+35+35+42	1.50	2.63	2.63	3.15	-	9.90 3.40 - 13.00	2.207 0.590 - 3.827	10.13	9.69	99
20+35+35+50	1.43	2.50	2.50	3.57	-	10.00 3.40 - 13.30	2.287 0.590 - 3.827	10.50	10.04	99
20+35+35+60	1.33	2.33	2.33	4.00	-	10.00 3.40 - 13.30	2.270 0.590 - 3.810	10.42	9.97	99
20+35+35+71	1.24	2.17	2.17	4.41	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
20+35+42+42	1.44	2.52	3.02	3.02	-	10.00 3.40 - 13.30	2.271 0.590 - 3.821	10.42	9.97	99
20+35+42+50	1.36	2.38	2.86	3.40	-	10.00 3.40 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+35+42+60	1.27	2.23	2.68	3.82	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+35+42+71	1.19	2.08	2.50	4.23	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
20+35+50+50	1.29	2.26	3.23	3.23	-	10.00 3.50 - 13.30	2.281 0.590 - 3.821	10.48	10.02	99
20+35+50+60	1.21	2.12	3.03	3.64	-	10.00 3.50 - 13.30	2.264 0.590 - 3.804	10.39	9.94	99
20+42+42+42	1.37	2.88	2.88	2.88	-	10.00 3.40 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+42+42+50	1.30	2.73	2.73	3.25	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
20+42+42+60	1.22	2.56	2.56	3.66	-	10.00 3.50 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
20+42+50+50	1.23	2.59	3.09	3.09	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
20+42+50+60	1.16	2.44	2.91	3.49	-	10.00 3.50 - 13.30	2.258 0.590 - 3.798	10.37	9.92	99
20+50+50+50	1.18	2.94	2.94	2.94	-	10.00 3.50 - 13.30	2.275 0.590 - 3.815	10.44	9.99	99
22+22+22+22	2.33	2.33	2.33	2.33	-	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	99
22+22+22+25	2.20	2.20	2.20	2.50	-	9.10 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	99
22+22+22+35	2.03	2.03	2.03	3.22	-	9.30 3.40 - 11.60	1.906 0.590 - 3.826	8.75	8.37	99
22+22+22+42	1.91	1.91	1.91	3.66	-	9.40 3.40 - 11.90	1.970 0.590 - 3.820	9.04	8.65	99
22+22+22+50	1.82	1.82	1.82	4.14	-	9.60 3.40 - 12.30	2.050 0.590 - 3.820	9.41	9.00	99
22+22+22+60	1.71	1.71	1.71	4.67	-	9.80 3.40 - 12.70	2.123 0.590 - 3.803	9.74	9.32	99
22+22+22+71	1.59	1.59	1.59	5.13	-	9.90 3.40 - 13.20	2.237 0.590 - 3.807	10.27	9.82	99
22+22+25+25	2.13	2.13	2.42	2.42	-	9.10 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	99
22+22+25+35	1.99	1.99	2.26	3.16	-	9.40 3.40 - 11.80	1.936 0.590 - 3.826	8.89	8.50	99
22+22+25+42	1.88	1.88	2.14	3.59	-	9.50 3.40 - 12.10	2.000 0.590 - 3.820	9.18	8.78	99
22+22+25+50	1.77	1.77	2.02	4.03	-	9.60 3.40 - 12.40	2.080 0.590 - 3.820	9.55	9.13	99
22+22+25+60	1.67	1.67	1.90	4.56	-	9.80 3.40 - 12.80	2.153 0.590 - 3.803	9.89	9.46	99
22+22+25+71	1.57	1.57	1.79	5.07	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+22+35+35	1.83	1.83	2.92	2.92	-	9.50 3.40 - 12.20	2.036 0.590 - 3.826	9.35	8.94	99
22+22+35+42	1.76	1.76	2.81	3.37	-	9.70 3.40 - 12.50	2.090 0.590 - 3.820	9.60	9.18	99
22+22+35+50	1.67	1.67	2.66	3.80	-	9.80 3.40 - 12.80	2.170 0.590 - 3.820	9.96	9.53	99
22+22+35+60	1.58	1.58	2.52	4.32	-	10.00 3.40 - 13.30	2.253 0.590 - 3.803	10.34	9.89	99
22+22+35+71	1.47	1.47	2.33	4.73	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+22+42+42	1.68	1.68	3.22	3.22	-	9.80 3.40 - 12.80	2.154 0.590 - 3.814	9.89	9.46	99
22+22+42+50	1.60	1.60	3.06	3.64	-	9.90 3.40 - 13.10	2.234 0.590 - 3.814	10.26	9.81	99
22+22+42+60	1.51	1.51	2.88	4.11	-	10.00 3.40 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+22+42+71	1.40	1.40	2.68	4.52	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+22+50+50	1.53	1.53	3.47	3.47	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+22+50+60	1.43	1.43	3.25	3.90	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+22+50+71	1.33	1.33	3.03	4.30	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+22+60+60	1.34	1.34	3.66	3.66	-	10.00 3.50 - 13.30	2.240 0.590 - 3.780	10.29	9.84	99
22+25+25+25	2.06	2.35	2.35	2.35	-	9.10 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	99
22+25+25+35	1.93	2.20	2.20	3.07	-	9.40 3.40 - 11.90	1.966 0.590 - 3.826	9.02	8.63	99
22+25+25+42	1.83	2.08	2.08	3.50	-	9.50 3.40 - 12.20	2.030 0.590 - 3.820	9.33	8.92	99
22+25+25+50	1.75	1.99	1.99	3.98	-	9.70 3.40 - 12.50	2.100 0.590 - 3.820	9.64	9.22	99
22+25+25+60	1.65	1.88	1.88	4.50	-	9.90 3.40 - 13.00	2.183 0.590 - 3.803	10.03	9.59	99
22+25+25+71	1.54	1.75	1.75	4.97	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+25+35+35	1.81	2.05	2.87	2.87	-	9.60 3.40 - 12.30	2.066 0.590 - 3.826	9.48	9.07	99
22+25+35+42	1.72	1.96	2.74	3.29	-	9.70 3.40 - 12.60	2.120 0.590 - 3.820	9.73	9.31	99
22+25+35+50	1.65	1.88	2.63	3.75	-	9.90 3.40 - 13.00	2.200 0.590 - 3.820	10.10	9.66	99
22+25+35+60	1.55	1.76	2.46	4.23	-	10.00 3.40 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
22+25+35+71	1.44	1.63	2.29	4.64	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+25+42+42	1.65	1.87	3.14	3.14	-	9.80 3.40 - 12.90	2.184 0.590 - 3.814	10.03	9.59	99
22+25+42+50	1.58	1.80	3.02	3.60	-	10.00 3.40 - 13.30	2.264 0.590 - 3.814	10.39	9.94	99
22+25+42+60	1.48	1.68	2.82	4.03	-	10.00 3.40 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+25+42+71	1.38	1.56	2.63	4.44	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
22+25+50+50	1.50	1.70	3.40	3.40	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+25+50+60	1.40	1.59	3.18	3.82	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+25+50+71	1.31	1.49	2.98	4.23	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+25+60+60	1.32	1.50	3.59	3.59	-	10.00 3.50 - 13.30	2.240 0.590 - 3.780	10.29	9.84	99
22+35+35+35	1.70	2.70	2.70	2.70	-	9.80 3.40 - 12.70	2.156 0.590 - 3.826	9.90	9.47	99
22+35+35+42	1.63	2.59	2.59	3.10	-	9.90 3.40 - 13.00	2.220 0.590 - 3.820	10.19	9.75	99
22+35+35+50	1.55	2.46	2.46	3.52	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
22+35+35+60	1.45	2.30	2.30	3.95	-	10.00 3.40 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
22+35+35+71	1.35	2.15	2.15	4.36	-	10.00 3.50 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
22+35+42+42	1.56	2.48	2.98	2.98	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+35+42+50	1.48	2.35	2.82	3.36	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+35+42+60	1.38	2.20	2.64	3.77	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+35+42+71	1.29	2.06	2.47	4.18	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
22+35+50+50	1.40	2.23	3.18	3.18	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
22+35+50+60	1.32	2.10	2.99	3.59	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
22+42+42+42	1.49	2.84	2.84	2.84	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
22+42+42+50	1.41	2.69	2.69	3.21	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
22+42+42+60	1.33	2.53	2.53	3.61	-	10.00 3.50 - 13.30	2.251 0.590 - 3.791	10.34	9.89	99
22+42+50+50	1.34	2.56	3.05	3.05	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
22+50+50+50	1.28	2.91	2.91	2.91	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
25+25+25+25	2.33	2.33	2.33	2.33	-	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	99
25+25+25+35	2.16	2.16	2.16	3.02	-	9.50 3.40 - 12.00	1.996 0.590 - 3.826	9.17	8.77	99
25+25+25+42	2.05	2.05	2.05	3.45	-	9.60 3.40 - 12.30	2.060 0.590 - 3.820	9.46	9.05	99
25+25+25+50	1.94	1.94	1.94	3.88	-	9.70 3.40 - 12.70	2.130 0.590 - 3.820	9.78	9.35	99
25+25+25+60	1.83	1.83	1.83	4.40	-	9.90 3.40 - 13.10	2.213 0.590 - 3.803	10.16	9.72	99
25+25+25+71	1.71	1.71	1.71	4.86	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
25+25+35+35	2.02	2.02	2.83	2.83	-	9.70 3.40 - 12.50	2.096 0.590 - 3.826	9.63	9.21	99
25+25+35+42	1.93	1.93	2.70	3.24	-	9.80 3.40 - 12.70	2.150 0.590 - 3.820	9.87	9.44	99
25+25+35+50	1.83	1.83	2.57	3.67	-	9.90 3.40 - 13.10	2.230 0.590 - 3.820	10.24	9.79	99
25+25+35+60	1.72	1.72	2.41	4.14	-	10.00 3.40 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
25+25+35+71	1.60	1.60	2.24	4.55	-	10.00 3.50 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
25+25+42+42	1.85	1.85	3.10	3.10	-	9.90 3.40 - 13.00	2.214 0.590 - 3.814	10.16	9.72	99
25+25+42+50	1.76	1.76	2.96	3.52	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+25+42+60	1.64	1.64	2.76	3.95	-	10.00 3.40 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+25+42+71	1.53	1.53	2.58	4.36	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
25+25+50+50	1.67	1.67	3.33	3.33	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+25+50+60	1.56	1.56	3.13	3.75	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+25+50+71	1.46	1.46	2.92	4.15	-	10.00 3.50 - 13.30	2.261 0.590 - 3.801	10.38	9.93	99
25+25+60+60	1.47	1.47	3.53	3.53	-	10.00 3.50 - 13.30	2.240 0.590 - 3.780	10.29	9.84	99
25+35+35+35	1.88	2.64	2.64	2.64	-	9.80 3.40 - 12.90	2.186 0.590 - 3.826	10.04	9.60	99
25+35+35+42	1.81	2.53	2.53	3.04	-	9.90 3.40 - 13.20	2.250 0.590 - 3.820	10.33	9.88	99
25+35+35+50	1.72	2.41	2.41	3.45	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
25+35+35+60	1.61	2.26	2.26	3.87	-	10.00 3.50 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
25+35+35+71	1.51	2.11	2.11	4.28	-	10.00 3.50 - 13.30	2.267 0.590 - 3.807	10.41	9.96	99
25+35+42+42	1.74	2.43	2.92	2.92	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	
25+35+42+50	1.64	2.30	2.76	3.29	-	10.00 3.40 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+35+42+60	1.54	2.16	2.59	3.70	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+35+50+50	1.56	2.19	3.13	3.13	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
25+35+50+60	1.47	2.06	2.94	3.53	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
25+42+42+42	1.66	2.78	2.78	2.78	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
25+42+42+50	1.57	2.64	2.64	3.14	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
25+42+42+60	1.48	2.49	2.49	3.55	-	10.00 3.50 - 13.30	2.251 0.590 - 3.791	10.34	9.89	99
25+42+50+50	1.50	2.51	2.99	2.99	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
35+35+35+35	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	99
35+35+35+42	2.38	2.38	2.38	2.86	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
35+35+35+50	2.26	2.26	2.26	3.23	-	10.00 3.50 - 13.30	2.280 0.590 - 3.820	10.47	10.01	99
35+35+35+60	2.12	2.12	2.12	3.64	-	10.00 3.50 - 13.30	2.263 0.590 - 3.803	10.39	9.94	99
35+35+42+42	2.27	2.27	2.73	2.73	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
35+35+42+50	2.16	2.16	2.59	3.09	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
35+35+42+60	2.03	2.03	2.44	3.49	-	10.00 3.50 - 13.30	2.257 0.590 - 3.797	10.36	9.91	99
35+35+50+50	2.06	2.06	2.94	2.94	-	10.00 3.50 - 13.30	2.274 0.590 - 3.814	10.44	9.99	99
35+42+42+42	2.17	2.61	2.61	2.61	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
35+42+42+50	2.07	2.49	2.49	2.96	-	10.00 3.50 - 13.30	2.268 0.590 - 3.808	10.41	9.96	99
42+42+42+42	2.50	2.50	2.50	2.50	-	10.00 3.50 - 13.30	2.262 0.590 - 3.802	10.38	9.93	99
15+15+15+15+15	1.90	1.90	1.90	1.90	1.90	9.50 4.10 - 13.00	2.225 0.640 - 3.945	10.21	9.77	99
15+15+15+15+22	1.75	1.75	1.75	1.75	2.56	9.55 4.10 - 13.14	2.186 0.640 - 3.936	10.04	9.60	99
15+15+15+15+25	1.69	1.69	1.69	1.69	2.82	9.60 4.10 - 13.20	2.166 0.640 - 3.936	9.94	9.51	99
15+15+15+15+35	1.52	1.52	1.52	1.52	3.54	9.60 4.10 - 13.40	2.116 0.640 - 3.936	9.71	9.29	99
15+15+15+15+42	1.41	1.41	1.41	1.41	3.95	9.60 4.10 - 13.54	2.080 0.640 - 3.930	9.55	9.13	99
15+15+15+15+50	1.31	1.31	1.31	1.31	4.36	9.60 4.10 - 13.70	2.040 0.640 - 3.930	9.37	8.96	99
15+15+15+15+60	1.20	1.20	1.20	1.20	4.80	9.60 4.10 - 13.90	1.973 0.640 - 3.913	9.05	8.66	99
15+15+15+15+71	1.10	1.10	1.10	1.10	5.20	9.60 4.10 - 14.00	1.957 0.640 - 3.917	8.98	8.59	99
15+15+15+20+20	1.68	1.68	1.68	2.24	2.24	9.50 4.10 - 13.20	2.171 0.640 - 3.941	9.96	9.53	99
15+15+15+20+22	1.65	1.65	1.65	2.20	2.41	9.55 4.10 - 13.24	2.154 0.640 - 3.934	9.89	9.46	99
15+15+15+20+25	1.60	1.60	1.60	2.13	2.67	9.60 4.10 - 13.30	2.144 0.640 - 3.934	9.85	9.42	99
15+15+15+20+35	1.44	1.44	1.44	1.92	3.36	9.60 4.10 - 13.50	2.094 0.640 - 3.934	9.62	9.20	99
15+15+15+20+42	1.35	1.35	1.35	1.79	3.77	9.60 4.10 - 13.64	2.058 0.640 - 3.928	9.45	9.04	99
15+15+15+20+50	1.25	1.25	1.25	1.67	4.17	9.60 4.10 - 13.80	2.018 0.640 - 3.928	9.26	8.86	99
15+15+15+20+60	1.15	1.15	1.15	1.54	4.61	9.60 4.10 - 14.00	1.951 0.640 - 3.911	8.96	8.57	99
15+15+15+20+71	1.06	1.06	1.06	1.41	5.01	9.60 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+22+22	1.62	1.62	1.62	2.37	2.37	9.60 4.10 - 13.28	2.137 0.640 - 3.927	9.82	9.39	99
15+15+15+22+25	1.57	1.57	1.57	2.31	2.62	9.65 4.10 - 13.34	2.127 0.640 - 3.927	9.76	9.34	99
15+15+15+22+35	1.42	1.42	1.42	2.08	3.31	9.65 4.10 - 13.54	2.077 0.640 - 3.927	9.53	9.12	99
15+15+15+22+42	1.33	1.33	1.33	1.95	3.72	9.65 4.10 - 13.68	2.041 0.640 - 3.921	9.37	8.96	99
15+15+15+22+50	1.24	1.24	1.24	1.81	4.12	9.65 4.10 - 13.84	2.001 0.640 - 3.921	9.19	8.79	99
15+15+15+22+60	1.14	1.14	1.14	1.67	4.56	9.65 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+15+15+22+71	1.05	1.05	1.05	1.54	4.96	9.65 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
15+15+15+25+25	1.53	1.53	1.53	2.55	2.55	9.70 4.10 - 13.40	2.107 0.640 - 3.927	9.67	9.25	99
15+15+15+25+35	1.39	1.39	1.39	2.31	3.23	9.70 4.10 - 13.60	2.067 0.640 - 3.927	9.49	9.08	99
15+15+15+25+42	1.30	1.30	1.30	2.17	3.64	9.70 4.10 - 13.74	2.021 0.640 - 3.921	9.28	8.88	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+15+25+50	1.21	1.21	1.21	2.02	4.04	9.70 4.10 - 13.90	1.981 0.640 - 3.921	9.10	8.70	99
15+15+15+25+60	1.12	1.12	1.12	1.87	4.48	9.70 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+15+15+25+71	1.03	1.03	1.03	1.72	4.88	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
15+15+15+35+35	1.27	1.27	1.27	2.95	2.95	9.70 4.10 - 13.80	2.017 0.640 - 3.927	9.26	8.86	99
15+15+15+35+42	1.19	1.19	1.19	2.78	3.34	9.70 4.10 - 13.94	1.971 0.640 - 3.921	9.05	8.66	99
15+15+15+35+50	1.12	1.12	1.12	2.61	3.73	9.70 4.10 - 14.00	1.961 0.640 - 3.921	9.00	8.61	99
15+15+15+35+60	1.04	1.04	1.04	2.43	4.16	9.70 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+15+15+35+71	0.96	0.96	0.96	2.25	4.56	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
15+15+15+42+42	1.13	1.13	1.13	3.16	3.16	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+42+50	1.06	1.06	1.06	2.97	3.54	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+42+60	0.99	0.99	0.99	2.77	3.96	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
15+15+15+42+71	0.92	0.92	0.92	2.58	4.36	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+15+50+50	1.00	1.00	1.00	3.34	3.34	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
15+15+15+50+60	0.94	0.94	0.94	3.13	3.75	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
15+15+15+50+71	0.88	0.88	0.88	2.92	4.15	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+15+60+60	0.88	0.88	0.88	3.53	3.53	9.70 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
15+15+20+20+20	1.58	1.58	2.11	2.11	2.11	9.50 4.10 - 13.30	2.149 0.640 - 3.939	9.87	9.44	99
15+15+20+20+22	1.56	1.56	2.08	2.08	2.28	9.55 4.10 - 13.34	2.132 0.640 - 3.932	9.79	9.36	99
15+15+20+20+25	1.52	1.52	2.02	2.02	2.53	9.60 4.10 - 13.40	2.112 0.640 - 3.932	9.70	9.28	99
15+15+20+20+35	1.37	1.37	1.83	1.83	3.20	9.60 4.10 - 13.60	2.072 0.640 - 3.932	9.51	9.10	99
15+15+20+20+42	1.29	1.29	1.71	1.71	3.60	9.60 4.10 - 13.74	2.026 0.640 - 3.926	9.30	8.90	99
15+15+20+20+50	1.20	1.20	1.60	1.60	4.00	9.60 4.10 - 13.90	1.986 0.640 - 3.926	9.12	8.72	99
15+15+20+20+60	1.11	1.11	1.48	1.48	4.43	9.60 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+15+20+20+71	1.02	1.02	1.36	1.36	4.83	9.60 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+22+22	1.53	1.53	2.04	2.25	2.25	9.60 4.10 - 13.38	2.115 0.640 - 3.925	9.71	9.29	99
15+15+20+22+25	1.49	1.49	1.99	2.19	2.49	9.65 4.10 - 13.44	2.095 0.640 - 3.925	9.62	9.20	99
15+15+20+22+35	1.35	1.35	1.80	1.98	3.16	9.65 4.10 - 13.64	2.055 0.640 - 3.925	9.44	9.03	99
15+15+20+22+42	1.27	1.27	1.69	1.86	3.56	9.65 4.10 - 13.78	2.009 0.640 - 3.919	9.22	8.82	99
15+15+20+22+50	1.19	1.19	1.58	1.74	3.95	9.65 4.10 - 13.94	1.969 0.640 - 3.919	9.04	8.65	99
15+15+20+22+60	1.10	1.10	1.46	1.61	4.39	9.65 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+20+22+71	1.01	1.01	1.35	1.48	4.79	9.65 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+20+25+25	1.46	1.46	1.94	2.43	2.43	9.70 4.10 - 13.50	2.085 0.640 - 3.925	9.58	9.16	99
15+15+20+25+35	1.32	1.32	1.76	2.20	3.09	9.70 4.10 - 13.70	2.035 0.640 - 3.925	9.35	8.94	99
15+15+20+25+42	1.24	1.24	1.66	2.07	3.48	9.70 4.10 - 13.84	1.999 0.640 - 3.919	9.18	8.78	99
15+15+20+25+50	1.16	1.16	1.55	1.94	3.88	9.70 4.10 - 14.00	1.959 0.640 - 3.919	8.99	8.60	99
15+15+20+25+60	1.08	1.08	1.44	1.80	4.31	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+20+25+71	1.00	1.00	1.33	1.66	4.72	9.70 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+20+35+35	1.21	1.21	1.62	2.83	2.83	9.70 4.10 - 13.90	1.985 0.640 - 3.925	9.12	8.72	99
15+15+20+35+42	1.15	1.15	1.53	2.67	3.21	9.70 4.10 - 14.00	1.959 0.640 - 3.919	8.99	8.60	99
15+15+20+35+50	1.08	1.08	1.44	2.51	3.59	9.70 4.10 - 14.00	1.959 0.640 - 3.919	8.99	8.60	99
15+15+20+35+60	1.00	1.00	1.34	2.34	4.01	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
15+15+20+35+71	0.93	0.93	1.24	2.18	4.41	9.70 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+20+42+42	1.09	1.09	1.45	3.04	3.04	9.70 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+42+50	1.02	1.02	1.37	2.87	3.42	9.70 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+42+60	0.96	0.96	1.28	2.68	3.83	9.70 4.10 - 14.00	1.936 0.640 - 3.896	8.89	8.50	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+20+42+71	0.89	0.89	1.19	2.50	4.23	9.70 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+15+20+50+50	0.97	0.97	1.29	3.23	3.23	9.70 4.10 - 14.00	1.953 0.640 - 3.913	8.97	8.58	99
15+15+20+50+60	0.91	0.91	1.21	3.03	3.64	9.70 4.10 - 14.00	1.936 0.640 - 3.896	8.89	8.50	99
15+15+20+50+71	0.85	0.85	1.13	2.84	4.03	9.70 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+15+20+60+60	0.86	0.86	1.14	3.42	3.42	9.70 4.10 - 14.00	1.919 0.640 - 3.879	8.81	8.43	99
15+15+22+22+22	1.51	1.51	2.21	2.21	2.21	9.65 4.10 - 13.42	2.098 0.640 - 3.918	9.63	9.21	99
15+15+22+22+25	1.47	1.47	2.16	2.16	2.45	9.70 4.10 - 13.48	2.078 0.640 - 3.918	9.55	9.13	99
15+15+22+22+35	1.33	1.33	1.96	1.96	3.11	9.70 4.10 - 13.68	2.038 0.640 - 3.918	9.36	8.95	99
15+15+22+22+42	1.25	1.25	1.84	1.84	3.51	9.70 4.10 - 13.82	1.992 0.640 - 3.912	9.15	8.75	99
15+15+22+22+50	1.17	1.17	1.72	1.72	3.91	9.70 4.10 - 13.98	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+22+60	1.09	1.09	1.59	1.59	4.34	9.70 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+22+22+71	1.00	1.00	1.47	1.47	4.75	9.70 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+22+25+25	1.43	1.43	2.10	2.39	2.39	9.75 4.10 - 13.54	2.068 0.640 - 3.918	9.49	9.08	99
15+15+22+25+35	1.31	1.31	1.92	2.18	3.05	9.75 4.10 - 13.74	2.018 0.640 - 3.918	9.26	8.86	99
15+15+22+25+42	1.23	1.23	1.80	2.05	3.44	9.75 4.10 - 13.88	1.982 0.640 - 3.912	9.10	8.70	99
15+15+22+25+50	1.15	1.15	1.69	1.92	3.84	9.75 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+25+60	1.07	1.07	1.57	1.78	4.27	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+22+25+71	0.99	0.99	1.45	1.65	4.68	9.75 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+22+35+35	1.20	1.20	1.76	2.80	2.80	9.75 4.10 - 13.94	1.968 0.640 - 3.918	9.03	8.64	99
15+15+22+35+42	1.13	1.13	1.66	2.65	3.17	9.75 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+35+50	1.07	1.07	1.57	2.49	3.56	9.75 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+22+35+60	0.99	0.99	1.46	2.32	3.98	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+22+35+71	0.93	0.93	1.36	2.16	4.38	9.75 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+22+42+42	1.08	1.08	1.58	3.01	3.01	9.75 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+22+42+50	1.02	1.02	1.49	2.84	3.39	9.75 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+22+42+60	0.95	0.95	1.39	2.66	3.80	9.75 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+22+42+71	0.89	0.89	1.30	2.48	4.20	9.75 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+15+22+50+50	0.96	0.96	1.41	3.21	3.21	9.75 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+22+50+60	0.90	0.90	1.32	3.01	3.61	9.75 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+22+60+60	0.85	0.85	1.25	3.40	3.40	9.75 4.10 - 14.00	1.912 0.640 - 3.872	8.78	8.40	99
15+15+25+25+25	1.40	1.40	2.33	2.33	2.33	9.80 4.10 - 13.60	2.058 0.640 - 3.918	9.45	9.04	99
15+15+25+25+35	1.28	1.28	2.13	2.13	2.98	9.80 4.10 - 13.80	2.008 0.640 - 3.918	9.22	8.82	99
15+15+25+25+42	1.20	1.20	2.01	2.01	3.37	9.80 4.10 - 13.94	1.962 0.640 - 3.912	9.01	8.62	99
15+15+25+25+50	1.13	1.13	1.88	1.88	3.77	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+25+25+60	1.05	1.05	1.75	1.75	4.20	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+25+25+71	0.97	0.97	1.62	1.62	4.61	9.80 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+25+35+35	1.18	1.18	1.96	2.74	2.74	9.80 4.10 - 14.00	1.958 0.640 - 3.918	8.99	8.60	99
15+15+25+35+42	1.11	1.11	1.86	2.60	3.12	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+25+35+50	1.05	1.05	1.75	2.45	3.50	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+25+35+60	0.98	0.98	1.63	2.29	3.92	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+25+35+71	0.91	0.91	1.52	2.13	4.32	9.80 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+25+42+42	1.06	1.06	1.76	2.96	2.96	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+25+42+50	1.00	1.00	1.67	2.80	3.33	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+25+42+60	0.94	0.94	1.56	2.62	3.75	9.80 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+25+42+71	0.88	0.88	1.46	2.45	4.14	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+15+25+50+50	0.95	0.95	1.58	3.16	3.16	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+25+50+60	0.89	0.89	1.48	2.97	3.56	9.80 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+35+35+35	1.09	1.09	2.54	2.54	2.54	9.80 4.10 - 14.00	1.958 0.640 - 3.918	8.99	8.60	99
15+15+35+35+42	1.04	1.04	2.42	2.42	2.90	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+35+35+50	0.98	0.98	2.29	2.29	3.27	9.80 4.10 - 14.00	1.952 0.640 - 3.912	8.96	8.57	99
15+15+35+35+60	0.92	0.92	2.14	2.14	3.68	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
15+15+35+35+71	0.86	0.86	2.01	2.01	4.07	9.80 4.10 - 14.00	1.939 0.640 - 3.899	8.91	8.52	99
15+15+35+42+42	0.99	0.99	2.30	2.76	2.76	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+35+42+50	0.94	0.94	2.18	2.62	3.12	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+35+42+60	0.88	0.88	2.05	2.46	3.52	9.80 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
15+15+35+50+50	0.89	0.89	2.08	2.97	2.97	9.80 4.10 - 14.00	1.946 0.640 - 3.906	8.94	8.55	99
15+15+42+42+42	0.94	0.94	2.64	2.64	2.64	9.80 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+15+42+42+50	0.90	0.90	2.51	2.51	2.99	9.80 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+15+42+50+50	0.85	0.85	2.39	2.85	2.85	9.80 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+20+20+20+20	1.50	2.00	2.00	2.00	2.00	9.50 4.10 - 13.40	2.117 0.640 - 3.937	9.72	9.30	99
15+20+20+20+22	1.48	1.97	1.97	1.97	2.17	9.55 4.10 - 13.44	2.100 0.640 - 3.930	9.64	9.22	99
15+20+20+20+25	1.44	1.92	1.92	1.92	2.40	9.60 4.10 - 13.50	2.090 0.640 - 3.930	9.60	9.18	99
15+20+20+20+35	1.31	1.75	1.75	1.75	3.05	9.60 4.10 - 13.70	2.040 0.640 - 3.930	9.37	8.96	99
15+20+20+20+42	1.23	1.64	1.64	1.64	3.45	9.60 4.10 - 13.84	2.004 0.640 - 3.924	9.20	8.80	99
15+20+20+20+50	1.15	1.54	1.54	1.54	3.84	9.60 4.10 - 14.00	1.964 0.640 - 3.924	9.02	8.63	99
15+20+20+20+60	1.07	1.42	1.42	1.42	4.27	9.60 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
15+20+20+20+71	0.99	1.32	1.32	1.32	4.67	9.60 4.10 - 14.00	1.951 0.640 - 3.911	8.96	8.57	99
15+20+20+22+22	1.45	1.94	1.94	2.13	2.13	9.60 4.10 - 13.48	2.083 0.640 - 3.923	9.57	9.15	99
15+20+20+22+25	1.42	1.89	1.89	2.08	2.37	9.65 4.10 - 13.54	2.073 0.640 - 3.923	9.51	9.10	99
15+20+20+22+35	1.29	1.72	1.72	1.90	3.02	9.65 4.10 - 13.74	2.023 0.640 - 3.923	9.28	8.88	99
15+20+20+22+42	1.22	1.62	1.62	1.78	3.41	9.65 4.10 - 13.88	1.987 0.640 - 3.917	9.13	8.73	99
15+20+20+22+50	1.14	1.52	1.52	1.67	3.80	9.65 4.10 - 14.00	1.957 0.640 - 3.917	8.98	8.59	99
15+20+20+22+60	1.06	1.41	1.41	1.55	4.23	9.65 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+20+20+22+71	0.98	1.30	1.30	1.43	4.63	9.65 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+20+25+25	1.39	1.85	1.85	2.31	2.31	9.70 4.10 - 13.60	2.063 0.640 - 3.923	9.47	9.06	99
15+20+20+25+35	1.27	1.69	1.69	2.11	2.95	9.70 4.10 - 13.80	2.013 0.640 - 3.923	9.24	8.84	99
15+20+20+25+42	1.19	1.59	1.59	1.99	3.34	9.70 4.10 - 13.94	1.967 0.640 - 3.917	9.03	8.64	99
15+20+20+25+50	1.12	1.49	1.49	1.87	3.73	9.70 4.10 - 14.00	1.957 0.640 - 3.917	8.98	8.59	99
15+20+20+25+60	1.04	1.39	1.39	1.73	4.16	9.70 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+20+20+25+71	0.96	1.28	1.28	1.61	4.56	9.70 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+20+35+35	1.16	1.55	1.55	2.72	2.72	9.70 4.10 - 14.00	1.963 0.640 - 3.923	9.01	8.62	99
15+20+20+35+42	1.10	1.47	1.47	2.57	3.09	9.70 4.10 - 14.00	1.957 0.640 - 3.917	8.98	8.59	99
15+20+20+35+50	1.04	1.39	1.39	2.43	3.46	9.70 4.10 - 14.00	1.957 0.640 - 3.917	8.98	8.59	99
15+20+20+35+60	0.97	1.29	1.29	2.26	3.88	9.70 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
15+20+20+35+71	0.90	1.20	1.20	2.11	4.28	9.70 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+20+42+42	1.05	1.40	1.40	2.93	2.93	9.70 4.10 - 14.00	1.951 0.640 - 3.911	8.96	8.57	99
15+20+20+42+50	0.99	1.32	1.32	2.77	3.30	9.70 4.10 - 14.00	1.951 0.640 - 3.911	8.96	8.57	99
15+20+20+42+60	0.93	1.24	1.24	2.59	3.71	9.70 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
15+20+20+42+71	0.87	1.15	1.15	2.43	4.10	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
15+20+20+50+50	0.94	1.25	1.25	3.13	3.13	9.70 4.10 - 14.00	1.951 0.640 - 3.911	8.96	8.57	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+20+50+60	0.88	1.18	1.18	2.94	3.53	9.70 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
15+20+22+22+22	1.43	1.91	2.10	2.10	2.10	9.65 4.10 - 13.52	2.076 0.640 - 3.916	9.53	9.12	99
15+20+22+22+25	1.40	1.87	2.05	2.05	2.33	9.70 4.10 - 13.58	2.056 0.640 - 3.916	9.44	9.03	99
15+20+22+22+35	1.28	1.70	1.87	1.87	2.98	9.70 4.10 - 13.78	2.006 0.640 - 3.916	9.21	8.81	99
15+20+22+22+42	1.20	1.60	1.76	1.76	3.37	9.70 4.10 - 13.92	1.970 0.640 - 3.910	9.04	8.65	99
15+20+22+22+50	1.13	1.50	1.65	1.65	3.76	9.70 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+22+60	1.05	1.40	1.54	1.54	4.19	9.70 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+22+22+71	0.97	1.29	1.42	1.42	4.59	9.70 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+22+25+25	1.37	1.82	2.00	2.28	2.28	9.75 4.10 - 13.64	2.046 0.640 - 3.916	9.40	8.99	99
15+20+22+25+35	1.25	1.67	1.83	2.08	2.92	9.75 4.10 - 13.84	1.996 0.640 - 3.916	9.17	8.77	99
15+20+22+25+42	1.18	1.57	1.73	1.97	3.30	9.75 4.10 - 13.98	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+25+50	1.11	1.48	1.63	1.85	3.69	9.75 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+25+60	1.03	1.37	1.51	1.72	4.12	9.75 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+22+25+71	0.96	1.27	1.40	1.59	4.52	9.75 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+22+35+35	1.15	1.54	1.69	2.69	2.69	9.75 4.10 - 14.00	1.956 0.640 - 3.916	8.98	8.59	99
15+20+22+35+42	1.09	1.46	1.60	2.55	3.06	9.75 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+35+50	1.03	1.37	1.51	2.40	3.43	9.75 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+22+35+60	0.96	1.28	1.41	2.25	3.85	9.75 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+22+35+71	0.90	1.20	1.32	2.09	4.25	9.75 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+22+42+42	1.04	1.38	1.52	2.90	2.90	9.75 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+22+42+50	0.98	1.31	1.44	2.75	3.27	9.75 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+22+42+60	0.92	1.23	1.35	2.58	3.68	9.75 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+22+42+71	0.86	1.15	1.26	2.41	4.07	9.75 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+20+22+50+50	0.93	1.24	1.37	3.11	3.11	9.75 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+22+50+60	0.88	1.17	1.28	2.92	3.50	9.75 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+25+25+25	1.34	1.78	2.23	2.23	2.23	9.80 4.10 - 13.70	2.026 0.640 - 3.916	9.30	8.90	99
15+20+25+25+35	1.23	1.63	2.04	2.04	2.86	9.80 4.10 - 13.90	1.976 0.640 - 3.916	9.07	8.68	99
15+20+25+25+42	1.16	1.54	1.93	1.93	3.24	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+25+50	1.09	1.45	1.81	1.81	3.63	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+25+60	1.01	1.35	1.69	1.69	4.06	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+25+25+71	0.94	1.26	1.57	1.57	4.46	9.80 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+25+35+35	1.13	1.51	1.88	2.64	2.64	9.80 4.10 - 14.00	1.956 0.640 - 3.916	8.98	8.59	99
15+20+25+35+42	1.07	1.43	1.79	2.50	3.00	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+35+50	1.01	1.35	1.69	2.37	3.38	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+25+35+60	0.95	1.26	1.58	2.21	3.79	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99
15+20+25+35+71	0.89	1.18	1.48	2.07	4.19	9.80 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+20+25+42+42	1.02	1.36	1.70	2.86	2.86	9.80 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+25+42+50	0.97	1.29	1.61	2.71	3.22	9.80 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+25+42+60	0.91	1.21	1.51	2.54	3.63	9.80 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+25+50+50	0.92	1.23	1.53	3.06	3.06	9.80 4.10 - 14.00	1.944 0.640 - 3.904	8.93	8.54	99
15+20+25+50+60	0.86	1.15	1.44	2.88	3.46	9.80 4.10 - 14.00	1.927 0.640 - 3.887	8.84	8.46	99
15+20+35+35+35	1.05	1.40	2.45	2.45	2.45	9.80 4.10 - 14.00	1.956 0.640 - 3.916	8.98	8.59	99
15+20+35+35+42	1.00	1.33	2.33	2.33	2.80	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+35+35+50	0.95	1.26	2.21	2.21	3.16	9.80 4.10 - 14.00	1.950 0.640 - 3.910	8.95	8.56	99
15+20+35+35+60	0.89	1.19	2.08	2.08	3.56	9.80 4.10 - 14.00	1.933 0.640 - 3.893	8.88	8.49	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+20+35+42+42	0.95	1.27	2.23	2.67	2.67	9.80 4.10 - 14.00	1.944 - 3.904	8.93	8.54	99
15+20+35+42+50	0.91	1.21	2.12	2.54	3.02	9.80 4.10 - 14.00	1.944 - 3.904	8.93	8.54	99
15+20+35+42+60	0.85	1.14	1.99	2.39	3.42	9.80 4.10 - 14.00	1.927 - 3.887	8.84	8.46	99
15+20+35+50+50	0.86	1.15	2.02	2.88	2.88	9.80 4.10 - 14.00	1.944 - 3.904	8.93	8.54	99
15+20+42+42+42	0.91	1.22	2.56	2.56	2.56	9.80 4.10 - 14.00	1.938 - 3.898	8.90	8.51	99
15+20+42+42+50	0.87	1.16	2.44	2.44	2.90	9.80 4.10 - 14.00	1.938 - 3.898	8.90	8.51	99
15+22+22+22+22	1.41	2.07	2.07	2.07	2.07	9.70 4.10 - 13.56	2.059 - 3.909	9.45	9.04	99
15+22+22+22+25	1.38	2.02	2.02	2.02	2.30	9.75 4.10 - 13.62	2.039 - 3.909	9.36	8.95	99
15+22+22+22+35	1.26	1.85	1.85	1.85	2.94	9.75 4.10 - 13.82	1.989 - 3.909	9.14	8.74	99
15+22+22+22+42	1.19	1.74	1.74	1.74	3.33	9.75 4.10 - 13.96	1.953 - 3.903	8.97	8.58	99
15+22+22+22+50	1.12	1.64	1.64	1.64	3.72	9.75 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+22+60	1.04	1.52	1.52	1.52	4.15	9.75 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+22+22+71	0.96	1.41	1.41	1.41	4.55	9.75 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+22+25+25	1.35	1.98	1.98	2.25	2.25	9.80 4.10 - 13.68	2.029 - 3.909	9.32	8.91	99
15+22+22+25+35	1.24	1.81	1.81	2.06	2.88	9.80 4.10 - 13.88	1.979 - 3.909	9.09	8.69	99
15+22+22+25+42	1.17	1.71	1.71	1.94	3.27	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+25+50	1.10	1.61	1.61	1.83	3.66	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+25+60	1.02	1.50	1.50	1.70	4.08	9.80 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+22+25+71	0.95	1.39	1.39	1.58	4.49	9.80 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+22+35+35	1.14	1.67	1.67	2.66	2.66	9.80 4.10 - 14.00	1.949 - 3.909	8.95	8.56	99
15+22+22+35+42	1.08	1.59	1.59	2.52	3.03	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+35+50	1.02	1.50	1.50	2.38	3.40	9.80 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+22+35+60	0.95	1.40	1.40	2.23	3.82	9.80 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+22+35+71	0.89	1.31	1.31	2.08	4.22	9.80 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+22+42+42	1.03	1.51	1.51	2.88	2.88	9.80 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+22+42+50	0.97	1.43	1.43	2.73	3.25	9.80 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+22+42+60	0.91	1.34	1.34	2.56	3.65	9.80 4.10 - 14.00	1.920 - 3.880	8.81	8.43	99
15+22+22+42+71	0.85	1.25	1.25	2.39	4.05	9.80 4.10 - 14.00	1.924 - 3.884	8.83	8.45	99
15+22+22+50+50	0.92	1.36	1.36	3.08	3.08	9.80 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+22+50+60	0.87	1.28	1.28	2.90	3.48	9.80 4.10 - 14.00	1.920 - 3.880	8.81	8.43	99
15+22+25+25+25	1.32	1.93	2.20	2.20	2.20	9.85 4.10 - 13.74	2.009 - 3.909	9.22	8.82	99
15+22+25+25+35	1.21	1.78	2.02	2.02	2.83	9.85 4.10 - 13.94	1.959 - 3.909	8.99	8.60	99
15+22+25+25+42	1.15	1.68	1.91	1.91	3.21	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+25+50	1.08	1.58	1.80	1.80	3.59	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+25+60	1.01	1.47	1.68	1.68	4.02	9.85 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+25+25+71	0.94	1.37	1.56	1.56	4.43	9.85 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+25+35+35	1.12	1.64	1.87	2.61	2.61	9.85 4.10 - 14.00	1.949 - 3.909	8.95	8.56	99
15+22+25+35+42	1.06	1.56	1.77	2.48	2.98	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+35+50	1.01	1.47	1.68	2.35	3.35	9.85 4.10 - 14.00	1.943 - 3.903	8.92	8.53	99
15+22+25+35+60	0.94	1.38	1.57	2.20	3.76	9.85 4.10 - 14.00	1.926 - 3.886	8.84	8.46	99
15+22+25+35+71	0.88	1.29	1.47	2.05	4.16	9.85 4.10 - 14.00	1.930 - 3.890	8.87	8.48	99
15+22+25+42+42	1.01	1.48	1.69	2.83	2.83	9.85 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+25+42+50	0.96	1.41	1.60	2.69	3.20	9.85 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99
15+22+25+42+60	0.90	1.32	1.50	2.52	3.60	9.85 4.10 - 14.00	1.920 - 3.880	8.81	8.43	99
15+22+25+50+50	0.91	1.34	1.52	3.04	3.04	9.85 4.10 - 14.00	1.937 - 3.897	8.90	8.51	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
15+22+25+50+60	0.86	1.26	1.43	2.86	3.44	9.85 4.10 - 14.00	1.920 0.640 - 3.880	8.81	8.43	99
15+22+35+35+35	1.04	1.53	2.43	2.43	2.43	9.85 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+22+35+35+42	0.99	1.45	2.31	2.31	2.78	9.85 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+22+35+35+50	0.94	1.38	2.20	2.20	3.14	9.85 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+22+35+35+60	0.88	1.30	2.06	2.06	3.54	9.85 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+22+35+42+42	0.95	1.39	2.21	2.65	2.65	9.85 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+22+35+42+50	0.90	1.32	2.10	2.52	3.00	9.85 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+22+35+50+50	0.86	1.26	2.00	2.86	2.86	9.85 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+22+42+42+42	0.91	1.33	2.54	2.54	2.54	9.85 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+22+42+42+50	0.86	1.27	2.42	2.42	2.88	9.85 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+25+25+25+25	1.29	2.15	2.15	2.15	2.15	9.90 4.10 - 13.80	1.999 0.640 - 3.909	9.18	8.78	99
15+25+25+25+35	1.19	1.98	1.98	1.98	2.77	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+25+25+25+42	1.13	1.88	1.88	1.88	3.15	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+25+50	1.06	1.77	1.77	1.77	3.54	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+25+60	0.99	1.65	1.65	1.65	3.96	9.90 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+25+25+25+71	0.92	1.54	1.54	1.54	4.37	9.90 4.10 - 14.00	1.930 0.640 - 3.890	8.87	8.48	99
15+25+25+35+35	1.10	1.83	1.83	2.57	2.57	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+25+25+35+42	1.05	1.74	1.74	2.44	2.93	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+35+50	0.99	1.65	1.65	2.31	3.30	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+25+35+60	0.93	1.55	1.55	2.17	3.71	9.90 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+25+25+35+71	0.87	1.45	1.45	2.03	4.11	9.90 4.10 - 14.00	1.930 0.640 - 3.890	8.87	8.48	99
15+25+25+42+42	1.00	1.66	1.66	2.79	2.79	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+25+42+50	0.95	1.58	1.58	2.65	3.15	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+25+42+60	0.89	1.48	1.48	2.49	3.56	9.90 4.10 - 14.00	1.920 0.640 - 3.880	8.81	8.43	99
15+25+25+50+50	0.90	1.50	1.50	3.00	3.00	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+35+35+35	1.02	1.71	2.39	2.39	2.39	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+25+35+35+42	0.98	1.63	2.28	2.28	2.74	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+35+35+50	0.93	1.55	2.17	2.17	3.09	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+25+35+35+60	0.87	1.46	2.04	2.04	3.49	9.90 4.10 - 14.00	1.926 0.640 - 3.886	8.84	8.46	99
15+25+35+42+42	0.93	1.56	2.18	2.62	2.62	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+35+42+50	0.89	1.48	2.07	2.49	2.96	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
15+25+42+42+42	0.89	1.49	2.50	2.50	2.50	9.90 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
15+35+35+35+35	0.96	2.24	2.24	2.24	2.24	9.90 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
15+35+35+35+42	0.92	2.14	2.14	2.14	2.57	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+35+35+35+50	0.87	2.04	2.04	2.04	2.91	9.90 4.10 - 14.00	1.943 0.640 - 3.903	8.92	8.53	99
15+35+35+42+42	0.88	2.05	2.05	2.46	2.46	9.90 4.10 - 14.00	1.937 0.640 - 3.897	8.90	8.51	99
20+20+20+20+20	1.90	1.90	1.90	1.90	1.90	9.50 4.10 - 13.50	2.095 0.640 - 3.935	9.62	9.20	99
20+20+20+20+22	1.87	1.87	1.87	1.87	2.06	9.55 4.10 - 13.54	2.078 0.640 - 3.928	9.55	9.13	99
20+20+20+20+25	1.83	1.83	1.83	1.83	2.29	9.60 4.10 - 13.60	2.068 0.640 - 3.928	9.49	9.08	99
20+20+20+20+35	1.67	1.67	1.67	1.67	2.92	9.60 4.10 - 13.80	2.018 0.640 - 3.928	9.26	8.86	99
20+20+20+20+42	1.57	1.57	1.57	1.57	3.30	9.60 4.10 - 13.94	1.972 0.640 - 3.922	9.05	8.66	99
20+20+20+20+50	1.48	1.48	1.48	1.48	3.69	9.60 4.10 - 14.00	1.962 0.640 - 3.922	9.01	8.62	99
20+20+20+20+60	1.37	1.37	1.37	1.37	4.11	9.60 4.10 - 14.00	1.945 0.640 - 3.905	8.93	8.54	99
20+20+20+20+71	1.27	1.27	1.27	1.27	4.51	9.60 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+22+22	1.85	1.85	1.85	2.03	2.03	9.60 4.10 - 13.58	2.061 0.640 - 3.921	9.46	9.05	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+20+22+25	1.80	1.80	1.80	1.98	2.25	9.65 4.10 - 13.64	2.051 0.640 - 3.921	9.42	9.01	99
20+20+20+22+35	1.65	1.65	1.65	1.81	2.89	9.65 4.10 - 13.84	2.001 0.640 - 3.921	9.19	8.79	99
20+20+20+22+42	1.56	1.56	1.56	1.71	3.27	9.65 4.10 - 13.98	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+22+50	1.46	1.46	1.46	1.61	3.66	9.65 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+22+60	1.36	1.36	1.36	1.50	4.08	9.65 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
20+20+20+22+71	1.26	1.26	1.26	1.39	4.48	9.65 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+20+25+25	1.76	1.76	1.76	2.20	2.20	9.70 4.10 - 13.70	2.031 0.640 - 3.921	9.33	8.92	99
20+20+20+25+35	1.62	1.62	1.62	2.02	2.83	9.70 4.10 - 13.90	1.981 0.640 - 3.921	9.10	8.70	99
20+20+20+25+42	1.53	1.53	1.53	1.91	3.21	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+25+50	1.44	1.44	1.44	1.80	3.59	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+25+60	1.34	1.34	1.34	1.67	4.01	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
20+20+20+25+71	1.24	1.24	1.24	1.55	4.41	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+20+35+35	1.49	1.49	1.49	2.61	2.61	9.70 4.10 - 14.00	1.961 0.640 - 3.921	9.00	8.61	99
20+20+20+35+42	1.42	1.42	1.42	2.48	2.97	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+35+50	1.34	1.34	1.34	2.34	3.34	9.70 4.10 - 14.00	1.955 0.640 - 3.915	8.98	8.59	99
20+20+20+35+60	1.25	1.25	1.25	2.19	3.75	9.70 4.10 - 14.00	1.938 0.640 - 3.898	8.90	8.51	99
20+20+20+35+71	1.17	1.17	1.17	2.05	4.15	9.70 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+20+42+42	1.35	1.35	1.35	2.83	2.83	9.70 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+42+50	1.28	1.28	1.28	2.68	3.19	9.70 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+42+60	1.20	1.20	1.20	2.51	3.59	9.70 4.10 - 14.00	1.932 0.640 - 3.892	8.87	8.48	99
20+20+20+50+50	1.21	1.21	1.21	3.03	3.03	9.70 4.10 - 14.00	1.949 0.640 - 3.909	8.95	8.56	99
20+20+20+50+60	1.14	1.14	1.14	2.85	3.42	9.70 4.10 - 14.00	1.932 0.640 - 3.892	8.87	8.48	99
20+20+22+22+22	1.82	1.82	2.00	2.00	2.00	9.65 4.10 - 13.62	2.044 0.640 - 3.914	9.39	8.98	99
20+20+22+22+25	1.78	1.78	1.96	1.96	2.22	9.70 4.10 - 13.68	2.034 0.640 - 3.914	9.34	8.93	99
20+20+22+22+35	1.63	1.63	1.79	1.79	2.85	9.70 4.10 - 13.88	1.984 0.640 - 3.914	9.11	8.71	99
20+20+22+22+42	1.54	1.54	1.69	1.69	3.23	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+22+50	1.45	1.45	1.59	1.59	3.62	9.70 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+22+60	1.35	1.35	1.48	1.48	4.04	9.70 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+22+22+71	1.25	1.25	1.38	1.38	4.44	9.70 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+22+25+25	1.74	1.74	1.92	2.18	2.18	9.75 4.10 - 13.74	2.014 0.640 - 3.914	9.24	8.84	99
20+20+22+25+35	1.60	1.60	1.76	2.00	2.80	9.75 4.10 - 13.94	1.964 0.640 - 3.914	9.02	8.63	99
20+20+22+25+42	1.51	1.51	1.66	1.89	3.17	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+25+50	1.42	1.42	1.57	1.78	3.56	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+25+60	1.33	1.33	1.46	1.66	3.98	9.75 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+22+25+71	1.23	1.23	1.36	1.54	4.38	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+22+35+35	1.48	1.48	1.63	2.59	2.59	9.75 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+22+35+42	1.40	1.40	1.54	2.46	2.95	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+35+50	1.33	1.33	1.46	2.32	3.32	9.75 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+22+35+60	1.24	1.24	1.37	2.17	3.73	9.75 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+22+35+71	1.16	1.16	1.28	2.03	4.12	9.75 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+22+42+42	1.34	1.34	1.47	2.80	2.80	9.75 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+22+42+50	1.27	1.27	1.39	2.66	3.17	9.75 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+22+42+60	1.19	1.19	1.31	2.50	3.57	9.75 4.10 - 14.00	1.925 0.640 - 3.885	8.83	8.45	99
20+20+22+50+50	1.20	1.20	1.32	3.01	3.01	9.75 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+22+50+60	1.13	1.13	1.25	2.83	3.40	9.75 4.10 - 14.00	1.925 0.640 - 3.885	8.83	8.45	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+20+25+25+25	1.70	1.70	2.13	2.13	2.13	9.80 4.10 - 13.80	2.004 0.640 - 3.914	9.20	8.80	99
20+20+25+25+35	1.57	1.57	1.96	1.96	2.74	9.80 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+25+25+42	1.48	1.48	1.86	1.86	3.12	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+25+50	1.40	1.40	1.75	1.75	3.50	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+25+60	1.31	1.31	1.63	1.63	3.92	9.80 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+25+25+71	1.22	1.22	1.52	1.52	4.32	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+25+35+35	1.45	1.45	1.81	2.54	2.54	9.80 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+25+35+42	1.38	1.38	1.73	2.42	2.90	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+35+50	1.31	1.31	1.63	2.29	3.27	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+25+35+60	1.23	1.23	1.53	2.14	3.68	9.80 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+25+35+71	1.15	1.15	1.43	2.01	4.07	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+20+25+42+42	1.32	1.32	1.64	2.76	2.76	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+25+42+50	1.25	1.25	1.56	2.62	3.12	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+25+42+60	1.17	1.17	1.47	2.46	3.52	9.80 4.10 - 14.00	1.925 0.640 - 3.885	8.83	8.45	99
20+20+25+50+50	1.19	1.19	1.48	2.97	2.97	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+35+35+35	1.35	1.35	2.37	2.37	2.37	9.80 4.10 - 14.00	1.954 0.640 - 3.914	8.97	8.58	99
20+20+35+35+42	1.29	1.29	2.26	2.26	2.71	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+35+35+50	1.23	1.23	2.14	2.14	3.06	9.80 4.10 - 14.00	1.948 0.640 - 3.908	8.95	8.56	99
20+20+35+35+60	1.15	1.15	2.02	2.02	3.46	9.80 4.10 - 14.00	1.931 0.640 - 3.891	8.87	8.48	99
20+20+35+42+42	1.23	1.23	2.16	2.59	2.59	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+35+42+50	1.17	1.17	2.05	2.46	2.93	9.80 4.10 - 14.00	1.942 0.640 - 3.902	8.92	8.53	99
20+20+42+42+42	1.18	1.18	2.48	2.48	2.48	9.80 4.10 - 14.00	1.936 0.640 - 3.896	8.89	8.50	99
20+22+22+22+22	1.80	1.98	1.98	1.98	1.98	9.70 4.10 - 13.66	2.027 0.640 - 3.907	9.30	8.90	99
20+22+22+22+25	1.76	1.93	1.93	1.93	2.20	9.75 4.10 - 13.72	2.017 0.640 - 3.907	9.26	8.86	99
20+22+22+22+35	1.61	1.77	1.77	1.77	2.82	9.75 4.10 - 13.92	1.967 0.640 - 3.907	9.03	8.64	99
20+22+22+22+42	1.52	1.68	1.68	1.68	3.20	9.75 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+22+50	1.43	1.58	1.58	1.58	3.58	9.75 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+22+60	1.34	1.47	1.47	1.47	4.01	9.75 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+22+22+71	1.24	1.37	1.37	1.37	4.41	9.75 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+22+25+25	1.72	1.89	1.89	2.15	2.15	9.80 4.10 - 13.78	1.997 0.640 - 3.907	9.17	8.77	99
20+22+22+25+35	1.58	1.74	1.74	1.98	2.77	9.80 4.10 - 13.98	1.947 0.640 - 3.907	8.94	8.55	99
20+22+22+25+42	1.50	1.65	1.65	1.87	3.14	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+25+50	1.41	1.55	1.55	1.76	3.53	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+25+60	1.32	1.45	1.45	1.64	3.95	9.80 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+22+25+71	1.23	1.35	1.35	1.53	4.35	9.80 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+22+35+35	1.46	1.61	1.61	2.56	2.56	9.80 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+22+35+42	1.39	1.53	1.53	2.43	2.92	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+35+50	1.32	1.45	1.45	2.30	3.29	9.80 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+22+35+60	1.23	1.36	1.36	2.16	3.70	9.80 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+22+35+71	1.15	1.27	1.27	2.02	4.09	9.80 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+22+42+42	1.32	1.46	1.46	2.78	2.78	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+22+42+50	1.26	1.38	1.38	2.64	3.14	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+22+42+60	1.18	1.30	1.30	2.48	3.54	9.80 4.10 - 14.00	1.918 0.640 - 3.878	8.80	8.42	99
20+22+22+50+50	1.20	1.31	1.31	2.99	2.99	9.80 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+25+25+25	1.68	1.85	2.10	2.10	2.10	9.85 4.10 - 13.84	1.987 0.640 - 3.907	9.13	8.73	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
20+22+25+25+35	1.55	1.71	1.94	1.94	2.71	9.85 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+25+25+42	1.47	1.62	1.84	1.84	3.09	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+25+50	1.39	1.53	1.73	1.73	3.47	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+25+60	1.30	1.43	1.62	1.62	3.89	9.85 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+25+25+71	1.21	1.33	1.51	1.51	4.29	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+22+25+35+35	1.44	1.58	1.80	2.52	2.52	9.85 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+25+35+42	1.37	1.50	1.71	2.39	2.87	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+35+50	1.30	1.43	1.62	2.27	3.24	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+25+35+60	1.22	1.34	1.52	2.13	3.65	9.85 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+25+42+42	1.30	1.44	1.63	2.74	2.74	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+25+42+50	1.24	1.36	1.55	2.60	3.10	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+25+42+60	1.17	1.28	1.46	2.45	3.50	9.85 4.10 - 14.00	1.918 0.640 - 3.878	8.80	8.42	99
20+22+25+50+50	1.18	1.30	1.47	2.95	2.95	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+35+35+35	1.34	1.47	2.35	2.35	2.35	9.85 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+22+35+35+42	1.28	1.41	2.24	2.24	2.69	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+35+35+50	1.22	1.34	2.13	2.13	3.04	9.85 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+22+35+35+60	1.15	1.26	2.00	2.00	3.44	9.85 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+22+35+42+42	1.22	1.35	2.14	2.57	2.57	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+35+42+50	1.17	1.28	2.04	2.45	2.91	9.85 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+22+42+42+42	1.17	1.29	2.46	2.46	2.46	9.85 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
20+25+25+25+25	1.65	2.06	2.06	2.06	2.06	9.90 4.10 - 13.90	1.967 0.640 - 3.907	9.03	8.64	99
20+25+25+25+35	1.52	1.90	1.90	1.90	2.67	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+25+25+25+42	1.45	1.81	1.81	1.81	3.04	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+25+50	1.37	1.71	1.71	1.71	3.41	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+25+60	1.28	1.60	1.60	1.60	3.83	9.90 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+25+25+25+71	1.19	1.49	1.49	1.49	4.23	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
20+25+25+35+35	1.41	1.77	1.77	2.48	2.48	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+25+25+35+42	1.35	1.68	1.68	2.36	2.83	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+35+50	1.28	1.60	1.60	2.24	3.19	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+25+35+60	1.20	1.50	1.50	2.10	3.60	9.90 4.10 - 14.00	1.924 0.640 - 3.884	8.83	8.45	99
20+25+25+42+42	1.29	1.61	1.61	2.70	2.70	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+25+42+50	1.22	1.53	1.53	2.57	3.06	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+25+42+60	1.15	1.44	1.44	2.42	3.45	9.90 4.10 - 14.00	1.918 0.640 - 3.878	8.80	8.42	99
20+25+25+50+50	1.16	1.46	1.46	2.91	2.91	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+35+35+35	1.32	1.65	2.31	2.31	2.31	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+25+35+35+42	1.26	1.58	2.21	2.21	2.65	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+35+35+50	1.20	1.50	2.10	2.10	3.00	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
20+25+35+42+42	1.21	1.51	2.11	2.54	2.54	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+35+42+50	1.15	1.44	2.01	2.42	2.88	9.90 4.10 - 14.00	1.935 0.640 - 3.895	8.89	8.50	99
20+25+42+42+42	1.16	1.45	2.43	2.43	2.43	9.90 4.10 - 14.00	1.929 0.640 - 3.889	8.86	8.47	99
20+35+35+35+35	1.24	2.17	2.17	2.17	2.17	9.90 4.10 - 14.00	1.947 0.640 - 3.907	8.94	8.55	99
20+35+35+35+42	1.19	2.07	2.07	2.07	2.49	9.90 4.10 - 14.00	1.941 0.640 - 3.901	8.91	8.52	99
22+22+22+22+22	1.95	1.95	1.95	1.95	1.95	9.75 4.10 - 13.70	2.010 0.640 - 3.900	9.23	8.83	99
22+22+22+22+25	1.91	1.91	1.91	1.91	2.17	9.80 4.10 - 13.76	2.000 0.640 - 3.900	9.18	8.78	99
22+22+22+22+35	1.75	1.75	1.75	1.75	2.79	9.80 4.10 - 13.96	1.950 0.640 - 3.900	8.95	8.56	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+22+22+22+42	1.66	1.66	1.66	1.66	3.17	9.80 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+22+50	1.56	1.56	1.56	1.56	3.55	9.80 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+22+60	1.46	1.46	1.46	1.46	3.97	9.80 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+22+22+71	1.36	1.36	1.36	1.36	4.38	9.80 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+22+25+25	1.87	1.87	1.87	2.12	2.12	9.85 4.10 - 13.82	1.980 0.640 - 3.900	9.10	8.70	99
22+22+22+25+35	1.72	1.72	1.72	1.95	2.74	9.85 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+22+25+42	1.63	1.63	1.63	1.85	3.11	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+25+50	1.54	1.54	1.54	1.75	3.49	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+25+60	1.44	1.44	1.44	1.63	3.91	9.85 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+22+25+71	1.34	1.34	1.34	1.52	4.32	9.85 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+22+35+35	1.59	1.59	1.59	2.53	2.53	9.85 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+22+35+42	1.52	1.52	1.52	2.41	2.89	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+35+50	1.44	1.44	1.44	2.28	3.26	9.85 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+22+35+60	1.35	1.35	1.35	2.14	3.67	9.85 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+22+35+71	1.26	1.26	1.26	2.00	4.07	9.85 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+22+42+42	1.44	1.44	1.44	2.76	2.76	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+22+42+50	1.37	1.37	1.37	2.62	3.12	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+22+42+60	1.29	1.29	1.29	2.46	3.52	9.85 4.10 - 14.00	1.911 0.640 - 3.871	8.77	8.39	99
22+22+22+50+50	1.31	1.31	1.31	2.97	2.97	9.85 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+25+25+25	1.83	1.83	2.08	2.08	2.08	9.90 4.10 - 13.88	1.970 0.640 - 3.900	9.04	8.65	99
22+22+25+25+35	1.69	1.69	1.92	1.92	2.69	9.90 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+25+25+42	1.60	1.60	1.82	1.82	3.06	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+25+50	1.51	1.51	1.72	1.72	3.44	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+25+60	1.41	1.41	1.61	1.61	3.86	9.90 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+25+25+71	1.32	1.32	1.50	1.50	4.26	9.90 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
22+22+25+35+35	1.57	1.57	1.78	2.49	2.49	9.90 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+25+35+42	1.49	1.49	1.70	2.37	2.85	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+35+50	1.41	1.41	1.61	2.25	3.21	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+25+35+60	1.33	1.33	1.51	2.11	3.62	9.90 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+22+25+42+42	1.42	1.42	1.62	2.72	2.72	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+25+42+50	1.35	1.35	1.54	2.58	3.07	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+25+42+60	1.27	1.27	1.45	2.43	3.47	9.90 4.10 - 14.00	1.911 0.640 - 3.871	8.77	8.39	99
22+22+25+50+50	1.29	1.29	1.46	2.93	2.93	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+35+35+35	1.46	1.46	2.33	2.33	2.33	9.90 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+22+35+35+42	1.40	1.40	2.22	2.22	2.67	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+35+35+50	1.33	1.33	2.11	2.11	3.02	9.90 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+22+35+42+42	1.34	1.34	2.13	2.55	2.55	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+35+42+50	1.27	1.27	2.03	2.43	2.89	9.90 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+22+42+42+42	1.28	1.28	2.45	2.45	2.45	9.90 4.10 - 14.00	1.922 0.640 - 3.882	8.82	8.44	99
22+25+25+25+25	1.79	2.04	2.04	2.04	2.04	9.95 4.10 - 13.94	1.950 0.640 - 3.900	8.95	8.56	99
22+25+25+25+35	1.66	1.88	1.88	1.88	2.64	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+25+25+25+42	1.57	1.79	1.79	1.79	3.01	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+25+50	1.49	1.69	1.69	1.69	3.38	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+25+60	1.39	1.58	1.58	1.58	3.80	9.95 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+25+25+25+71	1.30	1.48	1.48	1.48	4.21	9.95 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99

MXZ-5F100VGD HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230		
22+25+25+35+35	1.54	1.75	1.75	2.45	2.45	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+25+25+35+42	1.47	1.67	1.67	2.34	2.80	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+35+50	1.39	1.58	1.58	2.22	3.17	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+25+35+60	1.31	1.49	1.49	2.09	3.57	9.95 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
22+25+25+42+42	1.40	1.59	1.59	2.68	2.68	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+25+25+42+50	1.33	1.52	1.52	2.55	3.03	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+25+25+50+50	1.27	1.45	1.45	2.89	2.89	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+25+35+35+35	1.44	1.64	2.29	2.29	2.29	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+25+35+35+42	1.38	1.56	2.19	2.19	2.63	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+35+35+50	1.31	1.49	2.09	2.09	2.98	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
22+25+35+42+42	1.32	1.50	2.10	2.52	2.52	9.95 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
22+35+35+35+35	1.35	2.15	2.15	2.15	2.15	9.95 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
22+35+35+35+42	1.30	2.06	2.06	2.06	2.47	9.95 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+25+25+35	1.85	1.85	1.85	1.85	2.59	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+25+25+42	1.76	1.76	1.76	1.76	2.96	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+25+50	1.67	1.67	1.67	1.67	3.33	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+25+60	1.56	1.56	1.56	1.56	3.75	10.00 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
25+25+25+25+71	1.46	1.46	1.46	1.46	4.15	10.00 4.10 - 14.00	1.921 0.640 - 3.881	8.82	8.44	99
25+25+25+35+35	1.72	1.72	1.72	2.41	2.41	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+25+35+42	1.64	1.64	1.64	2.30	2.76	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+50	1.56	1.56	1.56	2.19	3.13	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+60	1.47	1.47	1.47	2.06	3.53	10.00 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
25+25+25+42+42	1.57	1.57	1.57	2.64	2.64	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+25+42+50	1.50	1.50	1.50	2.51	2.99	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+35+35+35	1.61	1.61	2.26	2.26	2.26	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+35+35+42	1.54	1.54	2.16	2.16	2.59	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+35+50	1.47	1.47	2.06	2.06	2.94	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+42+42	1.48	1.48	2.07	2.49	2.49	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+35+35+35+35	1.52	2.12	2.12	2.12	2.12	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+35+35+35+42	1.45	2.03	2.03	2.03	2.44	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+50	1.56	1.56	1.56	2.19	3.13	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+25+35+60	1.47	1.47	1.47	2.06	3.53	10.00 4.10 - 14.00	1.917 0.640 - 3.877	8.80	8.42	99
25+25+25+42+42	1.57	1.57	1.57	2.64	2.64	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+25+42+50	1.50	1.50	1.50	2.51	2.99	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+25+35+35+35	1.61	1.61	2.26	2.26	2.26	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+25+35+35+42	1.54	1.54	2.16	2.16	2.59	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+35+50	1.47	1.47	2.06	2.06	2.94	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99
25+25+35+42+42	1.48	1.48	2.07	2.49	2.49	10.00 4.10 - 14.00	1.928 0.640 - 3.888	8.86	8.47	99
25+35+35+35+35	1.52	2.12	2.12	2.12	2.12	10.00 4.10 - 14.00	1.940 0.640 - 3.900	8.91	8.52	99
25+35+35+35+42	1.45	2.03	2.03	2.03	2.44	10.00 4.10 - 14.00	1.934 0.640 - 3.894	8.88	8.49	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	1.50 0.530	1.50 - 3.20 0.530 - 1.300	220	230	
15	1.50	-	-	-	-	-	1.50 0.530	1.50 - 3.20 0.530 - 1.300	2.44	2.33	99
20	2.00	-	-	-	-	-	2.00 0.600	1.50 - 3.20 0.530 - 1.310	2.76	2.64	99
22	2.20	-	-	-	-	-	2.20 0.710	1.50 - 3.70 0.530 - 1.430	3.26	3.12	99
25	2.50	-	-	-	-	-	2.50 0.800	1.50 - 3.70 0.530 - 1.500	3.67	3.51	99
35	3.50	-	-	-	-	-	3.50 1.100	1.50 - 3.80 0.530 - 1.530	5.05	4.83	99
42	4.20	-	-	-	-	-	4.20 1.290	1.50 - 5.00 0.530 - 1.650	5.93	5.67	99
50	5.00	-	-	-	-	-	5.00 1.610	1.50 - 5.60 0.530 - 1.920	7.39	7.07	99
60	6.00	-	-	-	-	-	6.00 1.870	1.50 - 7.50 0.530 - 2.220	8.58	8.21	99
71	7.10	-	-	-	-	-	7.10 2.240	1.50 - 8.70 0.530 - 2.940	10.29	9.84	99
80	8.00	-	-	-	-	-	8.00 2.540	1.50 - 9.20 0.530 - 3.220	11.67	11.16	99
15+15	1.50	1.50	-	-	-	-	3.00 0.876	2.50 - 4.20 0.530 - 2.266	4.03	3.85	99
15+20	1.50	2.00	-	-	-	-	3.50 0.974	2.50 - 4.90 0.530 - 2.624	4.47	4.28	99
15+22	1.50	2.20	-	-	-	-	3.70 0.997	2.50 - 5.10 0.530 - 2.757	4.58	4.38	99
15+25	1.50	2.50	-	-	-	-	4.00 1.057	2.50 - 5.50 0.530 - 2.977	4.85	4.64	99
15+35	1.50	3.50	-	-	-	-	5.00 1.307	2.70 - 6.50 0.530 - 2.237	6.00	5.74	99
15+42	1.50	4.20	-	-	-	-	5.70 1.581	2.70 - 7.20 0.530 - 2.451	7.26	6.94	99
15+50	1.50	5.00	-	-	-	-	6.50 1.901	2.80 - 7.90 0.530 - 2.711	8.73	8.35	99
15+60	1.50	6.00	-	-	-	-	7.50 2.314	2.80 - 8.70 0.530 - 2.934	10.62	10.16	99
15+71	1.48	7.02	-	-	-	-	8.50 2.738	2.80 - 9.20 0.530 - 3.068	12.57	12.02	99
15+80	1.37	7.33	-	-	-	-	8.70 2.818	2.80 - 9.40 0.530 - 3.058	12.94	12.38	99
20+20	2.00	2.00	-	-	-	-	4.00 1.062	2.50 - 5.50 0.530 - 2.982	4.87	4.66	99
20+22	2.00	2.20	-	-	-	-	4.20 1.075	2.60 - 5.70 0.530 - 2.565	4.93	4.72	99
20+25	2.00	2.50	-	-	-	-	4.50 1.125	2.70 - 6.00 0.530 - 2.165	5.16	4.94	99
20+35	2.00	3.50	-	-	-	-	5.50 1.505	2.70 - 7.00 0.530 - 2.395	6.91	6.61	99
20+42	2.00	4.20	-	-	-	-	6.20 1.779	2.80 - 7.60 0.530 - 2.609	8.17	7.81	99
20+50	2.00	5.00	-	-	-	-	7.00 2.099	2.80 - 8.40 0.530 - 2.869	9.64	9.22	99
20+60	2.00	6.00	-	-	-	-	8.00 2.532	2.80 - 9.00 0.530 - 3.002	11.63	11.12	99
20+71	1.89	6.71	-	-	-	-	8.60 2.786	2.80 - 9.30 0.530 - 3.066	12.80	12.24	99
20+80	1.78	7.12	-	-	-	-	8.90 2.866	2.80 - 9.50 0.530 - 3.056	13.16	12.59	99
22+22	2.20	2.20	-	-	-	-	4.40 1.078	2.70 - 5.85 0.530 - 2.148	4.95	4.73	99
22+25	2.20	2.50	-	-	-	-	4.70 1.188	2.70 - 6.20 0.530 - 2.188	5.46	5.22	99
22+35	2.20	3.50	-	-	-	-	5.70 1.578	2.70 - 7.20 0.530 - 2.448	7.25	6.93	99
22+42	2.20	4.20	-	-	-	-	6.40 1.852	2.80 - 7.80 0.530 - 2.672	8.50	8.13	99
22+50	2.20	5.00	-	-	-	-	7.20 2.182	2.80 - 8.50 0.530 - 2.892	10.02	9.58	99
22+60	2.20	6.00	-	-	-	-	8.20 2.615	2.80 - 9.10 0.530 - 3.025	12.00	11.48	99
22+71	2.06	6.64	-	-	-	-	8.70 2.799	2.80 - 9.40 0.530 - 3.059	12.85	12.29	99
22+80	1.94	7.06	-	-	-	-	9.00 2.859	2.80 - 9.60 0.530 - 3.059	13.13	12.56	99
25+25	2.50	2.50	-	-	-	-	5.00 1.298	2.70 - 6.50 0.530 - 2.228	5.96	5.70	99
25+35	2.50	3.50	-	-	-	-	6.00 1.698	2.80 - 7.50 0.530 - 2.548	7.80	7.46	99
25+42	2.50	4.20	-	-	-	-	6.70 1.972	2.80 - 8.10 0.530 - 2.762	9.05	8.66	99
25+50	2.50	5.00	-	-	-	-	7.50 2.322	2.80 - 8.70 0.530 - 2.942	10.66	10.20	99
25+60	2.47	5.93	-	-	-	-	8.40 2.715	2.80 - 9.20 0.530 - 3.055	12.46	11.92	99
25+71	2.29	6.51	-	-	-	-	8.80 2.829	2.80 - 9.40 0.530 - 3.059	12.98	12.42	99
25+80	2.17	6.93	-	-	-	-	9.10 2.869	2.80 - 9.70 0.530 - 3.079	13.17	12.60	99
35+35	3.50	3.50	-	-	-	-	7.00 2.098	2.80 - 8.40 0.530 - 2.868	9.63	9.21	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
35+42	3.50	4.20	-	-	-	-	7.70 2.80 - 8.80	2.412 0.530 - 2.972	11.07	10.59	99
35+50	3.46	4.94	-	-	-	-	8.40 2.80 - 9.20	2.732 0.530 - 3.072	12.55	12.00	99
35+60	3.21	5.49	-	-	-	-	8.70 2.80 - 9.40	2.815 0.530 - 3.055	12.92	12.36	99
35+71	3.00	6.10	-	-	-	-	9.10 2.80 - 9.70	2.879 0.530 - 3.089	13.21	12.64	99
35+80	2.86	6.54	-	-	-	-	9.40 2.90 - 10.00	2.879 0.530 - 3.129	13.21	12.64	99
42+42	4.20	4.20	-	-	-	-	8.40 2.80 - 9.20	2.716 0.530 - 3.066	12.47	11.93	99
42+50	3.97	4.73	-	-	-	-	8.70 2.80 - 9.40	2.796 0.530 - 3.066	12.84	12.28	99
42+60	3.71	5.29	-	-	-	-	9.00 2.80 - 9.60	2.859 0.530 - 3.059	13.13	12.56	99
42+71	3.49	5.91	-	-	-	-	9.40 2.90 - 10.00	2.873 0.530 - 3.123	13.19	12.62	99
42+80	3.30	6.30	-	-	-	-	9.60 2.90 - 10.20	2.873 0.530 - 3.143	13.19	12.62	99
50+50	4.45	4.45	-	-	-	-	8.90 2.80 - 9.50	2.876 0.530 - 3.066	13.20	12.63	99
50+60	4.23	5.07	-	-	-	-	9.30 2.90 - 9.90	2.869 0.530 - 3.099	13.17	12.60	99
50+71	3.97	5.63	-	-	-	-	9.60 2.90 - 10.20	2.883 0.530 - 3.153	13.24	12.66	99
50+80	3.69	5.91	-	-	-	-	9.60 2.90 - 10.20	2.883 0.530 - 3.143	13.24	12.66	99
60+60	4.80	4.80	-	-	-	-	9.60 2.90 - 10.20	2.862 0.530 - 3.132	13.14	12.57	99
60+71	4.44	5.26	-	-	-	-	9.70 2.90 - 10.30	2.876 0.530 - 3.146	13.20	12.63	99
60+80	4.16	5.54	-	-	-	-	9.70 2.90 - 10.30	2.876 0.530 - 3.136	13.20	12.63	99
71+71	4.85	4.85	-	-	-	-	9.70 2.90 - 10.30	2.890 0.530 - 3.150	13.27	12.69	99
71+80	4.61	5.19	-	-	-	-	9.80 2.90 - 10.50	2.910 0.530 - 3.170	13.36	12.78	99
80+80	4.95	4.95	-	-	-	-	9.90 2.90 - 10.60	2.920 0.530 - 3.180	13.40	12.82	99
15+15+15	1.50	1.50	1.50	-	-	-	4.50 2.90 - 6.30	1.009 0.690 - 2.359	4.63	4.43	99
15+15+20	1.50	1.50	2.00	-	-	-	5.00 2.90 - 7.00	1.157 0.640 - 2.687	5.31	5.08	99
15+15+22	1.50	1.50	2.20	-	-	-	5.20 2.90 - 7.20	1.210 0.620 - 2.810	5.55	5.31	99
15+15+25	1.50	1.50	2.50	-	-	-	5.50 3.00 - 7.60	1.300 0.580 - 3.010	5.97	5.71	99
15+15+35	1.50	1.50	3.50	-	-	-	6.50 3.20 - 8.50	1.570 0.530 - 2.590	7.21	6.90	99
15+15+42	1.50	1.50	4.20 *	-	-	-	7.20 3.20 - 9.20	1.814 0.530 - 2.914	8.33	7.97	99
15+15+50	1.48	1.48	4.94 *	-	-	-	7.90 3.20 - 9.80	2.114 0.530 - 3.324	9.70	9.28	99
15+15+60	1.43	1.43	5.73	-	-	-	8.60 3.30 - 10.40	2.467 0.530 - 3.647	11.32	10.83	99
15+15+71	1.38	1.38	6.54	-	-	-	9.30 3.30 - 11.00	2.871 0.530 - 4.021	13.18	12.61	99
15+15+80	1.32	1.32	7.05	-	-	-	9.70 3.30 - 11.30	3.071 0.530 - 4.191	14.10	13.49	99
15+20+20	1.50	2.00	2.00	-	-	-	5.50 3.00 - 7.60	1.305 0.580 - 3.015	5.99	5.73	99
15+20+22	1.50	2.00	2.20	-	-	-	5.70 3.00 - 7.90	1.358 0.560 - 3.138	6.23	5.96	99
15+20+25	1.50	2.00	2.50	-	-	-	6.00 3.00 - 8.30	1.448 0.530 - 3.338	6.65	6.36	99
15+20+35	1.50	2.00	3.50	-	-	-	7.00 3.20 - 8.90	1.748 0.530 - 2.758	8.03	7.68	99
15+20+42	1.48	1.97	4.15 *	-	-	-	7.60 3.20 - 9.60	2.002 0.530 - 3.222	9.19	8.79	99
15+20+50	1.45	1.93	4.82 *	-	-	-	8.20 3.20 - 10.10	2.302 0.530 - 3.492	10.57	10.11	99
15+20+60	1.41	1.87	5.62	-	-	-	8.90 3.30 - 10.60	2.645 0.530 - 3.805	12.15	11.62	99
15+20+71	1.36	1.81	6.43	-	-	-	9.60 3.30 - 11.20	3.029 0.530 - 4.159	13.90	13.30	99
15+20+80	1.27	1.69	6.75	-	-	-	9.70 3.30 - 11.30	3.119 0.530 - 4.229	14.32	13.70	99
15+22+22	1.50	2.20	2.20	-	-	-	5.90 3.00 - 8.20	1.411 0.540 - 3.261	6.48	6.20	99
15+22+25	1.50	2.20	2.50	-	-	-	6.20 3.10 - 8.40	1.491 0.530 - 3.031	6.85	6.55	99
15+22+35	1.50	2.20	3.50	-	-	-	7.20 3.20 - 9.20	1.811 0.530 - 2.911	8.31	7.95	99
15+22+42	1.48	2.17	4.15 *	-	-	-	7.80 3.20 - 9.70	2.075 0.530 - 3.275	9.52	9.11	99
15+22+50	1.43	2.10	4.77 *	-	-	-	8.30 3.20 - 10.20	2.365 0.530 - 3.545	10.86	10.39	99
15+22+60	1.39	2.04	5.57	-	-	-	9.00 3.30 - 10.70	2.718 0.530 - 3.868	12.48	11.94	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+22+71	1.33	1.96	6.31	-	-	-	9.60 3.30 - 11.20	3.042 0.530 - 4.172	13.97	13.36	99
15+22+80	1.26	1.84	6.70	-	-	-	9.80 3.30 - 11.40	3.142 0.530 - 4.242	14.43	13.80	99
15+25+25	1.50	2.50	2.50	-	-	-	6.50 3.20 - 8.50	1.561 0.530 - 2.581	7.17	6.86	99
15+25+35	1.50	2.50	3.50	-	-	-	7.50 3.20 - 9.50	1.931 0.530 - 3.151	8.87	8.48	99
15+25+42	1.46	2.44	4.10 *	-	-	-	8.00 3.20 - 9.90	2.185 0.530 - 3.385	10.04	9.60	99
15+25+50	1.43	2.39	4.78 *	-	-	-	8.60 3.30 - 10.40	2.475 0.530 - 3.655	11.36	10.87	99
15+25+60	1.40	2.33	5.58	-	-	-	9.30 3.30 - 10.90	2.828 0.530 - 3.968	12.98	12.42	99
15+25+71	1.31	2.18	6.20	-	-	-	9.70 3.30 - 11.30	3.082 0.530 - 4.192	14.16	13.54	99
15+25+80	1.23	2.04	6.53	-	-	-	9.80 3.30 - 11.40	3.172 0.530 - 4.272	14.56	13.93	99
15+35+35	1.45	3.38	3.38	-	-	-	8.20 3.20 - 10.10	2.301 0.530 - 3.491	10.57	10.11	99
15+35+42	1.42	3.31	3.97 *	-	-	-	8.70 3.30 - 10.50	2.545 0.530 - 3.715	11.69	11.18	99
15+35+50	1.40	3.26	4.65 *	-	-	-	9.30 3.30 - 10.90	2.845 0.530 - 3.985	13.06	12.49	99
15+35+60	1.32	3.09	5.29	-	-	-	9.70 3.30 - 11.30	3.068 0.530 - 4.188	14.08	13.47	99
15+35+71	1.21	2.83	5.75	-	-	-	9.80 3.30 - 11.40	3.192 0.530 - 4.282	14.66	14.02	99
15+35+80	1.15	2.69	6.15	-	-	-	10.00 3.30 - 11.60	3.312 0.530 - 4.412	15.21	14.55	99
15+42+42	1.39	3.90	3.90 *	-	-	-	9.20 3.30 - 10.90	2.799 0.530 - 3.949	12.85	12.29	99
15+42+50	1.35	3.77	4.49 *	-	-	-	9.60 3.30 - 11.20	3.039 0.530 - 4.169	13.96	13.35	99
15+42+60	1.26	3.52	5.03	-	-	-	9.80 3.30 - 11.40	3.142 0.530 - 4.242	14.43	13.80	99
15+42+71	1.17	3.28	5.55	-	-	-	10.00 3.30 - 11.60	3.276 0.530 - 4.366	15.04	14.39	99
15+42+80	1.12	3.13	5.96	-	-	-	10.20 3.30 - 11.80	3.416 0.530 - 4.546	15.68	15.00	99
15+50+50	1.27	4.22	4.22 *	-	-	-	9.70 3.30 - 11.30	3.129 0.530 - 4.239	14.36	13.74	99
15+50+60	1.19	3.96	4.75	-	-	-	9.90 3.30 - 11.50	3.232 0.530 - 4.312	14.84	14.19	99
15+50+71	1.13	3.75	5.33	-	-	-	10.20 3.30 - 11.80	3.416 0.530 - 4.536	15.68	15.00	99
15+50+80	1.09	3.62	5.79	-	-	-	10.50 3.30 - 12.10	3.556 0.530 - 4.716	16.33	15.62	99
15+60+60	1.13	4.53	4.53	-	-	-	10.20 3.30 - 11.80	3.375 0.530 - 4.495	15.49	14.82	99
15+60+71	1.08	4.32	5.11	-	-	-	10.50 3.30 - 12.10	3.559 0.530 - 4.739	16.34	15.63	99
15+60+80	1.03	4.10	5.47	-	-	-	10.60 3.30 - 12.20	3.619 0.530 - 4.809	16.61	15.89	99
15+71+71	1.01	4.79	4.79	-	-	-	10.60 3.30 - 12.20	3.633 0.530 - 4.823	16.69	15.96	99
15+71+80	0.96	4.53	5.11	-	-	-	10.60 3.30 - 12.20	3.623 0.530 - 4.813	16.63	15.91	99
15+80+80	0.91	4.85	4.85	-	-	-	10.60 3.30 - 12.20	3.613 0.530 - 4.803	16.59	15.87	99
20+20+20	2.00	2.00	2.00	-	-	-	6.00 3.00 - 8.30	1.453 0.530 - 3.343	6.67	6.38	99
20+20+22	2.00	2.00	2.20	-	-	-	6.20 3.10 - 8.40	1.496 0.530 - 3.036	6.87	6.57	99
20+20+25	2.00	2.00	2.50	-	-	-	6.50 3.20 - 8.50	1.566 0.530 - 2.586	7.19	6.88	99
20+20+35	2.00	2.00	3.50	-	-	-	7.50 3.20 - 9.50	1.936 0.530 - 3.156	8.89	8.50	99
20+20+42	1.95	1.95	4.10 *	-	-	-	8.00 3.20 - 9.90	2.190 0.530 - 3.390	10.06	9.62	99
20+20+50	1.91	1.91	4.78 *	-	-	-	8.60 3.30 - 10.40	2.480 0.530 - 3.660	11.39	10.89	99
20+20+60	1.86	1.86	5.58	-	-	-	9.30 3.30 - 10.90	2.833 0.530 - 3.973	13.01	12.44	99
20+20+71	1.75	1.75	6.20	-	-	-	9.70 3.30 - 11.30	3.087 0.530 - 4.197	14.18	13.56	99
20+20+80	1.63	1.63	6.53	-	-	-	9.80 3.30 - 11.40	3.177 0.530 - 4.277	14.58	13.95	99
20+22+22	2.00	2.20	2.20	-	-	-	6.40 3.10 - 8.40	1.529 0.530 - 2.729	7.02	6.71	99
20+22+25	2.00	2.20	2.50	-	-	-	6.70 3.20 - 8.60	1.619 0.530 - 2.509	7.43	7.11	99
20+22+35	1.97	2.17	3.45	-	-	-	7.60 3.20 - 9.60	1.999 0.530 - 3.219	9.18	8.78	99
20+22+42	1.93	2.12	4.05 *	-	-	-	8.10 3.20 - 10.00	2.253 0.530 - 3.443	10.34	9.89	99
20+22+50	1.89	2.08	4.73 *	-	-	-	8.70 3.30 - 10.50	2.543 0.530 - 3.713	11.68	11.17	99
20+22+60	1.84	2.03	5.53	-	-	-	9.40 3.30 - 11.00	2.896 0.530 - 4.036	13.30	12.72	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
20+22+71	1.72	1.89	6.09	-	-	-	9.70 3.30 - 11.30	3.100 0.530 - 4.210	14.23	13.61	99
20+22+80	1.61	1.77	6.43	-	-	-	9.80 3.30 - 11.40	3.190 0.530 - 4.280	14.65	14.01	99
20+25+25	2.00	2.50	2.50	-	-	-	7.00 3.20 - 8.90	1.739 0.530 - 2.749	7.99	7.64	99
20+25+35	1.98	2.47	3.46	-	-	-	7.90 3.20 - 9.80	2.109 0.530 - 3.319	9.68	9.26	99
20+25+42	1.91	2.39	4.01 *	-	-	-	8.30 3.20 - 10.20	2.363 0.530 - 3.543	10.85	10.38	99
20+25+50	1.87	2.34	4.68 *	-	-	-	8.90 3.30 - 10.60	2.653 0.530 - 3.813	12.18	11.65	99
20+25+60	1.83	2.29	5.49	-	-	-	9.60 3.30 - 11.20	3.006 0.530 - 4.136	13.80	13.20	99
20+25+71	1.69	2.11	6.00	-	-	-	9.80 3.30 - 11.40	3.140 0.530 - 4.240	14.42	13.79	99
20+25+80	1.58	1.98	6.34	-	-	-	9.90 3.30 - 11.50	3.230 0.530 - 4.310	14.84	14.19	99
20+35+35	1.91	3.34	3.34	-	-	-	8.60 3.30 - 10.40	2.479 0.530 - 3.659	11.39	10.89	99
20+35+42	1.86	3.25	3.90 *	-	-	-	9.00 3.30 - 10.70	2.733 0.530 - 3.883	12.55	12.00	99
20+35+50	1.83	3.20	4.57 *	-	-	-	9.60 3.30 - 11.20	3.023 0.530 - 4.153	13.88	13.28	99
20+35+60	1.69	2.95	5.06	-	-	-	9.70 3.30 - 11.30	3.116 0.530 - 4.226	14.30	13.68	99
20+35+71	1.57	2.75	5.58	-	-	-	9.90 3.30 - 11.50	3.250 0.530 - 4.330	14.92	14.27	99
20+35+80	1.51	2.64	6.04	-	-	-	10.20 3.30 - 11.80	3.390 0.530 - 4.510	15.57	14.89	99
20+42+42	1.83	3.84	3.84 *	-	-	-	9.50 3.30 - 11.10	2.977 0.530 - 4.117	13.66	13.07	99
20+42+50	1.73	3.64	4.33 *	-	-	-	9.70 3.30 - 11.30	3.097 0.530 - 4.207	14.22	13.60	99
20+42+60	1.61	3.37	4.82	-	-	-	9.80 3.30 - 11.40	3.190 0.530 - 4.280	14.65	14.01	99
20+42+71	1.52	3.19	5.39	-	-	-	10.10 3.30 - 11.70	3.364 0.530 - 4.474	15.44	14.77	99
20+42+80	1.46	3.08	5.86	-	-	-	10.40 3.30 - 12.00	3.504 0.530 - 4.654	16.09	15.39	99
20+50+50	1.63	4.08	4.08 *	-	-	-	9.80 3.30 - 11.40	3.187 0.530 - 4.287	14.64	14.00	99
20+50+60	1.54	3.85	4.62	-	-	-	10.00 3.30 - 11.60	3.310 0.530 - 4.410	15.20	14.54	99
20+50+71	1.46	3.65	5.19	-	-	-	10.30 3.30 - 11.90	3.494 0.530 - 4.644	16.04	15.34	99
20+50+80	1.41	3.53	5.65	-	-	-	10.60 3.30 - 12.20	3.634 0.530 - 4.824	16.69	15.96	99
20+60+60	1.47	4.41	4.41	-	-	-	10.30 3.30 - 11.90	3.453 0.530 - 4.603	15.85	15.16	99
20+60+71	1.40	4.21	4.98	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	16.65	15.93	99
20+60+80	1.33	3.98	5.30	-	-	-	10.60 3.30 - 12.20	3.617 0.530 - 4.807	16.60	15.88	99
20+71+71	1.31	4.65	4.65	-	-	-	10.60 3.30 - 12.20	3.631 0.530 - 4.821	16.68	15.95	99
20+71+80	1.24	4.40	4.96	-	-	-	10.60 3.30 - 12.20	3.621 0.530 - 4.811	16.62	15.90	99
20+80+80	1.28	5.11	5.11	-	-	-	11.50 3.40 - 13.00	3.481 0.530 - 4.291	15.99	15.29	99
22+22+22	2.20	2.20	2.20	-	-	-	6.60 3.20 - 8.50	1.572 0.530 - 2.422	7.21	6.90	99
22+22+25	2.20	2.20	2.50	-	-	-	6.90 3.20 - 8.80	1.692 0.530 - 2.662	7.77	7.43	99
22+22+35	2.17	2.17	3.46	-	-	-	7.80 3.20 - 9.70	2.072 0.530 - 3.272	9.51	9.10	99
22+22+42	2.12	2.12	4.05 *	-	-	-	8.30 3.20 - 10.10	2.316 0.530 - 3.506	10.63	10.17	99
22+22+50	2.06	2.06	4.68 *	-	-	-	8.80 3.30 - 10.60	2.616 0.530 - 3.776	12.01	11.49	99
22+22+60	2.01	2.01	5.48	-	-	-	9.50 3.30 - 11.10	2.959 0.530 - 4.099	13.59	13.00	99
22+22+71	1.86	1.86	5.99	-	-	-	9.70 3.30 - 11.30	3.113 0.530 - 4.223	14.29	13.67	99
22+22+80	1.76	1.76	6.39	-	-	-	9.90 3.30 - 11.50	3.213 0.530 - 4.293	14.75	14.11	99
22+25+25	2.20	2.50	2.50	-	-	-	7.20 3.20 - 9.20	1.802 0.530 - 2.902	8.27	7.91	99
22+25+35	2.15	2.44	3.41	-	-	-	8.00 3.20 - 9.90	2.182 0.530 - 3.382	10.02	9.58	99
22+25+42	2.10	2.39	4.01 *	-	-	-	8.50 3.20 - 10.30	2.426 0.530 - 3.606	11.13	10.65	99
22+25+50	2.04	2.32	4.64 *	-	-	-	9.00 3.30 - 10.70	2.726 0.530 - 3.876	12.51	11.97	99
22+25+60	1.97	2.24	5.38	-	-	-	9.60 3.30 - 11.20	3.019 0.530 - 4.149	13.86	13.26	99
22+25+71	1.83	2.08	5.90	-	-	-	9.80 3.30 - 11.40	3.153 0.530 - 4.253	14.48	13.85	99
22+25+80	1.71	1.95	6.24	-	-	-	9.90 3.30 - 11.50	3.253 0.530 - 4.333	14.94	14.29	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
22+35+35	2.08	3.31	3.31	-	-	-	8.70 3.30 - 10.50	2.542 0.530 - 3.712	11.67	11.16	99
22+35+42	2.04	3.25	3.90 *	-	-	-	9.20 3.30 - 10.90	2.796 0.530 - 3.946	12.84	12.28	99
22+35+50	1.97	3.14	4.49 *	-	-	-	9.60 3.30 - 11.20	3.036 0.530 - 4.166	13.94	13.33	99
22+35+60	1.84	2.93	5.03	-	-	-	9.80 3.30 - 11.40	3.139 0.530 - 4.239	14.42	13.79	99
22+35+71	1.72	2.73	5.55	-	-	-	10.00 3.30 - 11.60	3.273 0.530 - 4.363	15.02	14.37	99
22+35+80	1.64	2.61	5.96	-	-	-	10.20 3.30 - 11.80	3.413 0.530 - 4.543	15.67	14.99	99
22+42+42	1.99	3.80	3.80 *	-	-	-	9.60 3.30 - 11.20	3.020 0.530 - 4.150	13.86	13.26	99
22+42+50	1.87	3.57	4.25 *	-	-	-	9.70 3.30 - 11.30	3.110 0.530 - 4.220	14.28	13.66	99
22+42+60	1.76	3.35	4.79	-	-	-	9.90 3.30 - 11.50	3.213 0.530 - 4.293	14.75	14.11	99
22+42+71	1.66	3.17	5.36	-	-	-	10.20 3.30 - 11.80	3.387 0.530 - 4.507	15.55	14.87	99
22+42+80	1.59	3.03	5.78	-	-	-	10.40 3.30 - 12.00	3.527 0.530 - 4.687	16.19	15.49	99
22+50+50	1.77	4.02	4.02 *	-	-	-	9.80 3.30 - 11.40	3.200 0.530 - 4.290	14.69	14.05	99
22+50+60	1.68	3.83	4.59	-	-	-	10.10 3.30 - 11.70	3.333 0.530 - 4.443	15.31	14.64	99
22+50+71	1.60	3.64	5.16	-	-	-	10.40 3.30 - 12.00	3.517 0.530 - 4.677	16.15	15.45	99
22+50+80	1.53	3.49	5.58	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	16.65	15.93	99
22+60+60	1.61	4.39	4.39	-	-	-	10.40 3.30 - 12.00	3.486 0.530 - 4.636	16.01	15.31	99
22+60+71	1.52	4.16	4.92	-	-	-	10.60 3.30 - 12.20	3.620 0.530 - 4.810	16.62	15.90	99
22+60+80	1.44	3.93	5.23	-	-	-	10.60 3.30 - 12.20	3.610 0.530 - 4.800	16.57	15.85	99
22+71+71	1.42	4.59	4.59	-	-	-	10.60 3.30 - 12.20	3.624 0.530 - 4.814	16.64	15.92	99
22+71+80	1.35	4.35	4.90	-	-	-	10.60 3.30 - 12.20	3.614 0.530 - 4.804	16.59	15.87	99
25+25+25	2.50	2.50	2.50	-	-	-	7.50 3.20 - 9.50	1.922 0.530 - 3.142	8.82	8.44	99
25+25+35	2.41	2.41	3.38	-	-	-	8.20 3.20 - 10.10	2.292 0.530 - 3.482	10.53	10.07	99
25+25+42	2.36	2.36	3.97 *	-	-	-	8.70 3.30 - 10.50	2.536 0.530 - 3.706	11.65	11.14	99
25+25+50	2.33	2.33	4.65 *	-	-	-	9.30 3.30 - 10.90	2.836 0.530 - 3.976	13.02	12.45	99
25+25+60	2.20	2.20	5.29	-	-	-	9.70 3.30 - 11.30	3.059 0.530 - 4.179	14.04	13.43	99
25+25+71	2.02	2.02	5.75	-	-	-	9.80 3.30 - 11.40	3.183 0.530 - 4.273	14.62	13.98	99
25+25+80	1.92	1.92	6.15	-	-	-	10.00 3.30 - 11.60	3.303 0.530 - 4.403	15.17	14.51	99
25+35+35	2.34	3.28	3.28	-	-	-	8.90 3.30 - 10.60	2.652 0.530 - 3.812	12.18	11.65	99
25+35+42	2.30	3.23	3.87 *	-	-	-	9.40 3.30 - 11.00	2.906 0.530 - 4.046	13.34	12.76	99
25+35+50	2.20	3.09	4.41 *	-	-	-	9.70 3.30 - 11.30	3.076 0.530 - 4.196	14.12	13.51	99
25+35+60	2.04	2.86	4.90	-	-	-	9.80 3.30 - 11.40	3.169 0.530 - 4.269	14.55	13.92	99
25+35+71	1.91	2.67	5.42	-	-	-	10.00 3.30 - 11.60	3.323 0.530 - 4.433	15.25	14.59	99
25+35+80	1.84	2.58	5.89	-	-	-	10.30 3.30 - 11.90	3.463 0.530 - 4.613	15.90	15.21	99
25+42+42	2.22	3.74	3.74 *	-	-	-	9.70 3.30 - 11.30	3.060 0.530 - 4.180	14.05	13.44	99
25+42+50	2.09	3.52	4.19 *	-	-	-	9.80 3.30 - 11.40	3.150 0.530 - 4.250	14.46	13.83	99
25+42+60	1.95	3.27	4.68	-	-	-	9.90 3.30 - 11.50	3.253 0.530 - 4.333	14.94	14.29	99
25+42+71	1.87	3.13	5.30	-	-	-	10.30 3.30 - 11.90	3.437 0.530 - 4.577	15.78	15.09	99
25+42+80	1.79	3.00	5.71	-	-	-	10.50 3.30 - 12.10	3.577 0.530 - 4.757	16.42	15.71	99
25+50+50	1.98	3.96	3.96 *	-	-	-	9.90 3.30 - 11.50	3.240 0.530 - 4.320	14.88	14.23	99
25+50+60	1.89	3.78	4.53	-	-	-	10.20 3.30 - 11.80	3.383 0.530 - 4.503	15.54	14.86	99
25+50+71	1.80	3.60	5.11	-	-	-	10.50 3.30 - 12.10	3.567 0.530 - 4.747	16.38	15.67	99
25+50+80	1.71	3.42	5.47	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	16.65	15.93	99
25+60+60	1.81	4.34	4.34	-	-	-	10.50 3.30 - 12.10	3.536 0.530 - 4.696	16.24	15.53	99
25+60+71	1.70	4.08	4.82	-	-	-	10.60 3.30 - 12.20	3.620 0.530 - 4.810	16.62	15.90	99
25+60+80	1.61	3.85	5.14	-	-	-	10.60 3.30 - 12.20	3.610 0.530 - 4.800	16.57	15.85	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
25+71+71	1.59	4.51	4.51	-	-	-	10.60 3.30 - 12.20	3.624 0.530 - 4.814	16.64	15.92	99
25+71+80	1.51	4.28	4.82	-	-	-	10.60 3.30 - 12.20	3.614 0.530 - 4.804	16.59	15.87	99
35+35+35	3.20	3.20	3.20	-	-	-	9.60 3.30 - 11.20	3.022 0.530 - 4.152	13.87	13.27	99
35+35+42	3.03	3.03	3.64 *	-	-	-	9.70 3.30 - 11.30	3.096 0.530 - 4.206	14.22	13.60	99
35+35+50	2.86	2.86	4.08 *	-	-	-	9.80 3.30 - 11.40	3.186 0.530 - 4.286	14.63	13.99	99
35+35+60	2.69	2.69	4.62	-	-	-	10.00 3.30 - 11.60	3.309 0.530 - 4.409	15.19	14.53	99
35+35+71	2.56	2.56	5.19	-	-	-	10.30 3.30 - 11.90	3.493 0.530 - 4.643	16.04	15.34	99
35+35+80	2.47	2.47	5.65	-	-	-	10.60 3.30 - 12.20	3.633 0.530 - 4.823	16.69	15.96	99
35+42+42	2.88	3.46	3.46 *	-	-	-	9.80 3.30 - 11.40	3.170 0.530 - 4.270	14.55	13.92	99
35+42+50	2.73	3.27	3.90 *	-	-	-	9.90 3.30 - 11.50	3.270 0.530 - 4.350	15.01	14.36	99
35+42+60	2.61	3.13	4.47	-	-	-	10.20 3.30 - 11.80	3.413 0.530 - 4.543	15.67	14.99	99
35+42+71	2.48	2.98	5.04	-	-	-	10.50 3.30 - 12.10	3.607 0.530 - 4.787	16.56	15.84	99
35+42+80	2.36	2.84	5.40	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	16.65	15.93	99
35+50+50	2.64	3.78	3.78 *	-	-	-	10.20 3.30 - 11.80	3.400 0.530 - 4.520	15.61	14.93	99
35+50+60	2.53	3.62	4.34	-	-	-	10.50 3.30 - 12.10	3.553 0.530 - 4.713	16.31	15.60	99
35+50+71	2.38	3.40	4.82	-	-	-	10.60 3.30 - 12.20	3.637 0.530 - 4.827	16.70	15.97	99
35+50+80	2.25	3.21	5.14	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	16.65	15.93	99
35+60+60	2.39	4.10	4.10	-	-	-	10.60 3.30 - 12.20	3.616 0.530 - 4.806	16.60	15.88	99
35+60+71	2.23	3.83	4.53	-	-	-	10.60 3.30 - 12.20	3.620 0.530 - 4.810	16.62	15.90	99
35+60+80	2.12	3.63	4.85	-	-	-	10.60 3.30 - 12.20	3.610 0.530 - 4.800	16.57	15.85	99
35+71+71	2.10	4.25	4.25	-	-	-	10.60 3.30 - 12.20	3.624 0.530 - 4.814	16.64	15.92	99
42+42+42	3.30	3.30	3.30 *	-	-	-	9.90 3.30 - 11.50	3.244 0.530 - 4.324	14.90	14.25	99
42+42+50	3.17	3.17	3.77 *	-	-	-	10.10 3.30 - 11.70	3.374 0.530 - 4.494	15.49	14.82	99
42+42+60	3.03	3.03	4.33	-	-	-	10.40 3.30 - 12.00	3.527 0.530 - 4.687	16.19	15.49	99
42+42+71	2.87	2.87	4.86	-	-	-	10.60 3.30 - 12.20	3.631 0.530 - 4.821	16.68	15.95	99
42+42+80	2.71	2.71	5.17	-	-	-	10.60 3.30 - 12.20	3.621 0.530 - 4.811	16.62	15.90	99
42+50+50	3.08	3.66	3.66 *	-	-	-	10.40 3.30 - 12.00	3.514 0.530 - 4.664	16.13	15.43	99
42+50+60	2.93	3.49	4.18	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	16.65	15.93	99
42+50+71	2.73	3.25	4.62	-	-	-	10.60 3.30 - 12.20	3.631 0.530 - 4.821	16.68	15.95	99
42+50+80	2.59	3.08	4.93	-	-	-	10.60 3.30 - 12.20	3.621 0.530 - 4.811	16.62	15.90	99
42+60+60	2.75	3.93	3.93	-	-	-	10.60 3.30 - 12.20	3.610 0.530 - 4.800	16.57	15.85	99
42+60+71	2.57	3.68	4.35	-	-	-	10.60 3.30 - 12.20	3.614 0.530 - 4.804	16.59	15.87	99
50+50+50	3.53	3.53	3.53 *	-	-	-	10.60 3.30 - 12.20	3.644 0.530 - 4.834	16.73	16.00	99
50+50+60	3.31	3.31	3.98	-	-	-	10.60 3.30 - 12.20	3.627 0.530 - 4.817	16.65	15.93	99
50+50+71	3.10	3.10	4.40	-	-	-	10.60 3.30 - 12.20	3.631 0.530 - 4.821	16.68	15.95	99
50+50+80	3.19	3.19	5.11	-	-	-	11.50 3.40 - 13.00	3.491 0.530 - 4.301	16.03	15.33	99
50+60+60	3.12	3.74	3.74	-	-	-	10.60 3.30 - 12.20	3.610 0.530 - 4.800	16.57	15.85	99
60+60+60	3.83	3.83	3.83	-	-	-	11.50 3.40 - 13.00	3.463 0.530 - 4.273	15.90	15.21	99
15+15+15+15	1.50	1.50	1.50	1.50	-	-	6.00 3.10 - 8.40	1.382 0.530 - 4.062	6.35	6.07	99
15+15+15+20	1.50	1.50	1.50	2.00	-	-	6.50 3.10 - 8.90	1.550 0.530 - 4.010	7.12	6.81	99
15+15+15+22	1.50	1.50	1.50	2.20	-	-	6.70 3.20 - 9.10	1.613 0.530 - 3.983	7.40	7.08	99
15+15+15+25	1.50	1.50	1.50	2.50	-	-	7.00 3.20 - 9.30	1.713 0.530 - 3.953	7.86	7.52	99
15+15+15+35	1.50	1.50	1.50	3.50	-	-	8.00 3.20 - 10.30	2.053 0.530 - 3.853	9.43	9.02	99
15+15+15+42	1.50	1.50	1.50	4.20 *	-	-	8.70 3.30 - 10.90	2.287 0.530 - 3.777	10.50	10.04	99
15+15+15+50	1.50	1.50	1.50	5.00 *	-	-	9.50 3.30 - 11.50	2.647 0.530 - 3.887	12.15	11.62	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+15+60	1.44	1.44	1.44	5.77	-	-	10.10 3.30 - 11.90	2.920 0.530 - 3.990	13.40	12.82	99
15+15+15+71	1.33	1.33	1.33	6.30	-	-	10.30 3.30 - 12.00	3.024 0.530 - 4.064	13.88	13.28	99
15+15+15+80	1.25	1.25	1.25	6.66	-	-	10.40 3.40 - 12.20	3.104 0.530 - 4.124	14.25	13.63	99
15+15+20+20	1.50	1.50	2.00	2.00	-	-	7.00 3.20 - 9.30	1.718 0.530 - 3.958	7.89	7.55	99
15+15+20+22	1.50	1.50	2.00	2.20	-	-	7.20 3.20 - 9.50	1.781 0.530 - 3.931	8.18	7.82	99
15+15+20+25	1.50	1.50	2.00	2.50	-	-	7.50 3.20 - 9.80	1.881 0.530 - 3.901	8.64	8.26	99
15+15+20+35	1.50	1.50	2.00	3.50	-	-	8.50 3.30 - 10.70	2.221 0.530 - 3.801	10.19	9.75	99
15+15+20+42	1.50	1.50	2.00	4.20 *	-	-	9.20 3.30 - 11.30	2.505 0.530 - 3.835	11.50	11.00	99
15+15+20+50	1.50	1.50	2.00	5.00 *	-	-	10.00 3.30 - 11.80	2.885 0.530 - 3.965	13.25	12.67	99
15+15+20+60	1.39	1.39	1.85	5.56	-	-	10.20 3.30 - 12.00	2.968 0.530 - 4.018	13.62	13.03	99
15+15+20+71	1.29	1.29	1.72	6.10	-	-	10.40 3.40 - 12.10	3.072 0.530 - 4.102	14.10	13.49	99
15+15+20+80	1.21	1.21	1.62	6.46	-	-	10.50 3.40 - 12.30	3.152 0.530 - 4.152	14.47	13.84	99
15+15+22+22	1.50	1.50	2.20	2.20	-	-	7.40 3.20 - 9.70	1.844 0.530 - 3.904	8.47	8.10	99
15+15+22+25	1.50	1.50	2.20	2.50	-	-	7.70 3.20 - 10.00	1.944 0.530 - 3.874	8.93	8.54	99
15+15+22+35	1.50	1.50	2.20	3.50	-	-	8.70 3.30 - 10.90	2.284 0.530 - 3.774	10.49	10.03	99
15+15+22+42	1.50	1.50	2.20	4.20 *	-	-	9.40 3.30 - 11.40	2.598 0.530 - 3.858	11.93	11.41	99
15+15+22+50	1.47	1.47	2.16	4.90 *	-	-	10.00 3.30 - 11.80	2.898 0.530 - 3.968	13.31	12.73	99
15+15+22+60	1.37	1.37	2.00	5.46	-	-	10.20 3.30 - 12.00	2.971 0.530 - 4.021	13.64	13.05	99
15+15+22+71	1.27	1.27	1.86	6.00	-	-	10.40 3.40 - 12.10	3.085 0.530 - 4.105	14.17	13.55	99
15+15+22+80	1.20	1.20	1.77	6.42	-	-	10.60 3.40 - 12.30	3.155 0.530 - 4.155	14.49	13.86	99
15+15+25+25	1.50	1.50	2.50	2.50	-	-	8.00 3.20 - 10.30	2.044 0.530 - 3.844	9.39	8.98	99
15+15+25+35	1.50	1.50	2.50	3.50	-	-	9.00 3.30 - 11.10	2.414 0.530 - 3.794	11.08	10.60	99
15+15+25+42	1.50	1.50	2.50	4.20 *	-	-	9.70 3.30 - 11.60	2.738 0.530 - 3.908	12.57	12.02	99
15+15+25+50	1.44	1.44	2.40	4.81 *	-	-	10.10 3.30 - 11.90	2.928 0.530 - 3.998	13.44	12.86	99
15+15+25+60	1.34	1.34	2.24	5.37	-	-	10.30 3.30 - 12.00	3.001 0.530 - 4.051	13.78	13.18	99
15+15+25+71	1.25	1.25	2.08	5.92	-	-	10.50 3.40 - 12.20	3.115 0.530 - 4.125	14.30	13.68	99
15+15+25+80	1.18	1.18	1.96	6.28	-	-	10.60 3.40 - 12.30	3.185 0.530 - 4.185	14.63	13.99	99
15+15+35+35	1.50	1.50	3.50	3.50	-	-	10.00 3.30 - 11.80	2.884 0.530 - 3.964	13.25	12.67	99
15+15+35+42	1.42	1.42	3.30	3.96 *	-	-	10.10 3.30 - 11.90	2.948 0.530 - 4.008	13.54	12.95	99
15+15+35+50	1.34	1.34	3.13	4.48 *	-	-	10.30 3.30 - 12.00	3.018 0.530 - 4.068	13.85	13.25	99
15+15+35+60	1.25	1.25	2.91	4.99	-	-	10.40 3.40 - 12.20	3.101 0.530 - 4.121	14.24	13.62	99
15+15+35+71	1.17	1.17	2.73	5.53	-	-	10.60 3.40 - 12.30	3.205 0.530 - 4.195	14.72	14.08	99
15+15+35+80	1.11	1.11	2.58	5.90	-	-	10.70 3.40 - 12.40	3.245 0.530 - 4.225	14.90	14.25	99
15+15+42+42	1.34	1.34	3.76 *	3.76 *	-	-	10.20 3.30 - 12.00	3.002 0.530 - 4.052	13.78	13.18	99
15+15+42+50	1.28	1.28	3.58 *	4.26 *	-	-	10.40 3.40 - 12.10	3.082 0.530 - 4.102	14.16	13.54	99
15+15+42+60	1.20	1.20	3.37 *	4.82	-	-	10.60 3.40 - 12.30	3.155 0.530 - 4.155	14.49	13.86	99
15+15+42+71	1.12	1.12	3.14 *	5.31	-	-	10.70 3.40 - 12.40	3.249 0.530 - 4.229	14.92	14.27	99
15+15+42+80	1.06	1.06	2.96 *	5.63	-	-	10.70 3.40 - 12.40	3.259 0.530 - 4.239	14.96	14.31	99
15+15+50+50	1.21	1.21	4.04 *	4.04 *	-	-	10.50 3.40 - 12.30	3.162 0.530 - 4.162	14.52	13.89	99
15+15+50+60	1.15	1.15	3.82 *	4.59	-	-	10.70 3.40 - 12.40	3.235 0.530 - 4.215	14.86	14.21	99
15+15+50+71	1.06	1.06	3.54 *	5.03	-	-	10.70 3.40 - 12.40	3.269 0.530 - 4.249	15.01	14.36	99
15+15+50+80	1.01	1.01	3.38 *	5.40	-	-	10.80 3.40 - 12.50	3.289 0.530 - 4.259	15.10	14.44	99
15+15+60+60	1.07	1.07	4.28	4.28	-	-	10.70 3.40 - 12.40	3.248 0.530 - 4.228	14.91	14.26	99
15+15+60+71	1.01	1.01	4.02	4.76	-	-	10.80 3.40 - 12.50	3.282 0.530 - 4.252	15.07	14.41	99
15+15+60+80	0.95	0.95	3.81	5.08	-	-	10.80 3.40 - 12.50	3.292 0.530 - 4.262	15.12	14.46	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+71+71	0.94	0.94	4.46	4.46	-	-	10.80 3.40 - 12.50	3.306 0.530 - 4.276	15.18	14.52	99
15+20+20+20	1.50	2.00	2.00	2.00	-	-	7.50 3.20 - 9.80	1.886 0.530 - 3.906	8.66	8.28	99
15+20+20+22	1.50	2.00	2.00	2.20	-	-	7.70 3.20 - 10.00	1.949 0.530 - 3.879	8.95	8.56	99
15+20+20+25	1.50	2.00	2.00	2.50	-	-	8.00 3.20 - 10.30	2.049 0.530 - 3.849	9.41	9.00	99
15+20+20+35	1.50	2.00	2.00	3.50	-	-	9.00 3.30 - 11.10	2.419 0.530 - 3.799	11.10	10.62	99
15+20+20+42	1.50	2.00	2.00	4.20 *	-	-	9.70 3.30 - 11.60	2.743 0.530 - 3.913	12.60	12.05	99
15+20+20+50	1.44	1.92	1.92	4.81 *	-	-	10.10 3.30 - 11.90	2.933 0.530 - 4.003	13.47	12.88	99
15+20+20+60	1.34	1.79	1.79	5.37	-	-	10.30 3.30 - 12.00	3.006 0.530 - 4.056	13.80	13.20	99
15+20+20+71	1.25	1.67	1.67	5.92	-	-	10.50 3.40 - 12.20	3.120 0.530 - 4.130	14.32	13.70	99
15+20+20+80	1.18	1.57	1.57	6.28	-	-	10.60 3.40 - 12.30	3.190 0.530 - 4.190	14.65	14.01	99
15+20+22+22	1.50	2.00	2.20	2.20	-	-	7.90 3.20 - 10.20	2.002 0.530 - 3.852	9.19	8.79	99
15+20+22+25	1.50	2.00	2.20	2.50	-	-	8.20 3.30 - 10.40	2.112 0.530 - 3.822	9.70	9.28	99
15+20+22+35	1.50	2.00	2.20	3.50	-	-	9.20 3.30 - 11.30	2.502 0.530 - 3.832	11.49	10.99	99
15+20+22+42	1.50	2.00	2.20	4.20 *	-	-	9.90 3.30 - 11.70	2.826 0.530 - 3.936	12.97	12.41	99
15+20+22+50	1.42	1.89	2.08	4.72 *	-	-	10.10 3.30 - 11.90	2.946 0.530 - 4.006	13.53	12.94	99
15+20+22+60	1.32	1.76	1.94	5.28	-	-	10.30 3.30 - 12.10	3.019 0.530 - 4.059	13.86	13.26	99
15+20+22+71	1.23	1.64	1.80	5.82	-	-	10.50 3.40 - 12.20	3.133 0.530 - 4.143	14.39	13.76	99
15+20+22+80	1.16	1.55	1.70	6.19	-	-	10.60 3.40 - 12.40	3.203 0.530 - 4.193	14.71	14.07	99
15+20+25+25	1.50	2.00	2.50	2.50	-	-	8.50 3.30 - 10.70	2.212 0.530 - 3.792	10.15	9.71	99
15+20+25+35	1.50	2.00	2.50	3.50	-	-	9.50 3.30 - 11.50	2.642 0.530 - 3.882	12.13	11.60	99
15+20+25+42	1.47	1.96	2.45	4.12 *	-	-	10.00 3.30 - 11.80	2.896 0.530 - 3.966	13.30	12.72	99
15+20+25+50	1.39	1.85	2.32	4.64 *	-	-	10.20 3.30 - 12.00	2.976 0.530 - 4.026	13.66	13.07	99
15+20+25+60	1.30	1.73	2.17	5.20	-	-	10.40 3.40 - 12.10	3.049 0.530 - 4.079	14.00	13.39	99
15+20+25+71	1.20	1.60	2.00	5.69	-	-	10.50 3.40 - 12.30	3.153 0.530 - 4.163	14.48	13.85	99
15+20+25+80	1.15	1.53	1.91	6.11	-	-	10.70 3.40 - 12.40	3.233 0.530 - 4.213	14.85	14.20	99
15+20+35+35	1.44	1.92	3.37	3.37	-	-	10.10 3.30 - 11.90	2.932 0.530 - 4.002	13.47	12.88	99
15+20+35+42	1.37	1.82	3.19	3.83 *	-	-	10.20 3.30 - 12.00	2.986 0.530 - 4.036	13.71	13.11	99
15+20+35+50	1.30	1.73	3.03	4.33 *	-	-	10.40 3.40 - 12.10	3.066 0.530 - 4.096	14.08	13.47	99
15+20+35+60	1.21	1.62	2.83	4.85	-	-	10.50 3.40 - 12.30	3.149 0.530 - 4.149	14.46	13.83	99
15+20+35+71	1.14	1.52	2.66	5.39	-	-	10.70 3.40 - 12.40	3.243 0.530 - 4.223	14.89	14.24	99
15+20+35+80	1.07	1.43	2.50	5.71	-	-	10.70 3.40 - 12.40	3.263 0.530 - 4.243	14.98	14.33	99
15+20+42+42	1.30	1.73	3.64 *	3.64 *	-	-	10.30 3.30 - 12.10	3.050 0.530 - 4.080	14.00	13.39	99
15+20+42+50	1.24	1.65	3.47 *	4.13 *	-	-	10.50 3.40 - 12.20	3.130 0.530 - 4.140	14.38	13.75	99
15+20+42+60	1.16	1.55	3.25 *	4.64	-	-	10.60 3.40 - 12.40	3.203 0.530 - 4.193	14.71	14.07	99
15+20+42+71	1.08	1.45	3.04 *	5.13	-	-	10.70 3.40 - 12.40	3.257 0.530 - 4.237	14.95	14.30	99
15+20+42+80	1.03	1.38	2.89 *	5.50	-	-	10.80 3.40 - 12.50	3.277 0.530 - 4.247	15.04	14.39	99
15+20+50+50	1.18	1.57	3.93 *	3.93 *	-	-	10.60 3.40 - 12.30	3.200 0.530 - 4.200	14.69	14.05	99
15+20+50+60	1.11	1.48	3.69 *	4.43	-	-	10.70 3.40 - 12.40	3.243 0.530 - 4.223	14.89	14.24	99
15+20+50+71	1.04	1.38	3.46 *	4.92	-	-	10.80 3.40 - 12.50	3.287 0.530 - 4.257	15.10	14.44	99
15+20+50+80	0.98	1.31	3.27 *	5.24	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
15+20+60+60	1.05	1.39	4.18	4.18	-	-	10.80 3.40 - 12.50	3.256 0.530 - 4.236	14.95	14.30	99
15+20+60+71	0.98	1.30	3.90	4.62	-	-	10.80 3.40 - 12.50	3.290 0.530 - 4.270	15.11	14.45	99
15+20+60+80	0.93	1.23	3.70	4.94	-	-	10.80 3.40 - 12.50	3.290 0.530 - 4.260	15.11	14.45	99
15+20+71+71	0.92	1.22	4.33	4.33	-	-	10.80 3.40 - 12.50	3.304 0.530 - 4.274	15.17	14.51	99
15+22+22+22	1.50	2.20	2.20	2.20	-	-	8.10 3.30 - 10.40	2.065 0.530 - 3.825	9.48	9.07	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+22+22+25	1.50	2.20	2.20	2.50	-	-	8.40 3.30 - 10.60	2.165 0.530 - 3.795	9.94	9.51	99
15+22+22+35	1.50	2.20	2.20	3.50	-	-	9.40 3.30 - 11.40	2.595 0.530 - 3.855	11.92	11.40	99
15+22+22+42	1.49	2.18	2.18	4.16 *	-	-	10.00 3.30 - 11.80	2.879 0.530 - 3.959	13.21	12.64	99
15+22+22+50	1.40	2.06	2.06	4.68 *	-	-	10.20 3.30 - 11.90	2.959 0.530 - 4.009	13.59	13.00	99
15+22+22+60	1.30	1.90	1.90	5.19	-	-	10.30 3.30 - 12.10	3.032 0.530 - 4.062	13.93	13.32	99
15+22+22+71	1.21	1.78	1.78	5.73	-	-	10.50 3.40 - 12.30	3.146 0.530 - 4.146	14.45	13.82	99
15+22+22+80	1.15	1.69	1.69	6.16	-	-	10.70 3.40 - 12.40	3.216 0.530 - 4.196	14.76	14.12	99
15+22+25+25	1.50	2.20	2.50	2.50	-	-	8.70 3.30 - 10.90	2.275 0.530 - 3.765	10.44	9.99	99
15+22+25+35	1.50	2.20	2.50	3.50	-	-	9.70 3.30 - 11.60	2.735 0.530 - 3.905	12.56	12.01	99
15+22+25+42	1.46	2.14	2.43	4.08 *	-	-	10.10 3.30 - 11.90	2.909 0.530 - 3.979	13.36	12.78	99
15+22+25+50	1.37	2.00	2.28	4.55 *	-	-	10.20 3.30 - 12.00	2.979 0.530 - 4.029	13.67	13.08	99
15+22+25+60	1.28	1.88	2.13	5.11	-	-	10.40 3.40 - 12.10	3.062 0.530 - 4.082	14.06	13.45	99
15+22+25+71	1.20	1.75	1.99	5.66	-	-	10.60 3.40 - 12.30	3.166 0.530 - 4.166	14.53	13.90	99
15+22+25+80	1.13	1.66	1.88	6.03	-	-	10.70 3.40 - 12.40	3.236 0.530 - 4.216	14.86	14.21	99
15+22+35+35	1.42	2.08	3.30	3.30	-	-	10.10 3.30 - 11.90	2.945 0.530 - 4.005	13.52	12.93	99
15+22+35+42	1.34	1.97	3.13	3.76 *	-	-	10.20 3.30 - 12.00	2.999 0.530 - 4.049	13.77	13.17	99
15+22+35+50	1.28	1.88	2.98	4.26 *	-	-	10.40 3.40 - 12.10	3.079 0.530 - 4.099	14.13	13.52	99
15+22+35+60	1.20	1.77	2.81	4.82	-	-	10.60 3.40 - 12.30	3.152 0.530 - 4.152	14.47	13.84	99
15+22+35+71	1.12	1.65	2.62	5.31	-	-	10.70 3.40 - 12.40	3.246 0.530 - 4.226	14.91	14.26	99
15+22+35+80	1.06	1.55	2.46	5.63	-	-	10.70 3.40 - 12.40	3.256 0.530 - 4.236	14.95	14.30	99
15+22+42+42	1.29	1.89	3.61 *	3.61 *	-	-	10.40 3.40 - 12.10	3.063 0.530 - 4.093	14.06	13.45	99
15+22+42+50	1.22	1.79	3.42 *	4.07 *	-	-	10.50 3.40 - 12.20	3.143 0.530 - 4.143	14.43	13.80	99
15+22+42+60	1.15	1.69	3.23 *	4.62	-	-	10.70 3.40 - 12.40	3.216 0.530 - 4.196	14.76	14.12	99
15+22+42+71	1.07	1.57	3.00 *	5.06	-	-	10.70 3.40 - 12.40	3.260 0.530 - 4.240	14.97	14.32	99
15+22+42+80	1.02	1.49	2.85 *	5.43	-	-	10.80 3.40 - 12.50	3.270 0.530 - 4.250	15.01	14.36	99
15+22+50+50	1.16	1.70	3.87 *	3.87 *	-	-	10.60 3.40 - 12.40	3.213 0.530 - 4.203	14.75	14.11	99
15+22+50+60	1.09	1.60	3.64 *	4.37	-	-	10.70 3.40 - 12.40	3.246 0.530 - 4.226	14.91	14.26	99
15+22+50+71	1.03	1.50	3.42 *	4.85	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.260	15.05	14.40	99
15+22+50+80	0.97	1.42	3.23 *	5.17	-	-	10.80 3.40 - 12.50	3.300 0.530 - 4.270	15.15	14.49	99
15+22+60+60	1.03	1.51	4.13	4.13	-	-	10.80 3.40 - 12.50	3.259 0.530 - 4.229	14.96	14.31	99
15+22+60+71	0.96	1.41	3.86	4.56	-	-	10.80 3.40 - 12.50	3.293 0.530 - 4.263	15.12	14.46	99
15+22+60+80	0.92	1.34	3.66	4.88	-	-	10.80 3.40 - 12.50	3.283 0.530 - 4.253	15.08	14.42	99
15+22+71+71	0.91	1.33	4.28	4.28	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
15+25+25+25	1.50	2.50	2.50	2.50	-	-	9.00 3.30 - 11.10	2.405 0.530 - 3.785	11.04	10.56	99
15+25+25+35	1.50	2.50	2.50	3.50	-	-	10.00 3.30 - 11.80	2.875 0.530 - 3.955	13.20	12.63	99
15+25+25+42	1.42	2.36	2.36	3.96 *	-	-	10.10 3.30 - 11.90	2.939 0.530 - 3.999	13.50	12.91	99
15+25+25+50	1.34	2.24	2.24	4.48 *	-	-	10.30 3.30 - 12.00	3.009 0.530 - 4.059	13.81	13.21	99
15+25+25+60	1.25	2.08	2.08	4.99	-	-	10.40 3.40 - 12.20	3.092 0.530 - 4.112	14.20	13.58	99
15+25+25+71	1.17	1.95	1.95	5.53	-	-	10.60 3.40 - 12.30	3.196 0.530 - 4.186	14.68	14.04	99
15+25+25+80	1.11	1.84	1.84	5.90	-	-	10.70 3.40 - 12.40	3.236 0.530 - 4.216	14.86	14.21	99
15+25+35+35	1.39	2.32	3.25	3.25	-	-	10.20 3.30 - 12.00	2.975 0.530 - 4.025	13.66	13.07	99
15+25+35+42	1.32	2.20	3.08	3.70 *	-	-	10.30 3.30 - 12.10	3.029 0.530 - 4.069	13.90	13.30	99
15+25+35+50	1.25	2.08	2.91	4.16 *	-	-	10.40 3.40 - 12.20	3.109 0.530 - 4.129	14.27	13.65	99
15+25+35+60	1.18	1.96	2.75	4.71	-	-	10.60 3.40 - 12.30	3.182 0.530 - 4.182	14.61	13.97	99
15+25+35+71	1.10	1.83	2.57	5.20	-	-	10.70 3.40 - 12.40	3.256 0.530 - 4.236	14.95	14.30	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+25+35+80	1.05	1.74	2.44	5.57	-	-	10.80 3.40 - 12.50	3.266 0.530 - 4.246	14.99	14.34	99
15+25+42+42	1.26	2.10	3.52 *	3.52 *	-	-	10.40 3.40 - 12.20	3.093 0.530 - 4.113	14.20	13.58	99
15+25+42+50	1.20	2.01	3.37 *	4.02 *	-	-	10.60 3.40 - 12.30	3.163 0.530 - 4.163	14.52	13.89	99
15+25+42+60	1.13	1.88	3.16 *	4.52	-	-	10.70 3.40 - 12.40	3.236 0.530 - 4.216	14.86	14.21	99
15+25+42+71	1.05	1.75	2.94 *	4.97	-	-	10.70 3.40 - 12.40	3.270 0.530 - 4.240	15.01	14.36	99
15+25+42+80	1.00	1.67	2.80 *	5.33	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.260	15.05	14.40	99
15+25+50+50	1.15	1.91	3.82 *	3.82 *	-	-	10.70 3.40 - 12.40	3.243 0.530 - 4.223	14.89	14.24	99
15+25+50+60	1.07	1.78	3.57 *	4.28	-	-	10.70 3.40 - 12.40	3.256 0.530 - 4.236	14.95	14.30	99
15+25+50+71	1.01	1.68	3.35 *	4.76	-	-	10.80 3.40 - 12.50	3.290 0.530 - 4.260	15.11	14.45	99
15+25+50+80	0.95	1.59	3.18 *	5.08	-	-	10.80 3.40 - 12.50	3.300 0.530 - 4.270	15.15	14.49	99
15+25+60+60	1.01	1.69	4.05	4.05	-	-	10.80 3.40 - 12.50	3.269 0.530 - 4.239	15.01	14.36	99
15+25+60+71	0.95	1.58	3.79	4.48	-	-	10.80 3.40 - 12.50	3.293 0.530 - 4.263	15.12	14.46	99
15+25+60+80	0.90	1.50	3.60	4.80	-	-	10.80 3.40 - 12.50	3.283 0.530 - 4.253	15.08	14.42	99
15+35+35+35	1.30	3.03	3.03	3.03	-	-	10.40 3.40 - 12.10	3.065 0.530 - 4.095	14.07	13.46	99
15+35+35+42	1.24	2.89	2.89	3.47 *	-	-	10.50 3.40 - 12.20	3.129 0.530 - 4.139	14.36	13.74	99
15+35+35+50	1.18	2.75	2.75	3.93 *	-	-	10.60 3.40 - 12.30	3.199 0.530 - 4.199	14.69	14.05	99
15+35+35+60	1.11	2.58	2.58	4.43	-	-	10.70 3.40 - 12.40	3.242 0.530 - 4.222	14.89	14.24	99
15+35+35+71	1.04	2.42	2.42	4.92	-	-	10.80 3.40 - 12.50	3.286 0.530 - 4.256	15.09	14.43	99
15+35+35+80	0.98	2.29	2.29	5.24	-	-	10.80 3.40 - 12.50	3.296 0.530 - 4.266	15.14	14.48	99
15+35+42+42	1.19	2.77	3.32 *	3.32 *	-	-	10.60 3.40 - 12.30	3.183 0.530 - 4.183	14.62	13.98	99
15+35+42+50	1.13	2.64	3.16 *	3.77 *	-	-	10.70 3.40 - 12.40	3.253 0.530 - 4.233	14.94	14.29	99
15+35+42+60	1.06	2.46	2.96 *	4.22	-	-	10.70 3.40 - 12.40	3.256 0.530 - 4.236	14.95	14.30	99
15+35+42+71	0.99	2.32	2.78 *	4.70	-	-	10.80 3.40 - 12.50	3.300 0.530 - 4.270	15.15	14.49	99
15+35+42+80	0.94	2.20	2.64 *	5.02	-	-	10.80 3.40 - 12.50	3.300 0.530 - 4.270	15.15	14.49	99
15+35+50+50	1.07	2.50	3.57 *	3.57 *	-	-	10.70 3.40 - 12.40	3.273 0.530 - 4.253	15.02	14.37	99
15+35+50+60	1.01	2.36	3.38 *	4.05	-	-	10.80 3.40 - 12.50	3.286 0.530 - 4.256	15.09	14.43	99
15+35+50+71	0.95	2.21	3.16 *	4.48	-	-	10.80 3.40 - 12.50	3.310 0.530 - 4.280	15.20	14.54	99
15+35+50+80	0.90	2.10	3.00 *	4.80	-	-	10.80 3.40 - 12.50	3.300 0.530 - 4.270	15.15	14.49	99
15+35+60+60	0.95	2.22	3.81	3.81	-	-	10.80 3.40 - 12.50	3.289 0.530 - 4.259	15.10	14.44	99
15+42+42+42	1.14	3.19	3.19 *	3.19 *	-	-	10.70 3.40 - 12.40	3.237 0.530 - 4.217	14.87	14.22	99
15+42+42+50	1.08	3.02	3.02 *	3.59 *	-	-	10.70 3.40 - 12.40	3.267 0.530 - 4.237	15.00	14.35	99
15+42+42+60	1.02	2.85	2.85 *	4.08	-	-	10.80 3.40 - 12.50	3.270 0.530 - 4.250	15.01	14.36	99
15+42+42+71	0.95	2.67	2.67 *	4.51	-	-	10.80 3.40 - 12.50	3.304 0.530 - 4.274	15.17	14.51	99
15+42+42+80	0.91	2.53	2.53 *	4.83	-	-	10.80 3.40 - 12.50	3.294 0.530 - 4.264	15.13	14.47	99
15+42+50+50	1.03	2.89	3.44 *	3.44 *	-	-	10.80 3.40 - 12.50	3.287 0.530 - 4.257	15.10	14.44	99
15+42+50+60	0.97	2.72	3.23 *	3.88	-	-	10.80 3.40 - 12.50	3.300 0.530 - 4.270	15.15	14.49	99
15+42+50+71	0.91	2.55	3.03 *	4.31	-	-	10.80 3.40 - 12.50	3.304 0.530 - 4.274	15.17	14.51	99
15+42+60+60	0.92	2.56	3.66	3.66	-	-	10.80 3.40 - 12.50	3.283 0.530 - 4.253	15.08	14.42	99
15+50+50+50	0.98	3.27	3.27 *	3.27 *	-	-	10.80 3.40 - 12.50	3.307 0.530 - 4.277	15.18	14.52	99
15+50+50+60	0.93	3.09	3.09 *	3.70	-	-	10.80 3.40 - 12.50	3.300 0.530 - 4.270	15.15	14.49	99
20+20+20+20	2.00	2.00	2.00	2.00	-	-	8.00 3.20 - 10.30	2.054 0.530 - 3.854	9.43	9.02	99
20+20+20+22	2.00	2.00	2.00	2.20	-	-	8.20 3.30 - 10.40	2.117 0.530 - 3.827	9.72	9.30	99
20+20+20+25	2.00	2.00	2.00	2.50	-	-	8.50 3.30 - 10.70	2.217 0.530 - 3.797	10.18	9.74	99
20+20+20+35	2.00	2.00	2.00	3.50	-	-	9.50 3.30 - 11.50	2.647 0.530 - 3.887	12.15	11.62	99
20+20+20+42	1.96	1.96	1.96	4.12 *	-	-	10.00 3.30 - 11.80	2.901 0.530 - 3.971	13.32	12.74	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+20+20+50	1.85	1.85	1.85	4.64 *	-	-	10.20 3.30 - 12.00	2.981 0.530 - 4.031	13.69	13.09	99
20+20+20+60	1.73	1.73	1.73	5.20	-	-	10.40 3.40 - 12.10	3.054 0.530 - 4.084	14.02	13.41	99
20+20+20+71	1.60	1.60	1.60	5.69	-	-	10.50 3.40 - 12.30	3.158 0.530 - 4.168	14.50	13.87	99
20+20+20+80	1.53	1.53	1.53	6.11	-	-	10.70 3.40 - 12.40	3.238 0.530 - 4.218	14.87	14.22	99
20+20+22+22	2.00	2.00	2.20	2.20	-	-	8.40 3.30 - 10.60	2.170 0.530 - 3.800	9.96	9.53	99
20+20+22+25	2.00	2.00	2.20	2.50	-	-	8.70 3.30 - 10.90	2.280 0.530 - 3.770	10.47	10.01	99
20+20+22+35	2.00	2.00	2.20	3.50	-	-	9.70 3.30 - 11.60	2.740 0.530 - 3.910	12.58	12.03	99
20+20+22+42	1.94	1.94	2.14	4.08 *	-	-	10.10 3.30 - 11.90	2.914 0.530 - 3.984	13.38	12.80	99
20+20+22+50	1.82	1.82	2.00	4.55 *	-	-	10.20 3.30 - 12.00	2.984 0.530 - 4.034	13.70	13.10	99
20+20+22+60	1.70	1.70	1.88	5.11	-	-	10.40 3.40 - 12.10	3.067 0.530 - 4.087	14.08	13.47	99
20+20+22+71	1.59	1.59	1.75	5.66	-	-	10.60 3.40 - 12.30	3.171 0.530 - 4.171	14.56	13.93	99
20+20+22+80	1.51	1.51	1.66	6.03	-	-	10.70 3.40 - 12.40	3.241 0.530 - 4.221	14.88	14.23	99
20+20+25+25	2.00	2.00	2.50	2.50	-	-	9.00 3.30 - 11.10	2.410 0.530 - 3.790	11.06	10.58	99
20+20+25+35	2.00	2.00	2.50	3.50	-	-	10.00 3.30 - 11.80	2.880 0.530 - 3.960	13.23	12.65	99
20+20+25+42	1.89	1.89	2.36	3.96 *	-	-	10.10 3.30 - 11.90	2.944 0.530 - 4.004	13.52	12.93	99
20+20+25+50	1.79	1.79	2.24	4.48 *	-	-	10.30 3.30 - 12.00	3.014 0.530 - 4.064	13.84	13.24	99
20+20+25+60	1.66	1.66	2.08	4.99	-	-	10.40 3.40 - 12.20	3.097 0.530 - 4.117	14.22	13.60	99
20+20+25+71	1.56	1.56	1.95	5.53	-	-	10.60 3.40 - 12.30	3.201 0.530 - 4.191	14.70	14.06	99
20+20+25+80	1.48	1.48	1.84	5.90	-	-	10.70 3.40 - 12.40	3.241 0.530 - 4.221	14.88	14.23	99
20+20+35+35	1.85	1.85	3.25	3.25	-	-	10.20 3.30 - 12.00	2.980 0.530 - 4.030	13.69	13.09	99
20+20+35+42	1.76	1.76	3.08	3.70 *	-	-	10.30 3.30 - 12.10	3.034 0.530 - 4.074	13.93	13.32	99
20+20+35+50	1.66	1.66	2.91	4.16 *	-	-	10.40 3.40 - 12.20	3.114 0.530 - 4.134	14.30	13.68	99
20+20+35+60	1.57	1.57	2.75	4.71	-	-	10.60 3.40 - 12.30	3.187 0.530 - 4.187	14.64	14.00	99
20+20+35+71	1.47	1.47	2.57	5.20	-	-	10.70 3.40 - 12.40	3.261 0.530 - 4.241	14.97	14.32	99
20+20+35+80	1.39	1.39	2.44	5.57	-	-	10.80 3.40 - 12.50	3.271 0.530 - 4.251	15.02	14.37	99
20+20+42+42	1.68	1.68	3.52 *	3.52 *	-	-	10.40 3.40 - 12.20	3.098 0.530 - 4.118	14.23	13.61	99
20+20+42+50	1.61	1.61	3.37 *	4.02 *	-	-	10.60 3.40 - 12.30	3.168 0.530 - 4.168	14.54	13.91	99
20+20+42+60	1.51	1.51	3.16 *	4.52	-	-	10.70 3.40 - 12.40	3.241 0.530 - 4.221	14.88	14.23	99
20+20+42+71	1.40	1.40	2.94 *	4.97	-	-	10.70 3.40 - 12.40	3.275 0.530 - 4.245	15.03	14.38	99
20+20+42+80	1.33	1.33	2.80 *	5.33	-	-	10.80 3.40 - 12.50	3.285 0.530 - 4.265	15.09	14.43	99
20+20+50+50	1.53	1.53	3.82 *	3.82 *	-	-	10.70 3.40 - 12.40	3.248 0.530 - 4.228	14.91	14.26	99
20+20+50+60	1.43	1.43	3.57 *	4.28	-	-	10.70 3.40 - 12.40	3.261 0.530 - 4.241	14.97	14.32	99
20+20+50+71	1.34	1.34	3.35 *	4.76	-	-	10.80 3.40 - 12.50	3.295 0.530 - 4.265	15.13	14.47	99
20+20+50+80	1.27	1.27	3.18 *	5.08	-	-	10.80 3.40 - 12.50	3.305 0.530 - 4.275	15.17	14.51	99
20+20+60+60	1.35	1.35	4.05	4.05	-	-	10.80 3.40 - 12.50	3.274 0.530 - 4.244	15.03	14.38	99
20+20+60+71	1.26	1.26	3.79	4.48	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
20+20+60+80	1.20	1.20	3.60	4.80	-	-	10.80 3.40 - 12.50	3.288 0.530 - 4.258	15.10	14.44	99
20+22+22+22	2.00	2.20	2.20	2.20	-	-	8.60 3.30 - 10.80	2.233 0.530 - 3.773	10.26	9.81	99
20+22+22+25	2.00	2.20	2.20	2.50	-	-	8.90 3.30 - 11.10	2.353 0.530 - 3.773	10.80	10.33	99
20+22+22+35	2.00	2.20	2.20	3.50	-	-	9.90 3.30 - 11.70	2.823 0.530 - 3.933	12.96	12.40	99
20+22+22+42	1.91	2.10	2.10	4.00 *	-	-	10.10 3.30 - 11.90	2.927 0.530 - 3.987	13.43	12.85	99
20+22+22+50	1.79	1.97	1.97	4.47 *	-	-	10.20 3.30 - 12.00	2.997 0.530 - 4.047	13.76	13.16	99
20+22+22+60	1.68	1.85	1.85	5.03	-	-	10.40 3.40 - 12.20	3.080 0.530 - 4.100	14.15	13.53	99
20+22+22+71	1.57	1.73	1.73	5.57	-	-	10.60 3.40 - 12.30	3.184 0.530 - 4.184	14.62	13.98	99
20+22+22+80	1.49	1.63	1.63	5.94	-	-	10.70 3.40 - 12.40	3.234 0.530 - 4.214	14.85	14.20	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+22+25+25	2.00	2.20	2.50	2.50	-	-	9.20 3.30 - 11.30	2.493 0.530 - 3.823	11.45	10.95	99
20+22+25+35	1.96	2.16	2.45	3.43	-	-	10.00 3.30 - 11.80	2.893 0.530 - 3.963	13.29	12.71	99
20+22+25+42	1.87	2.06	2.34	3.93 *	-	-	10.20 3.30 - 11.90	2.957 0.530 - 4.007	13.58	12.99	99
20+22+25+50	1.76	1.94	2.20	4.40 *	-	-	10.30 3.30 - 12.10	3.027 0.530 - 4.067	13.89	13.29	99
20+22+25+60	1.65	1.82	2.07	4.96	-	-	10.50 3.40 - 12.20	3.110 0.530 - 4.120	14.28	13.66	99
20+22+25+71	1.55	1.71	1.94	5.51	-	-	10.70 3.40 - 12.40	3.214 0.530 - 4.204	14.76	14.12	99
20+22+25+80	1.46	1.60	1.82	5.82	-	-	10.70 3.40 - 12.40	3.244 0.530 - 4.224	14.90	14.25	99
20+22+35+35	1.82	2.00	3.19	3.19	-	-	10.20 3.30 - 12.00	2.983 0.530 - 4.033	13.70	13.10	99
20+22+35+42	1.73	1.90	3.03	3.64 *	-	-	10.30 3.30 - 12.10	3.047 0.530 - 4.077	13.99	13.38	99
20+22+35+50	1.65	1.82	2.89	4.13 *	-	-	10.50 3.40 - 12.20	3.127 0.530 - 4.137	14.35	13.73	99
20+22+35+60	1.55	1.70	2.71	4.64	-	-	10.60 3.40 - 12.40	3.200 0.530 - 4.190	14.69	14.05	99
20+22+35+71	1.45	1.59	2.53	5.13	-	-	10.70 3.40 - 12.40	3.254 0.530 - 4.234	14.94	14.29	99
20+22+35+80	1.38	1.51	2.41	5.50	-	-	10.80 3.40 - 12.50	3.274 0.530 - 4.244	15.03	14.38	99
20+22+42+42	1.67	1.83	3.50 *	3.50 *	-	-	10.50 3.40 - 12.20	3.111 0.530 - 4.121	14.28	13.66	99
20+22+42+50	1.58	1.74	3.32 *	3.96 *	-	-	10.60 3.40 - 12.30	3.181 0.530 - 4.181	14.61	13.97	99
20+22+42+60	1.49	1.63	3.12 *	4.46	-	-	10.70 3.40 - 12.40	3.234 0.530 - 4.214	14.85	14.20	99
20+22+42+71	1.39	1.53	2.93 *	4.95	-	-	10.80 3.40 - 12.50	3.268 0.530 - 4.248	15.00	14.35	99
20+22+42+80	1.32	1.45	2.77 *	5.27	-	-	10.80 3.40 - 12.50	3.288 0.530 - 4.258	15.10	14.44	99
20+22+50+50	1.51	1.66	3.77 *	3.77 *	-	-	10.70 3.40 - 12.40	3.251 0.530 - 4.231	14.93	14.28	99
20+22+50+60	1.41	1.55	3.52 *	4.22	-	-	10.70 3.40 - 12.40	3.254 0.530 - 4.234	14.94	14.29	99
20+22+50+71	1.33	1.46	3.31 *	4.70	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
20+22+50+80	1.26	1.38	3.14 *	5.02	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
20+22+60+60	1.33	1.47	4.00	4.00	-	-	10.80 3.40 - 12.50	3.267 0.530 - 4.247	15.00	14.35	99
20+22+60+71	1.25	1.37	3.75	4.43	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
20+25+25+25	2.00	2.50	2.50	2.50	-	-	9.50 3.30 - 11.50	2.633 0.530 - 3.873	12.09	11.56	99
20+25+25+35	1.92	2.40	2.40	3.37	-	-	10.10 3.30 - 11.90	2.923 0.530 - 3.993	13.42	12.84	99
20+25+25+42	1.82	2.28	2.28	3.83 *	-	-	10.20 3.30 - 12.00	2.977 0.530 - 4.027	13.66	13.07	99
20+25+25+50	1.73	2.17	2.17	4.33 *	-	-	10.40 3.40 - 12.10	3.057 0.530 - 4.087	14.04	13.43	99
20+25+25+60	1.62	2.02	2.02	4.85	-	-	10.50 3.40 - 12.30	3.140 0.530 - 4.140	14.42	13.79	99
20+25+25+71	1.52	1.90	1.90	5.39	-	-	10.70 3.40 - 12.40	3.234 0.530 - 4.214	14.85	14.20	99
20+25+25+80	1.43	1.78	1.78	5.71	-	-	10.70 3.40 - 12.40	3.254 0.530 - 4.234	14.94	14.29	99
20+25+35+35	1.79	2.24	3.13	3.13	-	-	10.30 3.30 - 12.00	3.013 0.530 - 4.063	13.83	13.23	99
20+25+35+42	1.70	2.13	2.98	3.58 *	-	-	10.40 3.40 - 12.10	3.077 0.530 - 4.097	14.12	13.51	99
20+25+35+50	1.62	2.02	2.83	4.04 *	-	-	10.50 3.40 - 12.30	3.157 0.530 - 4.157	14.49	13.86	99
20+25+35+60	1.53	1.91	2.68	4.59	-	-	10.70 3.40 - 12.40	3.230 0.530 - 4.210	14.84	14.19	99
20+25+35+71	1.42	1.77	2.48	5.03	-	-	10.70 3.40 - 12.40	3.264 0.530 - 4.244	14.98	14.33	99
20+25+35+80	1.35	1.69	2.36	5.40	-	-	10.80 3.40 - 12.50	3.284 0.530 - 4.254	15.08	14.42	99
20+25+42+42	1.63	2.03	3.42 *	3.42 *	-	-	10.50 3.40 - 12.20	3.141 0.530 - 4.141	14.42	13.79	99
20+25+42+50	1.55	1.93	3.25 *	3.87 *	-	-	10.60 3.40 - 12.40	3.211 0.530 - 4.201	14.74	14.10	99
20+25+42+60	1.46	1.82	3.06 *	4.37	-	-	10.70 3.40 - 12.40	3.244 0.530 - 4.224	14.90	14.25	99
20+25+42+71	1.37	1.71	2.87 *	4.85	-	-	10.80 3.40 - 12.50	3.278 0.530 - 4.258	15.05	14.40	99
20+25+42+80	1.29	1.62	2.72 *	5.17	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
20+25+50+50	1.48	1.84	3.69 *	3.69 *	-	-	10.70 3.40 - 12.40	3.251 0.530 - 4.231	14.93	14.28	99
20+25+50+60	1.39	1.74	3.48 *	4.18	-	-	10.80 3.40 - 12.50	3.264 0.530 - 4.244	14.98	14.33	99
20+25+50+71	1.30	1.63	3.25 *	4.62	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.278	15.14	14.48	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+25+50+80	1.23	1.54	3.09 *	4.94	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
20+25+60+60	1.31	1.64	3.93	3.93	-	-	10.80 3.40 - 12.50	3.277 0.530 - 4.247	15.04	14.39	99
20+25+60+71	1.23	1.53	3.68	4.36	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
20+35+35+35	1.66	2.91	2.91	2.91	-	-	10.40 3.40 - 12.20	3.113 0.530 - 4.133	14.29	13.67	99
20+35+35+42	1.61	2.81	2.81	3.37 *	-	-	10.60 3.40 - 12.30	3.167 0.530 - 4.167	14.54	13.91	99
20+35+35+50	1.53	2.68	2.68	3.82 *	-	-	10.70 3.40 - 12.40	3.247 0.530 - 4.227	14.91	14.26	99
20+35+35+60	1.43	2.50	2.50	4.28	-	-	10.70 3.40 - 12.40	3.260 0.530 - 4.240	14.97	14.32	99
20+35+35+71	1.34	2.35	2.35	4.76	-	-	10.80 3.40 - 12.50	3.294 0.530 - 4.264	15.13	14.47	99
20+35+35+80	1.27	2.22	2.22	5.08	-	-	10.80 3.40 - 12.50	3.304 0.530 - 4.274	15.17	14.51	99
20+35+42+42	1.54	2.69	3.23 *	3.23 *	-	-	10.70 3.40 - 12.40	3.231 0.530 - 4.211	14.84	14.19	99
20+35+42+50	1.46	2.55	3.06 *	3.64 *	-	-	10.70 3.40 - 12.40	3.261 0.530 - 4.241	14.97	14.32	99
20+35+42+60	1.38	2.41	2.89 *	4.13	-	-	10.80 3.40 - 12.50	3.274 0.530 - 4.244	15.03	14.38	99
20+35+42+71	1.29	2.25	2.70 *	4.56	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	15.19	14.53	99
20+35+42+80	1.22	2.14	2.56 *	4.88	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
20+35+50+50	1.39	2.44	3.48 *	3.48 *	-	-	10.80 3.40 - 12.50	3.281 0.530 - 4.261	15.07	14.41	99
20+35+50+60	1.31	2.29	3.27 *	3.93	-	-	10.80 3.40 - 12.50	3.294 0.530 - 4.264	15.13	14.47	99
20+35+50+71	1.23	2.15	3.07 *	4.36	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	15.19	14.53	99
20+35+60+60	1.23	2.16	3.70	3.70	-	-	10.80 3.40 - 12.50	3.287 0.530 - 4.257	15.10	14.44	99
20+42+42+42	1.47	3.08	3.08 *	3.08 *	-	-	10.70 3.40 - 12.40	3.255 0.530 - 4.235	14.95	14.30	99
20+42+42+50	1.40	2.95	2.95 *	3.51 *	-	-	10.80 3.40 - 12.50	3.275 0.530 - 4.255	15.03	14.38	99
20+42+42+60	1.32	2.77	2.77 *	3.95	-	-	10.80 3.40 - 12.50	3.288 0.530 - 4.258	15.10	14.44	99
20+42+42+71	1.23	2.59	2.59 *	4.38	-	-	10.80 3.40 - 12.50	3.302 0.530 - 4.272	15.16	14.50	99
20+42+50+50	1.33	2.80	3.33 *	3.33 *	-	-	10.80 3.40 - 12.50	3.295 0.530 - 4.275	15.13	14.47	99
20+42+50+60	1.26	2.64	3.14 *	3.77	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
20+50+50+50	1.27	3.18	3.18 *	3.18 *	-	-	10.80 3.40 - 12.50	3.315 0.530 - 4.285	15.22	14.56	99
20+50+50+60	1.20	3.00	3.00 *	3.60	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
22+22+22+22	2.20	2.20	2.20	2.20	-	-	8.80 3.30 - 11.00	2.296 0.530 - 3.746	10.54	10.08	99
22+22+22+25	2.20	2.20	2.20	2.50	-	-	9.10 3.30 - 11.20	2.436 0.530 - 3.796	11.19	10.70	99
22+22+22+35	2.18	2.18	2.18	3.47	-	-	10.00 3.30 - 11.80	2.876 0.530 - 3.956	13.20	12.63	99
22+22+22+42	2.06	2.06	2.06	3.93 *	-	-	10.10 3.30 - 11.90	2.940 0.530 - 4.000	13.50	12.91	99
22+22+22+50	1.95	1.95	1.95	4.44 *	-	-	10.30 3.30 - 12.00	3.010 0.530 - 4.050	13.82	13.22	99
22+22+22+60	1.83	1.83	1.83	5.00	-	-	10.50 3.40 - 12.20	3.093 0.530 - 4.103	14.20	13.58	99
22+22+22+71	1.70	1.70	1.70	5.49	-	-	10.60 3.40 - 12.40	3.197 0.530 - 4.187	14.68	14.04	99
22+22+22+80	1.61	1.61	1.61	5.86	-	-	10.70 3.40 - 12.40	3.237 0.530 - 4.217	14.87	14.22	99
22+22+25+25	2.20	2.20	2.50	2.50	-	-	9.40 3.30 - 11.40	2.586 0.530 - 3.846	11.88	11.36	99
22+22+25+35	2.14	2.14	2.43	3.40	-	-	10.10 3.30 - 11.90	2.906 0.530 - 3.976	13.34	12.76	99
22+22+25+42	2.02	2.02	2.30	3.86 *	-	-	10.20 3.30 - 12.00	2.960 0.530 - 4.020	13.59	13.00	99
22+22+25+50	1.90	1.90	2.16	4.33 *	-	-	10.30 3.30 - 12.10	3.040 0.530 - 4.070	13.96	13.35	99
22+22+25+60	1.79	1.79	2.03	4.88	-	-	10.50 3.40 - 12.20	3.123 0.530 - 4.123	14.34	13.72	99
22+22+25+71	1.68	1.68	1.91	5.43	-	-	10.70 3.40 - 12.40	3.227 0.530 - 4.207	14.81	14.17	99
22+22+25+80	1.58	1.58	1.80	5.74	-	-	10.70 3.40 - 12.40	3.247 0.530 - 4.217	14.91	14.26	99
22+22+35+35	1.97	1.97	3.13	3.13	-	-	10.20 3.30 - 12.00	2.996 0.530 - 4.046	13.76	13.16	99
22+22+35+42	1.89	1.89	3.01	3.61 *	-	-	10.40 3.40 - 12.10	3.060 0.530 - 4.090	14.05	13.44	99
22+22+35+50	1.79	1.79	2.85	4.07 *	-	-	10.50 3.40 - 12.20	3.140 0.530 - 4.140	14.42	13.79	99
22+22+35+60	1.69	1.69	2.69	4.62	-	-	10.70 3.40 - 12.40	3.213 0.530 - 4.193	14.75	14.11	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
22+22+35+71	1.57	1.57	2.50	5.06	-	-	10.70 3.40 - 12.40	3.257 0.530 - 4.237	14.95	14.30	99
22+22+35+80	1.49	1.49	2.38	5.43	-	-	10.80 3.40 - 12.50	3.267 0.530 - 4.247	15.00	14.35	99
22+22+42+42	1.80	1.80	3.45 *	3.45 *	-	-	10.50 3.40 - 12.20	3.124 0.530 - 4.134	14.34	13.72	99
22+22+42+50	1.71	1.71	3.27 *	3.90 *	-	-	10.60 3.40 - 12.30	3.194 0.530 - 4.184	14.67	14.03	99
22+22+42+60	1.61	1.61	3.08 *	4.40	-	-	10.70 3.40 - 12.40	3.237 0.530 - 4.217	14.87	14.22	99
22+22+42+71	1.51	1.51	2.89 *	4.88	-	-	10.80 3.40 - 12.50	3.271 0.530 - 4.241	15.02	14.37	99
22+22+42+80	1.43	1.43	2.73 *	5.20	-	-	10.80 3.40 - 12.50	3.281 0.530 - 4.261	15.07	14.41	99
22+22+50+50	1.63	1.63	3.72 *	3.72 *	-	-	10.70 3.40 - 12.40	3.244 0.530 - 4.224	14.90	14.25	99
22+22+50+60	1.54	1.54	3.51 *	4.21	-	-	10.80 3.40 - 12.50	3.257 0.530 - 4.237	14.95	14.30	99
22+22+50+71	1.44	1.44	3.27 *	4.65	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
22+22+50+80	1.37	1.37	3.10 *	4.97	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
22+22+60+60	1.45	1.45	3.95	3.95	-	-	10.80 3.40 - 12.50	3.270 0.530 - 4.240	15.01	14.36	99
22+22+60+71	1.36	1.36	3.70	4.38	-	-	10.80 3.40 - 12.50	3.284 0.530 - 4.254	15.08	14.42	99
22+25+25+25	2.20	2.50	2.50	2.50	-	-	9.70 3.30 - 11.60	2.726 0.530 - 3.896	12.51	11.97	99
22+25+25+35	2.08	2.36	2.36	3.30	-	-	10.10 3.30 - 11.90	2.936 0.530 - 3.996	13.48	12.89	99
22+25+25+42	1.97	2.24	2.24	3.76 *	-	-	10.20 3.30 - 12.00	2.990 0.530 - 4.040	13.73	13.13	99
22+25+25+50	1.88	2.13	2.13	4.26 *	-	-	10.40 3.40 - 12.10	3.070 0.530 - 4.090	14.09	13.48	99
22+25+25+60	1.77	2.01	2.01	4.82	-	-	10.60 3.40 - 12.30	3.143 0.530 - 4.143	14.43	13.80	99
22+25+25+71	1.65	1.87	1.87	5.31	-	-	10.70 3.40 - 12.40	3.237 0.530 - 4.217	14.87	14.22	99
22+25+25+80	1.55	1.76	1.76	5.63	-	-	10.70 3.40 - 12.40	3.247 0.530 - 4.227	14.91	14.26	99
22+25+35+35	1.94	2.20	3.08	3.08	-	-	10.30 3.30 - 12.10	3.026 0.530 - 4.066	13.89	13.29	99
22+25+35+42	1.85	2.10	2.94	3.52 *	-	-	10.40 3.40 - 12.20	3.090 0.530 - 4.110	14.19	13.57	99
22+25+35+50	1.77	2.01	2.81	4.02 *	-	-	10.60 3.40 - 12.30	3.160 0.530 - 4.160	14.51	13.88	99
22+25+35+60	1.66	1.88	2.64	4.52	-	-	10.70 3.40 - 12.40	3.233 0.530 - 4.213	14.85	14.20	99
22+25+35+71	1.54	1.75	2.45	4.97	-	-	10.70 3.40 - 12.40	3.267 0.530 - 4.237	15.00	14.35	99
22+25+35+80	1.47	1.67	2.33	5.33	-	-	10.80 3.40 - 12.50	3.277 0.530 - 4.257	15.04	14.39	99
22+25+42+42	1.76	2.00	3.37 *	3.37 *	-	-	10.50 3.40 - 12.30	3.144 0.530 - 4.154	14.44	13.81	99
22+25+42+50	1.69	1.92	3.23 *	3.85 *	-	-	10.70 3.40 - 12.40	3.224 0.530 - 4.204	14.80	14.16	99
22+25+42+60	1.58	1.80	3.02 *	4.31	-	-	10.70 3.40 - 12.40	3.247 0.530 - 4.217	14.91	14.26	99
22+25+42+71	1.49	1.69	2.84 *	4.79	-	-	10.80 3.40 - 12.50	3.281 0.530 - 4.251	15.07	14.41	99
22+25+42+80	1.41	1.60	2.68 *	5.11	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
22+25+50+50	1.60	1.82	3.64 *	3.64 *	-	-	10.70 3.40 - 12.40	3.254 0.530 - 4.234	14.94	14.29	99
22+25+50+60	1.51	1.72	3.44 *	4.13	-	-	10.80 3.40 - 12.50	3.267 0.530 - 4.237	15.00	14.35	99
22+25+50+71	1.41	1.61	3.21 *	4.56	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	15.16	14.50	99
22+25+50+80	1.34	1.53	3.05 *	4.88	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
22+25+60+60	1.42	1.62	3.88	3.88	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	15.05	14.40	99
22+25+60+71	1.33	1.52	3.64	4.31	-	-	10.80 3.40 - 12.50	3.284 0.530 - 4.254	15.08	14.42	99
22+35+35+35	1.82	2.89	2.89	2.89	-	-	10.50 3.40 - 12.20	3.126 0.530 - 4.136	14.35	13.73	99
22+35+35+42	1.74	2.77	2.77	3.32 *	-	-	10.60 3.40 - 12.30	3.180 0.530 - 4.180	14.61	13.97	99
22+35+35+50	1.66	2.64	2.64	3.77 *	-	-	10.70 3.40 - 12.40	3.250 0.530 - 4.230	14.92	14.27	99
22+35+35+60	1.55	2.46	2.46	4.22	-	-	10.70 3.40 - 12.40	3.253 0.530 - 4.233	14.94	14.29	99
22+35+35+71	1.46	2.32	2.32	4.70	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
22+35+35+80	1.38	2.20	2.20	5.02	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
22+35+42+42	1.67	2.66	3.19 *	3.19 *	-	-	10.70 3.40 - 12.40	3.234 0.530 - 4.214	14.85	14.20	99
22+35+42+50	1.58	2.51	3.02 *	3.59 *	-	-	10.70 3.40 - 12.40	3.264 0.530 - 4.234	14.98	14.33	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
22+35+42+60	1.49	2.38	2.85 *	4.08	-	-	10.80 3.40 - 12.50	3.267 0.530 - 4.247	15.00	14.35	99
22+35+42+71	1.40	2.22	2.67 *	4.51	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	15.16	14.50	99
22+35+42+80	1.33	2.11	2.53 *	4.83	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
22+35+50+50	1.51	2.41	3.44 *	3.44 *	-	-	10.80 3.40 - 12.50	3.284 0.530 - 4.254	15.08	14.42	99
22+35+50+60	1.42	2.26	3.23 *	3.88	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
22+35+50+71	1.33	2.12	3.03 *	4.31	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	15.16	14.50	99
22+35+60+60	1.34	2.14	3.66	3.66	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	15.05	14.40	99
22+42+42+42	1.59	3.04	3.04 *	3.04 *	-	-	10.70 3.40 - 12.40	3.248 0.530 - 4.228	14.91	14.26	99
22+42+42+50	1.52	2.91	2.91 *	3.46 *	-	-	10.80 3.40 - 12.50	3.278 0.530 - 4.248	15.05	14.40	99
22+42+42+60	1.43	2.73	2.73 *	3.90	-	-	10.80 3.40 - 12.50	3.281 0.530 - 4.261	15.07	14.41	99
22+42+42+71	1.34	2.56	2.56 *	4.33	-	-	10.80 3.40 - 12.50	3.295 0.530 - 4.265	15.13	14.47	99
22+42+50+50	1.45	2.77	3.29 *	3.29 *	-	-	10.80 3.40 - 12.50	3.298 0.530 - 4.268	15.14	14.48	99
22+42+50+60	1.37	2.61	3.10 *	3.72	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
22+50+50+50	1.38	3.14	3.14 *	3.14 *	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	15.19	14.53	99
25+25+25+25	2.50	2.50	2.50	2.50	-	-	10.00 3.30 - 11.80	2.866 0.530 - 3.946	13.16	12.59	99
25+25+25+35	2.32	2.32	2.32	3.25	-	-	10.20 3.30 - 12.00	2.966 0.530 - 4.016	13.62	13.03	99
25+25+25+42	2.20	2.20	2.20	3.70 *	-	-	10.30 3.30 - 12.10	3.020 0.530 - 4.060	13.86	13.26	99
25+25+25+50	2.08	2.08	2.08	4.16 *	-	-	10.40 3.40 - 12.20	3.100 0.530 - 4.120	14.23	13.61	99
25+25+25+60	1.96	1.96	1.96	4.71	-	-	10.60 3.40 - 12.30	3.173 0.530 - 4.173	14.57	13.94	99
25+25+25+71	1.83	1.83	1.83	5.20	-	-	10.70 3.40 - 12.40	3.247 0.530 - 4.227	14.91	14.26	99
25+25+25+80	1.74	1.74	1.74	5.57	-	-	10.80 3.40 - 12.50	3.257 0.530 - 4.237	14.95	14.30	99
25+25+35+35	2.17	2.17	3.03	3.03	-	-	10.40 3.40 - 12.10	3.056 0.530 - 4.086	14.03	13.42	99
25+25+35+42	2.07	2.07	2.89	3.47 *	-	-	10.50 3.40 - 12.20	3.120 0.530 - 4.130	14.32	13.70	99
25+25+35+50	1.96	1.96	2.75	3.93 *	-	-	10.60 3.40 - 12.30	3.190 0.530 - 4.190	14.65	14.01	99
25+25+35+60	1.84	1.84	2.58	4.43	-	-	10.70 3.40 - 12.40	3.233 0.530 - 4.213	14.85	14.20	99
25+25+35+71	1.73	1.73	2.42	4.92	-	-	10.80 3.40 - 12.50	3.277 0.530 - 4.247	15.04	14.39	99
25+25+35+80	1.64	1.64	2.29	5.24	-	-	10.80 3.40 - 12.50	3.287 0.530 - 4.257	15.10	14.44	99
25+25+42+42	1.98	1.98	3.32 *	3.32 *	-	-	10.60 3.40 - 12.30	3.174 0.530 - 4.174	14.57	13.94	99
25+25+42+50	1.88	1.88	3.16 *	3.77 *	-	-	10.70 3.40 - 12.40	3.244 0.530 - 4.224	14.90	14.25	99
25+25+42+60	1.76	1.76	2.96 *	4.22	-	-	10.70 3.40 - 12.40	3.247 0.530 - 4.227	14.91	14.26	99
25+25+42+71	1.66	1.66	2.78 *	4.70	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
25+25+42+80	1.57	1.57	2.64 *	5.02	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
25+25+50+50	1.78	1.78	3.57 *	3.57 *	-	-	10.70 3.40 - 12.40	3.264 0.530 - 4.244	14.98	14.33	99
25+25+50+60	1.69	1.69	3.38 *	4.05	-	-	10.80 3.40 - 12.50	3.277 0.530 - 4.247	15.04	14.39	99
25+25+50+71	1.58	1.58	3.16 *	4.48	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	15.16	14.50	99
25+25+50+80	1.50	1.50	3.00 *	4.80	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
25+25+60+60	1.59	1.59	3.81	3.81	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	15.05	14.40	99
25+35+35+35	2.02	2.83	2.83	2.83	-	-	10.50 3.40 - 12.30	3.156 0.530 - 4.156	14.49	13.86	99
25+35+35+42	1.93	2.71	2.71	3.25 *	-	-	10.60 3.40 - 12.40	3.210 0.530 - 4.200	14.74	14.10	99
25+35+35+50	1.84	2.58	2.58	3.69 *	-	-	10.70 3.40 - 12.40	3.250 0.530 - 4.230	14.92	14.27	99
25+35+35+60	1.74	2.44	2.44	4.18	-	-	10.80 3.40 - 12.50	3.263 0.530 - 4.243	14.98	14.33	99
25+35+35+71	1.63	2.28	2.28	4.62	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.277	15.14	14.48	99
25+35+35+80	1.54	2.16	2.16	4.94	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
25+35+42+42	1.86	2.60	3.12 *	3.12 *	-	-	10.70 3.40 - 12.40	3.244 0.530 - 4.224	14.90	14.25	99
25+35+42+50	1.76	2.46	2.96 *	3.52 *	-	-	10.70 3.40 - 12.40	3.264 0.530 - 4.244	14.98	14.33	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
25+35+42+60	1.67	2.33	2.80 *	4.00	-	-	10.80 3.40 - 12.50	3.277 0.530 - 4.257	15.04	14.39	99
25+35+42+71	1.56	2.18	2.62 *	4.43	-	-	10.80 3.40 - 12.50	3.301 0.530 - 4.271	15.16	14.50	99
25+35+50+50	1.69	2.36	3.38 *	3.38 *	-	-	10.80 3.40 - 12.50	3.294 0.530 - 4.264	15.13	14.47	99
25+35+50+60	1.59	2.22	3.18 *	3.81	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
25+35+60+60	1.50	2.10	3.60	3.60	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.250	15.05	14.40	99
25+42+42+42	1.77	2.98	2.98 *	2.98 *	-	-	10.70 3.40 - 12.40	3.258 0.530 - 4.238	14.96	14.31	99
25+42+42+50	1.70	2.85	2.85 *	3.40 *	-	-	10.80 3.40 - 12.50	3.278 0.530 - 4.258	15.05	14.40	99
25+42+42+60	1.60	2.68	2.68 *	3.83	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
25+42+42+71	1.50	2.52	2.52 *	4.26	-	-	10.80 3.40 - 12.50	3.295 0.530 - 4.265	15.13	14.47	99
25+42+50+50	1.62	2.72	3.23 *	3.23 *	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	15.19	14.53	99
25+42+50+60	1.53	2.56	3.05 *	3.66	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
25+50+50+50	1.54	3.09	3.09 *	3.09 *	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	15.19	14.53	99
35+35+35+35	2.68	2.68	2.68	2.68	-	-	10.70 3.40 - 12.40	3.246 0.530 - 4.226	14.91	14.26	99
35+35+35+42	2.55	2.55	2.55	3.06 *	-	-	10.70 3.40 - 12.40	3.260 0.530 - 4.240	14.97	14.32	99
35+35+35+50	2.44	2.44	2.44	3.48 *	-	-	10.80 3.40 - 12.50	3.280 0.530 - 4.260	15.05	14.40	99
35+35+35+60	2.29	2.29	2.29	3.93	-	-	10.80 3.40 - 12.50	3.293 0.530 - 4.263	15.12	14.46	99
35+35+35+71	2.15	2.15	2.15	4.36	-	-	10.80 3.40 - 12.50	3.307 0.530 - 4.277	15.18	14.52	99
35+35+42+42	2.45	2.45	2.95 *	2.95 *	-	-	10.80 3.40 - 12.50	3.274 0.530 - 4.254	15.03	14.38	99
35+35+42+50	2.33	2.33	2.80 *	3.33 *	-	-	10.80 3.40 - 12.50	3.294 0.530 - 4.274	15.13	14.47	99
35+35+42+60	2.20	2.20	2.64 *	3.77	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
35+35+50+50	2.22	2.22	3.18 *	3.18 *	-	-	10.80 3.40 - 12.50	3.314 0.530 - 4.284	15.21	14.55	99
35+35+50+60	2.10	2.10	3.00 *	3.60	-	-	10.80 3.40 - 12.50	3.297 0.530 - 4.267	15.14	14.48	99
35+42+42+42	2.35	2.82	2.82 *	2.82 *	-	-	10.80 3.40 - 12.50	3.288 0.530 - 4.258	15.10	14.44	99
35+42+42+50	2.24	2.68	2.68 *	3.20 *	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	15.19	14.53	99
35+42+42+60	2.11	2.53	2.53 *	3.62	-	-	10.80 3.40 - 12.50	3.291 0.530 - 4.261	15.11	14.45	99
35+42+50+50	2.14	2.56	3.05 *	3.05 *	-	-	10.80 3.40 - 12.50	3.308 0.530 - 4.278	15.19	14.53	99
42+42+42+42	2.70	2.70	2.70 *	2.70 *	-	-	10.80 3.40 - 12.50	3.302 0.530 - 4.272	15.16	14.50	99
42+42+42+50	2.58	2.58	2.58 *	3.07 *	-	-	10.80 3.40 - 12.50	3.302 0.530 - 4.272	15.16	14.50	99
15+15+15+15+15	1.50	1.50	1.50	1.50	1.50	-	7.50 3.30 - 10.50	1.715 0.530 - 4.815	7.87	7.53	99
15+15+15+15+22	1.50	1.50	1.50	1.50	2.20	-	8.20 3.30 - 10.86	2.066 0.530 - 4.866	9.48	9.07	99
15+15+15+15+25	1.50	1.50	1.50	1.50	2.50	-	8.50 3.30 - 11.02	2.226 0.530 - 4.886	10.22	9.78	99
15+15+15+15+35	1.50	1.50	1.50	1.50	3.50	-	9.50 3.30 - 11.54	2.746 0.530 - 4.966	12.61	12.06	99
15+15+15+15+42	1.50	1.50	1.50	1.50	4.20 *	-	10.20 3.34 - 12.08	3.060 0.530 - 5.000	14.05	13.44	99
15+15+15+15+50	1.50	1.50	1.50	1.50	5.00 *	-	11.00 3.50 - 13.20	3.280 0.530 - 5.000	15.05	14.40	99
15+15+15+15+60	1.45	1.45	1.45	1.45	5.80	-	11.60 3.50 - 13.20	3.493 0.530 - 4.973	16.04	15.34	99
15+15+15+15+71	1.36	1.36	1.36	1.36	6.46	-	11.91 3.50 - 13.22	3.647 0.530 - 4.987	16.75	16.02	99
15+15+15+15+80	1.28	1.28	1.28	1.28	6.82	-	11.93 3.50 - 13.26	3.677 0.530 - 4.977	16.88	16.15	99
15+15+15+20+20	1.50	1.50	1.50	2.00	2.00	-	8.50 3.30 - 11.02	2.231 0.530 - 4.891	10.25	9.80	99
15+15+15+20+22	1.50	1.50	1.50	2.00	2.20	-	8.70 3.30 - 11.12	2.324 0.530 - 4.904	10.67	10.21	99
15+15+15+20+25	1.50	1.50	1.50	2.00	2.50	-	9.00 3.30 - 11.28	2.484 0.530 - 4.924	11.41	10.91	99
15+15+15+20+35	1.50	1.50	1.50	2.00	3.50	-	10.00 3.30 - 11.80	3.004 0.530 - 5.004	13.79	13.19	99
15+15+15+20+42	1.50	1.50	1.50	2.00	4.20 *	-	10.70 3.44 - 12.78	3.198 0.530 - 4.998	14.68	14.04	99
15+15+15+20+50	1.47	1.47	1.47	1.97	4.91 *	-	11.30 3.50 - 13.20	3.398 0.530 - 4.978	15.60	14.92	99
15+15+15+20+60	1.43	1.43	1.43	1.90	5.71	-	11.90 3.50 - 13.20	3.611 0.530 - 4.981	16.58	15.86	99
15+15+15+20+71	1.31	1.31	1.31	1.75	6.22	-	11.92 3.50 - 13.24	3.665 0.530 - 4.985	16.83	16.10	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+15+15+20+80	1.24	1.24	1.24	1.65	6.59	-	11.94 3.50 - 13.28	3.695 0.530 - 4.975	16.97	16.23	99
15+15+15+22+22	1.50	1.50	1.50	2.20	2.20	-	8.90 3.30 - 11.23	2.427 0.530 - 4.907	11.14	10.66	99
15+15+15+22+25	1.50	1.50	1.50	2.20	2.50	-	9.20 3.30 - 11.38	2.577 0.530 - 4.937	11.83	11.32	99
15+15+15+22+35	1.50	1.50	1.50	2.20	3.50	-	10.20 3.34 - 12.08	3.057 0.530 - 4.997	14.04	13.43	99
15+15+15+22+42	1.50	1.50	1.50	2.20	4.20 *	-	10.90 3.48 - 13.06	3.241 0.530 - 4.991	14.88	14.23	99
15+15+15+22+50	1.46	1.46	1.46	2.15	4.88 *	-	11.42 3.50 - 13.20	3.431 0.530 - 4.971	15.76	15.07	99
15+15+15+22+60	1.41	1.41	1.41	2.06	5.62	-	11.90 3.50 - 13.21	3.614 0.530 - 4.974	16.59	15.87	99
15+15+15+22+71	1.30	1.30	1.30	1.90	6.14	-	11.93 3.50 - 13.25	3.668 0.530 - 4.978	16.84	16.11	99
15+15+15+22+80	1.22	1.22	1.22	1.79	6.50	-	11.94 3.50 - 13.29	3.698 0.530 - 4.968	16.98	16.24	99
15+15+15+25+25	1.50	1.50	1.50	2.50	2.50	-	9.50 3.30 - 11.54	2.737 0.530 - 4.957	12.57	12.02	99
15+15+15+25+35	1.50	1.50	1.50	2.50	3.50	-	10.50 3.40 - 12.50	3.137 0.530 - 4.997	14.41	13.78	99
15+15+15+25+42	1.49	1.49	1.49	2.48	4.17 *	-	11.12 3.50 - 13.20	3.321 0.530 - 4.961	15.24	14.58	99
15+15+15+25+50	1.45	1.45	1.45	2.42	4.83 *	-	11.60 3.50 - 13.20	3.501 0.530 - 4.981	16.08	15.38	99
15+15+15+25+60	1.37	1.37	1.37	2.29	5.50	-	11.91 3.50 - 13.22	3.624 0.530 - 4.974	16.64	15.92	99
15+15+15+25+71	1.27	1.27	1.27	2.12	6.01	-	11.93 3.50 - 13.26	3.678 0.530 - 4.978	16.88	16.15	99
15+15+15+25+80	1.20	1.20	1.20	1.99	6.37	-	11.95 3.50 - 13.30	3.718 0.530 - 4.968	17.07	16.33	99
15+15+15+35+35	1.47	1.47	1.47	3.44	3.44	-	11.30 3.50 - 13.20	3.397 0.530 - 4.977	15.60	14.92	99
15+15+15+35+42	1.44	1.44	1.44	3.36	4.03 *	-	11.72 3.50 - 13.20	3.551 0.530 - 4.981	16.31	15.60	99
15+15+15+35+50	1.37	1.37	1.37	3.21	4.58 *	-	11.91 3.50 - 13.22	3.641 0.530 - 4.991	16.72	15.99	99
15+15+15+35+60	1.28	1.28	1.28	2.98	5.11	-	11.93 3.50 - 13.26	3.674 0.530 - 4.974	16.87	16.14	99
15+15+15+35+71	1.19	1.19	1.19	2.77	5.62	-	11.95 3.50 - 13.30	3.728 0.530 - 4.978	17.11	16.37	99
15+15+15+35+80	1.12	1.12	1.12	2.62	5.99	-	11.97 3.50 - 13.34	3.758 0.530 - 4.968	17.25	16.50	99
15+15+15+42+42	1.38	1.38	1.38	3.88 *	3.88 *	-	11.91 3.50 - 13.22	3.635 0.530 - 4.985	16.69	15.96	99
15+15+15+42+50	1.31	1.31	1.31	3.65 *	4.35 *	-	11.92 3.50 - 13.25	3.675 0.530 - 4.985	16.87	16.14	99
15+15+15+42+60	1.22	1.22	1.22	3.41 *	4.87	-	11.94 3.50 - 13.29	3.698 0.530 - 4.968	16.98	16.24	99
15+15+15+42+71	1.14	1.14	1.14	3.18 *	5.38	-	11.97 3.50 - 13.33	3.752 0.530 - 4.972	17.23	16.48	99
15+15+15+42+80	1.08	1.08	1.08	3.01 *	5.74	-	11.98 3.50 - 13.37	3.782 0.530 - 4.962	17.37	16.61	99
15+15+15+50+50	1.24	1.24	1.24	4.12 *	4.12 *	-	11.94 3.50 - 13.28	3.705 0.530 - 4.985	17.01	16.27	99
15+15+15+50+60	1.16	1.16	1.16	3.86 *	4.63	-	11.96 3.50 - 13.32	3.738 0.530 - 4.968	17.17	16.42	99
15+15+15+50+71	1.08	1.08	1.08	3.61 *	5.12	-	11.98 3.50 - 13.36	3.792 0.530 - 4.972	17.41	16.65	99
15+15+15+50+80	1.03	1.03	1.03	3.43 *	5.49	-	12.00 3.50 - 13.40	3.822 0.530 - 4.962	17.55	16.79	99
15+15+15+60+60	1.09	1.09	1.09	4.36	4.36	-	11.98 3.50 - 13.36	3.761 0.530 - 4.951	17.27	16.52	99
15+15+15+60+71	1.02	1.02	1.02	4.09	4.84	-	12.00 3.50 - 13.40	3.815 0.530 - 4.955	17.51	16.75	99
15+15+20+20+20	1.50	1.50	2.00	2.00	2.00	-	9.00 3.30 - 11.28	2.489 0.530 - 4.929	11.43	10.93	99
15+15+20+20+22	1.50	1.50	2.00	2.00	2.20	-	9.20 3.30 - 11.38	2.582 0.530 - 4.942	11.86	11.34	99
15+15+20+20+25	1.50	1.50	2.00	2.00	2.50	-	9.50 3.30 - 11.54	2.742 0.530 - 4.962	12.59	12.04	99
15+15+20+20+35	1.50	1.50	2.00	2.00	3.50	-	10.50 3.40 - 12.50	3.142 0.530 - 5.002	14.43	13.80	99
15+15+20+20+42	1.49	1.49	1.99	1.99	4.17 *	-	11.12 3.50 - 13.20	3.326 0.530 - 4.966	15.27	14.61	99
15+15+20+20+50	1.45	1.45	1.93	1.93	4.83 *	-	11.60 3.50 - 13.20	3.506 0.530 - 4.986	16.10	15.40	99
15+15+20+20+60	1.37	1.37	1.83	1.83	5.50	-	11.91 3.50 - 13.22	3.629 0.530 - 4.979	16.66	15.94	99
15+15+20+20+71	1.27	1.27	1.69	1.69	6.01	-	11.93 3.50 - 13.26	3.683 0.530 - 4.983	16.91	16.17	99
15+15+20+20+80	1.20	1.20	1.59	1.59	6.37	-	11.95 3.50 - 13.30	3.723 0.530 - 4.973	17.09	16.35	99
15+15+20+22+22	1.50	1.50	2.00	2.20	2.20	-	9.40 3.30 - 11.49	2.685 0.530 - 4.945	12.33	11.79	99
15+15+20+22+25	1.50	1.50	2.00	2.20	2.50	-	9.70 3.30 - 11.64	2.835 0.530 - 4.975	13.02	12.45	99
15+15+20+22+35	1.50	1.50	2.00	2.20	3.50	-	10.70 3.44 - 12.78	3.195 0.530 - 4.995	14.67	14.03	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+20+22+42	1.48	1.48	1.97	2.17	4.14 *	-	11.24 3.50 - 13.20	3.359 0.530 - 4.959	15.42	14.75	99
15+15+20+22+50	1.44	1.44	1.92	2.11	4.80 *	-	11.72 3.50 - 13.20	3.549 0.530 - 4.979	16.30	15.59	99
15+15+20+22+60	1.35	1.35	1.80	1.99	5.41	-	11.91 3.50 - 13.23	3.632 0.530 - 4.972	16.68	15.95	99
15+15+20+22+71	1.25	1.25	1.67	1.84	5.93	-	11.94 3.50 - 13.27	3.686 0.530 - 4.976	16.93	16.19	99
15+15+20+22+80	1.18	1.18	1.57	1.73	6.29	-	11.95 3.50 - 13.31	3.716 0.530 - 4.966	17.06	16.32	99
15+15+20+25+25	1.50	1.50	2.00	2.50	2.50	-	10.00 3.30 - 11.80	2.995 0.530 - 4.995	13.75	13.15	99
15+15+20+25+35	1.50	1.50	2.00	2.50	3.50	-	11.00 3.50 - 13.20	3.275 0.530 - 4.995	15.03	14.38	99
15+15+20+25+42	1.46	1.46	1.95	2.44	4.10 *	-	11.42 3.50 - 13.20	3.429 0.530 - 4.969	15.74	15.06	99
15+15+20+25+50	1.43	1.43	1.90	2.38	4.76 *	-	11.90 3.50 - 13.20	3.619 0.530 - 4.989	16.61	15.89	99
15+15+20+25+60	1.32	1.32	1.77	2.21	5.30	-	11.92 3.50 - 13.24	3.652 0.530 - 4.972	16.77	16.04	99
15+15+20+25+71	1.23	1.23	1.64	2.04	5.81	-	11.94 3.50 - 13.28	3.706 0.530 - 4.976	17.02	16.28	99
15+15+20+25+80	1.16	1.16	1.54	1.93	6.17	-	11.96 3.50 - 13.32	3.736 0.530 - 4.966	17.16	16.41	99
15+15+20+35+35	1.45	1.45	1.93	3.38	3.38	-	11.60 3.50 - 13.20	3.505 0.530 - 4.985	16.09	15.39	99
15+15+20+35+42	1.41	1.41	1.87	3.28	3.94 *	-	11.90 3.50 - 13.21	3.629 0.530 - 4.989	16.66	15.94	99
15+15+20+35+50	1.32	1.32	1.77	3.09	4.41 *	-	11.92 3.50 - 13.24	3.669 0.530 - 4.989	16.84	16.11	99
15+15+20+35+60	1.24	1.24	1.65	2.88	4.94	-	11.94 3.50 - 13.28	3.692 0.530 - 4.972	16.95	16.21	99
15+15+20+35+71	1.15	1.15	1.53	2.68	5.44	-	11.96 3.50 - 13.32	3.746 0.530 - 4.976	17.20	16.45	99
15+15+20+35+80	1.09	1.09	1.45	2.54	5.81	-	11.98 3.50 - 13.36	3.776 0.530 - 4.966	17.33	16.58	99
15+15+20+42+42	1.33	1.33	1.78	3.74 *	3.74 *	-	11.92 3.50 - 13.24	3.653 0.530 - 4.983	16.77	16.04	99
15+15+20+42+50	1.26	1.26	1.68	3.53 *	4.20 *	-	11.93 3.50 - 13.27	3.693 0.530 - 4.983	16.96	16.22	99
15+15+20+42+60	1.18	1.18	1.57	3.30 *	4.72	-	11.95 3.50 - 13.31	3.716 0.530 - 4.966	17.06	16.32	99
15+15+20+42+71	1.10	1.10	1.47	3.09 *	5.22	-	11.98 3.50 - 13.35	3.770 0.530 - 4.970	17.31	16.56	99
15+15+20+42+80	1.05	1.05	1.39	2.93 *	5.58	-	11.99 3.50 - 13.39	3.810 0.530 - 4.960	17.49	16.73	99
15+15+20+50+50	1.20	1.20	1.59	3.98 *	3.98 *	-	11.95 3.50 - 13.30	3.733 0.530 - 4.983	17.14	16.39	99
15+15+20+50+60	1.12	1.12	1.50	3.74 *	4.49	-	11.97 3.50 - 13.34	3.756 0.530 - 4.966	17.25	16.50	99
15+15+20+50+71	1.05	1.05	1.40	3.51 *	4.98	-	11.99 3.50 - 13.38	3.810 0.530 - 4.970	17.49	16.73	99
15+15+20+50+80	1.00	1.00	1.33	3.33 *	5.33	-	12.00 3.50 - 13.40	3.820 0.530 - 4.960	17.54	16.78	99
15+15+20+60+60	1.06	1.06	1.41	4.23	4.23	-	11.99 3.50 - 13.38	3.789 0.530 - 4.949	17.40	16.64	99
15+15+22+22+22	1.50	1.50	2.20	2.20	2.20	-	9.60 3.30 - 11.59	2.778 0.530 - 4.958	12.75	12.20	99
15+15+22+22+25	1.50	1.50	2.20	2.20	2.50	-	9.90 3.30 - 11.75	2.938 0.530 - 4.978	13.49	12.90	99
15+15+22+22+35	1.50	1.50	2.20	2.20	3.50	-	10.90 3.48 - 13.06	3.238 0.530 - 4.988	14.87	14.22	99
15+15+22+22+42	1.47	1.47	2.15	2.15	4.11 *	-	11.36 3.50 - 13.20	3.402 0.530 - 4.962	15.62	14.94	99
15+15+22+22+50	1.43	1.43	2.10	2.10	4.77 *	-	11.84 3.50 - 13.20	3.592 0.530 - 4.982	16.50	15.78	99
15+15+22+22+60	1.33	1.33	1.96	1.96	5.34	-	11.92 3.50 - 13.24	3.635 0.530 - 4.965	16.69	15.96	99
15+15+22+22+71	1.24	1.24	1.81	1.81	5.85	-	11.94 3.50 - 13.28	3.689 0.530 - 4.969	16.94	16.20	99
15+15+22+22+80	1.16	1.16	1.71	1.71	6.21	-	11.96 3.50 - 13.32	3.719 0.530 - 4.959	17.07	16.33	99
15+15+22+25+25	1.50	1.50	2.20	2.50	2.50	-	10.20 3.34 - 12.08	3.048 0.530 - 4.988	14.00	13.39	99
15+15+22+25+35	1.49	1.49	2.18	2.48	3.48	-	11.12 3.50 - 13.20	3.318 0.530 - 4.958	15.23	14.57	99
15+15+22+25+42	1.45	1.45	2.13	2.42	4.07 *	-	11.54 3.50 - 13.20	3.472 0.530 - 4.972	15.94	15.25	99
15+15+22+25+50	1.41	1.41	2.06	2.34	4.69 *	-	11.90 3.50 - 13.21	3.622 0.530 - 4.982	16.63	15.91	99
15+15+22+25+60	1.31	1.31	1.91	2.18	5.22	-	11.92 3.50 - 13.25	3.655 0.530 - 4.965	16.78	16.05	99
15+15+22+25+71	1.21	1.21	1.78	2.02	5.73	-	11.95 3.50 - 13.29	3.709 0.530 - 4.969	17.03	16.29	99
15+15+22+25+80	1.14	1.14	1.68	1.90	6.09	-	11.96 3.50 - 13.33	3.739 0.530 - 4.959	17.17	16.42	99
15+15+22+35+35	1.44	1.44	2.11	3.36	3.36	-	11.72 3.50 - 13.20	3.548 0.530 - 4.978	16.29	15.58	99
15+15+22+35+42	1.38	1.38	2.03	3.23	3.88 *	-	11.91 3.50 - 13.22	3.632 0.530 - 4.982	16.68	15.95	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+22+35+50	1.31	1.31	1.91	3.05	4.35 *	-	11.92 3.50 - 13.25	3.672 0.530 - 4.982	16.86	16.13	99
15+15+22+35+60	1.22	1.22	1.79	2.84	4.87	-	11.94 3.50 - 13.29	3.695 0.530 - 4.965	16.97	16.23	99
15+15+22+35+71	1.14	1.14	1.67	2.65	5.38	-	11.97 3.50 - 13.33	3.749 0.530 - 4.969	17.21	16.46	99
15+15+22+35+80	1.08	1.08	1.58	2.51	5.74	-	11.98 3.50 - 13.37	3.779 0.530 - 4.959	17.35	16.60	99
15+15+22+42+42	1.31	1.31	1.93	3.68 *	3.68 *	-	11.92 3.50 - 13.24	3.656 0.530 - 4.976	16.79	16.06	99
15+15+22+42+50	1.24	1.24	1.82	3.48 *	4.15 *	-	11.94 3.50 - 13.28	3.696 0.530 - 4.976	16.97	16.23	99
15+15+22+42+60	1.16	1.16	1.71	3.26 *	4.66	-	11.96 3.50 - 13.32	3.719 0.530 - 4.959	17.07	16.33	99
15+15+22+42+71	1.09	1.09	1.60	3.05 *	5.16	-	11.98 3.50 - 13.36	3.773 0.530 - 4.963	17.32	16.57	99
15+15+22+42+80	1.03	1.03	1.52	2.90 *	5.52	-	12.00 3.50 - 13.40	3.813 0.530 - 4.953	17.51	16.75	99
15+15+22+50+50	1.18	1.18	1.73	3.93 *	3.93 *	-	11.95 3.50 - 13.31	3.726 0.530 - 4.976	17.10	16.36	99
15+15+22+50+60	1.11	1.11	1.63	3.69 *	4.43	-	11.97 3.50 - 13.35	3.759 0.530 - 4.959	17.26	16.51	99
15+15+22+50+71	1.04	1.04	1.53	3.47 *	4.92	-	12.00 3.50 - 13.39	3.813 0.530 - 4.963	17.51	16.75	99
15+15+22+60+60	1.05	1.05	1.53	4.18	4.18	-	11.99 3.50 - 13.39	3.792 0.530 - 4.942	17.41	16.65	99
15+15+25+25+25	1.50	1.50	2.50	2.50	2.50	-	10.50 3.40 - 12.50	3.128 0.530 - 4.988	14.36	13.74	99
15+15+25+25+35	1.47	1.47	2.46	2.46	3.44	-	11.30 3.50 - 13.20	3.388 0.530 - 4.968	15.56	14.88	99
15+15+25+25+42	1.44	1.44	2.40	2.40	4.03 *	-	11.72 3.50 - 13.20	3.542 0.530 - 4.972	16.27	15.56	99
15+15+25+25+50	1.37	1.37	2.29	2.29	4.58 *	-	11.91 3.50 - 13.22	3.632 0.530 - 4.982	16.68	15.95	99
15+15+25+25+60	1.28	1.28	2.13	2.13	5.11	-	11.93 3.50 - 13.26	3.665 0.530 - 4.965	16.83	16.10	99
15+15+25+25+71	1.19	1.19	1.98	1.98	5.62	-	11.95 3.50 - 13.30	3.719 0.530 - 4.969	17.07	16.33	99
15+15+25+25+80	1.12	1.12	1.87	1.87	5.99	-	11.97 3.50 - 13.34	3.749 0.530 - 4.959	17.21	16.46	99
15+15+25+35+35	1.43	1.43	2.38	3.33	3.33	-	11.90 3.50 - 13.20	3.618 0.530 - 4.988	16.61	15.89	99
15+15+25+35+42	1.35	1.35	2.26	3.16	3.79 *	-	11.91 3.50 - 13.23	3.642 0.530 - 4.982	16.72	15.99	99
15+15+25+35+50	1.28	1.28	2.13	2.98	4.26 *	-	11.93 3.50 - 13.26	3.682 0.530 - 4.982	16.91	16.17	99
15+15+25+35+60	1.20	1.20	1.99	2.79	4.78	-	11.95 3.50 - 13.30	3.715 0.530 - 4.965	17.06	16.32	99
15+15+25+35+71	1.12	1.12	1.86	2.60	5.28	-	11.97 3.50 - 13.34	3.769 0.530 - 4.969	17.30	16.55	99
15+15+25+35+80	1.06	1.06	1.76	2.47	5.64	-	11.99 3.50 - 13.38	3.799 0.530 - 4.959	17.44	16.68	99
15+15+25+42+42	1.29	1.29	2.15	3.60 *	3.60 *	-	11.93 3.50 - 13.26	3.666 0.530 - 4.976	16.83	16.10	99
15+15+25+42+50	1.22	1.22	2.03	3.41 *	4.06 *	-	11.94 3.50 - 13.29	3.706 0.530 - 4.976	17.02	16.28	99
15+15+25+42+60	1.14	1.14	1.90	3.20 *	4.57	-	11.96 3.50 - 13.33	3.739 0.530 - 4.959	17.17	16.42	99
15+15+25+42+71	1.07	1.07	1.78	3.00 *	5.07	-	11.99 3.50 - 13.37	3.793 0.530 - 4.963	17.42	16.66	99
15+15+25+42+80	1.02	1.02	1.69	2.85 *	5.42	-	12.00 3.50 - 13.40	3.813 0.530 - 4.953	17.51	16.75	99
15+15+25+50+50	1.16	1.16	1.93	3.86 *	3.86 *	-	11.96 3.50 - 13.32	3.746 0.530 - 4.976	17.20	16.45	99
15+15+25+50+60	1.09	1.09	1.82	3.63 *	4.36	-	11.98 3.50 - 13.36	3.769 0.530 - 4.959	17.30	16.55	99
15+15+25+50+71	1.02	1.02	1.70	3.41 *	4.84	-	12.00 3.50 - 13.40	3.823 0.530 - 4.963	17.55	16.79	99
15+15+25+60+60	1.03	1.03	1.71	4.11	4.11	-	12.00 3.50 - 13.40	3.802 0.530 - 4.942	17.46	16.70	99
15+15+35+35+35	1.32	1.32	3.09	3.09	3.09	-	11.92 3.50 - 13.24	3.668 0.530 - 4.988	16.84	16.11	99
15+15+35+35+42	1.26	1.26	2.94	2.94	3.53 *	-	11.93 3.50 - 13.27	3.692 0.530 - 4.982	16.95	16.21	99
15+15+35+35+50	1.20	1.20	2.79	2.79	3.98 *	-	11.95 3.50 - 13.30	3.732 0.530 - 4.982	17.14	16.39	99
15+15+35+35+60	1.12	1.12	2.62	2.62	4.49	-	11.97 3.50 - 13.34	3.755 0.530 - 4.965	17.24	16.49	99
15+15+35+35+71	1.05	1.05	2.45	2.45	4.98	-	11.99 3.50 - 13.38	3.809 0.530 - 4.969	17.49	16.73	99
15+15+35+35+80	1.00	1.00	2.33	2.33	5.33	-	12.00 3.50 - 13.40	3.819 0.530 - 4.959	17.53	16.77	99
15+15+35+42+42	1.20	1.20	2.81	3.37 *	3.37 *	-	11.95 3.50 - 13.30	3.716 0.530 - 4.976	17.06	16.32	99
15+15+35+42+50	1.14	1.14	2.67	3.20 *	3.81 *	-	11.96 3.50 - 13.33	3.756 0.530 - 4.976	17.25	16.50	99
15+15+35+42+60	1.08	1.08	2.51	3.01 *	4.30	-	11.98 3.50 - 13.37	3.779 0.530 - 4.959	17.35	16.60	99
15+15+35+42+71	1.01	1.01	2.36	2.83 *	4.79	-	12.00 3.50 - 13.40	3.823 0.530 - 4.963	17.55	16.79	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+35+50+50	1.09	1.09	2.54	3.63 *	3.63 *	-	11.98 3.50 - 13.36	3.786 0.530 - 4.976	17.39	16.63	99
15+15+35+50+60	1.03	1.03	2.40	3.43 *	4.11	-	12.00 3.50 - 13.40	3.819 0.530 - 4.959	17.53	16.77	99
15+15+42+42+42	1.15	1.15	3.22 *	3.22 *	3.22 *	-	11.96 3.50 - 13.32	3.740 0.530 - 4.970	17.18	16.43	99
15+15+42+42+50	1.10	1.10	3.07 *	3.07 *	3.65 *	-	11.98 3.50 - 13.36	3.780 0.530 - 4.970	17.35	16.60	99
15+15+42+42+60	1.03	1.03	2.90 *	2.90 *	4.14	-	12.00 3.50 - 13.40	3.813 0.530 - 4.953	17.51	16.75	99
15+15+42+50+50	1.05	1.05	2.93 *	3.49 *	3.49 *	-	11.99 3.50 - 13.39	3.820 0.530 - 4.970	17.54	16.78	99
15+15+50+50+50	1.00	1.00	3.33 *	3.33 *	3.33 *	-	12.00 3.50 - 13.40	3.830 0.530 - 4.970	17.58	16.82	99
15+20+20+20+20	1.50	2.00	2.00	2.00	2.00	-	9.50 3.30 - 11.54	2.747 0.530 - 4.967	12.61	12.06	99
15+20+20+20+22	1.50	2.00	2.00	2.00	2.20	-	9.70 3.30 - 11.64	2.840 0.530 - 4.980	13.04	12.47	99
15+20+20+20+25	1.50	2.00	2.00	2.00	2.50	-	10.00 3.30 - 11.80	3.000 0.530 - 5.000	13.78	13.18	99
15+20+20+20+35	1.50	2.00	2.00	2.00	3.50	-	11.00 3.50 - 13.20	3.280 0.530 - 5.000	15.05	14.40	99
15+20+20+20+42	1.46	1.95	1.95	1.95	4.10 *	-	11.42 3.50 - 13.20	3.434 0.530 - 4.974	15.77	15.08	99
15+20+20+20+50	1.43	1.90	1.90	1.90	4.76 *	-	11.90 3.50 - 13.20	3.624 0.530 - 4.994	16.64	15.92	99
15+20+20+20+60	1.32	1.77	1.77	1.77	5.30	-	11.92 3.50 - 13.24	3.657 0.530 - 4.977	16.79	16.06	99
15+20+20+20+71	1.23	1.64	1.64	1.64	5.81	-	11.94 3.50 - 13.28	3.711 0.530 - 4.981	17.04	16.30	99
15+20+20+20+80	1.16	1.54	1.54	1.54	6.17	-	11.96 3.50 - 13.32	3.741 0.530 - 4.971	17.18	16.43	99
15+20+20+22+22	1.50	2.00	2.00	2.20	2.20	-	9.90 3.30 - 11.75	2.943 0.530 - 4.983	13.51	12.92	99
15+20+20+22+25	1.50	2.00	2.00	2.20	2.50	-	10.20 3.34 - 12.08	3.053 0.530 - 4.993	14.02	13.41	99
15+20+20+22+35	1.49	1.99	1.99	2.18	3.48	-	11.12 3.50 - 13.20	3.323 0.530 - 4.963	15.25	14.59	99
15+20+20+22+42	1.45	1.94	1.94	2.13	4.07 *	-	11.54 3.50 - 13.20	3.477 0.530 - 4.977	15.96	15.27	99
15+20+20+22+50	1.41	1.87	1.87	2.06	4.69 *	-	11.90 3.50 - 13.21	3.627 0.530 - 4.987	16.65	15.93	99
15+20+20+22+60	1.31	1.74	1.74	1.91	5.22	-	11.92 3.50 - 13.25	3.660 0.530 - 4.970	16.80	16.07	99
15+20+20+22+71	1.21	1.61	1.61	1.78	5.73	-	11.95 3.50 - 13.29	3.714 0.530 - 4.974	17.05	16.31	99
15+20+20+22+80	1.14	1.52	1.52	1.68	6.09	-	11.96 3.50 - 13.33	3.744 0.530 - 4.964	17.19	16.44	99
15+20+20+25+25	1.50	2.00	2.00	2.50	2.50	-	10.50 3.40 - 12.50	3.133 0.530 - 4.993	14.39	13.76	99
15+20+20+25+35	1.47	1.97	1.97	2.46	3.44	-	11.30 3.50 - 13.20	3.393 0.530 - 4.973	15.58	14.90	99
15+20+20+25+42	1.44	1.92	1.92	2.40	4.03 *	-	11.72 3.50 - 13.20	3.547 0.530 - 4.977	16.29	15.58	99
15+20+20+25+50	1.37	1.83	1.83	2.29	4.58 *	-	11.91 3.50 - 13.22	3.637 0.530 - 4.987	16.70	15.97	99
15+20+20+25+60	1.28	1.70	1.70	2.13	5.11	-	11.93 3.50 - 13.26	3.670 0.530 - 4.970	16.85	16.12	99
15+20+20+25+71	1.19	1.58	1.58	1.98	5.62	-	11.95 3.50 - 13.30	3.724 0.530 - 4.974	17.09	16.35	99
15+20+20+25+80	1.12	1.50	1.50	1.87	5.99	-	11.97 3.50 - 13.34	3.754 0.530 - 4.964	17.24	16.49	99
15+20+20+35+35	1.43	1.90	1.90	3.33	3.33	-	11.90 3.50 - 13.20	3.623 0.530 - 4.993	16.63	15.91	99
15+20+20+35+42	1.35	1.80	1.80	3.16	3.79 *	-	11.91 3.50 - 13.23	3.647 0.530 - 4.987	16.75	16.02	99
15+20+20+35+50	1.28	1.70	1.70	2.98	4.26 *	-	11.93 3.50 - 13.26	3.687 0.530 - 4.987	16.93	16.19	99
15+20+20+35+60	1.20	1.59	1.59	2.79	4.78	-	11.95 3.50 - 13.30	3.720 0.530 - 4.970	17.08	16.34	99
15+20+20+35+71	1.12	1.49	1.49	2.60	5.28	-	11.97 3.50 - 13.34	3.774 0.530 - 4.974	17.32	16.57	99
15+20+20+35+80	1.06	1.41	1.41	2.47	5.64	-	11.99 3.50 - 13.38	3.804 0.530 - 4.964	17.47	16.71	99
15+20+20+42+42	1.29	1.72	1.72	3.60 *	3.60 *	-	11.93 3.50 - 13.26	3.671 0.530 - 4.981	16.85	16.12	99
15+20+20+42+50	1.22	1.62	1.62	3.41 *	4.06 *	-	11.94 3.50 - 13.29	3.711 0.530 - 4.981	17.04	16.30	99
15+20+20+42+60	1.14	1.52	1.52	3.20 *	4.57	-	11.96 3.50 - 13.33	3.744 0.530 - 4.964	17.19	16.44	99
15+20+20+42+71	1.07	1.43	1.43	3.00 *	5.07	-	11.99 3.50 - 13.37	3.798 0.530 - 4.968	17.44	16.68	99
15+20+20+42+80	1.02	1.36	1.36	2.85 *	5.42	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
15+20+20+50+50	1.16	1.54	1.54	3.86 *	3.86 *	-	11.96 3.50 - 13.32	3.751 0.530 - 4.981	17.22	16.47	99
15+20+20+50+60	1.09	1.45	1.45	3.63 *	4.36	-	11.98 3.50 - 13.36	3.774 0.530 - 4.964	17.32	16.57	99
15+20+20+50+71	1.02	1.36	1.36	3.41 *	4.84	-	12.00 3.50 - 13.40	3.828 0.530 - 4.968	17.57	16.81	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+20+20+60+60	1.03	1.37	1.37	4.11	4.11	-	12.00 3.50 - 13.40	3.807 0.530 - 4.947	17.48	16.72	99
15+20+22+22+22	1.50	2.00	2.20	2.20	2.20	-	10.10 3.32 - 11.94	3.016 0.530 - 4.986	13.85	13.25	99
15+20+22+22+25	1.50	2.00	2.20	2.20	2.50	-	10.40 3.38 - 12.36	3.096 0.530 - 4.986	14.22	13.60	99
15+20+22+22+35	1.48	1.97	2.17	2.17	3.45	-	11.24 3.50 - 13.20	3.356 0.530 - 4.956	15.41	14.74	99
15+20+22+22+42	1.45	1.93	2.12	2.12	4.05 *	-	11.66 3.50 - 13.20	3.520 0.530 - 4.970	16.16	15.46	99
15+20+22+22+50	1.38	1.85	2.03	2.03	4.62 *	-	11.91 3.50 - 13.22	3.630 0.530 - 4.980	16.66	15.94	99
15+20+22+22+60	1.29	1.72	1.89	1.89	5.15	-	11.93 3.50 - 13.26	3.653 0.530 - 4.963	16.77	16.04	99
15+20+22+22+71	1.20	1.59	1.75	1.75	5.66	-	11.95 3.50 - 13.30	3.717 0.530 - 4.967	17.06	16.32	99
15+20+22+22+80	1.13	1.51	1.66	1.66	6.02	-	11.97 3.50 - 13.34	3.747 0.530 - 4.957	17.21	16.46	99
15+20+22+25+25	1.50	2.00	2.20	2.50	2.50	-	10.70 3.44 - 12.78	3.186 0.530 - 4.986	14.63	13.99	99
15+20+22+25+35	1.46	1.95	2.15	2.44	3.42	-	11.42 3.50 - 13.20	3.426 0.530 - 4.966	15.73	15.05	99
15+20+22+25+42	1.43	1.91	2.10	2.39	4.01 *	-	11.84 3.50 - 13.20	3.590 0.530 - 4.980	16.49	15.77	99
15+20+22+25+50	1.35	1.80	1.99	2.26	4.51 *	-	11.91 3.50 - 13.23	3.640 0.530 - 4.980	16.72	15.99	99
15+20+22+25+60	1.26	1.68	1.85	2.10	5.04	-	11.93 3.50 - 13.27	3.673 0.530 - 4.963	16.86	16.13	99
15+20+22+25+71	1.17	1.56	1.72	1.95	5.55	-	11.96 3.50 - 13.31	3.727 0.530 - 4.967	17.11	16.37	99
15+20+22+25+80	1.11	1.48	1.63	1.85	5.91	-	11.97 3.50 - 13.35	3.757 0.530 - 4.957	17.25	16.50	99
15+20+22+35+35	1.41	1.87	2.06	3.28	3.28	-	11.90 3.50 - 13.21	3.626 0.530 - 4.986	16.64	15.92	99
15+20+22+35+42	1.33	1.78	1.96	3.11	3.74 *	-	11.92 3.50 - 13.24	3.650 0.530 - 4.980	16.76	16.03	99
15+20+22+35+50	1.26	1.68	1.85	2.94	4.20 *	-	11.93 3.50 - 13.27	3.690 0.530 - 4.980	16.95	16.21	99
15+20+22+35+60	1.18	1.57	1.73	2.75	4.72	-	11.95 3.50 - 13.31	3.713 0.530 - 4.963	17.05	16.31	99
15+20+22+35+71	1.10	1.47	1.62	2.57	5.22	-	11.98 3.50 - 13.35	3.767 0.530 - 4.967	17.29	16.54	99
15+20+22+35+80	1.05	1.39	1.53	2.44	5.58	-	11.99 3.50 - 13.39	3.807 0.530 - 4.957	17.48	16.72	99
15+20+22+42+42	1.27	1.69	1.86	3.55 *	3.55 *	-	11.93 3.50 - 13.26	3.674 0.530 - 4.974	16.87	16.14	99
15+20+22+42+50	1.20	1.60	1.76	3.37 *	4.01 *	-	11.95 3.50 - 13.30	3.714 0.530 - 4.974	17.05	16.31	99
15+20+22+42+60	1.13	1.51	1.66	3.16 *	4.52	-	11.97 3.50 - 13.34	3.747 0.530 - 4.957	17.21	16.46	99
15+20+22+42+71	1.06	1.41	1.55	2.96 *	5.01	-	11.99 3.50 - 13.38	3.801 0.530 - 4.961	17.45	16.69	99
15+20+22+42+80	1.01	1.34	1.47	2.82 *	5.36	-	12.00 3.50 - 13.40	3.811 0.530 - 4.951	17.50	16.74	99
15+20+22+50+50	1.14	1.52	1.68	3.81 *	3.81 *	-	11.96 3.50 - 13.33	3.754 0.530 - 4.974	17.24	16.49	99
15+20+22+50+60	1.08	1.43	1.58	3.59 *	4.30	-	11.98 3.50 - 13.37	3.777 0.530 - 4.957	17.34	16.59	99
15+20+22+50+71	1.01	1.35	1.48	3.37 *	4.79	-	12.00 3.50 - 13.40	3.821 0.530 - 4.961	17.54	16.78	99
15+20+22+60+60	1.02	1.36	1.49	4.07	4.07	-	12.00 3.50 - 13.40	3.800 0.530 - 4.940	17.45	16.69	99
15+20+25+25+25	1.50	2.00	2.50	2.50	2.50	-	11.00 3.50 - 13.20	3.266 0.530 - 4.986	14.99	14.34	99
15+20+25+25+35	1.45	1.93	2.42	2.42	3.38	-	11.60 3.50 - 13.20	3.496 0.530 - 4.976	16.05	15.35	99
15+20+25+25+42	1.41	1.87	2.34	2.34	3.94 *	-	11.90 3.50 - 13.21	3.620 0.530 - 4.980	16.62	15.90	99
15+20+25+25+50	1.32	1.77	2.21	2.21	4.41 *	-	11.92 3.50 - 13.24	3.660 0.530 - 4.980	16.80	16.07	99
15+20+25+25+60	1.24	1.65	2.06	2.06	4.94	-	11.94 3.50 - 13.28	3.683 0.530 - 4.963	16.91	16.17	99
15+20+25+25+71	1.15	1.53	1.92	1.92	5.44	-	11.96 3.50 - 13.32	3.737 0.530 - 4.967	17.16	16.41	99
15+20+25+25+80	1.09	1.45	1.82	1.82	5.81	-	11.98 3.50 - 13.36	3.767 0.530 - 4.957	17.29	16.54	99
15+20+25+35+35	1.37	1.83	2.29	3.21	3.21	-	11.91 3.50 - 13.22	3.636 0.530 - 4.986	16.70	15.97	99
15+20+25+35+42	1.31	1.74	2.18	3.05	3.65 *	-	11.92 3.50 - 13.25	3.670 0.530 - 4.980	16.85	16.12	99
15+20+25+35+50	1.24	1.65	2.06	2.88	4.12 *	-	11.94 3.50 - 13.28	3.700 0.530 - 4.980	16.99	16.25	99
15+20+25+35+60	1.16	1.54	1.93	2.70	4.63	-	11.96 3.50 - 13.32	3.733 0.530 - 4.963	17.14	16.39	99
15+20+25+35+71	1.08	1.44	1.80	2.53	5.12	-	11.98 3.50 - 13.36	3.787 0.530 - 4.967	17.39	16.63	99
15+20+25+35+80	1.03	1.37	1.71	2.40	5.49	-	12.00 3.50 - 13.40	3.817 0.530 - 4.957	17.52	16.76	99
15+20+25+42+42	1.24	1.66	2.07	3.48 *	3.48 *	-	11.94 3.50 - 13.28	3.694 0.530 - 4.974	16.96	16.22	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+20+25+42+50	1.18	1.57	1.97	3.30 *	3.93 *	-	11.95 3.50 - 13.31	0.530 - 4.974	17.09	16.35	99
15+20+25+42+60	1.11	1.48	1.85	3.10 *	4.43	-	11.97 3.50 - 13.35	0.530 - 4.957	17.25	16.50	99
15+20+25+42+71	1.04	1.39	1.73	2.91 *	4.92	-	12.00 3.50 - 13.39	0.530 - 4.961	17.50	16.74	99
15+20+25+50+50	1.12	1.50	1.87	3.74 *	3.74 *	-	11.97 3.50 - 13.34	0.530 - 4.974	17.28	16.53	99
15+20+25+50+60	1.06	1.41	1.76	3.53 *	4.23	-	11.99 3.50 - 13.38	0.530 - 4.957	17.44	16.68	99
15+20+25+60+60	1.00	1.33	1.67	4.00	4.00	-	12.00 3.50 - 13.40	0.530 - 4.940	17.45	16.69	99
15+20+35+35+35	1.28	1.70	2.98	2.98	2.98	-	11.93 3.50 - 13.26	0.530 - 4.986	16.93	16.19	99
15+20+35+35+42	1.22	1.62	2.84	2.84	3.41 *	-	11.94 3.50 - 13.29	0.530 - 4.980	17.03	16.29	99
15+20+35+35+50	1.16	1.54	2.70	2.70	3.86 *	-	11.96 3.50 - 13.32	0.530 - 4.980	17.22	16.47	99
15+20+35+35+60	1.09	1.45	2.54	2.54	4.36	-	11.98 3.50 - 13.36	0.530 - 4.963	17.32	16.57	99
15+20+35+35+71	1.02	1.36	2.39	2.39	4.84	-	12.00 3.50 - 13.40	0.530 - 4.967	17.57	16.81	99
15+20+35+42+42	1.16	1.55	2.72	3.26 *	3.26 *	-	11.96 3.50 - 13.32	0.530 - 4.974	17.15	16.40	99
15+20+35+42+50	1.11	1.48	2.59	3.10 *	3.69 *	-	11.97 3.50 - 13.35	0.530 - 4.974	17.32	16.57	99
15+20+35+42+60	1.05	1.39	2.44	2.93 *	4.18	-	11.99 3.50 - 13.39	0.530 - 4.957	17.48	16.72	99
15+20+35+50+50	1.06	1.41	2.47	3.53 *	3.53 *	-	11.99 3.50 - 13.38	0.530 - 4.974	17.51	16.75	99
15+20+35+50+60	1.00	1.33	2.33	3.33 *	4.00	-	12.00 3.50 - 13.40	0.530 - 4.957	17.52	16.76	99
15+20+42+42+42	1.12	1.49	3.12 *	3.12 *	3.12 *	-	11.97 3.50 - 13.34	0.530 - 4.968	17.30	16.55	99
15+20+42+42+50	1.06	1.42	2.98 *	2.98 *	3.55 *	-	11.99 3.50 - 13.38	0.530 - 4.968	17.44	16.68	99
15+20+42+42+60	1.01	1.34	2.82 *	2.82 *	4.02	-	12.00 3.50 - 13.40	0.530 - 4.951	17.50	16.74	99
15+20+42+50+50	1.02	1.36	2.85 *	3.39 *	3.39 *	-	12.00 3.50 - 13.40	0.530 - 4.968	17.57	16.81	99
15+22+22+22+22	1.50	2.20	2.20	2.20	2.20	-	10.30 3.36 - 12.22	0.530 - 4.979	14.04	13.43	99
15+22+22+22+25	1.50	2.20	2.20	2.20	2.50	-	10.60 3.42 - 12.64	0.530 - 4.979	14.46	13.83	99
15+22+22+22+35	1.47	2.15	2.15	2.15	3.43	-	11.36 3.50 - 13.20	0.530 - 4.959	15.61	14.93	99
15+22+22+22+42	1.44	2.11	2.11	2.11	4.02 *	-	11.78 3.50 - 13.20	0.530 - 4.973	16.31	15.60	99
15+22+22+22+50	1.36	2.00	2.00	2.00	4.55 *	-	11.91 3.50 - 13.22	0.530 - 4.973	16.69	15.96	99
15+22+22+22+60	1.27	1.86	1.86	1.86	5.08	-	11.93 3.50 - 13.26	0.530 - 4.956	16.79	16.06	99
15+22+22+22+71	1.18	1.73	1.73	1.73	5.58	-	11.95 3.50 - 13.31	0.530 - 4.960	17.03	16.29	99
15+22+22+22+80	1.12	1.64	1.64	1.64	5.95	-	11.97 3.50 - 13.34	0.530 - 4.950	17.22	16.47	99
15+22+22+25+25	1.50	2.20	2.20	2.50	2.50	-	10.90 3.48 - 13.06	0.530 - 4.979	14.82	14.18	99
15+22+22+25+35	1.45	2.13	2.13	2.42	3.39	-	11.54 3.50 - 13.20	0.530 - 4.969	15.92	15.23	99
15+22+22+25+42	1.42	2.08	2.08	2.36	3.97 *	-	11.90 3.50 - 13.20	0.530 - 4.973	16.54	15.82	99
15+22+22+25+50	1.33	1.96	1.96	2.22	4.45 *	-	11.92 3.50 - 13.24	0.530 - 4.973	16.73	16.00	99
15+22+22+25+60	1.24	1.82	1.82	2.07	4.98	-	11.94 3.50 - 13.28	0.530 - 4.956	16.87	16.14	99
15+22+22+25+71	1.16	1.70	1.70	1.93	5.48	-	11.96 3.50 - 13.32	0.530 - 4.960	17.12	16.38	99
15+22+22+25+80	1.10	1.61	1.61	1.83	5.84	-	11.98 3.50 - 13.36	0.530 - 4.950	17.26	16.51	99
15+22+22+35+35	1.38	2.03	2.03	3.23	3.23	-	11.91 3.50 - 13.22	0.530 - 4.979	16.66	15.94	99
15+22+22+35+42	1.31	1.93	1.93	3.07	3.68 *	-	11.92 3.50 - 13.24	0.530 - 4.973	16.77	16.04	99
15+22+22+35+50	1.24	1.82	1.82	2.90	4.15 *	-	11.94 3.50 - 13.28	0.530 - 4.973	16.96	16.22	99
15+22+22+35+60	1.16	1.71	1.71	2.72	4.66	-	11.96 3.50 - 13.32	0.530 - 4.956	17.06	16.32	99
15+22+22+35+71	1.09	1.60	1.60	2.54	5.16	-	11.98 3.50 - 13.36	0.530 - 4.960	17.31	16.56	99
15+22+22+35+80	1.03	1.52	1.52	2.41	5.52	-	12.00 3.50 - 13.40	0.530 - 4.950	17.49	16.73	99
15+22+22+42+42	1.25	1.84	1.84	3.51 *	3.51 *	-	11.94 3.50 - 13.27	0.530 - 4.967	16.88	16.15	99
15+22+22+42+50	1.19	1.74	1.74	3.32 *	3.96 *	-	11.95 3.50 - 13.30	0.530 - 4.967	17.06	16.32	99
15+22+22+42+60	1.12	1.64	1.64	3.12 *	4.46	-	11.97 3.50 - 13.34	0.530 - 4.950	17.22	16.47	99
15+22+22+42+71	1.05	1.53	1.53	2.93 *	4.95	-	11.99 3.50 - 13.39	0.530 - 4.954	17.47	16.71	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+22+22+50+50	1.13	1.66	1.66	3.76 *	3.76 *	-	11.97 3.50 - 13.34	3.757 0.530 - 4.967	17.25	16.50	99
15+22+22+50+60	1.06	1.56	1.56	3.55 *	4.26	-	11.99 3.50 - 13.38	3.780 0.530 - 4.950	17.35	16.60	99
15+22+22+50+71	1.00	1.47	1.47	3.33 *	4.73	-	12.00 3.50 - 13.40	3.814 0.530 - 4.954	17.51	16.75	99
15+22+22+60+60	1.01	1.47	1.47	4.02	4.02	-	12.00 3.50 - 13.40	3.793 0.530 - 4.933	17.42	16.66	99
15+22+25+25+25	1.49	2.18	2.48	2.48	2.48	-	11.12 3.50 - 13.20	3.309 0.530 - 4.949	15.19	14.53	99
15+22+25+25+35	1.44	2.11	2.40	2.40	3.36	-	11.72 3.50 - 13.20	3.539 0.530 - 4.969	16.25	15.54	99
15+22+25+25+42	1.38	2.03	2.31	2.31	3.88 *	-	11.91 3.50 - 13.22	3.623 0.530 - 4.973	16.63	15.91	99
15+22+25+25+50	1.31	1.91	2.18	2.18	4.35 *	-	11.92 3.50 - 13.25	3.663 0.530 - 4.973	16.82	16.09	99
15+22+25+25+60	1.22	1.79	2.03	2.03	4.87	-	11.94 3.50 - 13.29	3.686 0.530 - 4.956	16.93	16.19	99
15+22+25+25+71	1.14	1.67	1.89	1.89	5.38	-	11.97 3.50 - 13.33	3.740 0.530 - 4.960	17.18	16.43	99
15+22+25+25+80	1.08	1.58	1.79	1.79	5.74	-	11.98 3.50 - 13.37	3.770 0.530 - 4.950	17.31	16.56	99
15+22+25+35+35	1.35	1.99	2.26	3.16	3.16	-	11.91 3.50 - 13.23	3.639 0.530 - 4.979	16.71	15.98	99
15+22+25+35+42	1.29	1.89	2.15	3.00	3.60 *	-	11.93 3.50 - 13.26	3.663 0.530 - 4.973	16.82	16.09	99
15+22+25+35+50	1.22	1.79	2.03	2.84	4.06 *	-	11.94 3.50 - 13.29	3.703 0.530 - 4.973	17.00	16.26	99
15+22+25+35+60	1.14	1.68	1.90	2.67	4.57	-	11.96 3.50 - 13.33	3.736 0.530 - 4.956	17.16	16.41	99
15+22+25+35+71	1.07	1.57	1.78	2.50	5.07	-	11.99 3.50 - 13.37	3.790 0.530 - 4.960	17.40	16.64	99
15+22+25+35+80	1.02	1.49	1.69	2.37	5.42	-	12.00 3.50 - 13.40	3.810 0.530 - 4.950	17.49	16.73	99
15+22+25+42+42	1.23	1.80	2.04	3.43 *	3.43 *	-	11.94 3.50 - 13.28	3.697 0.530 - 4.967	16.98	16.24	99
15+22+25+42+50	1.16	1.71	1.94	3.26 *	3.88 *	-	11.96 3.50 - 13.32	3.727 0.530 - 4.967	17.11	16.37	99
15+22+25+42+60	1.10	1.61	1.83	3.07 *	4.38	-	11.98 3.50 - 13.36	3.760 0.530 - 4.950	17.26	16.51	99
15+22+25+42+71	1.03	1.51	1.71	2.88 *	4.87	-	12.00 3.50 - 13.40	3.814 0.530 - 4.954	17.51	16.75	99
15+22+25+50+50	1.11	1.63	1.85	3.69 *	3.69 *	-	11.97 3.50 - 13.35	3.767 0.530 - 4.967	17.29	16.54	99
15+22+25+50+60	1.05	1.53	1.74	3.49 *	4.18	-	11.99 3.50 - 13.39	3.800 0.530 - 4.950	17.45	16.69	99
15+22+35+35+35	1.26	1.85	2.94	2.94	2.94	-	11.93 3.50 - 13.27	3.689 0.530 - 4.979	16.94	16.20	99
15+22+35+35+42	1.20	1.76	2.81	2.81	3.37 *	-	11.95 3.50 - 13.30	3.713 0.530 - 4.973	17.05	16.31	99
15+22+35+35+50	1.14	1.68	2.67	2.67	3.81 *	-	11.96 3.50 - 13.33	3.753 0.530 - 4.973	17.23	16.48	99
15+22+35+35+60	1.08	1.58	2.51	2.51	4.30	-	11.98 3.50 - 13.37	3.776 0.530 - 4.956	17.33	16.58	99
15+22+35+35+71	1.01	1.48	2.36	2.36	4.79	-	12.00 3.50 - 13.40	3.820 0.530 - 4.960	17.54	16.78	99
15+22+35+42+42	1.15	1.69	2.68	3.22 *	3.22 *	-	11.96 3.50 - 13.32	3.737 0.530 - 4.967	17.16	16.41	99
15+22+35+42+50	1.10	1.61	2.56	3.07 *	3.65 *	-	11.98 3.50 - 13.36	3.777 0.530 - 4.967	17.34	16.59	99
15+22+35+42+60	1.03	1.52	2.41	2.90 *	4.14	-	12.00 3.50 - 13.40	3.810 0.530 - 4.950	17.49	16.73	99
15+22+35+50+50	1.05	1.53	2.44	3.49 *	3.49 *	-	11.99 3.50 - 13.39	3.817 0.530 - 4.967	17.52	16.76	99
15+22+42+42+42	1.10	1.62	3.09 *	3.09 *	3.09 *	-	11.98 3.50 - 13.35	3.761 0.530 - 4.961	17.27	16.52	99
15+22+42+42+50	1.05	1.54	2.94 *	2.94 *	3.51 *	-	11.99 3.50 - 13.38	3.801 0.530 - 4.961	17.45	16.69	99
15+22+42+50+50	1.01	1.47	2.82 *	3.35 *	3.35 *	-	12.00 3.50 - 13.40	3.821 0.530 - 4.961	17.54	16.78	99
15+25+25+25+25	1.47	2.46	2.46	2.46	2.46	-	11.30 3.50 - 13.20	3.379 0.530 - 4.959	15.51	14.84	99
15+25+25+25+35	1.43	2.38	2.38	2.38	3.33	-	11.90 3.50 - 13.20	3.609 0.530 - 4.979	16.57	15.85	99
15+25+25+25+42	1.35	2.26	2.26	2.26	3.79 *	-	11.91 3.50 - 13.23	3.633 0.530 - 4.973	16.69	15.96	99
15+25+25+25+50	1.28	2.13	2.13	2.13	4.26 *	-	11.93 3.50 - 13.26	3.673 0.530 - 4.973	16.86	16.13	99
15+25+25+25+60	1.20	1.99	1.99	1.99	4.78	-	11.95 3.50 - 13.30	3.706 0.530 - 4.956	17.02	16.28	99
15+25+25+25+71	1.12	1.86	1.86	1.86	5.28	-	11.97 3.50 - 13.34	3.760 0.530 - 4.960	17.26	16.51	99
15+25+25+25+80	1.06	1.76	1.76	1.76	5.64	-	11.99 3.50 - 13.38	3.790 0.530 - 4.950	17.40	16.64	99
15+25+25+35+35	1.32	2.21	2.21	3.09	3.09	-	11.92 3.50 - 13.24	3.659 0.530 - 4.979	16.80	16.07	99
15+25+25+35+42	1.26	2.10	2.10	2.94	3.53 *	-	11.93 3.50 - 13.27	3.683 0.530 - 4.973	16.91	16.17	99
15+25+25+35+50	1.20	1.99	1.99	2.79	3.98 *	-	11.95 3.50 - 13.30	3.723 0.530 - 4.973	17.09	16.35	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+25+25+35+60	1.12	1.87	1.87	2.62	4.49	-	11.97 3.50 - 13.34	3.746 0.530 - 4.956	17.20	16.45	99
15+25+25+35+71	1.05	1.75	1.75	2.45	4.98	-	11.99 3.50 - 13.38	3.800 0.530 - 4.960	17.45	16.69	99
15+25+25+35+80	1.00	1.67	1.67	2.33	5.33	-	12.00 3.50 - 13.40	3.810 0.530 - 4.950	17.49	16.73	99
15+25+25+42+42	1.20	2.01	2.01	3.37 *	3.37 *	-	11.95 3.50 - 13.30	3.707 0.530 - 4.967	17.02	16.28	99
15+25+25+42+50	1.14	1.90	1.90	3.20 *	3.81 *	-	11.96 3.50 - 13.33	3.747 0.530 - 4.967	17.21	16.46	99
15+25+25+42+60	1.08	1.79	1.79	3.01 *	4.30	-	11.98 3.50 - 13.37	3.770 0.530 - 4.950	17.31	16.56	99
15+25+25+42+71	1.01	1.69	1.69	2.83 *	4.79	-	12.00 3.50 - 13.40	3.814 0.530 - 4.954	17.51	16.75	99
15+25+25+50+50	1.09	1.82	1.82	3.63 *	3.63 *	-	11.98 3.50 - 13.36	3.777 0.530 - 4.967	17.34	16.59	99
15+25+25+50+60	1.03	1.71	1.71	3.43 *	4.11	-	12.00 3.50 - 13.40	3.810 0.530 - 4.950	17.49	16.73	99
15+25+35+35+35	1.24	2.06	2.88	2.88	2.88	-	11.94 3.50 - 13.28	3.699 0.530 - 4.979	16.99	16.25	99
15+25+35+35+42	1.18	1.97	2.75	2.75	3.30 *	-	11.95 3.50 - 13.31	3.723 0.530 - 4.973	17.09	16.35	99
15+25+35+35+50	1.12	1.87	2.62	2.62	3.74 *	-	11.97 3.50 - 13.34	3.763 0.530 - 4.973	17.28	16.53	99
15+25+35+35+60	1.06	1.76	2.47	2.47	4.23	-	11.99 3.50 - 13.38	3.796 0.530 - 4.956	17.43	16.67	99
15+25+35+42+42	1.13	1.88	2.63	3.16 *	3.16 *	-	11.97 3.50 - 13.34	3.757 0.530 - 4.967	17.25	16.50	99
15+25+35+42+50	1.08	1.79	2.51	3.01 *	3.59 *	-	11.98 3.50 - 13.37	3.787 0.530 - 4.967	17.39	16.63	99
15+25+35+42+60	1.02	1.69	2.37	2.85 *	4.07	-	12.00 3.50 - 13.40	3.810 0.530 - 4.950	17.49	16.73	99
15+25+35+50+50	1.03	1.71	2.40	3.43 *	3.43 *	-	12.00 3.50 - 13.40	3.827 0.530 - 4.967	17.57	16.81	99
15+25+42+42+42	1.08	1.80	3.03 *	3.03 *	3.03 *	-	11.98 3.50 - 13.36	3.781 0.530 - 4.961	17.37	16.61	99
15+25+42+42+50	1.03	1.72	2.90 *	2.90 *	3.45 *	-	12.00 3.50 - 13.40	3.821 0.530 - 4.961	17.54	16.78	99
15+35+35+35+35	1.16	2.70	2.70	2.70	2.70	-	11.96 3.50 - 13.32	3.749 0.530 - 4.979	17.21	16.46	99
15+35+35+35+42	1.11	2.59	2.59	2.59	3.10 *	-	11.97 3.50 - 13.35	3.773 0.530 - 4.973	17.32	16.57	99
15+35+35+35+50	1.06	2.47	2.47	2.47	3.53 *	-	11.99 3.50 - 13.38	3.813 0.530 - 4.973	17.51	16.75	99
15+35+35+35+60	1.00	2.33	2.33	2.33	4.00	-	12.00 3.50 - 13.40	3.816 0.530 - 4.956	17.52	16.76	99
15+35+35+42+42	1.06	2.48	2.48	2.98 *	2.98 *	-	11.99 3.50 - 13.38	3.797 0.530 - 4.967	17.44	16.68	99
15+35+35+42+50	1.02	2.37	2.37	2.85 *	3.39 *	-	12.00 3.50 - 13.40	3.827 0.530 - 4.967	17.57	16.81	99
15+35+42+42+42	1.02	2.39	2.86 *	2.86 *	2.86 *	-	12.00 3.50 - 13.40	3.821 0.530 - 4.961	17.54	16.78	99
20+20+20+20+20	2.00	2.00	2.00	2.00	2.00	-	10.00 3.30 - 11.80	3.005 0.530 - 5.005	13.80	13.20	99
20+20+20+20+22	2.00	2.00	2.00	2.00	2.20	-	10.20 3.34 - 12.08	3.058 0.530 - 4.998	14.04	13.43	99
20+20+20+20+25	2.00	2.00	2.00	2.00	2.50	-	10.50 3.40 - 12.50	3.138 0.530 - 4.998	14.41	13.78	99
20+20+20+20+35	1.97	1.97	1.97	1.97	3.44	-	11.30 3.50 - 13.20	3.398 0.530 - 4.978	15.60	14.92	99
20+20+20+20+42	1.92	1.92	1.92	1.92	4.03 *	-	11.72 3.50 - 13.20	3.552 0.530 - 4.982	16.31	15.60	99
20+20+20+20+50	1.83	1.83	1.83	1.83	4.58 *	-	11.91 3.50 - 13.22	3.642 0.530 - 4.992	16.72	15.99	99
20+20+20+20+60	1.70	1.70	1.70	1.70	5.11	-	11.93 3.50 - 13.26	3.675 0.530 - 4.975	16.87	16.14	99
20+20+20+20+71	1.58	1.58	1.58	1.58	5.62	-	11.95 3.50 - 13.30	3.729 0.530 - 4.979	17.12	16.38	99
20+20+20+20+80	1.50	1.50	1.50	1.50	5.99	-	11.97 3.50 - 13.34	3.759 0.530 - 4.969	17.26	16.51	99
20+20+20+22+22	2.00	2.00	2.00	2.20	2.20	-	10.40 3.38 - 12.36	3.101 0.530 - 4.991	14.24	13.62	99
20+20+20+22+25	2.00	2.00	2.00	2.20	2.50	-	10.70 3.44 - 12.78	3.191 0.530 - 4.991	14.65	14.01	99
20+20+20+22+35	1.95	1.95	1.95	2.15	3.42	-	11.42 3.50 - 13.20	3.431 0.530 - 4.971	15.76	15.07	99
20+20+20+22+42	1.91	1.91	1.91	2.10	4.01 *	-	11.84 3.50 - 13.20	3.595 0.530 - 4.985	16.51	15.79	99
20+20+20+22+50	1.80	1.80	1.80	1.99	4.51 *	-	11.91 3.50 - 13.23	3.645 0.530 - 4.985	16.74	16.01	99
20+20+20+22+60	1.68	1.68	1.68	1.85	5.04	-	11.93 3.50 - 13.27	3.678 0.530 - 4.968	16.88	16.15	99
20+20+20+22+71	1.56	1.56	1.56	1.72	5.55	-	11.96 3.50 - 13.31	3.732 0.530 - 4.972	17.14	16.39	99
20+20+20+22+80	1.48	1.48	1.48	1.63	5.91	-	11.97 3.50 - 13.35	3.762 0.530 - 4.962	17.27	16.52	99
20+20+20+25+25	2.00	2.00	2.00	2.50	2.50	-	11.00 3.50 - 13.20	3.271 0.530 - 4.991	15.02	14.37	99
20+20+20+25+35	1.93	1.93	1.93	2.42	3.38	-	11.60 3.50 - 13.20	3.501 0.530 - 4.981	16.08	15.38	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+20+20+25+42	1.87	1.87	1.87	2.34	3.94 *	-	11.90 3.50 - 13.21	3.625 0.530 - 4.985	16.64	15.92	99
20+20+20+25+50	1.77	1.77	1.77	2.21	4.41 *	-	11.92 3.50 - 13.24	3.665 0.530 - 4.985	16.83	16.10	99
20+20+20+25+60	1.65	1.65	1.65	2.06	4.94	-	11.94 3.50 - 13.28	3.688 0.530 - 4.968	16.94	16.20	99
20+20+20+25+71	1.53	1.53	1.53	1.92	5.44	-	11.96 3.50 - 13.32	3.742 0.530 - 4.972	17.18	16.43	99
20+20+20+25+80	1.45	1.45	1.45	1.82	5.81	-	11.98 3.50 - 13.36	3.772 0.530 - 4.962	17.32	16.57	99
20+20+20+35+35	1.83	1.83	1.83	3.21	3.21	-	11.91 3.50 - 13.22	3.641 0.530 - 4.991	16.72	15.99	99
20+20+20+35+42	1.74	1.74	1.74	3.05	3.65 *	-	11.92 3.50 - 13.25	3.675 0.530 - 4.985	16.87	16.14	99
20+20+20+35+50	1.65	1.65	1.65	2.88	4.12 *	-	11.94 3.50 - 13.28	3.705 0.530 - 4.985	17.01	16.27	99
20+20+20+35+60	1.54	1.54	1.54	2.70	4.63	-	11.96 3.50 - 13.32	3.738 0.530 - 4.968	17.17	16.42	99
20+20+20+35+71	1.44	1.44	1.44	2.53	5.12	-	11.98 3.50 - 13.36	3.792 0.530 - 4.972	17.41	16.65	99
20+20+20+35+80	1.37	1.37	1.37	2.40	5.49	-	12.00 3.50 - 13.40	3.822 0.530 - 4.962	17.55	16.79	99
20+20+20+42+42	1.66	1.66	1.66	3.48 *	3.48 *	-	11.94 3.50 - 13.28	3.699 0.530 - 4.979	16.99	16.25	99
20+20+20+42+50	1.57	1.57	1.57	3.30 *	3.93 *	-	11.95 3.50 - 13.31	3.729 0.530 - 4.979	17.12	16.38	99
20+20+20+42+60	1.48	1.48	1.48	3.10 *	4.43	-	11.97 3.50 - 13.35	3.762 0.530 - 4.962	17.27	16.52	99
20+20+20+42+71	1.39	1.39	1.39	2.91 *	4.92	-	12.00 3.50 - 13.39	3.816 0.530 - 4.966	17.52	16.76	99
20+20+20+50+50	1.50	1.50	1.50	3.74 *	3.74 *	-	11.97 3.50 - 13.34	3.769 0.530 - 4.979	17.30	16.55	99
20+20+20+50+60	1.41	1.41	1.41	3.53 *	4.23	-	11.99 3.50 - 13.38	3.802 0.530 - 4.962	17.46	16.70	99
20+20+20+60+60	1.33	1.33	1.33	4.00	4.00	-	12.00 3.50 - 13.40	3.805 0.530 - 4.945	17.47	16.71	99
20+20+22+22+22	2.00	2.00	2.20	2.20	2.20	-	10.60 3.42 - 12.64	3.154 0.530 - 4.984	14.48	13.85	99
20+20+22+22+25	2.00	2.00	2.20	2.20	2.50	-	10.90 3.48 - 13.06	3.234 0.530 - 4.984	14.85	14.20	99
20+20+22+22+35	1.94	1.94	2.13	2.13	3.39	-	11.54 3.50 - 13.20	3.474 0.530 - 4.974	15.95	15.26	99
20+20+22+22+42	1.89	1.89	2.08	2.08	3.97 *	-	11.90 3.50 - 13.20	3.608 0.530 - 4.978	16.57	15.85	99
20+20+22+22+50	1.78	1.78	1.96	1.96	4.45 *	-	11.92 3.50 - 13.24	3.648 0.530 - 4.978	16.75	16.02	99
20+20+22+22+60	1.66	1.66	1.82	1.82	4.98	-	11.94 3.50 - 13.28	3.681 0.530 - 4.961	16.91	16.17	99
20+20+22+22+71	1.54	1.54	1.70	1.70	5.48	-	11.96 3.50 - 13.32	3.735 0.530 - 4.965	17.15	16.40	99
20+20+22+22+80	1.46	1.46	1.61	1.61	5.84	-	11.98 3.50 - 13.36	3.765 0.530 - 4.955	17.28	16.53	99
20+20+22+25+25	1.99	1.99	2.18	2.48	2.48	-	11.12 3.50 - 13.20	3.314 0.530 - 4.954	15.21	14.55	99
20+20+22+25+35	1.92	1.92	2.11	2.40	3.36	-	11.72 3.50 - 13.20	3.544 0.530 - 4.974	16.27	15.56	99
20+20+22+25+42	1.85	1.85	2.03	2.31	3.88 *	-	11.91 3.50 - 13.22	3.628 0.530 - 4.978	16.65	15.93	99
20+20+22+25+50	1.74	1.74	1.91	2.18	4.35 *	-	11.92 3.50 - 13.25	3.668 0.530 - 4.978	16.84	16.11	99
20+20+22+25+60	1.62	1.62	1.79	2.03	4.87	-	11.94 3.50 - 13.29	3.691 0.530 - 4.961	16.95	16.21	99
20+20+22+25+71	1.52	1.52	1.67	1.89	5.38	-	11.97 3.50 - 13.33	3.745 0.530 - 4.965	17.20	16.45	99
20+20+22+25+80	1.43	1.43	1.58	1.79	5.74	-	11.98 3.50 - 13.37	3.775 0.530 - 4.955	17.33	16.58	99
20+20+22+35+35	1.80	1.80	1.99	3.16	3.16	-	11.91 3.50 - 13.23	3.644 0.530 - 4.984	16.73	16.00	99
20+20+22+35+42	1.72	1.72	1.89	3.00	3.60 *	-	11.93 3.50 - 13.26	3.668 0.530 - 4.978	16.84	16.11	99
20+20+22+35+50	1.62	1.62	1.79	2.84	4.06 *	-	11.94 3.50 - 13.29	3.708 0.530 - 4.978	17.02	16.28	99
20+20+22+35+60	1.52	1.52	1.68	2.67	4.57	-	11.96 3.50 - 13.33	3.741 0.530 - 4.961	17.18	16.43	99
20+20+22+35+71	1.43	1.43	1.57	2.50	5.07	-	11.99 3.50 - 13.37	3.795 0.530 - 4.965	17.43	16.67	99
20+20+22+35+80	1.36	1.36	1.49	2.37	5.42	-	12.00 3.50 - 13.40	3.815 0.530 - 4.955	17.51	16.75	99
20+20+22+42+42	1.64	1.64	1.80	3.43 *	3.43 *	-	11.94 3.50 - 13.28	3.702 0.530 - 4.972	17.00	16.26	99
20+20+22+42+50	1.55	1.55	1.71	3.26 *	3.88 *	-	11.96 3.50 - 13.32	3.732 0.530 - 4.972	17.14	16.39	99
20+20+22+42+60	1.46	1.46	1.61	3.07 *	4.38	-	11.98 3.50 - 13.36	3.765 0.530 - 4.955	17.28	16.53	99
20+20+22+42+71	1.37	1.37	1.51	2.88 *	4.87	-	12.00 3.50 - 13.40	3.819 0.530 - 4.959	17.53	16.77	99
20+20+22+50+50	1.48	1.48	1.63	3.69 *	3.69 *	-	11.97 3.50 - 13.35	3.772 0.530 - 4.972	17.32	16.57	99
20+20+22+50+60	1.39	1.39	1.53	3.49 *	4.18	-	11.99 3.50 - 13.39	3.805 0.530 - 4.955	17.47	16.71	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+20+25+25+25	1.97	1.97	2.46	2.46	2.46	-	11.30 3.50 - 13.20	3.384 0.530 - 4.964	15.54	14.86	99
20+20+25+25+35	1.90	1.90	2.38	2.38	3.33	-	11.90 3.50 - 13.20	3.614 0.530 - 4.984	16.59	15.87	99
20+20+25+25+42	1.80	1.80	2.26	2.26	3.79 *	-	11.91 3.50 - 13.23	3.638 0.530 - 4.978	16.71	15.98	99
20+20+25+25+50	1.70	1.70	2.13	2.13	4.26 *	-	11.93 3.50 - 13.26	3.678 0.530 - 4.978	16.88	16.15	99
20+20+25+25+60	1.59	1.59	1.99	1.99	4.78	-	11.95 3.50 - 13.30	3.711 0.530 - 4.961	17.04	16.30	99
20+20+25+25+71	1.49	1.49	1.86	1.86	5.28	-	11.97 3.50 - 13.34	3.765 0.530 - 4.965	17.28	16.53	99
20+20+25+25+80	1.41	1.41	1.76	1.76	5.64	-	11.99 3.50 - 13.38	3.795 0.530 - 4.955	17.43	16.67	99
20+20+25+35+35	1.77	1.77	2.21	3.09	3.09	-	11.92 3.50 - 13.24	3.664 0.530 - 4.984	16.82	16.09	99
20+20+25+35+42	1.68	1.68	2.10	2.94	3.53 *	-	11.93 3.50 - 13.27	3.688 0.530 - 4.978	16.94	16.20	99
20+20+25+35+50	1.59	1.59	1.99	2.79	3.98 *	-	11.95 3.50 - 13.30	3.728 0.530 - 4.978	17.11	16.37	99
20+20+25+35+60	1.50	1.50	1.87	2.62	4.49	-	11.97 3.50 - 13.34	3.751 0.530 - 4.961	17.22	16.47	99
20+20+25+35+71	1.40	1.40	1.75	2.45	4.98	-	11.99 3.50 - 13.38	3.805 0.530 - 4.965	17.47	16.71	99
20+20+25+35+80	1.33	1.33	1.67	2.33	5.33	-	12.00 3.50 - 13.40	3.815 0.530 - 4.955	17.51	16.75	99
20+20+25+42+42	1.60	1.60	2.01	3.37 *	3.37 *	-	11.95 3.50 - 13.30	3.712 0.530 - 4.972	17.04	16.30	99
20+20+25+42+50	1.52	1.52	1.90	3.20 *	3.81 *	-	11.96 3.50 - 13.33	3.752 0.530 - 4.972	17.23	16.48	99
20+20+25+42+60	1.43	1.43	1.79	3.01 *	4.30	-	11.98 3.50 - 13.37	3.775 0.530 - 4.955	17.33	16.58	99
20+20+25+42+71	1.35	1.35	1.69	2.83 *	4.79	-	12.00 3.50 - 13.40	3.819 0.530 - 4.959	17.53	16.77	99
20+20+25+50+50	1.45	1.45	1.82	3.63 *	3.63 *	-	11.98 3.50 - 13.36	3.782 0.530 - 4.972	17.37	16.61	99
20+20+25+50+60	1.37	1.37	1.71	3.43 *	4.11	-	12.00 3.50 - 13.40	3.815 0.530 - 4.955	17.51	16.75	99
20+20+35+35+35	1.65	1.65	2.88	2.88	2.88	-	11.94 3.50 - 13.28	3.704 0.530 - 4.984	17.01	16.27	99
20+20+35+35+42	1.57	1.57	2.75	2.75	3.30 *	-	11.95 3.50 - 13.31	3.728 0.530 - 4.978	17.11	16.37	99
20+20+35+35+50	1.50	1.50	2.62	2.62	3.74 *	-	11.97 3.50 - 13.34	3.768 0.530 - 4.978	17.30	16.55	99
20+20+35+35+60	1.41	1.41	2.47	2.47	4.23	-	11.99 3.50 - 13.38	3.801 0.530 - 4.961	17.45	16.69	99
20+20+35+42+42	1.51	1.51	2.63	3.16 *	3.16 *	-	11.97 3.50 - 13.34	3.762 0.530 - 4.972	17.27	16.52	99
20+20+35+42+50	1.43	1.43	2.51	3.01 *	3.59 *	-	11.98 3.50 - 13.37	3.792 0.530 - 4.972	17.41	16.65	99
20+20+35+42+60	1.36	1.36	2.37	2.85 *	4.07	-	12.00 3.50 - 13.40	3.815 0.530 - 4.955	17.51	16.75	99
20+20+35+50+50	1.37	1.37	2.40	3.43 *	3.43 *	-	12.00 3.50 - 13.40	3.832 0.530 - 4.972	17.60	16.83	99
20+20+42+42+42	1.44	1.44	3.03 *	3.03 *	3.03 *	-	11.98 3.50 - 13.36	3.786 0.530 - 4.966	17.39	16.63	99
20+20+42+42+50	1.38	1.38	2.90 *	2.90 *	3.45 *	-	12.00 3.50 - 13.40	3.826 0.530 - 4.966	17.56	16.80	99
20+22+22+22+22	2.00	2.20	2.20	2.20	2.20	-	10.80 3.46 - 12.92	3.197 0.530 - 4.977	14.68	14.04	99
20+22+22+22+25	1.99	2.19	2.19	2.19	2.49	-	11.06 3.50 - 13.20	3.277 0.530 - 4.947	15.04	14.39	99
20+22+22+22+35	1.93	2.12	2.12	2.12	3.37	-	11.66 3.50 - 13.20	3.517 0.530 - 4.967	16.15	15.45	99
20+22+22+22+42	1.86	2.05	2.05	2.05	3.91 *	-	11.91 3.50 - 13.21	3.611 0.530 - 4.971	16.58	15.86	99
20+22+22+22+50	1.75	1.93	1.93	1.93	4.38 *	-	11.92 3.50 - 13.24	3.651 0.530 - 4.971	16.76	16.03	99
20+22+22+22+60	1.64	1.80	1.80	1.80	4.91	-	11.94 3.50 - 13.28	3.684 0.530 - 4.954	16.92	16.18	99
20+22+22+22+71	1.52	1.68	1.68	1.68	5.41	-	11.96 3.50 - 13.33	3.738 0.530 - 4.958	17.17	16.42	99
20+22+22+22+80	1.44	1.59	1.59	1.59	5.77	-	11.98 3.50 - 13.36	3.768 0.530 - 4.948	17.30	16.55	99
20+22+22+25+25	1.97	2.17	2.17	2.46	2.46	-	11.24 3.50 - 13.20	3.347 0.530 - 4.947	15.37	14.70	99
20+22+22+25+35	1.91	2.10	2.10	2.39	3.34	-	11.84 3.50 - 13.20	3.587 0.530 - 4.977	16.47	15.75	99
20+22+22+25+42	1.82	2.00	2.00	2.27	3.82 *	-	11.91 3.50 - 13.22	3.631 0.530 - 4.971	16.68	15.95	99
20+22+22+25+50	1.72	1.89	1.89	2.15	4.29 *	-	11.93 3.50 - 13.26	3.661 0.530 - 4.971	16.81	16.08	99
20+22+22+25+60	1.60	1.76	1.76	2.01	4.81	-	11.95 3.50 - 13.30	3.694 0.530 - 4.954	16.96	16.22	99
20+22+22+25+71	1.50	1.65	1.65	1.87	5.31	-	11.97 3.50 - 13.34	3.748 0.530 - 4.958	17.21	16.46	99
20+22+22+25+80	1.42	1.56	1.56	1.77	5.68	-	11.99 3.50 - 13.38	3.778 0.530 - 4.948	17.34	16.59	99
20+22+22+35+35	1.78	1.96	1.96	3.11	3.11	-	11.92 3.50 - 13.24	3.647 0.530 - 4.977	16.75	16.02	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+22+22+35+42	1.69	1.86	1.86	2.96	3.55 *	-	11.93 3.50 - 13.26	3.671 0.530 - 4.971	16.85	16.12	99
20+22+22+35+50	1.60	1.76	1.76	2.81	4.01 *	-	11.95 3.50 - 13.30	3.711 0.530 - 4.971	17.04	16.30	99
20+22+22+35+60	1.51	1.66	1.66	2.63	4.52	-	11.97 3.50 - 13.34	3.744 0.530 - 4.954	17.19	16.44	99
20+22+22+35+71	1.41	1.55	1.55	2.47	5.01	-	11.99 3.50 - 13.38	3.798 0.530 - 4.958	17.44	16.68	99
20+22+22+35+80	1.34	1.47	1.47	2.35	5.36	-	12.00 3.50 - 13.40	3.808 0.530 - 4.948	17.48	16.72	99
20+22+22+42+42	1.61	1.78	1.78	3.39 *	3.39 *	-	11.95 3.50 - 13.29	3.705 0.530 - 4.965	17.01	16.27	99
20+22+22+42+50	1.53	1.69	1.69	3.22 *	3.83 *	-	11.96 3.50 - 13.32	3.735 0.530 - 4.965	17.15	16.40	99
20+22+22+42+60	1.44	1.59	1.59	3.03 *	4.33	-	11.98 3.50 - 13.36	3.768 0.530 - 4.948	17.30	16.55	99
20+22+22+42+71	1.36	1.49	1.49	2.85 *	4.81	-	12.00 3.50 - 13.40	3.812 0.530 - 4.952	17.50	16.74	99
20+22+22+50+50	1.46	1.61	1.61	3.65 *	3.65 *	-	11.98 3.50 - 13.36	3.775 0.530 - 4.965	17.33	16.58	99
20+22+22+50+60	1.38	1.52	1.52	3.45 *	4.14	-	12.00 3.50 - 13.40	3.808 0.530 - 4.948	17.48	16.72	99
20+22+25+25+25	1.95	2.15	2.44	2.44	2.44	-	11.42 3.50 - 13.20	3.417 0.530 - 4.957	15.69	15.01	99
20+22+25+25+35	1.87	2.06	2.34	2.34	3.28	-	11.90 3.50 - 13.21	3.617 0.530 - 4.977	16.60	15.88	99
20+22+25+25+42	1.78	1.96	2.22	2.22	3.74 *	-	11.92 3.50 - 13.24	3.641 0.530 - 4.971	16.72	15.99	99
20+22+25+25+50	1.68	1.85	2.10	2.10	4.20 *	-	11.93 3.50 - 13.27	3.681 0.530 - 4.971	16.91	16.17	99
20+22+25+25+60	1.57	1.73	1.97	1.97	4.72	-	11.95 3.50 - 13.31	3.704 0.530 - 4.954	17.01	16.27	99
20+22+25+25+71	1.47	1.62	1.84	1.84	5.22	-	11.98 3.50 - 13.35	3.758 0.530 - 4.958	17.25	16.50	99
20+22+25+25+80	1.39	1.53	1.74	1.74	5.58	-	11.99 3.50 - 13.39	3.798 0.530 - 4.948	17.44	16.68	99
20+22+25+35+35	1.74	1.91	2.18	3.05	3.05	-	11.92 3.50 - 13.25	3.667 0.530 - 4.977	16.83	16.10	99
20+22+25+35+42	1.66	1.82	2.07	2.90	3.48 *	-	11.94 3.50 - 13.28	3.691 0.530 - 4.971	16.95	16.21	99
20+22+25+35+50	1.57	1.73	1.97	2.75	3.93 *	-	11.95 3.50 - 13.31	3.721 0.530 - 4.971	17.08	16.34	99
20+22+25+35+60	1.48	1.63	1.85	2.59	4.43	-	11.97 3.50 - 13.35	3.754 0.530 - 4.954	17.24	16.49	99
20+22+25+35+71	1.39	1.53	1.73	2.43	4.92	-	12.00 3.50 - 13.39	3.808 0.530 - 4.958	17.48	16.72	99
20+22+25+42+42	1.58	1.74	1.98	3.32 *	3.32 *	-	11.95 3.50 - 13.30	3.715 0.530 - 4.965	17.06	16.32	99
20+22+25+42+50	1.51	1.66	1.88	3.16 *	3.76 *	-	11.97 3.50 - 13.34	3.755 0.530 - 4.965	17.24	16.49	99
20+22+25+42+60	1.42	1.56	1.77	2.98 *	4.26	-	11.99 3.50 - 13.38	3.778 0.530 - 4.948	17.34	16.59	99
20+22+25+42+71	1.33	1.47	1.67	2.80 *	4.73	-	12.00 3.50 - 13.40	3.812 0.530 - 4.952	17.50	16.74	99
20+22+25+50+50	1.43	1.58	1.79	3.59 *	3.59 *	-	11.98 3.50 - 13.37	3.785 0.530 - 4.965	17.38	16.62	99
20+22+25+50+60	1.36	1.49	1.69	3.39 *	4.07	-	12.00 3.50 - 13.40	3.808 0.530 - 4.948	17.48	16.72	99
20+22+35+35+35	1.62	1.79	2.84	2.84	2.84	-	11.94 3.50 - 13.29	3.707 0.530 - 4.977	17.02	16.28	99
20+22+35+35+42	1.55	1.71	2.72	2.72	3.26 *	-	11.96 3.50 - 13.32	3.731 0.530 - 4.971	17.14	16.39	99
20+22+35+35+50	1.48	1.63	2.59	2.59	3.69 *	-	11.97 3.50 - 13.35	3.771 0.530 - 4.971	17.31	16.56	99
20+22+35+35+60	1.39	1.53	2.44	2.44	4.18	-	11.99 3.50 - 13.39	3.804 0.530 - 4.954	17.47	16.71	99
20+22+35+42+42	1.49	1.64	2.60	3.12 *	3.12 *	-	11.97 3.50 - 13.34	3.765 0.530 - 4.965	17.28	16.53	99
20+22+35+42+50	1.42	1.56	2.48	2.98 *	3.55 *	-	11.99 3.50 - 13.38	3.795 0.530 - 4.965	17.43	16.67	99
20+22+35+42+60	1.34	1.47	2.35	2.82 *	4.02	-	12.00 3.50 - 13.40	3.808 0.530 - 4.948	17.48	16.72	99
20+22+35+50+50	1.36	1.49	2.37	3.39 *	3.39 *	-	12.00 3.50 - 13.40	3.825 0.530 - 4.965	17.56	16.80	99
20+22+42+42+42	1.43	1.57	3.00 *	3.00 *	3.00 *	-	11.99 3.50 - 13.37	3.789 0.530 - 4.959	17.40	16.64	99
20+22+42+42+50	1.36	1.50	2.86 *	2.86 *	3.41 *	-	12.00 3.50 - 13.40	3.819 0.530 - 4.959	17.53	16.77	99
20+25+25+25+25	1.93	2.42	2.42	2.42	2.42	-	11.60 3.50 - 13.20	3.487 0.530 - 4.967	16.01	15.31	99
20+25+25+25+35	1.83	2.29	2.29	2.29	3.21	-	11.91 3.50 - 13.22	3.627 0.530 - 4.977	16.65	15.93	99
20+25+25+25+42	1.74	2.18	2.18	2.18	3.65 *	-	11.92 3.50 - 13.25	3.661 0.530 - 4.971	16.81	16.08	99
20+25+25+25+50	1.65	2.06	2.06	2.06	4.12 *	-	11.94 3.50 - 13.28	3.691 0.530 - 4.971	16.95	16.21	99
20+25+25+25+60	1.54	1.93	1.93	1.93	4.63	-	11.96 3.50 - 13.32	3.724 0.530 - 4.954	17.09	16.35	99
20+25+25+25+71	1.44	1.80	1.80	1.80	5.12	-	11.98 3.50 - 13.36	3.778 0.530 - 4.958	17.34	16.59	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
20+25+25+25+80	1.37	1.71	1.71	1.71	5.49	-	12.00 3.50 - 13.40	3.808 0.530 - 4.948	17.48	16.72	99
20+25+25+35+35	1.70	2.13	2.13	2.98	2.98	-	11.93 3.50 - 13.26	3.677 0.530 - 4.977	16.88	16.15	99
20+25+25+35+42	1.62	2.03	2.03	2.84	3.41 *	-	11.94 3.50 - 13.29	3.701 0.530 - 4.971	16.99	16.25	99
20+25+25+35+50	1.54	1.93	1.93	2.70	3.86 *	-	11.96 3.50 - 13.32	3.741 0.530 - 4.971	17.18	16.43	99
20+25+25+35+60	1.45	1.82	1.82	2.54	4.36	-	11.98 3.50 - 13.36	3.764 0.530 - 4.954	17.28	16.53	99
20+25+25+35+71	1.36	1.70	1.70	2.39	4.84	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
20+25+25+42+42	1.55	1.94	1.94	3.26 *	3.26 *	-	11.96 3.50 - 13.32	3.725 0.530 - 4.965	17.10	16.36	99
20+25+25+42+50	1.48	1.85	1.85	3.10 *	3.69 *	-	11.97 3.50 - 13.35	3.765 0.530 - 4.965	17.28	16.53	99
20+25+25+42+60	1.39	1.74	1.74	2.93 *	4.18	-	11.99 3.50 - 13.39	3.798 0.530 - 4.948	17.44	16.68	99
20+25+25+50+50	1.41	1.76	1.76	3.53 *	3.53 *	-	11.99 3.50 - 13.38	3.805 0.530 - 4.965	17.47	16.71	99
20+25+25+50+60	1.33	1.67	1.67	3.33 *	4.00	-	12.00 3.50 - 13.40	3.808 0.530 - 4.948	17.48	16.72	99
20+25+35+35+35	1.59	1.99	2.79	2.79	2.79	-	11.95 3.50 - 13.30	3.727 0.530 - 4.977	17.11	16.37	99
20+25+35+35+42	1.52	1.90	2.67	2.67	3.20 *	-	11.96 3.50 - 13.33	3.751 0.530 - 4.971	17.22	16.47	99
20+25+35+35+50	1.45	1.82	2.54	2.54	3.63 *	-	11.98 3.50 - 13.36	3.781 0.530 - 4.971	17.37	16.61	99
20+25+35+35+60	1.37	1.71	2.40	2.40	4.11	-	12.00 3.50 - 13.40	3.814 0.530 - 4.954	17.51	16.75	99
20+25+35+42+42	1.46	1.83	2.56	3.07 *	3.07 *	-	11.98 3.50 - 13.36	3.775 0.530 - 4.965	17.33	16.58	99
20+25+35+42+50	1.39	1.74	2.44	2.93 *	3.49 *	-	11.99 3.50 - 13.39	3.815 0.530 - 4.965	17.51	16.75	99
20+25+35+50+50	1.33	1.67	2.33	3.33 *	3.33 *	-	12.00 3.50 - 13.40	3.825 0.530 - 4.965	17.56	16.80	99
20+25+42+42+42	1.40	1.75	2.94 *	2.94 *	2.94 *	-	11.99 3.50 - 13.38	3.799 0.530 - 4.959	17.44	16.68	99
20+25+42+42+50	1.34	1.68	2.82 *	2.82 *	3.35 *	-	12.00 3.50 - 13.40	3.819 0.530 - 4.959	17.53	16.77	99
20+35+35+35+35	1.50	2.62	2.62	2.62	2.62	-	11.97 3.50 - 13.34	3.767 0.530 - 4.977	17.29	16.54	99
20+35+35+35+42	1.43	2.51	2.51	2.51	3.01 *	-	11.98 3.50 - 13.37	3.791 0.530 - 4.971	17.41	16.65	99
20+35+35+35+50	1.37	2.40	2.40	2.40	3.43 *	-	12.00 3.50 - 13.40	3.831 0.530 - 4.971	17.58	16.82	99
20+35+35+42+42	1.38	2.41	2.41	2.90 *	2.90 *	-	12.00 3.50 - 13.40	3.825 0.530 - 4.965	17.56	16.80	99
22+22+22+22+22	2.20	2.20	2.20	2.20	2.20	-	11.00 3.50 - 13.20	3.250 0.530 - 4.970	14.92	14.27	99
22+22+22+22+25	2.18	2.18	2.18	2.18	2.47	-	11.18 3.50 - 13.20	3.320 0.530 - 4.940	15.24	14.58	99
22+22+22+22+35	2.11	2.11	2.11	2.11	3.35	-	11.78 3.50 - 13.20	3.550 0.530 - 4.970	16.30	15.59	99
22+22+22+22+42	2.02	2.02	2.02	2.02	3.85 *	-	11.91 3.50 - 13.22	3.614 0.530 - 4.964	16.59	15.87	99
22+22+22+22+50	1.90	1.90	1.90	1.90	4.32 *	-	11.93 3.50 - 13.25	3.654 0.530 - 4.964	16.78	16.05	99
22+22+22+22+60	1.78	1.78	1.78	1.78	4.84	-	11.95 3.50 - 13.29	3.687 0.530 - 4.947	16.93	16.19	99
22+22+22+22+71	1.66	1.66	1.66	1.66	5.35	-	11.97 3.50 - 13.34	3.741 0.530 - 4.951	17.18	16.43	99
22+22+22+22+80	1.57	1.57	1.57	1.57	5.71	-	11.99 3.50 - 13.37	3.771 0.530 - 4.941	17.31	16.56	99
22+22+22+25+25	2.15	2.15	2.15	2.45	2.45	-	11.36 3.50 - 13.20	3.390 0.530 - 4.950	15.57	14.89	99
22+22+22+25+35	2.08	2.08	2.08	2.36	3.31	-	11.90 3.50 - 13.20	3.600 0.530 - 4.970	16.53	15.81	99
22+22+22+25+42	1.97	1.97	1.97	2.24	3.76 *	-	11.92 3.50 - 13.23	3.634 0.530 - 4.964	16.69	15.96	99
22+22+22+25+50	1.86	1.86	1.86	2.12	4.23 *	-	11.93 3.50 - 13.26	3.664 0.530 - 4.964	16.82	16.09	99
22+22+22+25+60	1.74	1.74	1.74	1.98	4.75	-	11.95 3.50 - 13.30	3.697 0.530 - 4.947	16.98	16.24	99
22+22+22+25+71	1.63	1.63	1.63	1.85	5.25	-	11.97 3.50 - 13.35	3.751 0.530 - 4.951	17.22	16.47	99
22+22+22+25+80	1.54	1.54	1.54	1.75	5.61	-	11.99 3.50 - 13.38	3.781 0.530 - 4.941	17.37	16.61	99
22+22+22+35+35	1.93	1.93	1.93	3.07	3.07	-	11.92 3.50 - 13.24	3.650 0.530 - 4.970	16.76	16.03	99
22+22+22+35+42	1.84	1.84	1.84	2.92	3.51 *	-	11.94 3.50 - 13.27	3.674 0.530 - 4.964	16.87	16.14	99
22+22+22+35+50	1.74	1.74	1.74	2.77	3.96 *	-	11.95 3.50 - 13.30	3.714 0.530 - 4.964	17.05	16.31	99
22+22+22+35+60	1.64	1.64	1.64	2.60	4.46	-	11.97 3.50 - 13.34	3.747 0.530 - 4.947	17.21	16.46	99
22+22+22+35+71	1.53	1.53	1.53	2.44	4.95	-	11.99 3.50 - 13.39	3.801 0.530 - 4.951	17.45	16.69	99
22+22+22+42+42	1.75	1.75	1.75	3.35 *	3.35 *	-	11.95 3.50 - 13.30	3.708 0.530 - 4.958	17.02	16.28	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
22+22+22+42+50	1.67	1.67	1.67	3.18 *	3.79 *	-	11.97 3.50 - 13.33	3.738 0.530 - 4.958	17.17	16.42	99
22+22+22+42+60	1.57	1.57	1.57	3.00 *	4.28	-	11.99 3.50 - 13.37	3.771 0.530 - 4.941	17.31	16.56	99
22+22+22+42+71	1.47	1.47	1.47	2.82 *	4.76	-	12.00 3.50 - 13.40	3.805 0.530 - 4.945	17.47	16.71	99
22+22+22+50+50	1.59	1.59	1.59	3.61 *	3.61 *	-	11.98 3.50 - 13.36	3.778 0.530 - 4.958	17.34	16.59	99
22+22+22+50+60	1.50	1.50	1.50	3.41 *	4.09	-	12.00 3.50 - 13.40	3.801 0.530 - 4.941	17.45	16.69	99
22+22+25+25+25	2.13	2.13	2.42	2.42	2.42	-	11.54 3.50 - 13.20	3.460 0.530 - 4.960	15.89	15.20	99
22+22+25+25+35	2.03	2.03	2.31	2.31	3.23	-	11.91 3.50 - 13.22	3.620 0.530 - 4.970	16.62	15.90	99
22+22+25+25+42	1.93	1.93	2.19	2.19	3.68 *	-	11.92 3.50 - 13.24	3.644 0.530 - 4.964	16.73	16.00	99
22+22+25+25+50	1.82	1.82	2.07	2.07	4.15 *	-	11.94 3.50 - 13.28	3.684 0.530 - 4.964	16.92	16.18	99
22+22+25+25+60	1.71	1.71	1.94	1.94	4.66	-	11.96 3.50 - 13.32	3.707 0.530 - 4.947	17.02	16.28	99
22+22+25+25+71	1.60	1.60	1.82	1.82	5.16	-	11.98 3.50 - 13.36	3.761 0.530 - 4.951	17.27	16.52	99
22+22+25+25+80	1.52	1.52	1.72	1.72	5.52	-	12.00 3.50 - 13.40	3.801 0.530 - 4.941	17.45	16.69	99
22+22+25+35+35	1.89	1.89	2.15	3.00	3.00	-	11.93 3.50 - 13.26	3.660 0.530 - 4.970	16.80	16.07	99
22+22+25+35+42	1.80	1.80	2.04	2.86	3.43 *	-	11.94 3.50 - 13.28	3.694 0.530 - 4.964	16.96	16.22	99
22+22+25+35+50	1.71	1.71	1.94	2.72	3.88 *	-	11.96 3.50 - 13.32	3.724 0.530 - 4.964	17.09	16.35	99
22+22+25+35+60	1.61	1.61	1.83	2.56	4.38	-	11.98 3.50 - 13.36	3.757 0.530 - 4.947	17.25	16.50	99
22+22+25+35+71	1.51	1.51	1.71	2.40	4.87	-	12.00 3.50 - 13.40	3.811 0.530 - 4.951	17.50	16.74	99
22+22+25+42+42	1.72	1.72	1.95	3.28 *	3.28 *	-	11.96 3.50 - 13.31	3.718 0.530 - 4.958	17.07	16.33	99
22+22+25+42+50	1.64	1.64	1.86	3.12 *	3.72 *	-	11.97 3.50 - 13.34	3.758 0.530 - 4.958	17.25	16.50	99
22+22+25+42+60	1.54	1.54	1.75	2.94 *	4.21	-	11.99 3.50 - 13.38	3.781 0.530 - 4.941	17.37	16.61	99
22+22+25+50+50	1.56	1.56	1.77	3.55 *	3.55 *	-	11.99 3.50 - 13.38	3.788 0.530 - 4.958	17.40	16.64	99
22+22+25+50+60	1.47	1.47	1.68	3.35 *	4.02	-	12.00 3.50 - 13.40	3.801 0.530 - 4.941	17.45	16.69	99
22+22+35+35+35	1.76	1.76	2.81	2.81	2.81	-	11.95 3.50 - 13.30	3.710 0.530 - 4.970	17.03	16.29	99
22+22+35+35+42	1.69	1.69	2.68	2.68	3.22 *	-	11.96 3.50 - 13.32	3.734 0.530 - 4.964	17.15	16.40	99
22+22+35+35+50	1.61	1.61	2.56	2.56	3.65 *	-	11.98 3.50 - 13.36	3.774 0.530 - 4.964	17.32	16.57	99
22+22+35+35+60	1.52	1.52	2.41	2.41	4.14	-	12.00 3.50 - 13.40	3.807 0.530 - 4.947	17.48	16.72	99
22+22+35+42+42	1.62	1.62	2.57	3.09 *	3.09 *	-	11.98 3.50 - 13.35	3.758 0.530 - 4.958	17.25	16.50	99
22+22+35+42+50	1.54	1.54	2.45	2.94 *	3.51 *	-	11.99 3.50 - 13.38	3.798 0.530 - 4.958	17.44	16.68	99
22+22+35+50+50	1.47	1.47	2.35	3.35 *	3.35 *	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
22+22+42+42+42	1.55	1.55	2.96 *	2.96 *	2.96 *	-	11.99 3.50 - 13.38	3.792 0.530 - 4.952	17.41	16.65	99
22+22+42+42+50	1.48	1.48	2.83 *	2.83 *	3.37 *	-	12.00 3.50 - 13.40	3.812 0.530 - 4.952	17.50	16.74	99
22+25+25+25+25	2.11	2.40	2.40	2.40	2.40	-	11.72 3.50 - 13.20	3.530 0.530 - 4.960	16.20	15.50	99
22+25+25+25+35	1.99	2.26	2.26	2.26	3.16	-	11.91 3.50 - 13.23	3.630 0.530 - 4.970	16.66	15.94	99
22+25+25+25+42	1.89	2.15	2.15	2.15	3.60 *	-	11.93 3.50 - 13.26	3.654 0.530 - 4.964	16.78	16.05	99
22+25+25+25+50	1.79	2.03	2.03	2.03	4.06 *	-	11.94 3.50 - 13.29	3.694 0.530 - 4.964	16.96	16.22	99
22+25+25+25+60	1.68	1.90	1.90	1.90	4.57	-	11.96 3.50 - 13.33	3.727 0.530 - 4.947	17.11	16.37	99
22+25+25+25+71	1.57	1.78	1.78	1.78	5.07	-	11.99 3.50 - 13.37	3.781 0.530 - 4.951	17.37	16.61	99
22+25+25+25+80	1.49	1.69	1.69	1.69	5.42	-	12.00 3.50 - 13.40	3.801 0.530 - 4.941	17.45	16.69	99
22+25+25+35+35	1.85	2.10	2.10	2.94	2.94	-	11.93 3.50 - 13.27	3.680 0.530 - 4.970	16.89	16.16	99
22+25+25+35+42	1.76	2.01	2.01	2.81	3.37 *	-	11.95 3.50 - 13.30	3.704 0.530 - 4.964	17.01	16.27	99
22+25+25+35+50	1.68	1.90	1.90	2.67	3.81 *	-	11.96 3.50 - 13.33	3.744 0.530 - 4.964	17.19	16.44	99
22+25+25+35+60	1.58	1.79	1.79	2.51	4.30	-	11.98 3.50 - 13.37	3.767 0.530 - 4.947	17.29	16.54	99
22+25+25+35+71	1.48	1.69	1.69	2.36	4.79	-	12.00 3.50 - 13.40	3.811 0.530 - 4.951	17.50	16.74	99
22+25+25+42+42	1.69	1.92	1.92	3.22 *	3.22 *	-	11.96 3.50 - 13.32	3.728 0.530 - 4.958	17.11	16.37	99
22+25+25+42+50	1.61	1.83	1.83	3.07 *	3.65 *	-	11.98 3.50 - 13.36	3.768 0.530 - 4.958	17.30	16.55	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
22+25+25+42+60	1.52	1.72	1.72	2.90 *	4.14	-	12.00 3.50 - 13.40	3.801 0.530 - 4.941	17.45	16.69	99
22+25+25+50+50	1.53	1.74	1.74	3.49 *	3.49 *	-	11.99 3.50 - 13.39	3.808 0.530 - 4.958	17.48	16.72	99
22+25+35+35+35	1.73	1.97	2.75	2.75	2.75	-	11.95 3.50 - 13.31	3.720 0.530 - 4.970	17.08	16.34	99
22+25+35+35+42	1.66	1.88	2.63	2.63	3.16 *	-	11.97 3.50 - 13.34	3.754 0.530 - 4.964	17.24	16.49	99
22+25+35+35+50	1.58	1.79	2.51	2.51	3.59 *	-	11.98 3.50 - 13.37	3.784 0.530 - 4.964	17.38	16.62	99
22+25+35+35+60	1.49	1.69	2.37	2.37	4.07	-	12.00 3.50 - 13.40	3.807 0.530 - 4.947	17.48	16.72	99
22+25+35+42+42	1.59	1.80	2.53	3.03 *	3.03 *	-	11.98 3.50 - 13.36	3.778 0.530 - 4.958	17.34	16.59	99
22+25+35+42+50	1.52	1.72	2.41	2.90 *	3.45 *	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
22+25+42+42+42	1.53	1.73	2.91 *	2.91 *	2.91 *	-	12.00 3.50 - 13.39	3.802 0.530 - 4.952	17.46	16.70	99
22+35+35+35+35	1.63	2.59	2.59	2.59	2.59	-	11.97 3.50 - 13.35	3.770 0.530 - 4.970	17.31	16.56	99
22+35+35+35+42	1.56	2.48	2.48	2.48	2.98 *	-	11.99 3.50 - 13.38	3.794 0.530 - 4.964	17.42	16.66	99
22+35+35+35+50	1.49	2.37	2.37	2.37	3.39 *	-	12.00 3.50 - 13.40	3.824 0.530 - 4.964	17.55	16.79	99
22+35+35+42+42	1.50	2.39	2.39	2.86 *	2.86 *	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
25+25+25+25+25	2.38	2.38	2.38	2.38	2.38	-	11.90 3.50 - 13.20	3.600 0.530 - 4.970	16.53	15.81	99
25+25+25+25+35	2.21	2.21	2.21	2.21	3.09	-	11.92 3.50 - 13.24	3.650 0.530 - 4.970	16.76	16.03	99
25+25+25+25+42	2.10	2.10	2.10	2.10	3.53 *	-	11.93 3.50 - 13.27	3.674 0.530 - 4.964	16.87	16.14	99
25+25+25+25+50	1.99	1.99	1.99	1.99	3.98 *	-	11.95 3.50 - 13.30	3.714 0.530 - 4.964	17.05	16.31	99
25+25+25+25+60	1.87	1.87	1.87	1.87	4.49	-	11.97 3.50 - 13.34	3.737 0.530 - 4.947	17.16	16.41	99
25+25+25+25+71	1.75	1.75	1.75	1.75	4.98	-	11.99 3.50 - 13.38	3.791 0.530 - 4.951	17.41	16.65	99
25+25+25+25+80	1.67	1.67	1.67	1.67	5.33	-	12.00 3.50 - 13.40	3.801 0.530 - 4.941	17.45	16.69	99
25+25+25+35+35	2.06	2.06	2.06	2.88	2.88	-	11.94 3.50 - 13.28	3.690 0.530 - 4.970	16.95	16.21	99
25+25+25+35+42	1.97	1.97	1.97	2.75	3.30 *	-	11.95 3.50 - 13.31	3.714 0.530 - 4.964	17.05	16.31	99
25+25+25+35+50	1.87	1.87	1.87	2.62	3.74 *	-	11.97 3.50 - 13.34	3.754 0.530 - 4.964	17.24	16.49	99
25+25+25+35+60	1.76	1.76	1.76	2.47	4.23	-	11.99 3.50 - 13.38	3.787 0.530 - 4.947	17.39	16.63	99
25+25+25+42+42	1.88	1.88	1.88	3.16 *	3.16 *	-	11.97 3.50 - 13.34	3.748 0.530 - 4.958	17.21	16.46	99
25+25+25+42+50	1.79	1.79	1.79	3.01 *	3.59 *	-	11.98 3.50 - 13.37	3.778 0.530 - 4.958	17.34	16.59	99
25+25+25+42+60	1.69	1.69	1.69	2.85 *	4.07	-	12.00 3.50 - 13.40	3.801 0.530 - 4.941	17.45	16.69	99
25+25+25+50+50	1.71	1.71	1.71	3.43 *	3.43 *	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
25+25+35+35+35	1.93	1.93	2.70	2.70	2.70	-	11.96 3.50 - 13.32	3.740 0.530 - 4.970	17.18	16.43	99
25+25+35+35+42	1.85	1.85	2.59	2.59	3.10 *	-	11.97 3.50 - 13.35	3.764 0.530 - 4.964	17.28	16.53	99
25+25+35+35+50	1.76	1.76	2.47	2.47	3.53 *	-	11.99 3.50 - 13.38	3.804 0.530 - 4.964	17.47	16.71	99
25+25+35+35+60	1.67	1.67	2.33	2.33	4.00	-	12.00 3.50 - 13.40	3.807 0.530 - 4.947	17.48	16.72	99
25+25+35+42+42	1.77	1.77	2.48	2.98 *	2.98 *	-	11.99 3.50 - 13.38	3.788 0.530 - 4.958	17.40	16.64	99
25+25+35+42+50	1.69	1.69	2.37	2.85 *	3.39 *	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
25+25+42+42+42	1.70	1.70	2.86 *	2.86 *	2.86 *	-	12.00 3.50 - 13.40	3.812 0.530 - 4.952	17.50	16.74	99
25+35+35+35+35	1.82	2.54	2.54	2.54	2.54	-	11.98 3.50 - 13.36	3.780 0.530 - 4.970	17.35	16.60	99
25+35+35+35+42	1.74	2.44	2.44	2.44	2.93 *	-	11.99 3.50 - 13.39	3.814 0.530 - 4.964	17.51	16.75	99
25+35+35+35+50	1.67	2.33	2.33	2.33	3.33 *	-	12.00 3.50 - 13.40	3.824 0.530 - 4.964	17.55	16.79	99
25+35+35+42+42	1.68	2.35	2.35	2.82 *	2.82 *	-	12.00 3.50 - 13.40	3.818 0.530 - 4.958	17.53	16.77	99
35+35+35+35+35	2.40	2.40	2.40	2.40	2.40	-	12.00 3.50 - 13.40	3.830 0.530 - 4.970	17.58	16.82	99
15+15+15+15+15+15	1.40	1.40	1.40	1.40	1.40	1.40	8.40 3.50 - 13.00	2.298 0.530 - 4.898	10.55	10.09	99
15+15+15+15+15+20	1.41	1.41	1.41	1.41	1.41	1.87	8.90 3.50 - 13.20	2.476 0.530 - 4.916	11.36	10.87	99
15+15+15+15+15+22	1.41	1.41	1.41	1.41	1.41	2.08	9.15 3.50 - 13.20	2.539 0.530 - 4.909	11.66	11.15	99
15+15+15+15+15+25	1.43	1.43	1.43	1.43	1.43	2.38	9.50 3.50 - 13.30	2.649 0.530 - 4.919	12.16	11.63	99
15+15+15+15+15+35	1.43	1.43	1.43	1.43	1.43	3.34	10.50 3.50 - 13.70	3.009 0.530 - 4.959	13.81	13.21	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+15+15+15+42	1.44	1.44	1.44	1.44	1.44	4.02 *	11.20 3.50 - 13.90	3.253 0.530 - 4.973	14.94	14.29	99
15+15+15+15+15+50	1.38	1.38	1.38	1.38	1.38	4.60 *	11.50 3.50 - 14.00	3.333 0.530 - 4.983	15.31	14.64	99
15+15+15+15+15+60	1.28	1.28	1.28	1.28	1.28	5.11	11.50 3.50 - 14.00	3.256 0.530 - 4.966	14.95	14.30	99
15+15+15+15+15+71	1.18	1.18	1.18	1.18	1.18	5.59	11.50 3.50 - 14.00	3.190 0.530 - 4.970	14.65	14.01	99
15+15+15+15+15+80	1.11	1.11	1.11	1.11	1.11	5.94	11.50 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
15+15+15+15+20+20	1.41	1.41	1.41	1.41	1.88	1.88	9.40 3.50 - 13.30	2.654 0.530 - 4.924	12.19	11.66	99
15+15+15+15+20+22	1.42	1.42	1.42	1.42	1.89	2.08	9.65 3.50 - 13.40	2.717 0.530 - 4.927	12.47	11.93	99
15+15+15+15+20+25	1.43	1.43	1.43	1.43	1.90	2.38	10.00 3.50 - 13.50	2.827 0.530 - 4.937	12.98	12.42	99
15+15+15+15+20+35	1.43	1.43	1.43	1.43	1.91	3.35	11.00 3.50 - 13.80	3.187 0.530 - 4.967	14.64	14.00	99
15+15+15+15+20+42	1.41	1.41	1.41	1.41	1.89	3.96 *	11.50 3.50 - 14.00	3.351 0.530 - 4.981	15.39	14.72	99
15+15+15+15+20+50	1.33	1.33	1.33	1.33	1.77	4.42 *	11.50 3.50 - 14.00	3.301 0.530 - 4.981	15.16	14.50	99
15+15+15+15+20+60	1.23	1.23	1.23	1.23	1.64	4.93	11.50 3.50 - 14.00	3.224 0.530 - 4.964	14.80	14.16	99
15+15+15+15+20+71	1.14	1.14	1.14	1.14	1.52	5.41	11.50 3.50 - 14.00	3.168 0.530 - 4.968	14.54	13.91	99
15+15+15+15+20+80	1.08	1.08	1.08	1.08	1.44	5.75	11.50 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
15+15+15+15+22+22	1.43	1.43	1.43	1.43	2.09	2.09	9.90 3.50 - 13.50	2.780 0.530 - 4.930	12.77	12.21	99
15+15+15+15+22+25	1.44	1.44	1.44	1.44	2.11	2.39	10.25 3.50 - 13.60	2.890 0.530 - 4.940	13.27	12.69	99
15+15+15+15+22+35	1.44	1.44	1.44	1.44	2.12	3.37	11.25 3.50 - 13.90	3.250 0.530 - 4.970	14.92	14.27	99
15+15+15+15+22+42	1.40	1.40	1.40	1.40	2.05	3.91 *	11.55 3.50 - 14.00	3.334 0.530 - 4.974	15.31	14.64	99
15+15+15+15+22+50	1.31	1.31	1.31	1.31	1.93	4.38 *	11.55 3.50 - 14.00	3.284 0.530 - 4.974	15.08	14.42	99
15+15+15+15+22+60	1.22	1.22	1.22	1.22	1.79	4.88	11.55 3.50 - 14.00	3.207 0.530 - 4.957	14.72	14.08	99
15+15+15+15+22+71	1.13	1.13	1.13	1.13	1.66	5.36	11.55 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+15+15+15+22+80	1.07	1.07	1.07	1.07	1.57	5.70	11.55 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+15+15+15+25+25	1.45	1.45	1.45	1.45	2.41	2.41	10.60 3.50 - 13.70	3.000 0.530 - 4.950	13.78	13.18	99
15+15+15+15+25+35	1.45	1.45	1.45	1.45	2.42	3.38	11.60 3.50 - 14.00	3.360 0.530 - 4.980	15.43	14.76	99
15+15+15+15+25+42	1.37	1.37	1.37	1.37	2.28	3.84 *	11.60 3.50 - 14.00	3.314 0.530 - 4.974	15.21	14.55	99
15+15+15+15+25+50	1.29	1.29	1.29	1.29	2.15	4.30 *	11.60 3.50 - 14.00	3.264 0.530 - 4.974	14.98	14.33	99
15+15+15+15+25+60	1.20	1.20	1.20	1.20	2.00	4.80	11.60 3.50 - 14.00	3.187 0.530 - 4.957	14.64	14.00	99
15+15+15+15+25+71	1.12	1.12	1.12	1.12	1.86	5.28	11.60 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+15+15+15+25+80	1.05	1.05	1.05	1.05	1.76	5.62	11.60 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+15+15+15+35+35	1.34	1.34	1.34	1.34	3.12	3.12	11.60 3.50 - 14.00	3.300 0.530 - 4.980	15.15	14.49	99
15+15+15+15+35+42	1.27	1.27	1.27	1.27	2.96	3.56 *	11.60 3.50 - 14.00	3.254 0.530 - 4.974	14.94	14.29	99
15+15+15+15+35+50	1.20	1.20	1.20	1.20	2.80	4.00 *	11.60 3.50 - 14.00	3.204 0.530 - 4.974	14.71	14.07	99
15+15+15+15+35+60	1.12	1.12	1.12	1.12	2.62	4.49	11.60 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+15+15+35+71	1.05	1.05	1.05	1.05	2.45	4.96	11.60 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+15+15+15+35+80	0.99	0.99	0.99	0.99	2.32	5.30	11.60 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+15+15+15+42+42	1.21	1.21	1.21	1.21	3.38 *	3.38 *	11.60 3.50 - 14.00	3.208 0.530 - 4.968	14.73	14.09	99
15+15+15+15+42+50	1.14	1.14	1.14	1.14	3.21 *	3.82 *	11.60 3.50 - 14.00	3.168 0.530 - 4.968	14.54	13.91	99
15+15+15+15+42+60	1.07	1.07	1.07	1.07	3.01 *	4.30	11.60 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+15+15+15+42+71	1.01	1.01	1.01	1.01	2.82 *	4.76	11.60 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+15+15+15+50+50	1.09	1.09	1.09	1.09	3.63 *	3.63 *	11.60 3.50 - 14.00	3.168 0.530 - 4.968	14.54	13.91	99
15+15+15+15+50+60	1.02	1.02	1.02	1.02	3.41 *	4.09	11.60 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+15+15+15+60+60	0.97	0.97	0.97	0.97	3.87	3.87	11.60 3.50 - 14.00	3.134 0.530 - 4.934	14.39	13.76	99
15+15+15+20+20+20	1.41	1.41	1.41	1.89	1.89	1.89	9.90 3.50 - 13.50	2.832 0.530 - 4.942	13.01	12.44	99
15+15+15+20+20+22	1.42	1.42	1.42	1.90	1.90	2.09	10.15 3.50 - 13.60	2.895 0.530 - 4.945	13.29	12.71	99
15+15+15+20+20+25	1.43	1.43	1.43	1.91	1.91	2.39	10.50 3.50 - 13.70	3.005 0.530 - 4.955	13.80	13.20	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+15+15+20+20+35	1.44	1.44	1.44	1.92	1.92	3.35	11.50 3.50 - 14.00	3.365 0.530 - 4.985	15.45	14.78	99
15+15+15+20+20+42	1.36	1.36	1.36	1.81	1.81	3.80 *	11.50 3.50 - 14.00	3.319 0.530 - 4.979	15.24	14.58	99
15+15+15+20+20+50	1.28	1.28	1.28	1.70	1.70	4.26 *	11.50 3.50 - 14.00	3.269 0.530 - 4.979	15.01	14.36	99
15+15+15+20+20+60	1.19	1.19	1.19	1.59	1.59	4.76	11.50 3.50 - 14.00	3.192 0.530 - 4.962	14.66	14.02	99
15+15+15+20+20+71	1.11	1.11	1.11	1.47	1.47	5.23	11.50 3.50 - 14.00	3.166 0.530 - 4.966	14.53	13.90	99
15+15+15+20+20+80	1.05	1.05	1.05	1.39	1.39	5.58	11.50 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+15+20+22+22	1.43	1.43	1.43	1.91	2.10	2.10	10.40 3.50 - 13.60	2.958 0.530 - 4.938	13.58	12.99	99
15+15+15+20+22+25	1.44	1.44	1.44	1.92	2.11	2.40	10.75 3.50 - 13.70	3.068 0.530 - 4.948	14.08	13.47	99
15+15+15+20+22+35	1.42	1.42	1.42	1.89	2.08	3.31	11.55 3.50 - 14.00	3.348 0.530 - 4.978	15.37	14.70	99
15+15+15+20+22+42	1.34	1.34	1.34	1.79	1.97	3.76 *	11.55 3.50 - 14.00	3.302 0.530 - 4.972	15.16	14.50	99
15+15+15+20+22+50	1.26	1.26	1.26	1.69	1.85	4.22 *	11.55 3.50 - 14.00	3.252 0.530 - 4.972	14.93	14.28	99
15+15+15+20+22+60	1.18	1.18	1.18	1.57	1.73	4.71	11.55 3.50 - 14.00	3.175 0.530 - 4.955	14.57	13.94	99
15+15+15+20+22+71	1.10	1.10	1.10	1.46	1.61	5.19	11.55 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+20+22+80	1.04	1.04	1.04	1.38	1.52	5.53	11.55 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
15+15+15+20+25+25	1.45	1.45	1.45	1.93	2.41	2.41	11.10 3.50 - 13.80	3.178 0.530 - 4.958	14.59	13.96	99
15+15+15+20+25+35	1.39	1.39	1.39	1.86	2.32	3.25	11.60 3.50 - 14.00	3.328 0.530 - 4.978	15.28	14.62	99
15+15+15+20+25+42	1.32	1.32	1.32	1.76	2.20	3.69 *	11.60 3.50 - 14.00	3.282 0.530 - 4.972	15.07	14.41	99
15+15+15+20+25+50	1.24	1.24	1.24	1.66	2.07	4.14 *	11.60 3.50 - 14.00	3.232 0.530 - 4.972	14.84	14.19	99
15+15+15+20+25+60	1.16	1.16	1.16	1.55	1.93	4.64	11.60 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+15+15+20+25+71	1.08	1.08	1.08	1.44	1.80	5.12	11.60 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+20+25+80	1.02	1.02	1.02	1.36	1.71	5.46	11.60 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
15+15+15+20+35+35	1.29	1.29	1.29	1.72	3.01	3.01	11.60 3.50 - 14.00	3.268 0.530 - 4.978	15.00	14.35	99
15+15+15+20+35+42	1.23	1.23	1.23	1.63	2.86	3.43 *	11.60 3.50 - 14.00	3.222 0.530 - 4.972	14.79	14.15	99
15+15+15+20+35+50	1.16	1.16	1.16	1.55	2.71	3.87 *	11.60 3.50 - 14.00	3.172 0.530 - 4.972	14.56	13.93	99
15+15+15+20+35+60	1.09	1.09	1.09	1.45	2.54	4.35	11.60 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+15+15+20+35+71	1.02	1.02	1.02	1.36	2.37	4.82	11.60 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+20+35+80	0.97	0.97	0.97	1.29	2.26	5.16	11.60 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
15+15+15+20+42+42	1.17	1.17	1.17	1.56	3.27 *	3.27 *	11.60 3.50 - 14.00	3.176 0.530 - 4.966	14.58	13.95	99
15+15+15+20+42+50	1.11	1.11	1.11	1.48	3.10 *	3.69 *	11.60 3.50 - 14.00	3.166 0.530 - 4.966	14.53	13.90	99
15+15+15+20+42+60	1.04	1.04	1.04	1.39	2.92 *	4.17	11.60 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
15+15+15+20+42+71	0.98	0.98	0.98	1.30	2.74 *	4.63	11.60 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+15+15+20+50+50	1.05	1.05	1.05	1.41	3.52 *	3.52 *	11.60 3.50 - 14.00	3.166 0.530 - 4.966	14.53	13.90	99
15+15+15+20+50+60	0.99	0.99	0.99	1.33	3.31 *	3.98	11.60 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
15+15+15+22+22+22	1.44	1.44	1.44	2.11	2.11	2.11	10.65 3.50 - 13.70	3.031 0.530 - 4.941	13.92	13.31	99
15+15+15+22+22+25	1.45	1.45	1.45	2.12	2.12	2.41	11.00 3.50 - 13.80	3.131 0.530 - 4.951	14.38	13.75	99
15+15+15+22+22+35	1.40	1.40	1.40	2.06	2.06	3.27	11.60 3.50 - 14.00	3.331 0.530 - 4.971	15.30	14.63	99
15+15+15+22+22+42	1.33	1.33	1.33	1.95	1.95	3.72 *	11.60 3.50 - 14.00	3.275 0.530 - 4.965	15.03	14.38	99
15+15+15+22+22+50	1.25	1.25	1.25	1.84	1.84	4.17 *	11.60 3.50 - 14.00	3.235 0.530 - 4.965	14.86	14.21	99
15+15+15+22+22+60	1.17	1.17	1.17	1.71	1.71	4.67	11.60 3.50 - 14.00	3.158 0.530 - 4.948	14.50	13.87	99
15+15+15+22+22+71	1.09	1.09	1.09	1.60	1.60	5.15	11.60 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
15+15+15+22+22+80	1.03	1.03	1.03	1.51	1.51	5.49	11.60 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
15+15+15+22+25+25	1.46	1.46	1.46	2.13	2.43	2.43	11.35 3.50 - 13.90	3.241 0.530 - 4.961	14.88	14.23	99
15+15+15+22+25+35	1.38	1.38	1.38	2.02	2.29	3.21	11.65 3.50 - 14.00	3.311 0.530 - 4.971	15.20	14.54	99
15+15+15+22+25+42	1.30	1.30	1.30	1.91	2.17	3.65 *	11.65 3.50 - 14.00	3.265 0.530 - 4.965	14.99	14.34	99
15+15+15+22+25+50	1.23	1.23	1.23	1.80	2.05	4.10 *	11.65 3.50 - 14.00	3.215 0.530 - 4.965	14.76	14.12	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	
15+15+15+22+25+60	1.15	1.15	1.15	1.69	1.92	4.60	11.65 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+15+15+22+25+71	1.07	1.07	1.07	1.57	1.79	5.07	11.65 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
15+15+15+22+25+80	1.02	1.02	1.02	1.49	1.69	5.42	11.65 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
15+15+15+22+35+35	1.28	1.28	1.28	1.87	2.98	2.98	11.65 3.50 - 14.00	3.251 0.530 - 4.971	14.93	14.28	99
15+15+15+22+35+42	1.21	1.21	1.21	1.78	2.83	3.40 *	11.65 3.50 - 14.00	3.205 0.530 - 4.965	14.72	14.08	99
15+15+15+22+35+50	1.15	1.15	1.15	1.69	2.68	3.83 *	11.65 3.50 - 14.00	3.165 0.530 - 4.965	14.53	13.90	99
15+15+15+22+35+60	1.08	1.08	1.08	1.58	2.52	4.31	11.65 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+15+15+22+35+71	1.01	1.01	1.01	1.48	2.36	4.78	11.65 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
15+15+15+22+42+42	1.16	1.16	1.16	1.70	3.24 *	3.24 *	11.65 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+22+42+50	1.10	1.10	1.10	1.61	3.08 *	3.66 *	11.65 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+22+42+60	1.03	1.03	1.03	1.52	2.90 *	4.14	11.65 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
15+15+15+22+42+71	0.97	0.97	0.97	1.42	2.72 *	4.60	11.65 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
15+15+15+22+50+50	1.05	1.05	1.05	1.53	3.49 *	3.49 *	11.65 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+22+50+60	0.99	0.99	0.99	1.45	3.29 *	3.95	11.65 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
15+15+15+25+25+25	1.46	1.46	1.46	2.44	2.44	2.44	11.70 3.50 - 14.00	3.351 0.530 - 4.971	15.39	14.72	99
15+15+15+25+25+35	1.35	1.35	1.35	2.25	2.25	3.15	11.70 3.50 - 14.00	3.291 0.530 - 4.971	15.11	14.45	99
15+15+15+25+25+42	1.28	1.28	1.28	2.14	2.14	3.59 *	11.70 3.50 - 14.00	3.245 0.530 - 4.965	14.90	14.25	99
15+15+15+25+25+50	1.21	1.21	1.21	2.02	2.02	4.03 *	11.70 3.50 - 14.00	3.195 0.530 - 4.965	14.67	14.03	99
15+15+15+25+25+60	1.13	1.13	1.13	1.89	1.89	4.53	11.70 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+15+15+25+25+71	1.06	1.06	1.06	1.76	1.76	5.00	11.70 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
15+15+15+25+25+80	1.00	1.00	1.00	1.67	1.67	5.35	11.70 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
15+15+15+25+35+35	1.25	1.25	1.25	2.09	2.93	2.93	11.70 3.50 - 14.00	3.231 0.530 - 4.971	14.84	14.19	99
15+15+15+25+35+42	1.19	1.19	1.19	1.99	2.79	3.34 *	11.70 3.50 - 14.00	3.185 0.530 - 4.965	14.63	13.99	99
15+15+15+25+35+50	1.13	1.13	1.13	1.89	2.64	3.77 *	11.70 3.50 - 14.00	3.165 0.530 - 4.965	14.53	13.90	99
15+15+15+25+35+60	1.06	1.06	1.06	1.77	2.48	4.25	11.70 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+15+15+25+35+71	1.00	1.00	1.00	1.66	2.33	4.72	11.70 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
15+15+15+25+42+42	1.14	1.14	1.14	1.90	3.19 *	3.19 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+25+42+50	1.08	1.08	1.08	1.81	3.03 *	3.61 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+25+42+60	1.02	1.02	1.02	1.70	2.86 *	4.08	11.70 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
15+15+15+25+50+50	1.03	1.03	1.03	1.72	3.44 *	3.44 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+25+50+60	0.98	0.98	0.98	1.63	3.25 *	3.90	11.70 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
15+15+15+35+35+35	1.17	1.17	1.17	2.73	2.73	2.73	11.70 3.50 - 14.00	3.171 0.530 - 4.971	14.56	13.93	99
15+15+15+35+35+42	1.12	1.12	1.12	2.61	2.61	3.13 *	11.70 3.50 - 14.00	3.165 0.530 - 4.965	14.53	13.90	99
15+15+15+35+35+50	1.06	1.06	1.06	2.48	2.48	3.55 *	11.70 3.50 - 14.00	3.165 0.530 - 4.965	14.53	13.90	99
15+15+15+35+35+60	1.00	1.00	1.00	2.34	2.34	4.01	11.70 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+15+15+35+42+42	1.07	1.07	1.07	2.50	3.00 *	3.00 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+35+42+50	1.02	1.02	1.02	2.38	2.86 *	3.40 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+35+50+50	0.98	0.98	0.98	2.28	3.25 *	3.25 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
15+15+15+42+42+42	1.03	1.03	1.03	2.87 *	2.87 *	2.87 *	11.70 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+15+15+42+42+50	0.98	0.98	0.98	2.75 *	2.75 *	3.27 *	11.70 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+15+20+20+20+20	1.42	1.42	1.89	1.89	1.89	1.89	10.40 3.50 - 13.70	3.010 0.530 - 4.960	13.82	13.22	99
15+15+20+20+20+22	1.43	1.43	1.90	1.90	1.90	2.09	10.65 3.50 - 13.70	3.073 0.530 - 4.953	14.11	13.50	99
15+15+20+20+20+25	1.43	1.43	1.91	1.91	1.91	2.39	11.00 3.50 - 13.80	3.183 0.530 - 4.963	14.62	13.98	99
15+15+20+20+20+35	1.38	1.38	1.84	1.84	1.84	3.22	11.50 3.50 - 14.00	3.333 0.530 - 4.983	15.31	14.64	99
15+15+20+20+20+42	1.31	1.31	1.74	1.74	1.74	3.66 *	11.50 3.50 - 14.00	3.287 0.530 - 4.977	15.10	14.44	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+15+20+20+20+50	1.23	1.23	1.64	1.64	1.64	4.11 *	11.50 3.50 - 14.00	3.237 0.530 - 4.977	14.87	14.22	99
15+15+20+20+20+60	1.15	1.15	1.53	1.53	1.53	4.60	11.50 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
15+15+20+20+20+71	1.07	1.07	1.43	1.43	1.43	5.07	11.50 3.50 - 14.00	3.164 0.530 - 4.964	14.53	13.90	99
15+15+20+20+20+80	1.01	1.01	1.35	1.35	1.35	5.41	11.50 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+15+20+20+22+22	1.43	1.43	1.91	1.91	2.10	2.10	10.90 3.50 - 13.80	3.136 0.530 - 4.956	14.40	13.77	99
15+15+20+20+22+25	1.44	1.44	1.92	1.92	2.12	2.40	11.25 3.50 - 13.90	3.246 0.530 - 4.966	14.91	14.26	99
15+15+20+20+22+35	1.36	1.36	1.82	1.82	2.00	3.18	11.55 3.50 - 14.00	3.316 0.530 - 4.976	15.22	14.56	99
15+15+20+20+22+42	1.29	1.29	1.72	1.72	1.90	3.62 *	11.55 3.50 - 14.00	3.270 0.530 - 4.970	15.01	14.36	99
15+15+20+20+22+50	1.22	1.22	1.63	1.63	1.79	4.07 *	11.55 3.50 - 14.00	3.220 0.530 - 4.970	14.78	14.14	99
15+15+20+20+22+60	1.14	1.14	1.52	1.52	1.67	4.56	11.55 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+15+20+20+22+71	1.06	1.06	1.42	1.42	1.56	5.03	11.55 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+20+22+80	1.01	1.01	1.34	1.34	1.48	5.37	11.55 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+15+20+20+25+25	1.45	1.45	1.93	1.93	2.42	2.42	11.60 3.50 - 14.00	3.356 0.530 - 4.976	15.41	14.74	99
15+15+20+20+25+35	1.34	1.34	1.78	1.78	2.23	3.12	11.60 3.50 - 14.00	3.296 0.530 - 4.976	15.14	14.48	99
15+15+20+20+25+42	1.27	1.27	1.69	1.69	2.12	3.56 *	11.60 3.50 - 14.00	3.250 0.530 - 4.970	14.92	14.27	99
15+15+20+20+25+50	1.20	1.20	1.60	1.60	2.00	4.00 *	11.60 3.50 - 14.00	3.200 0.530 - 4.970	14.69	14.05	99
15+15+20+20+25+60	1.12	1.12	1.50	1.50	1.87	4.49	11.60 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+15+20+20+25+71	1.05	1.05	1.40	1.40	1.75	4.96	11.60 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+20+25+80	0.99	0.99	1.33	1.33	1.66	5.30	11.60 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+15+20+20+35+35	1.24	1.24	1.66	1.66	2.90	2.90	11.60 3.50 - 14.00	3.236 0.530 - 4.976	14.86	14.21	99
15+15+20+20+35+42	1.18	1.18	1.58	1.58	2.76	3.31 *	11.60 3.50 - 14.00	3.190 0.530 - 4.970	14.65	14.01	99
15+15+20+20+35+50	1.12	1.12	1.50	1.50	2.62	3.74 *	11.60 3.50 - 14.00	3.170 0.530 - 4.970	14.55	13.92	99
15+15+20+20+35+60	1.05	1.05	1.41	1.41	2.46	4.22	11.60 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+15+20+20+35+71	0.99	0.99	1.32	1.32	2.31	4.68	11.60 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+20+42+42	1.13	1.13	1.51	1.51	3.16 *	3.16 *	11.60 3.50 - 14.00	3.164 0.530 - 4.964	14.53	13.90	99
15+15+20+20+42+50	1.07	1.07	1.43	1.43	3.01 *	3.58 *	11.60 3.50 - 14.00	3.164 0.530 - 4.964	14.53	13.90	99
15+15+20+20+42+60	1.01	1.01	1.35	1.35	2.83 *	4.05	11.60 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+15+20+20+50+50	1.02	1.02	1.36	1.36	3.41 *	3.41 *	11.60 3.50 - 14.00	3.164 0.530 - 4.964	14.53	13.90	99
15+15+20+20+50+60	0.97	0.97	1.29	1.29	3.22 *	3.87	11.60 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+15+20+22+22+22	1.44	1.44	1.92	2.11	2.11	2.11	11.15 3.50 - 13.90	3.209 0.530 - 4.959	14.73	14.09	99
15+15+20+22+22+25	1.45	1.45	1.93	2.13	2.13	2.42	11.50 3.50 - 14.00	3.309 0.530 - 4.969	15.19	14.53	99
15+15+20+22+22+35	1.35	1.35	1.80	1.98	1.98	3.15	11.60 3.50 - 14.00	3.299 0.530 - 4.969	15.15	14.49	99
15+15+20+22+22+42	1.28	1.28	1.71	1.88	1.88	3.58 *	11.60 3.50 - 14.00	3.243 0.530 - 4.963	14.89	14.24	99
15+15+20+22+22+50	1.21	1.21	1.61	1.77	1.77	4.03 *	11.60 3.50 - 14.00	3.203 0.530 - 4.963	14.71	14.07	99
15+15+20+22+22+60	1.13	1.13	1.51	1.66	1.66	4.52	11.60 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
15+15+20+22+22+71	1.05	1.05	1.41	1.55	1.55	4.99	11.60 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+20+22+22+80	1.00	1.00	1.33	1.47	1.47	5.33	11.60 3.50 - 14.00	3.140 0.530 - 4.940	14.42	13.79	99
15+15+20+22+25+25	1.43	1.43	1.91	2.10	2.39	2.39	11.65 3.50 - 14.00	3.339 0.530 - 4.969	15.33	14.66	99
15+15+20+22+25+35	1.32	1.32	1.77	1.94	2.21	3.09	11.65 3.50 - 14.00	3.279 0.530 - 4.969	15.05	14.40	99
15+15+20+22+25+42	1.26	1.26	1.68	1.84	2.10	3.52 *	11.65 3.50 - 14.00	3.233 0.530 - 4.963	14.85	14.20	99
15+15+20+22+25+50	1.19	1.19	1.59	1.74	1.98	3.96 *	11.65 3.50 - 14.00	3.183 0.530 - 4.963	14.62	13.98	99
15+15+20+22+25+60	1.11	1.11	1.48	1.63	1.86	4.45	11.65 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
15+15+20+22+25+71	1.04	1.04	1.39	1.53	1.73	4.92	11.65 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+20+22+25+80	0.99	0.99	1.32	1.45	1.65	5.27	11.65 3.50 - 14.00	3.140 0.530 - 4.940	14.42	13.79	99
15+15+20+22+35+35	1.23	1.23	1.64	1.80	2.87	2.87	11.65 3.50 - 14.00	3.219 0.530 - 4.969	14.78	14.14	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+20+22+35+42	1.17	1.17	1.56	1.72	2.74	3.28 *	11.65 3.50 - 14.00	3.173 0.530 - 4.963	14.57	13.94	99
15+15+20+22+35+50	1.11	1.11	1.48	1.63	2.60	3.71 *	11.65 3.50 - 14.00	3.163 0.530 - 4.963	14.52	13.89	99
15+15+20+22+35+60	1.05	1.05	1.40	1.53	2.44	4.19	11.65 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
15+15+20+22+35+71	0.98	0.98	1.31	1.44	2.29	4.65	11.65 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+20+22+42+42	1.12	1.12	1.49	1.64	3.14 *	3.14 *	11.65 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+22+42+50	1.07	1.07	1.42	1.56	2.98 *	3.55 *	11.65 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+22+42+60	1.00	1.00	1.34	1.47	2.81 *	4.02	11.65 3.50 - 14.00	3.140 0.530 - 4.940	14.42	13.79	99
15+15+20+22+50+50	1.02	1.02	1.35	1.49	3.39 *	3.39 *	11.65 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+25+25+25	1.40	1.40	1.87	2.34	2.34	2.34	11.70 3.50 - 14.00	3.319 0.530 - 4.969	15.24	14.58	99
15+15+20+25+25+35	1.30	1.30	1.73	2.17	2.17	3.03	11.70 3.50 - 14.00	3.259 0.530 - 4.969	14.96	14.31	99
15+15+20+25+25+42	1.24	1.24	1.65	2.06	2.06	3.46 *	11.70 3.50 - 14.00	3.213 0.530 - 4.963	14.75	14.11	99
15+15+20+25+25+50	1.17	1.17	1.56	1.95	1.95	3.90 *	11.70 3.50 - 14.00	3.163 0.530 - 4.963	14.52	13.89	99
15+15+20+25+25+60	1.10	1.10	1.46	1.83	1.83	4.39	11.70 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
15+15+20+25+25+71	1.03	1.03	1.37	1.71	1.71	4.86	11.70 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+20+25+25+80	0.98	0.98	1.30	1.63	1.63	5.20	11.70 3.50 - 14.00	3.140 0.530 - 4.940	14.42	13.79	99
15+15+20+25+35+35	1.21	1.21	1.61	2.02	2.82	2.82	11.70 3.50 - 14.00	3.199 0.530 - 4.969	14.69	14.05	99
15+15+20+25+35+42	1.15	1.15	1.54	1.92	2.69	3.23 *	11.70 3.50 - 14.00	3.163 0.530 - 4.963	14.52	13.89	99
15+15+20+25+35+50	1.10	1.10	1.46	1.83	2.56	3.66 *	11.70 3.50 - 14.00	3.163 0.530 - 4.963	14.52	13.89	99
15+15+20+25+35+60	1.03	1.03	1.38	1.72	2.41	4.13	11.70 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
15+15+20+25+42+42	1.10	1.10	1.47	1.84	3.09 *	3.09 *	11.70 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+25+42+50	1.05	1.05	1.40	1.75	2.94 *	3.50 *	11.70 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+25+42+60	0.99	0.99	1.32	1.65	2.78 *	3.97	11.70 3.50 - 14.00	3.140 0.530 - 4.940	14.42	13.79	99
15+15+20+25+50+50	1.00	1.00	1.34	1.67	3.34 *	3.34 *	11.70 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+35+35+35	1.13	1.13	1.51	2.64	2.64	2.64	11.70 3.50 - 14.00	3.169 0.530 - 4.969	14.55	13.92	99
15+15+20+35+35+42	1.08	1.08	1.44	2.53	2.53	3.03 *	11.70 3.50 - 14.00	3.163 0.530 - 4.963	14.52	13.89	99
15+15+20+35+35+50	1.03	1.03	1.38	2.41	2.41	3.44 *	11.70 3.50 - 14.00	3.163 0.530 - 4.963	14.52	13.89	99
15+15+20+35+35+60	0.98	0.98	1.30	2.28	2.28	3.90	11.70 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
15+15+20+35+42+42	1.04	1.04	1.38	2.42	2.91 *	2.91 *	11.70 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+35+42+50	0.99	0.99	1.32	2.31	2.78 *	3.31 *	11.70 3.50 - 14.00	3.157 0.530 - 4.957	14.49	13.86	99
15+15+20+42+42+42	1.00	1.00	1.33	2.79 *	2.79 *	2.79 *	11.70 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+15+22+22+22+22	1.45	1.45	2.13	2.13	2.13	2.13	11.40 3.50 - 13.90	3.272 0.530 - 4.952	15.02	14.37	99
15+15+22+22+22+25	1.44	1.44	2.12	2.12	2.12	2.41	11.65 3.50 - 14.00	3.332 0.530 - 4.962	15.30	14.63	99
15+15+22+22+22+35	1.33	1.33	1.96	1.96	1.96	3.11	11.65 3.50 - 14.00	3.272 0.530 - 4.962	15.02	14.37	99
15+15+22+22+22+42	1.27	1.27	1.86	1.86	1.86	3.55 *	11.65 3.50 - 14.00	3.226 0.530 - 4.956	14.81	14.17	99
15+15+22+22+22+50	1.20	1.20	1.76	1.76	1.76	3.99 *	11.65 3.50 - 14.00	3.176 0.530 - 4.956	14.58	13.95	99
15+15+22+22+22+60	1.12	1.12	1.64	1.64	1.64	4.48	11.65 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
15+15+22+22+22+71	1.05	1.05	1.53	1.53	1.53	4.95	11.65 3.50 - 14.00	3.143 0.530 - 4.943	14.43	13.80	99
15+15+22+22+22+80	0.99	0.99	1.46	1.46	1.46	5.30	11.65 3.50 - 14.00	3.133 0.530 - 4.933	14.39	13.76	99
15+15+22+22+25+25	1.42	1.42	2.08	2.08	2.36	2.36	11.70 3.50 - 14.00	3.322 0.530 - 4.962	15.25	14.59	99
15+15+22+22+25+35	1.31	1.31	1.92	1.92	2.18	3.06	11.70 3.50 - 14.00	3.262 0.530 - 4.962	14.98	14.33	99
15+15+22+22+25+42	1.24	1.24	1.83	1.83	2.07	3.49 *	11.70 3.50 - 14.00	3.206 0.530 - 4.956	14.72	14.08	99
15+15+22+22+25+50	1.18	1.18	1.73	1.73	1.96	3.93 *	11.70 3.50 - 14.00	3.166 0.530 - 4.956	14.53	13.90	99
15+15+22+22+25+60	1.10	1.10	1.62	1.62	1.84	4.42	11.70 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
15+15+22+22+25+71	1.03	1.03	1.51	1.51	1.72	4.89	11.70 3.50 - 14.00	3.143 0.530 - 4.943	14.43	13.80	99
15+15+22+22+25+80	0.98	0.98	1.44	1.44	1.63	5.23	11.70 3.50 - 14.00	3.133 0.530 - 4.933	14.39	13.76	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+22+22+35+35	1.22	1.22	1.79	1.79	2.84	2.84	11.70 3.50 - 14.00	3.202 0.530 - 4.962	14.70	14.06	99
15+15+22+22+35+42	1.16	1.16	1.70	1.70	2.71	3.25 *	11.70 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+22+22+35+50	1.10	1.10	1.62	1.62	2.58	3.68 *	11.70 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+22+22+35+60	1.04	1.04	1.52	1.52	2.42	4.15	11.70 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
15+15+22+22+35+71	0.98	0.98	1.43	1.43	2.28	4.62	11.70 3.50 - 14.00	3.143 0.530 - 4.943	14.43	13.80	99
15+15+22+22+42+42	1.11	1.11	1.63	1.63	3.11 *	3.11 *	11.70 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+22+42+50	1.06	1.06	1.55	1.55	2.96 *	3.52 *	11.70 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+22+42+60	1.00	1.00	1.46	1.46	2.79 *	3.99	11.70 3.50 - 14.00	3.133 0.530 - 4.933	14.39	13.76	99
15+15+22+22+50+50	1.01	1.01	1.48	1.48	3.36 *	3.36 *	11.70 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+25+25+25	1.39	1.39	2.04	2.31	2.31	2.31	11.75 3.50 - 14.00	3.302 0.530 - 4.962	15.16	14.50	99
15+15+22+25+25+35	1.29	1.29	1.89	2.14	2.14	3.00	11.75 3.50 - 14.00	3.242 0.530 - 4.962	14.89	14.24	99
15+15+22+25+25+42	1.22	1.22	1.80	2.04	2.04	3.43 *	11.75 3.50 - 14.00	3.196 0.530 - 4.956	14.68	14.04	99
15+15+22+25+25+50	1.16	1.16	1.70	1.93	1.93	3.87 *	11.75 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+22+25+25+60	1.09	1.09	1.60	1.81	1.81	4.35	11.75 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
15+15+22+25+25+71	1.02	1.02	1.49	1.70	1.70	4.82	11.75 3.50 - 14.00	3.143 0.530 - 4.943	14.43	13.80	99
15+15+22+25+35+35	1.20	1.20	1.76	2.00	2.80	2.80	11.75 3.50 - 14.00	3.182 0.530 - 4.962	14.61	13.97	99
15+15+22+25+35+42	1.14	1.14	1.68	1.91	2.67	3.20 *	11.75 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+22+25+35+50	1.09	1.09	1.60	1.81	2.54	3.63 *	11.75 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+22+25+35+60	1.02	1.02	1.50	1.71	2.39	4.10	11.75 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
15+15+22+25+42+42	1.09	1.09	1.61	1.82	3.07 *	3.07 *	11.75 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+25+42+50	1.04	1.04	1.53	1.74	2.92 *	3.48 *	11.75 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+25+42+60	0.98	0.98	1.44	1.64	2.76 *	3.94	11.75 3.50 - 14.00	3.133 0.530 - 4.933	14.39	13.76	99
15+15+22+25+50+50	1.00	1.00	1.46	1.66	3.32 *	3.32 *	11.75 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+35+35+35	1.12	1.12	1.65	2.62	2.62	2.62	11.75 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+15+22+35+35+42	1.07	1.07	1.58	2.51	2.51	3.01 *	11.75 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+22+35+35+50	1.02	1.02	1.50	2.39	2.39	3.42 *	11.75 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+22+35+42+42	1.03	1.03	1.51	2.40	2.89 *	2.89 *	11.75 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+35+42+50	0.98	0.98	1.44	2.30	2.76 *	3.28 *	11.75 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+22+42+42+42	0.99	0.99	1.45	2.77 *	2.77 *	2.77 *	11.75 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
15+15+25+25+25+25	1.36	1.36	2.27	2.27	2.27	2.27	11.80 3.50 - 14.00	3.282 0.530 - 4.962	15.07	14.41	99
15+15+25+25+25+35	1.26	1.26	2.11	2.11	2.11	2.95	11.80 3.50 - 14.00	3.222 0.530 - 4.962	14.79	14.15	99
15+15+25+25+25+42	1.20	1.20	2.01	2.01	2.01	3.37 *	11.80 3.50 - 14.00	3.176 0.530 - 4.956	14.58	13.95	99
15+15+25+25+25+50	1.14	1.14	1.90	1.90	1.90	3.81 *	11.80 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+25+25+25+60	1.07	1.07	1.79	1.79	1.79	4.29	11.80 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
15+15+25+25+25+71	1.01	1.01	1.68	1.68	1.68	4.76	11.80 3.50 - 14.00	3.143 0.530 - 4.943	14.43	13.80	99
15+15+25+25+35+35	1.18	1.18	1.97	1.97	2.75	2.75	11.80 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+15+25+25+35+42	1.13	1.13	1.88	1.88	2.63	3.16 *	11.80 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+25+25+35+50	1.07	1.07	1.79	1.79	2.50	3.58 *	11.80 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+25+25+35+60	1.01	1.01	1.69	1.69	2.36	4.05	11.80 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
15+15+25+25+42+42	1.08	1.08	1.80	1.80	3.02 *	3.02 *	11.80 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+25+25+42+50	1.03	1.03	1.72	1.72	2.88 *	3.43 *	11.80 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+25+25+50+50	0.98	0.98	1.64	1.64	3.28 *	3.28 *	11.80 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+25+35+35+35	1.11	1.11	1.84	2.58	2.58	2.58	11.80 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+15+25+35+35+42	1.06	1.06	1.77	2.47	2.47	2.97 *	11.80 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+15+25+35+35+50	1.01	1.01	1.69	2.36	2.36	3.37 *	11.80 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+25+35+42+42	1.02	1.02	1.70	2.37	2.85 *	2.85 *	11.80 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
15+15+35+35+35+35	1.04	1.04	2.43	2.43	2.43	2.43	11.80 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+15+35+35+35+42	1.00	1.00	2.33	2.33	2.33	2.80 *	11.80 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
15+20+20+20+20+20	1.42	1.90	1.90	1.90	1.90	1.90	10.90 3.50 - 13.80	3.188 0.530 - 4.968	14.64	14.00	99
15+20+20+20+20+22	1.43	1.91	1.91	1.91	1.91	2.10	11.15 3.50 - 13.90	3.251 0.530 - 4.971	14.93	14.28	99
15+20+20+20+20+25	1.44	1.92	1.92	1.92	1.92	2.40	11.50 3.50 - 14.00	3.361 0.530 - 4.981	15.43	14.76	99
15+20+20+20+20+35	1.33	1.77	1.77	1.77	1.77	3.10	11.50 3.50 - 14.00	3.301 0.530 - 4.981	15.16	14.50	99
15+20+20+20+20+42	1.26	1.68	1.68	1.68	1.68	3.53 *	11.50 3.50 - 14.00	3.255 0.530 - 4.975	14.95	14.30	99
15+20+20+20+20+50	1.19	1.59	1.59	1.59	1.59	3.97 *	11.50 3.50 - 14.00	3.205 0.530 - 4.975	14.72	14.08	99
15+20+20+20+20+60	1.11	1.48	1.48	1.48	1.48	4.45	11.50 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
15+20+20+20+20+71	1.04	1.39	1.39	1.39	1.39	4.92	11.50 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+20+20+20+20+80	0.99	1.31	1.31	1.31	1.31	5.26	11.50 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
15+20+20+20+22+22	1.44	1.92	1.92	1.92	2.11	2.11	11.40 3.50 - 14.00	3.314 0.530 - 4.974	15.21	14.55	99
15+20+20+20+22+25	1.42	1.89	1.89	1.89	2.08	2.37	11.55 3.50 - 14.00	3.344 0.530 - 4.974	15.36	14.69	99
15+20+20+20+22+35	1.31	1.75	1.75	1.75	1.93	3.06	11.55 3.50 - 14.00	3.284 0.530 - 4.974	15.08	14.42	99
15+20+20+20+22+42	1.25	1.66	1.66	1.66	1.83	3.49 *	11.55 3.50 - 14.00	3.238 0.530 - 4.968	14.87	14.22	99
15+20+20+20+22+50	1.18	1.57	1.57	1.57	1.73	3.93 *	11.55 3.50 - 14.00	3.188 0.530 - 4.968	14.64	14.00	99
15+20+20+20+22+60	1.10	1.47	1.47	1.47	1.62	4.41	11.55 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+20+20+20+22+71	1.03	1.38	1.38	1.38	1.51	4.88	11.55 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+20+22+80	0.98	1.31	1.31	1.31	1.44	5.22	11.55 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
15+20+20+20+25+25	1.39	1.86	1.86	1.86	2.32	2.32	11.60 3.50 - 14.00	3.324 0.530 - 4.974	15.26	14.60	99
15+20+20+20+25+35	1.29	1.72	1.72	1.72	2.15	3.01	11.60 3.50 - 14.00	3.264 0.530 - 4.974	14.98	14.33	99
15+20+20+20+25+42	1.23	1.63	1.63	1.63	2.04	3.43 *	11.60 3.50 - 14.00	3.218 0.530 - 4.968	14.77	14.13	99
15+20+20+20+25+50	1.16	1.55	1.55	1.55	1.93	3.87 *	11.60 3.50 - 14.00	3.168 0.530 - 4.968	14.54	13.91	99
15+20+20+20+25+60	1.09	1.45	1.45	1.45	1.81	4.35	11.60 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+20+20+20+25+71	1.02	1.36	1.36	1.36	1.70	4.82	11.60 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+20+25+80	0.97	1.29	1.29	1.29	1.61	5.16	11.60 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
15+20+20+20+35+35	1.20	1.60	1.60	1.60	2.80	2.80	11.60 3.50 - 14.00	3.204 0.530 - 4.974	14.71	14.07	99
15+20+20+20+35+42	1.14	1.53	1.53	1.53	2.67	3.21 *	11.60 3.50 - 14.00	3.168 0.530 - 4.968	14.54	13.91	99
15+20+20+20+35+50	1.09	1.45	1.45	1.45	2.54	3.63 *	11.60 3.50 - 14.00	3.168 0.530 - 4.968	14.54	13.91	99
15+20+20+20+35+60	1.02	1.36	1.36	1.36	2.39	4.09	11.60 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
15+20+20+20+42+42	1.09	1.46	1.46	1.46	3.06 *	3.06 *	11.60 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+20+20+20+42+50	1.04	1.39	1.39	1.39	2.92 *	3.47 *	11.60 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+20+20+20+42+60	0.98	1.31	1.31	1.31	2.75 *	3.93	11.60 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
15+20+20+20+50+50	0.99	1.33	1.33	1.33	3.31 *	3.31 *	11.60 3.50 - 14.00	3.162 0.530 - 4.962	14.52	13.89	99
15+20+20+22+22+22	1.43	1.91	1.91	2.10	2.10	2.10	11.55 3.50 - 14.00	3.337 0.530 - 4.967	15.33	14.66	99
15+20+20+22+22+25	1.40	1.87	1.87	2.06	2.06	2.34	11.60 3.50 - 14.00	3.327 0.530 - 4.967	15.27	14.61	99
15+20+20+22+22+35	1.30	1.73	1.73	1.90	1.90	3.03	11.60 3.50 - 14.00	3.267 0.530 - 4.967	15.00	14.35	99
15+20+20+22+22+42	1.23	1.65	1.65	1.81	1.81	3.46 *	11.60 3.50 - 14.00	3.211 0.530 - 4.961	14.74	14.10	99
15+20+20+22+22+50	1.17	1.56	1.56	1.71	1.71	3.89 *	11.60 3.50 - 14.00	3.171 0.530 - 4.961	14.56	13.93	99
15+20+20+22+22+60	1.09	1.46	1.46	1.61	1.61	4.38	11.60 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
15+20+20+22+22+71	1.02	1.36	1.36	1.50	1.50	4.84	11.60 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+20+22+22+80	0.97	1.30	1.30	1.43	1.43	5.18	11.60 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
15+20+20+22+25+25	1.38	1.83	1.83	2.02	2.29	2.29	11.65 3.50 - 14.00	3.307 0.530 - 4.967	15.18	14.52	99
15+20+20+22+25+35	1.28	1.70	1.70	1.87	2.13	2.98	11.65 3.50 - 14.00	3.247 0.530 - 4.967	14.91	14.26	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+20+20+22+25+42	1.21	1.62	1.62	1.78	2.02	3.40 *	11.65 3.50 - 14.00	3.201 0.530 - 4.961	14.70	14.06	99
15+20+20+22+25+50	1.15	1.53	1.53	1.69	1.92	3.83 *	11.65 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+22+25+60	1.08	1.44	1.44	1.58	1.80	4.31	11.65 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
15+20+20+22+25+71	1.01	1.35	1.35	1.48	1.68	4.78	11.65 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+20+22+35+35	1.19	1.59	1.59	1.74	2.77	2.77	11.65 3.50 - 14.00	3.187 0.530 - 4.967	14.64	14.00	99
15+20+20+22+35+42	1.13	1.51	1.51	1.66	2.65	3.18 *	11.65 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+22+35+50	1.08	1.44	1.44	1.58	2.52	3.60 *	11.65 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+22+35+60	1.02	1.35	1.35	1.49	2.37	4.06	11.65 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
15+20+20+22+42+42	1.09	1.45	1.45	1.59	3.04 *	3.04 *	11.65 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+22+42+50	1.03	1.38	1.38	1.52	2.90 *	3.45 *	11.65 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+22+42+60	0.98	1.30	1.30	1.43	2.73 *	3.91	11.65 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
15+20+20+22+50+50	0.99	1.32	1.32	1.45	3.29 *	3.29 *	11.65 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+25+25+25	1.35	1.80	1.80	2.25	2.25	2.25	11.70 3.50 - 14.00	3.287 0.530 - 4.967	15.10	14.44	99
15+20+20+25+25+35	1.25	1.67	1.67	2.09	2.09	2.93	11.70 3.50 - 14.00	3.227 0.530 - 4.967	14.81	14.17	99
15+20+20+25+25+42	1.19	1.59	1.59	1.99	1.99	3.34 *	11.70 3.50 - 14.00	3.181 0.530 - 4.961	14.61	13.97	99
15+20+20+25+25+50	1.13	1.51	1.51	1.89	1.89	3.77 *	11.70 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+25+25+60	1.06	1.42	1.42	1.77	1.77	4.25	11.70 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
15+20+20+25+25+71	1.00	1.33	1.33	1.66	1.66	4.72	11.70 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+20+25+35+35	1.17	1.56	1.56	1.95	2.73	2.73	11.70 3.50 - 14.00	3.167 0.530 - 4.967	14.54	13.91	99
15+20+20+25+35+42	1.12	1.49	1.49	1.86	2.61	3.13 *	11.70 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+25+35+50	1.06	1.42	1.42	1.77	2.48	3.55 *	11.70 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+25+35+60	1.00	1.34	1.34	1.67	2.34	4.01	11.70 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
15+20+20+25+42+42	1.07	1.43	1.43	1.78	3.00 *	3.00 *	11.70 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+25+42+50	1.02	1.36	1.36	1.70	2.86 *	3.40 *	11.70 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+25+50+50	0.98	1.30	1.30	1.63	3.25 *	3.25 *	11.70 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+20+35+35+35	1.10	1.46	1.46	2.56	2.56	2.56	11.70 3.50 - 14.00	3.167 0.530 - 4.967	14.54	13.91	99
15+20+20+35+35+42	1.05	1.40	1.40	2.45	2.45	2.94 *	11.70 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+35+35+50	1.00	1.34	1.34	2.34	2.34	3.34 *	11.70 3.50 - 14.00	3.161 0.530 - 4.961	14.51	13.88	99
15+20+20+35+42+42	1.01	1.34	1.34	2.35	2.82 *	2.82 *	11.70 3.50 - 14.00	3.155 0.530 - 4.955	14.49	13.86	99
15+20+22+22+22+22	1.41	1.89	2.07	2.07	2.07	2.07	11.60 3.50 - 14.00	3.320 0.530 - 4.960	15.24	14.58	99
15+20+22+22+22+25	1.39	1.85	2.03	2.03	2.03	2.31	11.65 3.50 - 14.00	3.300 0.530 - 4.960	15.15	14.49	99
15+20+22+22+22+35	1.28	1.71	1.88	1.88	1.88	3.00	11.65 3.50 - 14.00	3.240 0.530 - 4.960	14.88	14.23	99
15+20+22+22+22+42	1.22	1.63	1.79	1.79	1.79	3.42 *	11.65 3.50 - 14.00	3.194 0.530 - 4.954	14.67	14.03	99
15+20+22+22+22+50	1.16	1.54	1.70	1.70	1.70	3.86 *	11.65 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+22+22+60	1.09	1.45	1.59	1.59	1.59	4.34	11.65 3.50 - 14.00	3.137 0.530 - 4.937	14.41	13.78	99
15+20+22+22+22+71	1.02	1.35	1.49	1.49	1.49	4.81	11.65 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+20+22+22+25+25	1.36	1.81	2.00	2.00	2.27	2.27	11.70 3.50 - 14.00	3.290 0.530 - 4.960	15.11	14.45	99
15+20+22+22+25+35	1.26	1.68	1.85	1.85	2.10	2.95	11.70 3.50 - 14.00	3.230 0.530 - 4.960	14.84	14.19	99
15+20+22+22+25+42	1.20	1.60	1.76	1.76	2.00	3.37 *	11.70 3.50 - 14.00	3.174 0.530 - 4.954	14.57	13.94	99
15+20+22+22+25+50	1.14	1.52	1.67	1.67	1.90	3.80 *	11.70 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+22+25+60	1.07	1.43	1.57	1.57	1.78	4.28	11.70 3.50 - 14.00	3.137 0.530 - 4.937	14.41	13.78	99
15+20+22+22+25+71	1.00	1.34	1.47	1.47	1.67	4.75	11.70 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+20+22+22+35+35	1.18	1.57	1.73	1.73	2.75	2.75	11.70 3.50 - 14.00	3.170 0.530 - 4.960	14.55	13.92	99
15+20+22+22+35+42	1.13	1.50	1.65	1.65	2.63	3.15 *	11.70 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+22+35+50	1.07	1.43	1.57	1.57	2.50	3.57 *	11.70 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+20+22+22+35+60	1.01	1.34	1.48	1.48	2.35	4.03	11.70 3.50 - 14.00	3.137 0.530 - 4.937	14.41	13.78	99
15+20+22+22+42+42	1.08	1.44	1.58	1.58	3.01 *	3.01 *	11.70 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+22+22+42+50	1.03	1.37	1.51	1.51	2.87 *	3.42 *	11.70 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+22+22+50+50	0.98	1.31	1.44	1.44	3.27 *	3.27 *	11.70 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+22+25+25+25	1.34	1.78	1.96	2.23	2.23	2.23	11.75 3.50 - 14.00	3.270 0.530 - 4.960	15.01	14.36	99
15+20+22+25+25+35	1.24	1.65	1.82	2.07	2.07	2.90	11.75 3.50 - 14.00	3.210 0.530 - 4.960	14.74	14.10	99
15+20+22+25+25+42	1.18	1.58	1.73	1.97	1.97	3.31 *	11.75 3.50 - 14.00	3.164 0.530 - 4.954	14.53	13.90	99
15+20+22+25+25+50	1.12	1.50	1.65	1.87	1.87	3.74 *	11.75 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+25+25+60	1.06	1.41	1.55	1.76	1.76	4.22	11.75 3.50 - 14.00	3.137 0.530 - 4.937	14.41	13.78	99
15+20+22+25+25+71	0.99	1.32	1.45	1.65	1.65	4.69	11.75 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+20+22+25+35+35	1.16	1.55	1.70	1.93	2.71	2.71	11.75 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
15+20+22+25+35+42	1.11	1.48	1.63	1.85	2.59	3.10 *	11.75 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+25+35+50	1.06	1.41	1.55	1.76	2.46	3.52 *	11.75 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+25+35+60	1.00	1.33	1.46	1.66	2.32	3.98	11.75 3.50 - 14.00	3.137 0.530 - 4.937	14.41	13.78	99
15+20+22+25+42+42	1.06	1.42	1.56	1.77	2.97 *	2.97 *	11.75 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+22+25+42+50	1.01	1.35	1.49	1.69	2.84 *	3.38 *	11.75 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+22+35+35+35	1.09	1.45	1.60	2.54	2.54	2.54	11.75 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
15+20+22+35+35+42	1.04	1.39	1.53	2.43	2.43	2.92 *	11.75 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+35+35+50	1.00	1.33	1.46	2.32	2.32	3.32 *	11.75 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+22+35+42+42	1.00	1.34	1.47	2.34	2.80 *	2.80 *	11.75 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+25+25+25+25	1.31	1.75	2.19	2.19	2.19	2.19	11.80 3.50 - 14.00	3.250 0.530 - 4.960	14.92	14.27	99
15+20+25+25+25+35	1.22	1.63	2.03	2.03	2.03	2.85	11.80 3.50 - 14.00	3.190 0.530 - 4.960	14.65	14.01	99
15+20+25+25+25+42	1.16	1.55	1.94	1.94	1.94	3.26 *	11.80 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+25+25+25+50	1.11	1.48	1.84	1.84	1.84	3.69 *	11.80 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+25+25+25+60	1.04	1.39	1.74	1.74	1.74	4.16	11.80 3.50 - 14.00	3.137 0.530 - 4.937	14.41	13.78	99
15+20+25+25+35+35	1.14	1.52	1.90	1.90	2.66	2.66	11.80 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
15+20+25+25+35+42	1.09	1.46	1.82	1.82	2.55	3.06 *	11.80 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+25+25+35+50	1.04	1.39	1.74	1.74	2.43	3.47 *	11.80 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+25+25+35+60	0.98	1.31	1.64	1.64	2.29	3.93	11.80 3.50 - 14.00	3.137 0.530 - 4.937	14.41	13.78	99
15+20+25+25+42+42	1.05	1.40	1.75	1.75	2.93 *	2.93 *	11.80 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+25+25+42+50	1.00	1.33	1.67	1.67	2.80 *	3.33 *	11.80 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+25+35+35+35	1.07	1.43	1.79	2.50	2.50	2.50	11.80 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
15+20+25+35+35+42	1.03	1.37	1.72	2.40	2.40	2.88 *	11.80 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+25+35+35+50	0.98	1.31	1.64	2.29	2.29	3.28 *	11.80 3.50 - 14.00	3.154 0.530 - 4.954	14.48	13.85	99
15+20+25+35+42+42	0.99	1.32	1.65	2.31	2.77 *	2.77 *	11.80 3.50 - 14.00	3.148 0.530 - 4.948	14.46	13.83	99
15+20+35+35+35+35	1.01	1.35	2.36	2.36	2.36	2.36	11.80 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
15+22+22+22+22+22	1.40	2.05	2.05	2.05	2.05	2.05	11.65 3.50 - 14.00	3.303 0.530 - 4.953	15.17	14.51	99
15+22+22+22+22+25	1.37	2.01	2.01	2.01	2.01	2.29	11.70 3.50 - 14.00	3.283 0.530 - 4.953	15.08	14.42	99
15+22+22+22+22+35	1.27	1.87	1.87	1.87	1.87	2.97	11.70 3.50 - 14.00	3.223 0.530 - 4.953	14.79	14.15	99
15+22+22+22+22+42	1.21	1.78	1.78	1.78	1.78	3.39 *	11.70 3.50 - 14.00	3.177 0.530 - 4.947	14.58	13.95	99
15+22+22+22+22+50	1.15	1.68	1.68	1.68	1.68	3.82 *	11.70 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+22+22+60	1.08	1.58	1.58	1.58	1.58	4.31	11.70 3.50 - 14.00	3.130 0.530 - 4.930	14.38	13.75	99
15+22+22+22+22+71	1.01	1.48	1.48	1.48	1.48	4.77	11.70 3.50 - 14.00	3.134 0.530 - 4.934	14.39	13.76	99
15+22+22+22+25+25	1.35	1.97	1.97	1.97	2.24	2.24	11.75 3.50 - 14.00	3.263 0.530 - 4.953	14.98	14.33	99
15+22+22+22+25+35	1.25	1.83	1.83	1.83	2.08	2.92	11.75 3.50 - 14.00	3.203 0.530 - 4.953	14.71	14.07	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+22+22+22+25+42	1.19	1.75	1.75	1.75	1.98	3.33 *	11.75 3.50 - 14.00	3.157 0.530 - 4.947	14.49	13.86	99
15+22+22+22+25+50	1.13	1.66	1.66	1.66	1.88	3.77 *	11.75 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+22+25+60	1.06	1.56	1.56	1.56	1.77	4.25	11.75 3.50 - 14.00	3.130 0.530 - 4.930	14.38	13.75	99
15+22+22+22+25+71	1.00	1.46	1.46	1.46	1.66	4.71	11.75 3.50 - 14.00	3.134 0.530 - 4.934	14.39	13.76	99
15+22+22+22+35+35	1.17	1.71	1.71	1.71	2.72	2.72	11.75 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+22+22+22+35+42	1.12	1.64	1.64	1.64	2.60	3.12 *	11.75 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+22+35+50	1.06	1.56	1.56	1.56	2.48	3.54 *	11.75 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+22+35+60	1.00	1.47	1.47	1.47	2.34	4.01	11.75 3.50 - 14.00	3.130 0.530 - 4.930	14.38	13.75	99
15+22+22+22+42+42	1.07	1.57	1.57	1.57	2.99 *	2.99 *	11.75 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+22+22+22+42+50	1.02	1.49	1.49	1.49	2.85 *	3.40 *	11.75 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+22+22+25+25+25	1.32	1.94	1.94	2.20	2.20	2.20	11.80 3.50 - 14.00	3.253 0.530 - 4.953	14.94	14.29	99
15+22+22+25+25+35	1.23	1.80	1.80	2.05	2.05	2.87	11.80 3.50 - 14.00	3.193 0.530 - 4.953	14.66	14.02	99
15+22+22+25+25+42	1.17	1.72	1.72	1.95	1.95	3.28 *	11.80 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+25+25+50	1.11	1.63	1.63	1.86	1.86	3.71 *	11.80 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+25+25+60	1.05	1.54	1.54	1.75	1.75	4.19	11.80 3.50 - 14.00	3.130 0.530 - 4.930	14.38	13.75	99
15+22+22+25+25+71	0.98	1.44	1.44	1.64	1.64	4.65	11.80 3.50 - 14.00	3.134 0.530 - 4.934	14.39	13.76	99
15+22+22+25+35+35	1.15	1.69	1.69	1.92	2.68	2.68	11.80 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+22+22+25+35+42	1.10	1.61	1.61	1.83	2.57	3.08 *	11.80 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+25+35+50	1.05	1.54	1.54	1.75	2.44	3.49 *	11.80 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+25+35+60	0.99	1.45	1.45	1.65	2.31	3.96	11.80 3.50 - 14.00	3.130 0.530 - 4.930	14.38	13.75	99
15+22+22+25+42+42	1.05	1.55	1.55	1.76	2.95 *	2.95 *	11.80 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+22+22+25+42+50	1.01	1.48	1.48	1.68	2.82 *	3.35 *	11.80 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+22+22+35+35+35	1.08	1.58	1.58	2.52	2.52	2.52	11.80 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+22+22+35+35+42	1.04	1.52	1.52	2.42	2.42	2.90 *	11.80 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+35+35+50	0.99	1.45	1.45	2.31	2.31	3.30 *	11.80 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+22+35+42+42	0.99	1.46	1.46	2.32	2.78 *	2.78 *	11.80 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+22+25+25+25+25	1.30	1.90	2.16	2.16	2.16	2.16	11.85 3.50 - 14.00	3.233 0.530 - 4.953	14.85	14.20	99
15+22+25+25+25+35	1.21	1.77	2.02	2.02	2.02	2.82	11.85 3.50 - 14.00	3.173 0.530 - 4.953	14.57	13.94	99
15+22+25+25+25+42	1.15	1.69	1.92	1.92	1.92	3.23 *	11.85 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+25+25+25+50	1.10	1.61	1.83	1.83	1.83	3.66 *	11.85 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+25+25+25+60	1.03	1.52	1.72	1.72	1.72	4.13	11.85 3.50 - 14.00	3.130 0.530 - 4.930	14.38	13.75	99
15+22+25+25+35+35	1.13	1.66	1.89	1.89	2.64	2.64	11.85 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+22+25+25+35+42	1.08	1.59	1.81	1.81	2.53	3.03 *	11.85 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+25+25+35+50	1.03	1.52	1.72	1.72	2.41	3.44 *	11.85 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+25+25+42+42	1.04	1.52	1.73	1.73	2.91 *	2.91 *	11.85 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+22+25+25+42+50	0.99	1.46	1.66	1.66	2.78 *	3.31 *	11.85 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+22+25+35+35+35	1.06	1.56	1.77	2.48	2.48	2.48	11.85 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+22+25+35+35+42	1.02	1.50	1.70	2.38	2.38	2.86 *	11.85 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+22+35+35+35+35	1.00	1.47	2.34	2.34	2.34	2.34	11.85 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+25+25+25+25+25	1.28	2.13	2.13	2.13	2.13	2.13	11.90 3.50 - 14.00	3.213 0.530 - 4.953	14.75	14.11	99
15+25+25+25+25+35	1.19	1.98	1.98	1.98	1.98	2.78	11.90 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+25+25+25+25+42	1.14	1.89	1.89	1.89	1.89	3.18 *	11.90 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+25+25+25+25+50	1.08	1.80	1.80	1.80	1.80	3.61 *	11.90 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+25+25+25+25+60	1.02	1.70	1.70	1.70	1.70	4.08	11.90 3.50 - 14.00	3.130 0.530 - 4.930	14.38	13.75	99
15+25+25+25+35+35	1.12	1.86	1.86	1.86	2.60	2.60	11.90 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+25+25+25+35+42	1.07	1.78	1.78	1.78	2.49	2.99 *	11.90 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+25+25+25+35+50	1.02	1.70	1.70	1.70	2.38	3.40 *	11.90 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+25+25+25+42+42	1.03	1.71	1.71	1.71	2.87 *	2.87 *	11.90 3.50 - 14.00	3.141 0.530 - 4.941	14.42	13.79	99
15+25+25+35+35+35	1.05	1.75	1.75	2.45	2.45	2.45	11.90 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
15+25+25+35+35+42	1.01	1.68	1.68	2.35	2.35	2.82 *	11.90 3.50 - 14.00	3.147 0.530 - 4.947	14.45	13.82	99
15+25+35+35+35+35	0.99	1.65	2.31	2.31	2.31	2.31	11.90 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+20+20+20+20	1.90	1.90	1.90	1.90	1.90	1.90	11.40 3.50 - 14.00	3.366 0.530 - 4.986	15.45	14.78	99
20+20+20+20+20+22	1.88	1.88	1.88	1.88	1.88	2.06	11.45 3.50 - 14.00	3.349 0.530 - 4.979	15.38	14.71	99
20+20+20+20+20+25	1.84	1.84	1.84	1.84	1.84	2.30	11.50 3.50 - 14.00	3.329 0.530 - 4.979	15.28	14.62	99
20+20+20+20+20+35	1.70	1.70	1.70	1.70	1.70	2.98	11.50 3.50 - 14.00	3.269 0.530 - 4.979	15.01	14.36	99
20+20+20+20+20+42	1.62	1.62	1.62	1.62	1.62	3.40 *	11.50 3.50 - 14.00	3.223 0.530 - 4.973	14.79	14.15	99
20+20+20+20+20+50	1.53	1.53	1.53	1.53	1.53	3.83 *	11.50 3.50 - 14.00	3.173 0.530 - 4.973	14.57	13.94	99
20+20+20+20+20+60	1.44	1.44	1.44	1.44	1.44	4.31	11.50 3.50 - 14.00	3.156 0.530 - 4.956	14.49	13.86	99
20+20+20+20+20+71	1.35	1.35	1.35	1.35	1.35	4.77	11.50 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
20+20+20+20+20+80	1.28	1.28	1.28	1.28	1.28	5.11	11.50 3.50 - 14.00	3.150 0.530 - 4.950	14.46	13.83	99
20+20+20+22+22+22	1.85	1.85	1.85	1.85	2.04	2.04	11.50 3.50 - 14.00	3.332 0.530 - 4.972	15.30	14.63	99
20+20+20+22+22+25	1.82	1.82	1.82	1.82	2.00	2.27	11.55 3.50 - 14.00	3.312 0.530 - 4.972	15.21	14.55	99
20+20+20+22+22+35	1.69	1.69	1.69	1.69	1.85	2.95	11.55 3.50 - 14.00	3.252 0.530 - 4.972	14.93	14.28	99
20+20+20+22+22+42	1.60	1.60	1.60	1.60	1.76	3.37 *	11.55 3.50 - 14.00	3.206 0.530 - 4.966	14.72	14.08	99
20+20+20+22+22+50	1.52	1.52	1.52	1.52	1.67	3.80 *	11.55 3.50 - 14.00	3.166 0.530 - 4.966	14.53	13.90	99
20+20+20+22+22+60	1.43	1.43	1.43	1.43	1.57	4.28	11.55 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
20+20+20+22+22+71	1.34	1.34	1.34	1.34	1.47	4.74	11.55 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+20+20+25+25	1.78	1.78	1.78	1.78	2.23	2.23	11.60 3.50 - 14.00	3.292 0.530 - 4.972	15.12	14.46	99
20+20+20+20+25+35	1.66	1.66	1.66	1.66	2.07	2.90	11.60 3.50 - 14.00	3.232 0.530 - 4.972	14.84	14.19	99
20+20+20+20+25+42	1.58	1.58	1.58	1.58	1.97	3.31 *	11.60 3.50 - 14.00	3.186 0.530 - 4.966	14.63	13.99	99
20+20+20+20+25+50	1.50	1.50	1.50	1.50	1.87	3.74 *	11.60 3.50 - 14.00	3.166 0.530 - 4.966	14.53	13.90	99
20+20+20+20+25+60	1.41	1.41	1.41	1.41	1.76	4.22	11.60 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
20+20+20+20+25+71	1.32	1.32	1.32	1.32	1.65	4.68	11.60 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+20+20+35+35	1.55	1.55	1.55	1.55	2.71	2.71	11.60 3.50 - 14.00	3.172 0.530 - 4.972	14.56	13.93	99
20+20+20+20+35+42	1.48	1.48	1.48	1.48	2.59	3.10 *	11.60 3.50 - 14.00	3.166 0.530 - 4.966	14.53	13.90	99
20+20+20+20+35+50	1.41	1.41	1.41	1.41	2.46	3.52 *	11.60 3.50 - 14.00	3.166 0.530 - 4.966	14.53	13.90	99
20+20+20+20+35+60	1.33	1.33	1.33	1.33	2.32	3.98	11.60 3.50 - 14.00	3.149 0.530 - 4.949	14.46	13.83	99
20+20+20+20+42+42	1.41	1.41	1.41	1.41	2.97 *	2.97 *	11.60 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
20+20+20+20+42+50	1.35	1.35	1.35	1.35	2.83 *	3.37 *	11.60 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
20+20+20+20+50+50	1.29	1.29	1.29	1.29	3.22 *	3.22 *	11.60 3.50 - 14.00	3.160 0.530 - 4.960	14.51	13.88	99
20+20+20+22+22+22	1.83	1.83	1.83	2.02	2.02	2.02	11.55 3.50 - 14.00	3.305 0.530 - 4.965	15.17	14.51	99
20+20+20+22+22+25	1.80	1.80	1.80	1.98	1.98	2.25	11.60 3.50 - 14.00	3.295 0.530 - 4.965	15.13	14.47	99
20+20+20+22+22+35	1.67	1.67	1.67	1.84	1.84	2.92	11.60 3.50 - 14.00	3.235 0.530 - 4.965	14.86	14.21	99
20+20+20+22+22+42	1.59	1.59	1.59	1.75	1.75	3.34 *	11.60 3.50 - 14.00	3.179 0.530 - 4.959	14.59	13.96	99
20+20+20+22+22+50	1.51	1.51	1.51	1.66	1.66	3.77 *	11.60 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+22+22+60	1.41	1.41	1.41	1.56	1.56	4.24	11.60 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
20+20+20+22+22+71	1.33	1.33	1.33	1.46	1.46	4.71	11.60 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
20+20+20+22+25+25	1.77	1.77	1.77	1.94	2.21	2.21	11.65 3.50 - 14.00	3.275 0.530 - 4.965	15.03	14.38	99
20+20+20+22+25+35	1.64	1.64	1.64	1.80	2.05	2.87	11.65 3.50 - 14.00	3.215 0.530 - 4.965	14.76	14.12	99
20+20+20+22+25+42	1.56	1.56	1.56	1.72	1.95	3.28 *	11.65 3.50 - 14.00	3.169 0.530 - 4.959	14.55	13.92	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+20+20+22+25+50	1.48	1.48	1.48	1.63	1.86	3.71 *	11.65 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+22+25+60	1.40	1.40	1.40	1.53	1.74	4.19	11.65 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
20+20+20+22+25+71	1.31	1.31	1.31	1.44	1.64	4.65	11.65 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
20+20+20+22+35+35	1.53	1.53	1.53	1.69	2.68	2.68	11.65 3.50 - 14.00	3.165 0.530 - 4.965	14.53	13.90	99
20+20+20+22+35+42	1.47	1.47	1.47	1.61	2.56	3.08 *	11.65 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+22+35+50	1.40	1.40	1.40	1.53	2.44	3.49 *	11.65 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+22+35+60	1.32	1.32	1.32	1.45	2.30	3.95	11.65 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
20+20+20+22+42+42	1.40	1.40	1.40	1.54	2.95 *	2.95 *	11.65 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+20+22+42+50	1.34	1.34	1.34	1.47	2.81 *	3.35 *	11.65 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+20+25+25+25	1.73	1.73	1.73	2.17	2.17	2.17	11.70 3.50 - 14.00	3.255 0.530 - 4.965	14.95	14.30	99
20+20+20+25+25+35	1.61	1.61	1.61	2.02	2.02	2.82	11.70 3.50 - 14.00	3.195 0.530 - 4.965	14.67	14.03	99
20+20+20+25+25+42	1.54	1.54	1.54	1.92	1.92	3.23 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+25+25+50	1.46	1.46	1.46	1.83	1.83	3.66 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+25+25+60	1.38	1.38	1.38	1.72	1.72	4.13	11.70 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
20+20+20+25+35+35	1.51	1.51	1.51	1.89	2.64	2.64	11.70 3.50 - 14.00	3.165 0.530 - 4.965	14.53	13.90	99
20+20+20+25+35+42	1.44	1.44	1.44	1.81	2.53	3.03 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+25+35+50	1.38	1.38	1.38	1.72	2.41	3.44 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+25+35+60	1.30	1.30	1.30	1.63	2.28	3.90	11.70 3.50 - 14.00	3.142 0.530 - 4.942	14.43	13.80	99
20+20+20+25+42+42	1.38	1.38	1.38	1.73	2.91 *	2.91 *	11.70 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+20+25+42+50	1.32	1.32	1.32	1.65	2.78 *	3.31 *	11.70 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+20+35+35+35	1.42	1.42	1.42	2.48	2.48	2.48	11.70 3.50 - 14.00	3.165 0.530 - 4.965	14.53	13.90	99
20+20+20+35+35+42	1.36	1.36	1.36	2.38	2.38	2.86 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+35+35+50	1.30	1.30	1.30	2.28	2.28	3.25 *	11.70 3.50 - 14.00	3.159 0.530 - 4.959	14.50	13.87	99
20+20+20+35+42+42	1.31	1.31	1.31	2.29	2.75 *	2.75 *	11.70 3.50 - 14.00	3.153 0.530 - 4.953	14.48	13.85	99
20+20+22+22+22+22	1.81	1.81	1.99	1.99	1.99	1.99	11.60 3.50 - 14.00	3.288 0.530 - 4.958	15.10	14.44	99
20+20+22+22+22+25	1.78	1.78	1.96	1.96	1.96	2.22	11.65 3.50 - 14.00	3.268 0.530 - 4.958	15.00	14.35	99
20+20+22+22+22+35	1.65	1.65	1.82	1.82	1.82	2.89	11.65 3.50 - 14.00	3.208 0.530 - 4.958	14.73	14.09	99
20+20+22+22+22+42	1.57	1.57	1.73	1.73	1.73	3.31 *	11.65 3.50 - 14.00	3.162 0.530 - 4.952	14.52	13.89	99
20+20+22+22+22+50	1.49	1.49	1.64	1.64	1.64	3.73 *	11.65 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+22+22+60	1.40	1.40	1.54	1.54	1.54	4.21	11.65 3.50 - 14.00	3.135 0.530 - 4.935	14.40	13.77	99
20+20+22+22+22+71	1.32	1.32	1.45	1.45	1.45	4.67	11.65 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
20+20+22+22+25+25	1.75	1.75	1.92	1.92	2.18	2.18	11.70 3.50 - 14.00	3.258 0.530 - 4.958	14.96	14.31	99
20+20+22+22+25+35	1.63	1.63	1.79	1.79	2.03	2.84	11.70 3.50 - 14.00	3.198 0.530 - 4.958	14.68	14.04	99
20+20+22+22+25+42	1.55	1.55	1.70	1.70	1.94	3.25 *	11.70 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+22+25+50	1.47	1.47	1.62	1.62	1.84	3.68 *	11.70 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+22+25+60	1.38	1.38	1.52	1.52	1.73	4.15	11.70 3.50 - 14.00	3.135 0.530 - 4.935	14.40	13.77	99
20+20+22+22+25+71	1.30	1.30	1.43	1.43	1.63	4.62	11.70 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
20+20+22+22+35+35	1.52	1.52	1.67	1.67	2.66	2.66	11.70 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
20+20+22+22+35+42	1.45	1.45	1.60	1.60	2.54	3.05 *	11.70 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+22+35+50	1.38	1.38	1.52	1.52	2.42	3.46 *	11.70 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+22+35+60	1.31	1.31	1.44	1.44	2.29	3.92	11.70 3.50 - 14.00	3.135 0.530 - 4.935	14.40	13.77	99
20+20+22+22+42+42	1.39	1.39	1.53	1.53	2.93 *	2.93 *	11.70 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
20+20+22+22+42+50	1.33	1.33	1.46	1.46	2.79 *	3.32 *	11.70 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
20+20+22+25+25+25	1.72	1.72	1.89	2.14	2.14	2.14	11.75 3.50 - 14.00	3.238 0.530 - 4.958	14.87	14.22	99
20+20+22+25+25+35	1.60	1.60	1.76	2.00	2.00	2.80	11.75 3.50 - 14.00	3.178 0.530 - 4.958	14.59	13.96	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+20+22+25+25+42	1.53	1.53	1.68	1.91	1.91	3.20 *	11.75 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+25+25+50	1.45	1.45	1.60	1.81	1.81	3.63 *	11.75 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+25+25+60	1.37	1.37	1.50	1.71	1.71	4.10	11.75 3.50 - 14.00	3.135 0.530 - 4.935	14.40	13.77	99
20+20+22+25+35+35	1.50	1.50	1.65	1.87	2.62	2.62	11.75 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
20+20+22+25+35+42	1.43	1.43	1.58	1.79	2.51	3.01 *	11.75 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+25+35+50	1.37	1.37	1.50	1.71	2.39	3.42 *	11.75 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+22+25+42+42	1.37	1.37	1.51	1.72	2.89 *	2.89 *	11.75 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
20+20+22+25+42+50	1.31	1.31	1.44	1.64	2.76 *	3.28 *	11.75 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
20+20+22+35+35+35	1.41	1.41	1.55	2.46	2.46	2.46	11.75 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
20+20+22+35+35+42	1.35	1.35	1.49	2.36	2.36	2.84 *	11.75 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+25+25+25+25	1.69	1.69	2.11	2.11	2.11	2.11	11.80 3.50 - 14.00	3.218 0.530 - 4.958	14.77	14.13	99
20+20+25+25+25+35	1.57	1.57	1.97	1.97	1.97	2.75	11.80 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
20+20+25+25+25+42	1.50	1.50	1.88	1.88	1.88	3.16 *	11.80 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+25+25+25+50	1.43	1.43	1.79	1.79	1.79	3.58 *	11.80 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+25+25+25+60	1.35	1.35	1.69	1.69	1.69	4.05	11.80 3.50 - 14.00	3.135 0.530 - 4.935	14.40	13.77	99
20+20+25+25+35+35	1.48	1.48	1.84	1.84	2.58	2.58	11.80 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
20+20+25+25+35+42	1.41	1.41	1.77	1.77	2.47	2.97 *	11.80 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+25+25+35+50	1.35	1.35	1.69	1.69	2.36	3.37 *	11.80 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+25+25+42+42	1.36	1.36	1.70	1.70	2.85 *	2.85 *	11.80 3.50 - 14.00	3.146 0.530 - 4.946	14.45	13.82	99
20+20+25+35+35+35	1.39	1.39	1.74	2.43	2.43	2.43	11.80 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
20+20+25+35+35+42	1.33	1.33	1.67	2.33	2.33	2.80 *	11.80 3.50 - 14.00	3.152 0.530 - 4.952	14.47	13.84	99
20+20+35+35+35+35	1.31	1.31	2.29	2.29	2.29	2.29	11.80 3.50 - 14.00	3.158 0.530 - 4.958	14.50	13.87	99
20+22+22+22+22+22	1.79	1.97	1.97	1.97	1.97	1.97	11.65 3.50 - 14.00	3.271 0.530 - 4.951	15.02	14.37	99
20+22+22+22+22+25	1.76	1.94	1.94	1.94	1.94	2.20	11.70 3.50 - 14.00	3.251 0.530 - 4.951	14.93	14.28	99
20+22+22+22+22+35	1.64	1.80	1.80	1.80	1.80	2.86	11.70 3.50 - 14.00	3.191 0.530 - 4.951	14.65	14.01	99
20+22+22+22+22+42	1.56	1.72	1.72	1.72	1.72	3.28 *	11.70 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+22+22+50	1.48	1.63	1.63	1.63	1.63	3.70 *	11.70 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+22+22+60	1.39	1.53	1.53	1.53	1.53	4.18	11.70 3.50 - 14.00	3.128 0.530 - 4.928	14.36	13.74	99
20+22+22+22+22+71	1.31	1.44	1.44	1.44	1.44	4.64	11.70 3.50 - 14.00	3.132 0.530 - 4.932	14.38	13.75	99
20+22+22+22+25+25	1.73	1.90	1.90	1.90	2.16	2.16	11.75 3.50 - 14.00	3.231 0.530 - 4.951	14.84	14.19	99
20+22+22+22+25+35	1.61	1.77	1.77	1.77	2.01	2.82	11.75 3.50 - 14.00	3.171 0.530 - 4.951	14.56	13.93	99
20+22+22+22+25+42	1.54	1.69	1.69	1.69	1.92	3.23 *	11.75 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+22+25+50	1.46	1.61	1.61	1.61	1.82	3.65 *	11.75 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+22+25+60	1.37	1.51	1.51	1.51	1.72	4.12	11.75 3.50 - 14.00	3.128 0.530 - 4.928	14.36	13.74	99
20+22+22+22+35+35	1.51	1.66	1.66	1.66	2.64	2.64	11.75 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
20+22+22+22+35+42	1.44	1.59	1.59	1.59	2.52	3.03 *	11.75 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+22+35+50	1.37	1.51	1.51	1.51	2.40	3.44 *	11.75 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+22+42+42	1.38	1.52	1.52	1.52	2.90 *	2.90 *	11.75 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
20+22+22+22+42+50	1.32	1.45	1.45	1.45	2.77 *	3.30 *	11.75 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
20+22+22+25+25+25	1.70	1.87	1.87	2.12	2.12	2.12	11.80 3.50 - 14.00	3.221 0.530 - 4.951	14.79	14.15	99
20+22+22+25+25+35	1.58	1.74	1.74	1.98	1.98	2.77	11.80 3.50 - 14.00	3.161 0.530 - 4.951	14.51	13.88	99
20+22+22+25+25+42	1.51	1.66	1.66	1.89	1.89	3.18 *	11.80 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+25+25+50	1.44	1.58	1.58	1.80	1.80	3.60 *	11.80 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+25+25+60	1.36	1.49	1.49	1.70	1.70	4.07	11.80 3.50 - 14.00	3.128 0.530 - 4.928	14.36	13.74	99
20+22+22+25+35+35	1.48	1.63	1.63	1.86	2.60	2.60	11.80 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+22+22+25+35+42	1.42	1.56	1.56	1.78	2.49	2.99 *	11.80 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+25+35+50	1.36	1.49	1.49	1.70	2.37	3.39 *	11.80 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+22+25+42+42	1.36	1.50	1.50	1.71	2.86 *	2.86 *	11.80 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
20+22+22+35+35+35	1.40	1.54	1.54	2.44	2.44	2.44	11.80 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
20+22+22+35+35+42	1.34	1.48	1.48	2.35	2.35	2.82 *	11.80 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+25+25+25+25	1.67	1.84	2.09	2.09	2.09	2.09	11.85 3.50 - 14.00	3.201 0.530 - 4.951	14.70	14.06	99
20+22+25+25+25+35	1.56	1.72	1.95	1.95	1.95	2.73	11.85 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
20+22+25+25+25+42	1.49	1.64	1.86	1.86	1.86	3.13 *	11.85 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+25+25+25+50	1.42	1.56	1.77	1.77	1.77	3.55 *	11.85 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+25+25+25+60	1.34	1.47	1.67	1.67	1.67	4.02	11.85 3.50 - 14.00	3.128 0.530 - 4.928	14.36	13.74	99
20+22+25+25+35+35	1.46	1.61	1.83	1.83	2.56	2.56	11.85 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
20+22+25+25+35+42	1.40	1.54	1.75	1.75	2.45	2.94 *	11.85 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+25+25+35+50	1.34	1.47	1.67	1.67	2.34	3.35 *	11.85 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+22+25+25+42+42	1.35	1.48	1.68	1.68	2.83 *	2.83 *	11.85 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
20+22+25+35+35+35	1.38	1.52	1.72	2.41	2.41	2.41	11.85 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
20+22+25+35+35+42	1.32	1.46	1.66	2.32	2.32	2.78 *	11.85 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+25+25+25+25+25	1.64	2.05	2.05	2.05	2.05	2.05	11.90 3.50 - 14.00	3.181 0.530 - 4.951	14.61	13.97	99
20+25+25+25+25+35	1.54	1.92	1.92	1.92	1.92	2.69	11.90 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
20+25+25+25+25+42	1.47	1.84	1.84	1.84	1.84	3.09 *	11.90 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+25+25+25+25+50	1.40	1.75	1.75	1.75	1.75	3.50 *	11.90 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+25+25+25+25+60	1.32	1.65	1.65	1.65	1.65	3.97	11.90 3.50 - 14.00	3.128 0.530 - 4.928	14.36	13.74	99
20+25+25+25+35+35	1.44	1.80	1.80	1.80	2.52	2.52	11.90 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
20+25+25+25+35+42	1.38	1.73	1.73	1.73	2.42	2.91 *	11.90 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+25+25+25+35+50	1.32	1.65	1.65	1.65	2.31	3.31 *	11.90 3.50 - 14.00	3.145 0.530 - 4.945	14.44	13.81	99
20+25+25+25+42+42	1.33	1.66	1.66	1.66	2.79 *	2.79 *	11.90 3.50 - 14.00	3.139 0.530 - 4.939	14.42	13.79	99
20+25+25+35+35+35	1.36	1.70	1.70	2.38	2.38	2.38	11.90 3.50 - 14.00	3.151 0.530 - 4.951	14.47	13.84	99
22+22+22+22+22+22	1.95	1.95	1.95	1.95	1.95	1.95	11.70 3.50 - 14.00	3.254 0.530 - 4.944	14.94	14.29	99
22+22+22+22+22+25	1.91	1.91	1.91	1.91	1.91	2.18	11.75 3.50 - 14.00	3.234 0.530 - 4.944	14.85	14.20	99
22+22+22+22+22+35	1.78	1.78	1.78	1.78	1.78	2.84	11.75 3.50 - 14.00	3.174 0.530 - 4.944	14.57	13.94	99
22+22+22+22+22+42	1.70	1.70	1.70	1.70	1.70	3.25 *	11.75 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+22+22+50	1.62	1.62	1.62	1.62	1.62	3.67 *	11.75 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+22+22+60	1.52	1.52	1.52	1.52	1.52	4.15	11.75 3.50 - 14.00	3.121 0.530 - 4.921	14.33	13.71	99
22+22+22+22+25+25	1.88	1.88	1.88	1.88	2.14	2.14	11.80 3.50 - 14.00	3.214 0.530 - 4.944	14.76	14.12	99
22+22+22+22+25+35	1.75	1.75	1.75	1.75	1.99	2.79	11.80 3.50 - 14.00	3.154 0.530 - 4.944	14.48	13.85	99
22+22+22+22+25+42	1.67	1.67	1.67	1.67	1.90	3.20 *	11.80 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+22+25+50	1.59	1.59	1.59	1.59	1.81	3.62 *	11.80 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+22+25+60	1.50	1.50	1.50	1.50	1.71	4.09	11.80 3.50 - 14.00	3.121 0.530 - 4.921	14.33	13.71	99
22+22+22+22+35+35	1.64	1.64	1.64	1.64	2.61	2.61	11.80 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+22+22+22+35+42	1.57	1.57	1.57	1.57	2.50	3.00 *	11.80 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+22+35+50	1.50	1.50	1.50	1.50	2.39	3.41 *	11.80 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+22+42+42	1.51	1.51	1.51	1.51	2.88 *	2.88 *	11.80 3.50 - 14.00	3.132 0.530 - 4.932	14.38	13.75	99
22+22+22+22+42+50	1.44	1.44	1.44	1.44	2.75 *	3.28 *	11.80 3.50 - 14.00	3.132 0.530 - 4.932	14.38	13.75	99
22+22+22+25+25+25	1.85	1.85	1.85	2.10	2.10	2.10	11.85 3.50 - 14.00	3.194 0.530 - 4.944	14.67	14.03	99
22+22+22+25+25+35	1.73	1.73	1.73	1.96	1.96	2.75	11.85 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+22+22+25+25+42	1.65	1.65	1.65	1.88	1.88	3.15 *	11.85 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99

MXZ-6F120VGD COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
22+22+22+25+25+50	1.57	1.57	1.57	1.78	1.78	3.57 *	11.85 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+25+25+60	1.48	1.48	1.48	1.68	1.68	4.04	11.85 3.50 - 14.00	3.121 0.530 - 4.921	14.33	13.71	99
22+22+22+25+35+35	1.62	1.62	1.62	1.84	2.58	2.58	11.85 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+22+22+25+35+42	1.55	1.55	1.55	1.76	2.47	2.96 *	11.85 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+25+35+50	1.48	1.48	1.48	1.68	2.36	3.37 *	11.85 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+22+25+42+42	1.49	1.49	1.49	1.69	2.84 *	2.84 *	11.85 3.50 - 14.00	3.132 0.530 - 4.932	14.38	13.75	99
22+22+22+35+35+35	1.52	1.52	1.52	2.43	2.43	2.43	11.85 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+22+22+35+35+42	1.46	1.46	1.46	2.33	2.33	2.80 *	11.85 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+25+25+25+25	1.82	1.82	2.07	2.07	2.07	2.07	11.90 3.50 - 14.00	3.184 0.530 - 4.944	14.62	13.98	99
22+22+25+25+25+35	1.70	1.70	1.93	1.93	1.93	2.70	11.90 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+22+25+25+25+42	1.63	1.63	1.85	1.85	1.85	3.10 *	11.90 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+25+25+25+50	1.55	1.55	1.76	1.76	1.76	3.52 *	11.90 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+25+25+25+60	1.46	1.46	1.66	1.66	1.66	3.99	11.90 3.50 - 14.00	3.121 0.530 - 4.921	14.33	13.71	99
22+22+25+25+35+35	1.60	1.60	1.81	1.81	2.54	2.54	11.90 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+22+25+25+35+42	1.53	1.53	1.74	1.74	2.44	2.92 *	11.90 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+25+25+35+50	1.46	1.46	1.66	1.66	2.33	3.32 *	11.90 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+22+25+25+42+42	1.47	1.47	1.67	1.67	2.81 *	2.81 *	11.90 3.50 - 14.00	3.132 0.530 - 4.932	14.38	13.75	99
22+22+25+35+35+35	1.50	1.50	1.71	2.39	2.39	2.39	11.90 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+25+25+25+25+25	1.79	2.03	2.03	2.03	2.03	2.03	11.95 3.50 - 14.00	3.164 0.530 - 4.944	14.53	13.90	99
22+25+25+25+25+35	1.67	1.90	1.90	1.90	1.90	2.66	11.95 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+25+25+25+25+42	1.60	1.82	1.82	1.82	1.82	3.06 *	11.95 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+25+25+25+25+50	1.53	1.74	1.74	1.74	1.74	3.47 *	11.95 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+25+25+25+35+35	1.57	1.79	1.79	1.79	2.50	2.50	11.95 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
22+25+25+25+35+42	1.51	1.72	1.72	1.72	2.40	2.88 *	11.95 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
22+25+25+35+35+35	1.49	1.69	1.69	2.36	2.36	2.36	11.95 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
25+25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	2.00	12.00 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
25+25+25+25+25+35	1.88	1.88	1.88	1.88	1.88	2.63	12.00 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
25+25+25+25+25+42	1.80	1.80	1.80	1.80	1.80	3.02 *	12.00 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
25+25+25+25+25+50	1.71	1.71	1.71	1.71	1.71	3.43 *	12.00 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
25+25+25+25+35+35	1.76	1.76	1.76	1.76	2.47	2.47	12.00 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99
25+25+25+25+35+42	1.69	1.69	1.69	1.69	2.37	2.85 *	12.00 3.50 - 14.00	3.138 0.530 - 4.938	14.41	13.78	99
25+25+25+35+35+35	1.67	1.67	1.67	2.33	2.33	2.33	12.00 3.50 - 14.00	3.144 0.530 - 4.944	14.44	13.81	99

* In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VGD	90%
MSZ-AP50VGD	80%
SLZ-M50FA	70%

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

- MSZ-AP25VGD : Rated capacity is 2.36kW
- MSZ-AP25VGD : Rated capacity is 2.36kW
- MSZ-AP42VGD : Rated capacity is 3.33kW (=3.97*0.9)

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230	
15	1.70	-	-	-	-	-	1.70 0.850	3.90	3.73	99
20	2.20	-	-	-	-	-	2.20 0.850	4.78	4.57	99
22	3.30	-	-	-	-	-	3.30 0.850	5.05	4.83	99
25	3.60	-	-	-	-	-	3.60 0.850	5.51	5.27	99
35	4.00	-	-	-	-	-	4.00 0.850	5.74	5.49	99
42	5.40	-	-	-	-	-	5.40 0.850	8.12	7.77	99
50	7.20	-	-	-	-	-	7.20 0.850	10.52	10.06	99
60	7.90	-	-	-	-	-	7.90 0.850	10.52	10.06	99
71	8.60	-	-	-	-	-	8.60 0.850	11.39	10.89	99
80	9.00	-	-	-	-	-	9.00 0.850	11.94	11.42	99
15+15	1.70	1.70	-	-	-	-	3.40 0.850	4.16	3.98	99
15+20	1.67	2.23	-	-	-	-	3.90 0.850	4.84	4.63	99
15+22	1.66	2.44	-	-	-	-	4.10 0.850	5.04	4.82	99
15+25	1.65	2.75	-	-	-	-	4.40 0.850	5.45	5.21	99
15+35	2.16	5.04	-	-	-	-	7.20 0.850	9.17	8.77	99
15+42	1.97	5.53	-	-	-	-	7.50 0.850	9.56	9.14	99
15+50	1.80	6.00	-	-	-	-	7.80 0.850	10.06	9.62	99
15+60	1.82	7.28	-	-	-	-	9.10 0.850	12.19	11.66	99
15+71	1.95	9.25	-	-	-	-	11.20 0.850	15.46	14.79	99
15+80	1.78	9.52	-	-	-	-	11.30 0.850	14.54	13.91	99
20+20	2.20	2.20	-	-	-	-	4.40 0.850	5.47	5.23	99
20+22	2.62	2.88	-	-	-	-	5.50 0.850	6.64	6.35	99
20+25	2.98	3.72	-	-	-	-	6.70 0.850	8.01	7.66	99
20+35	2.69	4.71	-	-	-	-	7.40 0.850	9.48	9.07	99
20+42	2.48	5.22	-	-	-	-	7.70 0.850	9.87	9.44	99
20+50	2.29	5.71	-	-	-	-	8.00 0.850	10.37	9.92	99
20+60	2.58	7.73	-	-	-	-	10.30 0.850	14.10	13.49	99
20+71	2.46	8.74	-	-	-	-	11.20 0.850	14.99	14.34	99
20+80	2.26	9.04	-	-	-	-	11.30 0.850	14.08	13.47	99
22+22	3.30	3.30	-	-	-	-	6.60 0.850	7.75	7.41	99
22+25	3.23	3.67	-	-	-	-	6.90 0.850	8.44	8.07	99
22+35	2.89	4.61	-	-	-	-	7.50 0.850	9.55	9.13	99
22+42	2.68	5.12	-	-	-	-	7.80 0.850	9.97	9.54	99
22+50	2.60	5.90	-	-	-	-	8.50 0.850	11.12	10.64	99
22+60	2.87	7.83	-	-	-	-	10.70 0.850	14.80	14.16	99
22+71	2.67	8.63	-	-	-	-	11.30 0.850	14.73	14.09	99
22+80	2.44	8.86	-	-	-	-	11.30 0.850	14.04	13.43	99
25+25	3.60	3.60	-	-	-	-	7.20 0.850	9.13	8.73	99
25+35	3.17	4.43	-	-	-	-	7.60 0.850	9.78	9.35	99
25+42	2.95	4.95	-	-	-	-	7.90 0.850	10.15	9.71	99
25+50	3.03	6.07	-	-	-	-	9.10 0.850	12.22	11.69	99
25+60	3.29	7.91	-	-	-	-	11.20 0.850	15.49	14.82	99
25+71	2.94	8.36	-	-	-	-	11.30 0.850	14.46	13.83	99
25+80	2.69	8.61	-	-	-	-	11.30 0.850	14.00	13.39	99
35+35	4.00	4.00	-	-	-	-	8.00 0.850	10.37	9.92	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
35+42	4.36	5.24	-	-	-	-	9.60 2.80 - 11.50	2.832 0.850 - 3.612	13.01	12.44	99
35+50	4.61	6.59	-	-	-	-	11.20 2.80 - 12.50	3.392 0.850 - 3.802	15.58	14.90	99
35+60	4.16	7.14	-	-	-	-	11.30 2.80 - 12.70	3.165 0.850 - 3.605	14.53	13.90	99
35+71	3.73	7.57	-	-	-	-	11.30 2.80 - 12.90	3.059 0.850 - 3.509	14.04	13.43	99
35+80	3.44	7.86	-	-	-	-	11.30 2.80 - 13.00	3.019 0.850 - 3.479	13.86	13.26	99
42+42	5.60	5.60	-	-	-	-	11.20 2.80 - 12.50	3.406 0.850 - 3.816	15.64	14.96	99
42+50	5.16	6.14	-	-	-	-	11.30 2.80 - 12.70	3.246 0.850 - 3.676	14.91	14.26	99
42+60	4.65	6.65	-	-	-	-	11.30 2.80 - 12.80	3.059 0.850 - 3.509	14.04	13.43	99
42+71	4.20	7.10	-	-	-	-	11.30 2.80 - 12.90	3.033 0.850 - 3.483	13.93	13.32	99
42+80	3.89	7.41	-	-	-	-	11.30 2.80 - 13.00	2.993 0.850 - 3.453	13.74	13.14	99
50+50	5.65	5.65	-	-	-	-	11.30 2.80 - 12.80	3.076 0.850 - 3.526	14.12	13.51	99
50+60	5.14	6.16	-	-	-	-	11.30 2.80 - 12.90	3.039 0.850 - 3.489	13.96	13.35	99
50+71	4.67	6.63	-	-	-	-	11.30 2.80 - 13.00	3.013 0.850 - 3.473	13.83	13.23	99
50+80	4.35	6.95	-	-	-	-	11.30 2.80 - 13.00	2.963 0.850 - 3.423	13.60	13.01	99
60+60	5.65	5.65	-	-	-	-	11.30 2.80 - 13.00	2.992 0.850 - 3.452	13.74	13.14	99
60+71	5.18	6.12	-	-	-	-	11.30 2.90 - 13.00	2.956 0.850 - 3.416	13.57	12.98	99
60+80	4.84	6.46	-	-	-	-	11.30 2.90 - 13.00	2.906 0.850 - 3.366	13.34	12.76	99
71+71	5.65	5.65	-	-	-	-	11.30 2.90 - 13.00	2.910 0.850 - 3.370	13.36	12.78	99
71+80	5.31	5.99	-	-	-	-	11.30 2.90 - 13.00	2.900 0.850 - 3.360	13.32	12.74	99
80+80	5.65	5.65	-	-	-	-	11.30 2.90 - 13.00	2.800 0.530 - 3.260	12.86	12.30	99
15+15+15	1.70	1.70	1.70	-	-	-	5.10 3.10 - 8.90	1.079 0.850 - 3.939	4.96	4.74	99
15+15+20	1.68	1.68	2.24	-	-	-	5.60 3.10 - 9.40	1.217 0.850 - 4.177	5.58	5.34	99
15+15+22	1.67	1.67	2.45	-	-	-	5.80 3.10 - 9.60	1.270 0.850 - 4.270	5.83	5.58	99
15+15+25	1.66	1.66	2.77	-	-	-	6.10 3.10 - 10.00	1.350 0.850 - 4.420	6.20	5.93	99
15+15+35	2.15	2.15	5.01	-	-	-	9.30 3.20 - 12.20	2.200 0.850 - 4.230	10.10	9.66	99
15+15+42	2.19	2.19	6.13	-	-	-	10.50 3.20 - 13.20	2.724 0.850 - 4.204	12.50	11.96	99
15+15+50	2.06	2.06	6.88	-	-	-	11.00 3.20 - 13.70	3.054 0.850 - 4.334	14.02	13.41	99
15+15+60	1.90	1.90	7.60	-	-	-	11.40 3.20 - 14.00	3.287 0.850 - 4.517	15.10	14.44	99
15+15+71	1.75	1.75	8.30	-	-	-	11.80 3.20 - 14.40	3.571 0.850 - 4.741	16.39	15.68	99
15+15+80	1.66	1.66	8.87	-	-	-	12.20 3.20 - 14.60	3.721 0.850 - 4.731	17.08	16.34	99
15+20+20	1.66	2.22	2.22	-	-	-	6.10 3.10 - 10.00	1.355 0.850 - 4.425	6.22	5.95	99
15+20+22	1.66	2.21	2.43	-	-	-	6.30 3.10 - 10.20	1.408 0.850 - 4.508	6.46	6.18	99
15+20+25	1.65	2.20	2.75	-	-	-	6.60 3.10 - 10.50	1.488 0.850 - 4.658	6.83	6.53	99
15+20+35	2.19	2.91	5.10	-	-	-	10.20 3.20 - 13.00	2.598 0.850 - 4.178	11.93	11.41	99
15+20+42	2.12	2.83	5.95	-	-	-	10.90 3.20 - 13.60	2.972 0.850 - 4.272	13.64	13.05	99
15+20+50	1.98	2.64	6.59	-	-	-	11.20 3.20 - 13.80	3.172 0.850 - 4.432	14.56	13.93	99
15+20+60	1.83	2.44	7.33	-	-	-	11.60 3.20 - 14.20	3.415 0.850 - 4.615	15.68	15.00	99
15+20+71	1.70	2.26	8.04	-	-	-	12.00 3.20 - 14.50	3.679 0.850 - 4.799	16.89	16.16	99
15+20+80	1.63	2.17	8.70	-	-	-	12.50 3.20 - 14.60	3.779 0.850 - 4.639	17.35	16.60	99
15+22+22	1.65	2.42	2.42	-	-	-	6.50 3.10 - 10.40	1.451 0.850 - 4.601	6.66	6.37	99
15+22+25	1.86	2.73	3.10	-	-	-	7.70 3.10 - 11.20	1.761 0.850 - 4.481	8.08	7.73	99
15+22+35	2.19	3.21	5.10	-	-	-	10.50 3.20 - 13.20	2.721 0.850 - 4.201	12.49	11.95	99
15+22+42	2.09	3.06	5.85	-	-	-	11.00 3.20 - 13.60	3.015 0.850 - 4.305	13.84	13.24	99
15+22+50	1.95	2.86	6.49	-	-	-	11.30 3.20 - 13.90	3.215 0.850 - 4.465	14.76	14.12	99
15+22+60	1.81	2.65	7.24	-	-	-	11.70 3.20 - 14.20	3.458 0.850 - 4.648	15.88	15.19	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)		
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230			
15+22+71	1.68	2.46	7.95	-	-	-	12.10 3.20 - 14.50	0.850	3.702 - 4.762	17.00	16.26	99
15+22+80	1.62	2.37	8.62	-	-	-	12.60 3.20 - 14.70	0.850	3.792 - 4.602	17.41	16.65	99
15+25+25	2.15	3.58	3.58	-	-	-	9.30 3.20 - 12.20	0.850	2.191 - 4.221	10.06	9.62	99
15+25+35	2.16	3.60	5.04	-	-	-	10.80 3.20 - 13.50	0.850	2.921 - 4.231	13.41	12.83	99
15+25+42	2.03	3.38	5.69	-	-	-	11.10 3.20 - 13.70	0.850	3.095 - 4.365	14.21	13.59	99
15+25+50	1.90	3.17	6.33	-	-	-	11.40 3.20 - 14.00	0.850	3.295 - 4.525	15.13	14.47	99
15+25+60	1.77	2.95	7.08	-	-	-	11.80 3.20 - 14.30	0.850	3.528 - 4.708	16.19	15.49	99
15+25+71	1.66	2.77	7.87	-	-	-	12.30 3.20 - 14.60	0.850	3.732 - 4.712	17.14	16.39	99
15+25+80	1.59	2.65	8.47	-	-	-	12.70 3.20 - 14.70	0.850	3.832 - 4.552	17.60	16.83	99
15+35+35	1.98	4.61	4.61	-	-	-	11.20 3.20 - 13.80	0.850	3.171 - 4.431	14.56	13.93	99
15+35+42	1.88	4.38	5.25	-	-	-	11.50 3.20 - 14.10	0.850	3.345 - 4.565	15.36	14.69	99
15+35+50	1.77	4.13	5.90	-	-	-	11.80 3.20 - 14.30	0.850	3.545 - 4.725	16.28	15.57	99
15+35+60	1.66	3.88	6.65	-	-	-	12.20 3.20 - 14.60	0.850	3.718 - 4.728	17.07	16.33	99
15+35+71	1.59	3.70	7.51	-	-	-	12.80 3.20 - 14.70	0.850	3.852 - 4.542	17.69	16.92	99
15+35+80	1.51	3.53	8.06	-	-	-	13.10 3.20 - 14.90	0.850	3.862 - 4.462	17.73	16.96	99
15+42+42	1.79	5.01	5.01	-	-	-	11.80 3.20 - 14.30	0.850	3.519 - 4.699	16.15	15.45	99
15+42+50	1.70	4.75	5.65	-	-	-	12.10 3.20 - 14.50	0.850	3.689 - 4.789	16.94	16.20	99
15+42+60	1.62	4.52	6.46	-	-	-	12.60 3.20 - 14.70	0.850	3.792 - 4.602	17.41	16.65	99
15+42+71	1.54	4.30	7.27	-	-	-	13.10 3.20 - 14.80	0.850	3.886 - 4.456	17.85	17.07	99
15+42+80	1.46	4.08	7.77	-	-	-	13.30 3.20 - 15.00	0.850	3.796 - 4.466	17.43	16.67	99
15+50+50	1.63	5.43	5.43	-	-	-	12.50 3.20 - 14.60	0.850	3.789 - 4.649	17.40	16.64	99
15+50+60	1.56	5.20	6.24	-	-	-	13.00 3.20 - 14.80	0.850	3.892 - 4.472	17.87	17.09	99
15+50+71	1.47	4.89	6.94	-	-	-	13.30 3.20 - 15.00	0.850	3.816 - 4.476	17.52	16.76	99
15+50+80	1.40	4.66	7.45	-	-	-	13.50 3.20 - 15.20	0.850	3.726 - 4.486	17.10	16.36	99
15+60+60	1.47	5.87	5.87	-	-	-	13.20 3.20 - 15.00	0.850	3.805 - 4.455	17.47	16.71	99
15+60+71	1.39	5.55	6.57	-	-	-	13.50 3.20 - 15.20	0.850	3.709 - 4.479	17.03	16.29	99
15+60+80	1.32	5.26	7.02	-	-	-	13.60 3.20 - 15.30	0.850	3.659 - 4.479	16.80	16.07	99
15+71+71	1.30	6.15	6.15	-	-	-	13.60 3.20 - 15.30	0.850	3.673 - 4.493	16.86	16.13	99
15+71+80	1.23	5.82	6.55	-	-	-	13.60 3.20 - 15.30	0.850	3.663 - 4.483	16.82	16.09	99
15+80+80	1.17	6.22	6.22	-	-	-	13.60 3.20 - 15.30	0.850	3.653 - 4.473	16.77	16.04	99
20+20+20	2.20	2.20	2.20	-	-	-	6.60 3.10 - 10.50	0.850	1.493 - 4.663	6.86	6.56	99
20+20+22	2.48	2.48	2.73	-	-	-	7.70 3.10 - 11.20	0.850	1.766 - 4.486	8.11	7.76	99
20+20+25	2.86	2.86	3.58	-	-	-	9.30 3.20 - 12.20	0.850	2.196 - 4.226	10.08	9.64	99
20+20+35	2.88	2.88	5.04	-	-	-	10.80 3.20 - 13.50	0.850	2.926 - 4.236	13.43	12.85	99
20+20+42	2.71	2.71	5.69	-	-	-	11.10 3.20 - 13.70	0.850	3.100 - 4.370	14.23	13.61	99
20+20+50	2.53	2.53	6.33	-	-	-	11.40 3.20 - 14.00	0.850	3.300 - 4.530	15.15	14.49	99
20+20+60	2.36	2.36	7.08	-	-	-	11.80 3.20 - 14.30	0.850	3.533 - 4.713	16.23	15.52	99
20+20+71	2.22	2.22	7.87	-	-	-	12.30 3.20 - 14.60	0.850	3.737 - 4.717	17.16	16.41	99
20+20+80	2.12	2.12	8.47	-	-	-	12.70 3.20 - 14.70	0.850	3.837 - 4.557	17.62	16.85	99
20+22+22	2.72	2.99	2.99	-	-	-	8.70 3.20 - 11.90	0.850	2.049 - 4.299	9.41	9.00	99
20+22+25	2.96	3.25	3.69	-	-	-	9.90 3.20 - 12.60	0.850	2.399 - 4.139	11.02	10.54	99
20+22+35	2.83	3.11	4.95	-	-	-	10.90 3.20 - 13.60	0.850	2.969 - 4.269	13.63	13.04	99
20+22+42	2.67	2.93	5.60	-	-	-	11.20 3.20 - 13.80	0.850	3.143 - 4.403	14.43	13.80	99
20+22+50	2.50	2.75	6.25	-	-	-	11.50 3.20 - 14.10	0.850	3.343 - 4.563	15.35	14.68	99
20+22+60	2.33	2.57	7.00	-	-	-	11.90 3.20 - 14.40	0.850	3.576 - 4.746	16.41	15.70	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
20+22+71	2.19	2.41	7.79	-	-	-	12.40 3.20 - 14.60	3.760 0.850 - 4.680	17.26	16.51	99
20+22+80	2.10	2.31	8.39	-	-	-	12.80 3.20 - 14.70	3.850 0.850 - 4.520	17.68	16.91	99
20+25+25	2.91	3.64	3.64	-	-	-	10.20 3.20 - 13.00	2.589 0.850 - 4.169	11.89	11.37	99
20+25+35	2.75	3.44	4.81	-	-	-	11.00 3.20 - 13.70	3.049 0.850 - 4.329	14.00	13.39	99
20+25+42	2.60	3.25	5.46	-	-	-	11.30 3.20 - 13.90	3.213 0.850 - 4.463	14.75	14.11	99
20+25+50	2.44	3.05	6.11	-	-	-	11.60 3.20 - 14.20	3.423 0.850 - 4.623	15.71	15.03	99
20+25+60	2.29	2.86	6.86	-	-	-	12.00 3.20 - 14.50	3.656 0.850 - 4.806	16.79	16.06	99
20+25+71	2.16	2.69	7.65	-	-	-	12.50 3.20 - 14.70	3.790 0.850 - 4.630	17.40	16.64	99
20+25+80	2.08	2.60	8.32	-	-	-	13.00 3.20 - 14.80	3.890 0.850 - 4.470	17.86	17.08	99
20+35+35	2.53	4.43	4.43	-	-	-	11.40 3.20 - 14.00	3.299 0.850 - 4.529	15.15	14.49	99
20+35+42	2.41	4.22	5.07	-	-	-	11.70 3.20 - 14.20	3.473 0.850 - 4.663	15.94	15.25	99
20+35+50	2.29	4.00	5.71	-	-	-	12.00 3.20 - 14.50	3.673 0.850 - 4.823	16.86	16.13	99
20+35+60	2.17	3.80	6.52	-	-	-	12.50 3.20 - 14.60	3.776 0.850 - 4.636	17.33	16.58	99
20+35+71	2.06	3.61	7.33	-	-	-	13.00 3.20 - 14.80	3.910 0.850 - 4.460	17.95	17.17	99
20+35+80	1.96	3.42	7.82	-	-	-	13.20 3.20 - 15.00	3.820 0.850 - 4.470	17.54	16.78	99
20+42+42	2.31	4.85	4.85	-	-	-	12.00 3.20 - 14.50	3.637 0.850 - 4.797	16.70	15.97	99
20+42+50	2.20	4.61	5.49	-	-	-	12.30 3.20 - 14.60	3.747 0.850 - 4.697	17.21	16.46	99
20+42+60	2.10	4.41	6.30	-	-	-	12.80 3.20 - 14.70	3.850 0.850 - 4.520	17.68	16.91	99
20+42+71	1.98	4.17	7.05	-	-	-	13.20 3.20 - 14.90	3.844 0.850 - 4.464	17.65	16.88	99
20+42+80	1.89	3.96	7.55	-	-	-	13.40 3.20 - 15.10	3.744 0.850 - 4.474	17.19	16.44	99
20+50+50	2.12	5.29	5.29	-	-	-	12.70 3.20 - 14.70	3.847 0.850 - 4.567	17.67	16.90	99
20+50+60	2.02	5.04	6.05	-	-	-	13.10 3.20 - 14.90	3.860 0.850 - 4.460	17.72	16.95	99
20+50+71	1.90	4.75	6.75	-	-	-	13.40 3.20 - 15.10	3.764 0.850 - 4.484	17.28	16.53	99
20+50+80	1.81	4.53	7.25	-	-	-	13.60 3.20 - 15.30	3.674 0.850 - 4.494	16.87	16.14	99
20+60+60	1.91	5.74	5.74	-	-	-	13.40 3.20 - 15.10	3.753 0.850 - 4.463	17.23	16.48	99
20+60+71	1.80	5.40	6.39	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	16.83	16.10	99
20+60+80	1.70	5.10	6.80	-	-	-	13.60 3.20 - 15.30	3.657 0.850 - 4.477	16.79	16.06	99
20+71+71	1.68	5.96	5.96	-	-	-	13.60 3.20 - 15.30	3.671 0.850 - 4.491	16.85	16.12	99
20+71+80	1.59	5.65	6.36	-	-	-	13.60 3.20 - 15.30	3.661 0.850 - 4.481	16.81	16.08	99
20+80+80	1.51	6.04	6.04	-	-	-	13.60 3.20 - 15.30	3.651 0.850 - 4.471	16.76	16.03	99
22+22+22	3.27	3.27	3.27	-	-	-	9.80 3.20 - 12.54	2.322 0.850 - 4.122	10.66	10.20	99
22+22+25	3.22	3.22	3.66	-	-	-	10.10 3.20 - 12.90	2.522 0.850 - 4.152	11.58	11.08	99
22+22+35	3.06	3.06	4.87	-	-	-	11.00 3.20 - 13.60	3.012 0.850 - 4.302	13.83	13.23	99
22+22+42	2.87	2.87	5.47	-	-	-	11.20 3.20 - 13.90	3.186 0.850 - 4.436	14.63	13.99	99
22+22+50	2.71	2.71	6.17	-	-	-	11.60 3.20 - 14.10	3.386 0.850 - 4.596	15.55	14.87	99
22+22+60	2.54	2.54	6.92	-	-	-	12.00 3.20 - 14.50	3.619 0.850 - 4.779	16.61	15.89	99
22+22+71	2.39	2.39	7.72	-	-	-	12.50 3.20 - 14.60	3.773 0.850 - 4.633	17.32	16.57	99
22+22+80	2.29	2.29	8.32	-	-	-	12.90 3.20 - 14.80	3.873 0.850 - 4.473	17.78	17.01	99
22+25+25	3.21	3.65	3.65	-	-	-	10.50 3.20 - 13.20	2.712 0.850 - 4.192	12.45	11.91	99
22+25+35	2.98	3.38	4.74	-	-	-	11.10 3.20 - 13.70	3.092 0.850 - 4.362	14.20	13.58	99
22+25+42	2.82	3.20	5.38	-	-	-	11.40 3.20 - 14.00	3.256 0.850 - 4.496	14.95	14.30	99
22+25+50	2.65	3.02	6.03	-	-	-	11.70 3.20 - 14.20	3.466 0.850 - 4.656	15.91	15.22	99
22+25+60	2.49	2.83	6.79	-	-	-	12.10 3.20 - 14.50	3.669 0.850 - 4.769	16.84	16.11	99
22+25+71	2.35	2.67	7.58	-	-	-	12.60 3.20 - 14.70	3.803 0.850 - 4.583	17.46	16.70	99
22+25+80	2.25	2.56	8.19	-	-	-	13.00 3.20 - 14.80	3.883 0.850 - 4.443	17.83	17.05	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
22+35+35	2.75	4.38	4.38	-	-	-	11.50 3.20 - 14.10	3.342 0.850 - 4.562	15.35	14.68	99
22+35+42	2.62	4.17	5.01	-	-	-	11.80 3.20 - 14.30	3.516 0.850 - 4.696	16.14	15.44	99
22+35+50	2.49	3.96	5.65	-	-	-	12.10 3.20 - 14.50	3.686 0.850 - 4.786	16.93	16.19	99
22+35+60	2.37	3.77	6.46	-	-	-	12.60 3.20 - 14.70	3.789 0.850 - 4.599	17.40	16.64	99
22+35+71	2.25	3.58	7.27	-	-	-	13.10 3.20 - 14.80	3.883 0.850 - 4.453	17.83	17.05	99
22+35+80	2.14	3.40	7.77	-	-	-	13.30 3.20 - 15.00	3.793 0.850 - 4.463	17.42	16.66	99
22+42+42	2.49	4.75	4.75	-	-	-	12.00 3.20 - 14.50	3.670 0.850 - 4.790	16.85	16.12	99
22+42+50	2.39	4.57	5.44	-	-	-	12.40 3.20 - 14.60	3.770 0.850 - 4.660	17.31	16.56	99
22+42+60	2.29	4.37	6.24	-	-	-	12.90 3.20 - 14.80	3.873 0.850 - 4.473	17.78	17.01	99
22+42+71	2.15	4.11	6.94	-	-	-	13.20 3.20 - 15.00	3.817 0.850 - 4.467	17.52	16.76	99
22+42+80	2.06	3.94	7.50	-	-	-	13.50 3.20 - 15.20	3.727 0.850 - 4.477	17.11	16.37	99
22+50+50	2.31	5.25	5.25	-	-	-	12.80 3.20 - 14.70	3.860 0.850 - 4.530	17.72	16.95	99
22+50+60	2.20	5.00	6.00	-	-	-	13.20 3.20 - 14.90	3.843 0.850 - 4.453	17.65	16.88	99
22+50+71	2.06	4.69	6.65	-	-	-	13.40 3.20 - 15.20	3.737 0.850 - 4.487	17.16	16.41	99
22+50+80	1.97	4.47	7.16	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	16.83	16.10	99
22+60+60	2.08	5.66	5.66	-	-	-	13.40 3.20 - 15.10	3.726 0.850 - 4.456	17.10	16.36	99
22+60+71	1.96	5.33	6.31	-	-	-	13.60 3.20 - 15.30	3.660 0.850 - 4.480	16.80	16.07	99
22+60+80	1.85	5.04	6.72	-	-	-	13.60 3.20 - 15.30	3.650 0.850 - 4.470	16.76	16.03	99
22+71+71	1.82	5.89	5.89	-	-	-	13.60 3.20 - 15.30	3.664 0.850 - 4.484	16.82	16.09	99
22+71+80	1.73	5.58	6.29	-	-	-	13.60 3.20 - 15.30	3.654 0.850 - 4.474	16.78	16.05	99
25+25+25	3.60	3.60	3.60	-	-	-	10.80 3.20 - 13.50	2.912 0.850 - 4.222	13.37	12.79	99
25+25+35	3.29	3.29	4.61	-	-	-	11.20 3.20 - 13.80	3.162 0.850 - 4.422	14.52	13.89	99
25+25+42	3.13	3.13	5.25	-	-	-	11.50 3.20 - 14.10	3.336 0.850 - 4.556	15.32	14.65	99
25+25+50	2.95	2.95	5.90	-	-	-	11.80 3.20 - 14.30	3.536 0.850 - 4.716	16.24	15.53	99
25+25+60	2.77	2.77	6.65	-	-	-	12.20 3.20 - 14.60	3.709 0.850 - 4.719	17.03	16.29	99
25+25+71	2.64	2.64	7.51	-	-	-	12.80 3.20 - 14.70	3.843 0.850 - 4.533	17.65	16.88	99
25+25+80	2.52	2.52	8.06	-	-	-	13.10 3.20 - 14.90	3.853 0.850 - 4.453	17.69	16.92	99
25+35+35	3.05	4.27	4.27	-	-	-	11.60 3.20 - 14.20	3.422 0.850 - 4.622	15.71	15.03	99
25+35+42	2.92	4.08	4.90	-	-	-	11.90 3.20 - 14.40	3.586 0.850 - 4.756	16.47	15.75	99
25+35+50	2.77	3.88	5.55	-	-	-	12.20 3.20 - 14.60	3.726 0.850 - 4.736	17.10	16.36	99
25+35+60	2.65	3.70	6.35	-	-	-	12.70 3.20 - 14.70	3.829 0.850 - 4.549	17.58	16.82	99
25+35+71	2.50	3.50	7.10	-	-	-	13.10 3.20 - 14.90	3.853 0.850 - 4.463	17.69	16.92	99
25+35+80	2.39	3.35	7.66	-	-	-	13.40 3.20 - 15.10	3.763 0.850 - 4.473	17.28	16.53	99
25+42+42	2.80	4.70	4.70	-	-	-	12.20 3.20 - 14.60	3.710 0.850 - 4.740	17.03	16.29	99
25+42+50	2.69	4.52	5.38	-	-	-	12.60 3.20 - 14.70	3.800 0.850 - 4.610	17.45	16.69	99
25+42+60	2.56	4.30	6.14	-	-	-	13.00 3.20 - 14.80	3.883 0.850 - 4.443	17.83	17.05	99
25+42+71	2.41	4.05	6.84	-	-	-	13.30 3.20 - 15.10	3.787 0.850 - 4.477	17.39	16.63	99
25+42+80	2.30	3.86	7.35	-	-	-	13.50 3.20 - 15.20	3.697 0.850 - 4.477	16.98	16.24	99
25+50+50	2.60	5.20	5.20	-	-	-	13.00 3.20 - 14.80	3.900 0.850 - 4.480	17.91	17.13	99
25+50+60	2.44	4.89	5.87	-	-	-	13.20 3.20 - 15.00	3.813 0.850 - 4.463	17.51	16.75	99
25+50+71	2.31	4.62	6.57	-	-	-	13.50 3.20 - 15.20	3.717 0.850 - 4.487	17.06	16.32	99
25+50+80	2.19	4.39	7.02	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	16.83	16.10	99
25+60+60	2.33	5.59	5.59	-	-	-	13.50 3.20 - 15.20	3.706 0.850 - 4.466	17.02	16.28	99
25+60+71	2.18	5.23	6.19	-	-	-	13.60 3.20 - 15.30	3.660 0.850 - 4.480	16.80	16.07	99
25+60+80	2.06	4.95	6.59	-	-	-	13.60 3.20 - 15.30	3.650 0.850 - 4.470	16.76	16.03	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
25+71+71	2.04	5.78	5.78	-	-	-	13.60 3.20 - 15.30	3.664 0.850 - 4.484	16.82	16.09	99
25+71+80	1.93	5.49	6.18	-	-	-	13.60 3.20 - 15.30	3.654 0.850 - 4.474	16.78	16.05	99
35+35+35	4.00	4.00	4.00	-	-	-	12.00 3.20 - 14.50	3.672 0.850 - 4.822	16.86	16.13	99
35+35+42	3.84	3.84	4.61	-	-	-	12.30 3.20 - 14.60	3.746 0.850 - 4.696	17.20	16.45	99
35+35+50	3.70	3.70	5.29	-	-	-	12.70 3.20 - 14.70	3.846 0.850 - 4.566	17.66	16.89	99
35+35+60	3.53	3.53	6.05	-	-	-	13.10 3.20 - 14.90	3.859 0.850 - 4.459	17.72	16.95	99
35+35+71	3.33	3.33	6.75	-	-	-	13.40 3.20 - 15.10	3.763 0.850 - 4.483	17.28	16.53	99
35+35+80	3.17	3.17	7.25	-	-	-	13.60 3.20 - 15.30	3.673 0.850 - 4.493	16.86	16.13	99
35+42+42	3.74	4.48	4.48	-	-	-	12.70 3.20 - 14.70	3.830 0.850 - 4.580	17.58	16.82	99
35+42+50	3.58	4.30	5.12	-	-	-	13.00 3.20 - 14.80	3.900 0.850 - 4.460	17.91	17.13	99
35+42+60	3.40	4.08	5.82	-	-	-	13.30 3.20 - 15.00	3.793 0.850 - 4.463	17.42	16.66	99
35+42+71	3.22	3.86	6.52	-	-	-	13.60 3.20 - 15.30	3.697 0.850 - 4.497	16.98	16.24	99
35+42+80	3.03	3.64	6.93	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	16.83	16.10	99
35+50+50	3.42	4.89	4.89	-	-	-	13.20 3.20 - 15.00	3.830 0.850 - 4.480	17.58	16.82	99
35+50+60	3.26	4.66	5.59	-	-	-	13.50 3.20 - 15.20	3.723 0.850 - 4.483	17.09	16.35	99
35+50+71	3.05	4.36	6.19	-	-	-	13.60 3.20 - 15.30	3.677 0.850 - 4.497	16.88	16.15	99
35+50+80	2.88	4.12	6.59	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	16.83	16.10	99
35+60+60	3.07	5.26	5.26	-	-	-	13.60 3.20 - 15.30	3.656 0.850 - 4.476	16.79	16.06	99
35+60+71	2.87	4.92	5.82	-	-	-	13.60 3.20 - 15.30	3.660 0.850 - 4.480	16.80	16.07	99
35+60+80	2.72	4.66	6.22	-	-	-	13.60 3.20 - 15.30	3.650 0.850 - 4.470	16.76	16.03	99
35+71+71	2.69	5.46	5.46	-	-	-	13.60 3.20 - 15.30	3.664 0.850 - 4.484	16.82	16.09	99
42+42+42	4.33	4.33	4.33	-	-	-	13.00 3.20 - 14.80	3.904 0.850 - 4.454	17.93	17.15	99
42+42+50	4.14	4.14	4.93	-	-	-	13.20 3.20 - 15.00	3.834 0.850 - 4.474	17.61	16.84	99
42+42+60	3.94	3.94	5.63	-	-	-	13.50 3.20 - 15.20	3.727 0.850 - 4.477	17.11	16.37	99
42+42+71	3.69	3.69	6.23	-	-	-	13.60 3.20 - 15.30	3.671 0.850 - 4.491	16.85	16.12	99
42+42+80	3.48	3.48	6.63	-	-	-	13.60 3.20 - 15.30	3.661 0.850 - 4.481	16.81	16.08	99
42+50+50	3.96	4.72	4.72	-	-	-	13.40 3.20 - 15.10	3.754 0.850 - 4.484	17.24	16.49	99
42+50+60	3.76	4.47	5.37	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	16.83	16.10	99
42+50+71	3.50	4.17	5.92	-	-	-	13.60 3.20 - 15.30	3.671 0.850 - 4.491	16.85	16.12	99
42+50+80	3.32	3.95	6.33	-	-	-	13.60 3.20 - 15.30	3.661 0.850 - 4.481	16.81	16.08	99
42+60+60	3.53	5.04	5.04	-	-	-	13.60 3.20 - 15.30	3.650 0.850 - 4.470	16.76	16.03	99
42+60+71	3.30	4.72	5.58	-	-	-	13.60 3.20 - 15.30	3.654 0.850 - 4.474	16.78	16.05	99
50+50+50	4.53	4.53	4.53	-	-	-	13.60 3.20 - 15.30	3.684 0.850 - 4.504	16.92	16.18	99
50+50+60	4.25	4.25	5.10	-	-	-	13.60 3.20 - 15.30	3.667 0.850 - 4.487	16.83	16.10	99
50+50+71	3.98	3.98	5.65	-	-	-	13.60 3.20 - 15.30	3.671 0.850 - 4.491	16.85	16.12	99
50+50+80	3.78	3.78	6.04	-	-	-	13.60 3.20 - 15.30	3.661 0.850 - 4.481	16.81	16.08	99
50+60+60	4.00	4.80	4.80	-	-	-	13.60 3.20 - 15.30	3.650 0.850 - 4.470	16.76	16.03	99
60+60+60	4.53	4.53	4.53	-	-	-	13.60 3.20 - 15.30	3.633 0.850 - 4.453	16.69	15.96	99
15+15+15+15	1.70	1.70	1.70	1.70	-	-	6.80 3.10 - 9.90	1.432 0.850 - 3.162	6.58	6.29	99
15+15+15+20	1.80	1.80	1.80	2.40	-	-	7.80 3.10 - 10.80	1.760 0.850 - 3.340	8.08	7.73	99
15+15+15+22	1.84	1.84	1.84	2.69	-	-	8.20 3.10 - 11.20	1.893 0.850 - 3.413	8.69	8.31	99
15+15+15+25	1.89	1.89	1.89	3.14	-	-	8.80 3.10 - 11.70	2.093 0.850 - 3.513	9.61	9.19	99
15+15+15+35	2.04	2.04	2.04	4.77	-	-	10.90 3.20 - 13.50	2.763 0.850 - 3.883	12.68	12.13	99
15+15+15+42	2.12	2.12	2.12	5.94	-	-	12.30 3.20 - 14.70	3.217 0.850 - 4.127	14.77	14.13	99
15+15+15+50	2.01	2.01	2.01	6.68	-	-	12.70 3.20 - 15.00	3.397 0.850 - 4.437	15.60	14.92	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+15+15+60	1.84	1.84	1.84	7.37	-	-	12.90 3.20 - 15.00	3.460 0.850 - 4.620	15.89	15.20	99
15+15+15+71	1.68	1.68	1.68	7.96	-	-	13.00 3.20 - 15.00	3.474 0.850 - 4.624	15.95	15.26	99
15+15+15+80	1.57	1.57	1.57	8.38	-	-	13.10 3.20 - 15.00	3.474 0.850 - 4.614	15.95	15.26	99
15+15+20+20	1.89	1.89	2.51	2.51	-	-	8.80 3.10 - 11.70	2.098 0.850 - 3.518	9.63	9.21	99
15+15+20+22	1.92	1.92	2.56	2.81	-	-	9.20 3.10 - 12.00	2.221 0.850 - 3.591	10.19	9.75	99
15+15+20+25	1.98	1.98	2.64	3.30	-	-	9.90 3.20 - 12.60	2.421 0.850 - 3.701	11.11	10.63	99
15+15+20+35	2.10	2.10	2.80	4.90	-	-	11.90 3.20 - 14.40	3.091 0.850 - 4.061	14.19	13.57	99
15+15+20+42	2.05	2.05	2.74	5.75	-	-	12.60 3.20 - 14.90	3.345 0.850 - 4.325	15.36	14.69	99
15+15+20+50	1.92	1.92	2.56	6.40	-	-	12.80 3.20 - 15.00	3.465 0.850 - 4.635	15.91	15.22	99
15+15+20+60	1.76	1.76	2.35	7.04	-	-	12.90 3.20 - 15.00	3.458 0.850 - 4.618	15.88	15.19	99
15+15+20+71	1.61	1.61	2.15	7.63	-	-	13.00 3.20 - 15.00	3.482 0.850 - 4.622	15.99	15.29	99
15+15+20+80	1.51	1.51	2.02	8.06	-	-	13.10 3.20 - 15.00	3.482 0.850 - 4.612	15.99	15.29	99
15+15+22+22	1.97	1.97	2.88	2.88	-	-	9.70 3.20 - 12.40	2.354 0.850 - 3.654	10.81	10.34	99
15+15+22+25	2.01	2.01	2.94	3.34	-	-	10.30 3.20 - 12.90	2.554 0.850 - 3.764	11.73	11.22	99
15+15+22+35	2.12	2.12	3.11	4.95	-	-	12.30 3.20 - 14.70	3.214 0.850 - 4.124	14.76	14.12	99
15+15+22+42	2.03	2.03	2.97	5.67	-	-	12.70 3.20 - 15.00	3.368 0.850 - 4.398	15.46	14.79	99
15+15+22+50	1.88	1.88	2.76	6.27	-	-	12.80 3.20 - 15.00	3.458 0.850 - 4.628	15.88	15.19	99
15+15+22+60	1.73	1.73	2.53	6.91	-	-	12.90 3.20 - 15.00	3.461 0.850 - 4.611	15.89	15.20	99
15+15+22+71	1.59	1.59	2.33	7.50	-	-	13.00 3.20 - 15.00	3.475 0.850 - 4.615	15.95	15.26	99
15+15+22+80	1.49	1.49	2.18	7.94	-	-	13.10 3.20 - 15.00	3.475 0.850 - 4.605	15.95	15.26	99
15+15+25+25	2.04	2.04	3.41	3.41	-	-	10.90 3.20 - 13.50	2.754 0.850 - 3.874	12.64	12.09	99
15+15+25+35	2.10	2.10	3.50	4.90	-	-	12.60 3.20 - 14.90	3.314 0.850 - 4.244	15.21	14.55	99
15+15+25+42	1.96	1.96	3.27	5.50	-	-	12.70 3.20 - 15.00	3.418 0.850 - 4.508	15.69	15.01	99
15+15+25+50	1.84	1.84	3.07	6.14	-	-	12.90 3.20 - 15.00	3.468 0.850 - 4.628	15.92	15.23	99
15+15+25+60	1.70	1.70	2.83	6.78	-	-	13.00 3.20 - 15.00	3.461 0.850 - 4.611	15.89	15.20	99
15+15+25+71	1.56	1.56	2.60	7.38	-	-	13.10 3.20 - 15.00	3.475 0.850 - 4.615	15.95	15.26	99
15+15+25+80	1.47	1.47	2.44	7.82	-	-	13.20 3.20 - 15.00	3.475 0.850 - 4.605	15.95	15.26	99
15+15+35+35	1.92	1.92	4.48	4.48	-	-	12.80 3.20 - 15.00	3.464 0.850 - 4.634	15.90	15.21	99
15+15+35+42	1.81	1.81	4.22	5.06	-	-	12.90 3.20 - 15.00	3.468 0.850 - 4.628	15.92	15.23	99
15+15+35+50	1.70	1.70	3.96	5.65	-	-	13.00 3.20 - 15.00	3.478 0.850 - 4.628	15.96	15.27	99
15+15+35+60	1.57	1.57	3.67	6.29	-	-	13.10 3.20 - 15.00	3.471 0.850 - 4.611	15.93	15.24	99
15+15+35+71	1.46	1.46	3.40	6.89	-	-	13.20 3.20 - 15.00	3.495 0.850 - 4.615	16.05	15.35	99
15+15+35+80	1.37	1.37	3.19	7.28	-	-	13.20 3.20 - 15.00	3.485 0.850 - 4.565	16.01	15.31	99
15+15+42+42	1.70	1.70	4.75	4.75	-	-	12.90 3.20 - 15.00	3.472 0.850 - 4.622	15.94	15.25	99
15+15+42+50	1.60	1.60	4.48	5.33	-	-	13.00 3.20 - 15.00	3.482 0.850 - 4.622	15.99	15.29	99
15+15+42+60	1.49	1.49	4.17	5.95	-	-	13.10 3.20 - 15.00	3.475 0.850 - 4.605	15.95	15.26	99
15+15+42+71	1.38	1.38	3.88	6.55	-	-	13.20 3.20 - 15.00	3.489 0.850 - 4.589	16.02	15.32	99
15+15+42+80	1.30	1.30	3.65	6.95	-	-	13.20 3.20 - 15.00	3.479 0.850 - 4.509	15.97	15.28	99
15+15+50+50	1.51	1.51	5.04	5.04	-	-	13.10 3.20 - 15.00	3.492 0.850 - 4.622	16.04	15.34	99
15+15+50+60	1.41	1.41	4.71	5.66	-	-	13.20 3.20 - 15.00	3.485 0.850 - 4.605	16.01	15.31	99
15+15+50+71	1.31	1.31	4.37	6.21	-	-	13.20 3.20 - 15.00	3.489 0.850 - 4.519	16.02	15.32	99
15+15+50+80	1.24	1.24	4.13	6.60	-	-	13.20 3.20 - 15.10	3.479 0.850 - 4.439	15.97	15.28	99
15+15+60+60	1.32	1.32	5.28	5.28	-	-	13.20 3.20 - 15.00	3.468 0.850 - 4.508	15.92	15.23	99
15+15+60+71	1.23	1.23	4.92	5.82	-	-	13.20 3.20 - 15.10	3.472 0.850 - 4.432	15.94	15.25	99
15+15+60+80	1.16	1.16	4.66	6.21	-	-	13.20 3.20 - 15.10	3.462 0.850 - 4.362	15.89	15.20	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	
15+15+71+71	1.15	1.15	5.45	5.45	-	-	13.20 3.20 - 15.10	3.476 0.850 - 4.376	15.96	15.27	99
15+20+20+20	1.98	2.64	2.64	2.64	-	-	9.90 3.20 - 12.60	2.426 0.850 - 3.706	11.13	10.65	99
15+20+20+22	2.01	2.68	2.68	2.94	-	-	10.30 3.20 - 12.90	2.559 0.850 - 3.769	11.75	11.24	99
15+20+20+25	2.04	2.73	2.73	3.41	-	-	10.90 3.20 - 13.50	2.759 0.850 - 3.879	12.67	12.12	99
15+20+20+35	2.10	2.80	2.80	4.90	-	-	12.60 3.20 - 14.90	3.319 0.850 - 4.249	15.24	14.58	99
15+20+20+42	1.96	2.62	2.62	5.50	-	-	12.70 3.20 - 15.00	3.423 0.850 - 4.513	15.71	15.03	99
15+20+20+50	1.84	2.46	2.46	6.14	-	-	12.90 3.20 - 15.00	3.473 0.850 - 4.633	15.94	15.25	99
15+20+20+60	1.70	2.26	2.26	6.78	-	-	13.00 3.20 - 15.00	3.466 0.850 - 4.616	15.91	15.22	99
15+20+20+71	1.56	2.08	2.08	7.38	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.620	15.97	15.28	99
15+20+20+80	1.47	1.96	1.96	7.82	-	-	13.20 3.20 - 15.00	3.480 0.850 - 4.610	15.97	15.28	99
15+20+22+22	2.03	2.71	2.98	2.98	-	-	10.70 3.20 - 13.30	2.682 0.850 - 3.832	12.32	11.78	99
15+20+22+25	2.07	2.76	3.03	3.45	-	-	11.30 3.20 - 13.80	2.882 0.850 - 3.942	13.24	12.66	99
15+20+22+35	2.05	2.74	3.01	4.79	-	-	12.60 3.20 - 14.90	3.342 0.850 - 4.322	15.35	14.68	99
15+20+22+42	1.94	2.59	2.84	5.43	-	-	12.80 3.20 - 15.00	3.446 0.850 - 4.586	15.82	15.13	99
15+20+22+50	1.81	2.41	2.65	6.03	-	-	12.90 3.20 - 15.00	3.466 0.850 - 4.626	15.91	15.22	99
15+20+22+60	1.67	2.22	2.44	6.67	-	-	13.00 3.20 - 15.00	3.459 0.850 - 4.609	15.88	15.19	99
15+20+22+71	1.54	2.05	2.25	7.27	-	-	13.10 3.20 - 15.00	3.483 0.850 - 4.613	16.00	15.30	99
15+20+22+80	1.45	1.93	2.12	7.71	-	-	13.20 3.20 - 15.00	3.483 0.850 - 4.603	16.00	15.30	99
15+20+25+25	2.10	2.80	3.50	3.50	-	-	11.90 3.20 - 14.40	3.082 0.850 - 4.052	14.16	13.54	99
15+20+25+35	2.01	2.67	3.34	4.68	-	-	12.70 3.20 - 15.00	3.392 0.850 - 4.432	15.58	14.90	99
15+20+25+42	1.88	2.51	3.14	5.27	-	-	12.80 3.20 - 15.00	3.456 0.850 - 4.626	15.87	15.18	99
15+20+25+50	1.76	2.35	2.93	5.86	-	-	12.90 3.20 - 15.00	3.466 0.850 - 4.626	15.91	15.22	99
15+20+25+60	1.63	2.17	2.71	6.50	-	-	13.00 3.20 - 15.00	3.469 0.850 - 4.609	15.92	15.23	99
15+20+25+71	1.50	2.00	2.50	7.10	-	-	13.10 3.20 - 15.00	3.483 0.850 - 4.613	16.00	15.30	99
15+20+25+80	1.41	1.89	2.36	7.54	-	-	13.20 3.20 - 15.00	3.483 0.850 - 4.603	16.00	15.30	99
15+20+35+35	1.84	2.46	4.30	4.30	-	-	12.90 3.20 - 15.00	3.472 0.850 - 4.632	15.94	15.25	99
15+20+35+42	1.73	2.30	4.03	4.84	-	-	12.90 3.20 - 15.00	3.476 0.850 - 4.626	15.96	15.27	99
15+20+35+50	1.63	2.17	3.79	5.42	-	-	13.00 3.20 - 15.00	3.486 0.850 - 4.626	16.01	15.31	99
15+20+35+60	1.51	2.02	3.53	6.05	-	-	13.10 3.20 - 15.00	3.479 0.850 - 4.609	15.97	15.28	99
15+20+35+71	1.40	1.87	3.28	6.65	-	-	13.20 3.20 - 15.00	3.493 0.850 - 4.603	16.04	15.34	99
15+20+35+80	1.32	1.76	3.08	7.04	-	-	13.20 3.20 - 15.00	3.483 0.850 - 4.523	16.00	15.30	99
15+20+42+42	1.64	2.18	4.59	4.59	-	-	13.00 3.20 - 15.00	3.470 0.850 - 4.620	15.93	15.24	99
15+20+42+50	1.55	2.06	4.33	5.16	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.620	15.97	15.28	99
15+20+42+60	1.45	1.93	4.05	5.78	-	-	13.20 3.20 - 15.00	3.483 0.850 - 4.603	16.00	15.30	99
15+20+42+71	1.34	1.78	3.75	6.33	-	-	13.20 3.20 - 15.00	3.487 0.850 - 4.547	16.01	15.31	99
15+20+42+80	1.26	1.68	3.53	6.73	-	-	13.20 3.20 - 15.10	3.477 0.850 - 4.467	15.96	15.27	99
15+20+50+50	1.47	1.96	4.89	4.89	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.620	16.03	15.33	99
15+20+50+60	1.37	1.82	4.55	5.46	-	-	13.20 3.20 - 15.00	3.483 0.850 - 4.563	16.00	15.30	99
15+20+50+71	1.27	1.69	4.23	6.01	-	-	13.20 3.20 - 15.10	3.487 0.850 - 4.477	16.01	15.31	99
15+20+50+80	1.20	1.60	4.00	6.40	-	-	13.20 3.20 - 15.10	3.477 0.850 - 4.397	15.96	15.27	99
15+20+60+60	1.28	1.70	5.11	5.11	-	-	13.20 3.20 - 15.10	3.466 0.850 - 4.466	15.91	15.22	99
15+20+60+71	1.19	1.59	4.77	5.65	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.390	15.93	15.24	99
15+20+60+80	1.13	1.51	4.53	6.03	-	-	13.20 3.20 - 15.10	3.460 0.850 - 4.360	15.89	15.20	99
15+20+71+71	1.12	1.49	5.29	5.29	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.374	15.95	15.26	99
15+22+22+22	2.06	3.01	3.01	3.01	-	-	11.10 3.20 - 13.70	2.805 0.850 - 3.905	12.88	12.32	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+22+22+25	2.09	3.06	3.06	3.48	-	-	11.70 3.20 - 14.20	3.005 0.850 - 4.005	13.80	13.20	99
15+22+22+35	2.03	2.97	2.97	4.73	-	-	12.70 3.20 - 15.00	3.365 0.850 - 4.395	15.45	14.78	99
15+22+22+42	1.90	2.79	2.79	5.32	-	-	12.80 3.20 - 15.00	3.449 0.850 - 4.619	15.84	15.15	99
15+22+22+50	1.78	2.60	2.60	5.92	-	-	12.90 3.20 - 15.00	3.459 0.850 - 4.619	15.88	15.19	99
15+22+22+60	1.64	2.40	2.40	6.55	-	-	13.00 3.20 - 15.00	3.452 0.850 - 4.602	15.85	15.16	99
15+22+22+71	1.51	2.22	2.22	7.15	-	-	13.10 3.20 - 15.00	3.476 0.850 - 4.606	15.96	15.27	99
15+22+22+80	1.42	2.09	2.09	7.60	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.596	15.96	15.27	99
15+22+25+25	2.12	3.11	3.53	3.53	-	-	12.30 3.20 - 14.70	3.205 0.850 - 4.115	14.72	14.08	99
15+22+25+35	1.96	2.88	3.27	4.58	-	-	12.70 3.20 - 15.00	3.415 0.850 - 4.505	15.68	15.00	99
15+22+25+42	1.85	2.71	3.08	5.17	-	-	12.80 3.20 - 15.00	3.459 0.850 - 4.619	15.88	15.19	99
15+22+25+50	1.73	2.53	2.88	5.76	-	-	12.90 3.20 - 15.00	3.469 0.850 - 4.619	15.92	15.23	99
15+22+25+60	1.60	2.34	2.66	6.39	-	-	13.00 3.20 - 15.00	3.462 0.850 - 4.602	15.89	15.20	99
15+22+25+71	1.48	2.17	2.46	6.99	-	-	13.10 3.20 - 15.00	3.476 0.850 - 4.606	15.96	15.27	99
15+22+25+80	1.39	2.05	2.32	7.44	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.576	15.96	15.27	99
15+22+35+35	1.81	2.65	4.22	4.22	-	-	12.90 3.20 - 15.00	3.465 0.850 - 4.625	15.91	15.22	99
15+22+35+42	1.70	2.49	3.96	4.75	-	-	12.90 3.20 - 15.00	3.469 0.850 - 4.619	15.92	15.23	99
15+22+35+50	1.60	2.34	3.73	5.33	-	-	13.00 3.20 - 15.00	3.479 0.850 - 4.619	15.97	15.28	99
15+22+35+60	1.49	2.18	3.47	5.95	-	-	13.10 3.20 - 15.00	3.472 0.850 - 4.602	15.94	15.25	99
15+22+35+71	1.38	2.03	3.23	6.55	-	-	13.20 3.20 - 15.00	3.486 0.850 - 4.586	16.01	15.31	99
15+22+35+80	1.30	1.91	3.04	6.95	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.506	15.96	15.27	99
15+22+42+42	1.61	2.36	4.51	4.51	-	-	13.00 3.20 - 15.00	3.473 0.850 - 4.613	15.94	15.25	99
15+22+42+50	1.52	2.23	4.27	5.08	-	-	13.10 3.20 - 15.00	3.483 0.850 - 4.613	16.00	15.30	99
15+22+42+60	1.42	2.09	3.99	5.70	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.596	15.96	15.27	99
15+22+42+71	1.32	1.94	3.70	6.25	-	-	13.20 3.20 - 15.00	3.480 0.850 - 4.520	15.97	15.28	99
15+22+42+80	1.25	1.83	3.49	6.64	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.440	15.93	15.24	99
15+22+50+50	1.45	2.12	4.82	4.82	-	-	13.20 3.20 - 15.00	3.493 0.850 - 4.613	16.04	15.34	99
15+22+50+60	1.35	1.98	4.49	5.39	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.546	15.96	15.27	99
15+22+50+71	1.25	1.84	4.18	5.93	-	-	13.20 3.20 - 15.10	3.480 0.850 - 4.460	15.97	15.28	99
15+22+50+80	1.19	1.74	3.95	6.32	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.380	15.93	15.24	99
15+22+60+60	1.26	1.85	5.04	5.04	-	-	13.20 3.20 - 15.10	3.459 0.850 - 4.449	15.88	15.19	99
15+22+60+71	1.18	1.73	4.71	5.58	-	-	13.20 3.20 - 15.10	3.463 0.850 - 4.363	15.90	15.21	99
15+22+60+80	1.12	1.64	4.47	5.97	-	-	13.20 3.20 - 15.10	3.453 0.850 - 4.353	15.85	15.16	99
15+22+71+71	1.11	1.62	5.24	5.24	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	15.92	15.23	99
15+25+25+25	2.10	3.50	3.50	3.50	-	-	12.60 3.20 - 14.90	3.305 0.850 - 4.235	15.17	14.51	99
15+25+25+35	1.92	3.20	3.20	4.48	-	-	12.80 3.20 - 15.00	3.455 0.850 - 4.625	15.86	15.17	99
15+25+25+42	1.81	3.01	3.01	5.06	-	-	12.90 3.20 - 15.00	3.459 0.850 - 4.619	15.88	15.19	99
15+25+25+50	1.70	2.83	2.83	5.65	-	-	13.00 3.20 - 15.00	3.469 0.850 - 4.619	15.92	15.23	99
15+25+25+60	1.57	2.62	2.62	6.29	-	-	13.10 3.20 - 15.00	3.462 0.850 - 4.602	15.89	15.20	99
15+25+25+71	1.46	2.43	2.43	6.89	-	-	13.20 3.20 - 15.00	3.486 0.850 - 4.606	16.01	15.31	99
15+25+25+80	1.37	2.28	2.28	7.28	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.556	15.96	15.27	99
15+25+35+35	1.76	2.93	4.10	4.10	-	-	12.90 3.20 - 15.00	3.465 0.850 - 4.625	15.91	15.22	99
15+25+35+42	1.67	2.78	3.89	4.67	-	-	13.00 3.20 - 15.00	3.469 0.850 - 4.619	15.92	15.23	99
15+25+35+50	1.57	2.62	3.67	5.24	-	-	13.10 3.20 - 15.00	3.479 0.850 - 4.619	15.97	15.28	99
15+25+35+60	1.47	2.44	3.42	5.87	-	-	13.20 3.20 - 15.00	3.472 0.850 - 4.602	15.94	15.25	99
15+25+35+71	1.36	2.26	3.16	6.42	-	-	13.20 3.20 - 15.00	3.486 0.850 - 4.556	16.01	15.31	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	
15+25+35+80	1.28	2.13	2.98	6.81	-	-	13.20 3.20 - 15.10	3.476 0.850 - 4.476	15.96	15.27	99
15+25+42+42	1.57	2.62	4.40	4.40	-	-	13.00 3.20 - 15.00	3.473 0.850 - 4.613	15.94	15.25	99
15+25+42+50	1.49	2.48	4.17	4.96	-	-	13.10 3.20 - 15.00	3.483 0.850 - 4.613	16.00	15.30	99
15+25+42+60	1.39	2.32	3.90	5.58	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.576	15.96	15.27	99
15+25+42+71	1.29	2.16	3.62	6.13	-	-	13.20 3.20 - 15.00	3.480 0.850 - 4.500	15.97	15.28	99
15+25+42+80	1.22	2.04	3.42	6.52	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.420	15.93	15.24	99
15+25+50+50	1.41	2.36	4.71	4.71	-	-	13.20 3.20 - 15.00	3.493 0.850 - 4.613	16.04	15.34	99
15+25+50+60	1.32	2.20	4.40	5.28	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.516	15.96	15.27	99
15+25+50+71	1.23	2.05	4.10	5.82	-	-	13.20 3.20 - 15.10	3.480 0.850 - 4.440	15.97	15.28	99
15+25+50+80	1.16	1.94	3.88	6.21	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.370	15.93	15.24	99
15+25+60+60	1.24	2.06	4.95	4.95	-	-	13.20 3.20 - 15.10	3.459 0.850 - 4.419	15.88	15.19	99
15+25+60+71	1.16	1.93	4.63	5.48	-	-	13.20 3.20 - 15.10	3.463 0.850 - 4.363	15.90	15.21	99
15+25+60+80	1.10	1.83	4.40	5.87	-	-	13.20 3.20 - 15.10	3.453 0.850 - 4.353	15.85	15.16	99
15+35+35+35	1.63	3.79	3.79	3.79	-	-	13.00 3.20 - 15.00	3.485 0.850 - 4.625	16.01	15.31	99
15+35+35+42	1.55	3.61	3.61	4.33	-	-	13.10 3.20 - 15.00	3.479 0.850 - 4.619	15.97	15.28	99
15+35+35+50	1.47	3.42	3.42	4.89	-	-	13.20 3.20 - 15.00	3.489 0.850 - 4.619	16.02	15.32	99
15+35+35+60	1.37	3.19	3.19	5.46	-	-	13.20 3.20 - 15.00	3.482 0.850 - 4.562	15.99	15.29	99
15+35+35+71	1.27	2.96	2.96	6.01	-	-	13.20 3.20 - 15.10	3.486 0.850 - 4.476	16.01	15.31	99
15+35+35+80	1.20	2.80	2.80	6.40	-	-	13.20 3.20 - 15.10	3.476 0.850 - 4.396	15.96	15.27	99
15+35+42+42	1.47	3.42	4.11	4.11	-	-	13.10 3.20 - 15.00	3.483 0.850 - 4.613	16.00	15.30	99
15+35+42+50	1.39	3.25	3.90	4.65	-	-	13.20 3.20 - 15.00	3.493 0.850 - 4.593	16.04	15.34	99
15+35+42+60	1.30	3.04	3.65	5.21	-	-	13.20 3.20 - 15.00	3.476 0.850 - 4.506	15.96	15.27	99
15+35+42+71	1.21	2.83	3.40	5.75	-	-	13.20 3.20 - 15.10	3.480 0.850 - 4.420	15.97	15.28	99
15+35+42+80	1.15	2.69	3.22	6.14	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.370	15.93	15.24	99
15+35+50+50	1.32	3.08	4.40	4.40	-	-	13.20 3.20 - 15.00	3.493 0.850 - 4.533	16.04	15.34	99
15+35+50+60	1.24	2.89	4.13	4.95	-	-	13.20 3.20 - 15.10	3.476 0.850 - 4.436	15.96	15.27	99
15+35+50+71	1.16	2.70	3.86	5.48	-	-	13.20 3.20 - 15.10	3.480 0.850 - 4.380	15.97	15.28	99
15+35+50+80	1.10	2.57	3.67	5.87	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.370	15.93	15.24	99
15+35+60+60	1.16	2.72	4.66	4.66	-	-	13.20 3.20 - 15.10	3.459 0.850 - 4.359	15.88	15.19	99
15+42+42+42	1.40	3.93	3.93	3.93	-	-	13.20 3.20 - 15.00	3.487 0.850 - 4.597	16.01	15.31	99
15+42+42+50	1.33	3.72	3.72	4.43	-	-	13.20 3.20 - 15.00	3.487 0.850 - 4.537	16.01	15.31	99
15+42+42+60	1.25	3.49	3.49	4.98	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.440	15.93	15.24	99
15+42+42+71	1.16	3.26	3.26	5.51	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.374	15.95	15.26	99
15+42+42+80	1.11	3.10	3.10	5.90	-	-	13.20 3.20 - 15.10	3.464 0.850 - 4.364	15.90	15.21	99
15+42+50+50	1.26	3.53	4.20	4.20	-	-	13.20 3.20 - 15.10	3.487 0.850 - 4.477	16.01	15.31	99
15+42+50+60	1.19	3.32	3.95	4.74	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.380	15.93	15.24	99
15+42+50+71	1.11	3.11	3.71	5.27	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.374	15.95	15.26	99
15+42+60+60	1.12	3.13	4.47	4.47	-	-	13.20 3.20 - 15.10	3.453 0.850 - 4.353	15.85	15.16	99
15+50+50+50	1.20	4.00	4.00	4.00	-	-	13.20 3.20 - 15.10	3.487 0.850 - 4.407	16.01	15.31	99
15+50+50+60	1.13	3.77	3.77	4.53	-	-	13.20 3.20 - 15.10	3.470 0.850 - 4.370	15.93	15.24	99
20+20+20+20	2.73	2.73	2.73	2.73	-	-	10.90 3.20 - 13.50	2.764 0.850 - 3.884	12.69	12.14	99
20+20+20+22	2.76	2.76	2.76	3.03	-	-	11.30 3.20 - 13.80	2.887 0.850 - 3.947	13.26	12.68	99
20+20+20+25	2.80	2.80	2.80	3.50	-	-	11.90 3.20 - 14.40	3.087 0.850 - 4.057	14.18	13.56	99
20+20+20+35	2.67	2.67	2.67	4.68	-	-	12.70 3.20 - 15.00	3.397 0.850 - 4.437	15.60	14.92	99
20+20+20+42	2.51	2.51	2.51	5.27	-	-	12.80 3.20 - 15.00	3.461 0.850 - 4.631	15.89	15.20	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
20+20+20+50	2.35	2.35	2.35	5.86	-	-	12.90 3.20 - 15.00	3.471 0.850 - 4.631	15.93	15.24	99
20+20+20+60	2.17	2.17	2.17	6.50	-	-	13.00 3.20 - 15.00	3.474 0.850 - 4.614	15.95	15.26	99
20+20+20+71	2.00	2.00	2.00	7.10	-	-	13.10 3.20 - 15.00	3.488 0.850 - 4.618	16.02	15.32	99
20+20+20+80	1.89	1.89	1.89	7.54	-	-	13.20 3.20 - 15.00	3.488 0.850 - 4.608	16.02	15.32	99
20+20+22+22	2.79	2.79	3.06	3.06	-	-	11.70 3.20 - 14.20	3.010 0.850 - 4.010	13.82	13.22	99
20+20+22+25	2.83	2.83	3.11	3.53	-	-	12.30 3.20 - 14.70	3.210 0.850 - 4.120	14.74	14.10	99
20+20+22+35	2.62	2.62	2.88	4.58	-	-	12.70 3.20 - 15.00	3.420 0.850 - 4.510	15.70	15.02	99
20+20+22+42	2.46	2.46	2.71	5.17	-	-	12.80 3.20 - 15.00	3.464 0.850 - 4.624	15.90	15.21	99
20+20+22+50	2.30	2.30	2.53	5.76	-	-	12.90 3.20 - 15.00	3.474 0.850 - 4.624	15.95	15.26	99
20+20+22+60	2.13	2.13	2.34	6.39	-	-	13.00 3.20 - 15.00	3.467 0.850 - 4.607	15.92	15.23	99
20+20+22+71	1.97	1.97	2.17	6.99	-	-	13.10 3.20 - 15.00	3.481 0.850 - 4.611	15.99	15.29	99
20+20+22+80	1.86	1.86	2.05	7.44	-	-	13.20 3.20 - 15.00	3.481 0.850 - 4.581	15.99	15.29	99
20+20+25+25	2.80	2.80	3.50	3.50	-	-	12.60 3.20 - 14.90	3.310 0.850 - 4.240	15.20	14.54	99
20+20+25+35	2.56	2.56	3.20	4.48	-	-	12.80 3.20 - 15.00	3.460 0.850 - 4.630	15.89	15.20	99
20+20+25+42	2.41	2.41	3.01	5.06	-	-	12.90 3.20 - 15.00	3.464 0.850 - 4.624	15.90	15.21	99
20+20+25+50	2.26	2.26	2.83	5.65	-	-	13.00 3.20 - 15.00	3.474 0.850 - 4.624	15.95	15.26	99
20+20+25+60	2.10	2.10	2.62	6.29	-	-	13.10 3.20 - 15.00	3.467 0.850 - 4.607	15.92	15.23	99
20+20+25+71	1.94	1.94	2.43	6.89	-	-	13.20 3.20 - 15.00	3.491 0.850 - 4.611	16.03	15.33	99
20+20+25+80	1.82	1.82	2.28	7.28	-	-	13.20 3.20 - 15.00	3.481 0.850 - 4.561	15.99	15.29	99
20+20+35+35	2.35	2.35	4.10	4.10	-	-	12.90 3.20 - 15.00	3.470 0.850 - 4.630	15.93	15.24	99
20+20+35+42	2.22	2.22	3.89	4.67	-	-	13.00 3.20 - 15.00	3.474 0.850 - 4.624	15.95	15.26	99
20+20+35+50	2.10	2.10	3.67	5.24	-	-	13.10 3.20 - 15.00	3.484 0.850 - 4.624	16.00	15.30	99
20+20+35+60	1.96	1.96	3.42	5.87	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.607	15.96	15.27	99
20+20+35+71	1.81	1.81	3.16	6.42	-	-	13.20 3.20 - 15.00	3.491 0.850 - 4.561	16.03	15.33	99
20+20+35+80	1.70	1.70	2.98	6.81	-	-	13.20 3.20 - 15.10	3.481 0.850 - 4.481	15.99	15.29	99
20+20+42+42	2.10	2.10	4.40	4.40	-	-	13.00 3.20 - 15.00	3.478 0.850 - 4.618	15.96	15.27	99
20+20+42+50	1.98	1.98	4.17	4.96	-	-	13.10 3.20 - 15.00	3.488 0.850 - 4.618	16.02	15.32	99
20+20+42+60	1.86	1.86	3.90	5.58	-	-	13.20 3.20 - 15.00	3.481 0.850 - 4.581	15.99	15.29	99
20+20+42+71	1.73	1.73	3.62	6.13	-	-	13.20 3.20 - 15.00	3.485 0.850 - 4.505	16.01	15.31	99
20+20+42+80	1.63	1.63	3.42	6.52	-	-	13.20 3.20 - 15.10	3.475 0.850 - 4.425	15.95	15.26	99
20+20+50+50	1.89	1.89	4.71	4.71	-	-	13.20 3.20 - 15.00	3.498 0.850 - 4.618	16.06	15.36	99
20+20+50+60	1.76	1.76	4.40	5.28	-	-	13.20 3.20 - 15.00	3.481 0.850 - 4.521	15.99	15.29	99
20+20+50+71	1.64	1.64	4.10	5.82	-	-	13.20 3.20 - 15.10	3.485 0.850 - 4.445	16.01	15.31	99
20+20+50+80	1.55	1.55	3.88	6.21	-	-	13.20 3.20 - 15.10	3.475 0.850 - 4.375	15.95	15.26	99
20+20+60+60	1.65	1.65	4.95	4.95	-	-	13.20 3.20 - 15.10	3.464 0.850 - 4.424	15.90	15.21	99
20+20+60+71	1.54	1.54	4.63	5.48	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.368	15.92	15.23	99
20+20+60+80	1.47	1.47	4.40	5.87	-	-	13.20 3.20 - 15.10	3.458 0.850 - 4.358	15.88	15.19	99
20+22+22+22	2.81	3.10	3.10	3.10	-	-	12.10 3.20 - 14.50	3.143 0.850 - 4.083	14.43	13.80	99
20+22+22+25	2.81	3.09	3.09	3.51	-	-	12.50 3.20 - 14.90	3.293 0.850 - 4.193	15.12	14.46	99
20+22+22+35	2.59	2.84	2.84	4.53	-	-	12.80 3.20 - 15.00	3.443 0.850 - 4.583	15.81	15.12	99
20+22+22+42	2.43	2.68	2.68	5.11	-	-	12.90 3.20 - 15.00	3.457 0.850 - 4.617	15.87	15.18	99
20+22+22+50	2.26	2.49	2.49	5.66	-	-	12.90 3.20 - 15.00	3.467 0.850 - 4.617	15.92	15.23	99
20+22+22+60	2.10	2.31	2.31	6.29	-	-	13.00 3.20 - 15.00	3.460 0.850 - 4.600	15.89	15.20	99
20+22+22+71	1.96	2.15	2.15	6.94	-	-	13.20 3.20 - 15.00	3.474 0.850 - 4.604	15.95	15.26	99
20+22+22+80	1.83	2.02	2.02	7.33	-	-	13.20 3.20 - 15.00	3.474 0.850 - 4.564	15.95	15.26	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
20+22+25+25	2.74	3.01	3.42	3.42	-	-	12.60 3.20 - 14.90	3.333 0.850 - 4.313	15.31	14.64	99
20+22+25+35	2.51	2.76	3.14	4.39	-	-	12.80 3.20 - 15.00	3.453 0.850 - 4.623	15.85	15.16	99
20+22+25+42	2.37	2.60	2.96	4.97	-	-	12.90 3.20 - 15.00	3.457 0.850 - 4.617	15.87	15.18	99
20+22+25+50	2.22	2.44	2.78	5.56	-	-	13.00 3.20 - 15.00	3.467 0.850 - 4.617	15.92	15.23	99
20+22+25+60	2.06	2.27	2.58	6.19	-	-	13.10 3.20 - 15.00	3.460 0.850 - 4.600	15.89	15.20	99
20+22+25+71	1.91	2.10	2.39	6.79	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.604	16.00	15.30	99
20+22+25+80	1.80	1.98	2.24	7.18	-	-	13.20 3.20 - 15.00	3.474 0.850 - 4.544	15.95	15.26	99
20+22+35+35	2.30	2.53	4.03	4.03	-	-	12.90 3.20 - 15.00	3.473 0.850 - 4.623	15.94	15.25	99
20+22+35+42	2.18	2.40	3.82	4.59	-	-	13.00 3.20 - 15.00	3.467 0.850 - 4.617	15.92	15.23	99
20+22+35+50	2.06	2.27	3.61	5.16	-	-	13.10 3.20 - 15.00	3.477 0.850 - 4.617	15.96	15.27	99
20+22+35+60	1.93	2.12	3.37	5.78	-	-	13.20 3.20 - 15.00	3.480 0.850 - 4.600	15.97	15.28	99
20+22+35+71	1.78	1.96	3.12	6.33	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.544	16.00	15.30	99
20+22+35+80	1.68	1.85	2.94	6.73	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.464	15.95	15.26	99
20+22+42+42	2.08	2.29	4.37	4.37	-	-	13.10 3.20 - 15.00	3.471 0.850 - 4.611	15.93	15.24	99
20+22+42+50	1.96	2.15	4.11	4.89	-	-	13.10 3.20 - 15.00	3.481 0.850 - 4.611	15.99	15.29	99
20+22+42+60	1.83	2.02	3.85	5.50	-	-	13.20 3.20 - 15.00	3.474 0.850 - 4.564	15.95	15.26	99
20+22+42+71	1.70	1.87	3.58	6.05	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.478	15.96	15.27	99
20+22+42+80	1.61	1.77	3.38	6.44	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.398	15.92	15.23	99
20+22+50+50	1.86	2.05	4.65	4.65	-	-	13.20 3.20 - 15.00	3.491 0.850 - 4.591	16.03	15.33	99
20+22+50+60	1.74	1.91	4.34	5.21	-	-	13.20 3.20 - 15.00	3.474 0.850 - 4.504	15.95	15.26	99
20+22+50+71	1.62	1.78	4.05	5.75	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.418	15.96	15.27	99
20+22+50+80	1.53	1.69	3.84	6.14	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.368	15.92	15.23	99
20+22+60+60	1.63	1.79	4.89	4.89	-	-	13.20 3.20 - 15.10	3.457 0.850 - 4.407	15.87	15.18	99
20+22+60+71	1.53	1.68	4.58	5.42	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
20+25+25+25	2.67	3.34	3.34	3.34	-	-	12.70 3.20 - 15.00	3.383 0.850 - 4.423	15.54	14.86	99
20+25+25+35	2.46	3.07	3.07	4.30	-	-	12.90 3.20 - 15.00	3.463 0.850 - 4.623	15.90	15.21	99
20+25+25+42	2.30	2.88	2.88	4.84	-	-	12.90 3.20 - 15.00	3.467 0.850 - 4.617	15.92	15.23	99
20+25+25+50	2.17	2.71	2.71	5.42	-	-	13.00 3.20 - 15.00	3.477 0.850 - 4.617	15.96	15.27	99
20+25+25+60	2.02	2.52	2.52	6.05	-	-	13.10 3.20 - 15.00	3.470 0.850 - 4.600	15.93	15.24	99
20+25+25+71	1.87	2.34	2.34	6.65	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.594	16.00	15.30	99
20+25+25+80	1.76	2.20	2.20	7.04	-	-	13.20 3.20 - 15.00	3.474 0.850 - 4.514	15.95	15.26	99
20+25+35+35	2.26	2.83	3.96	3.96	-	-	13.00 3.20 - 15.00	3.473 0.850 - 4.623	15.94	15.25	99
20+25+35+42	2.13	2.66	3.73	4.48	-	-	13.00 3.20 - 15.00	3.477 0.850 - 4.617	15.96	15.27	99
20+25+35+50	2.02	2.52	3.53	5.04	-	-	13.10 3.20 - 15.00	3.487 0.850 - 4.617	16.01	15.31	99
20+25+35+60	1.89	2.36	3.30	5.66	-	-	13.20 3.20 - 15.00	3.480 0.850 - 4.600	15.97	15.28	99
20+25+35+71	1.75	2.19	3.06	6.21	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.514	16.00	15.30	99
20+25+35+80	1.65	2.06	2.89	6.60	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.434	15.95	15.26	99
20+25+42+42	2.03	2.54	4.27	4.27	-	-	13.10 3.20 - 15.00	3.481 0.850 - 4.611	15.99	15.29	99
20+25+42+50	1.93	2.41	4.05	4.82	-	-	13.20 3.20 - 15.00	3.491 0.850 - 4.611	16.03	15.33	99
20+25+42+60	1.80	2.24	3.77	5.39	-	-	13.20 3.20 - 15.00	3.474 0.850 - 4.544	15.95	15.26	99
20+25+42+71	1.67	2.09	3.51	5.93	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.458	15.96	15.27	99
20+25+42+80	1.58	1.98	3.32	6.32	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.378	15.92	15.23	99
20+25+50+50	1.82	2.28	4.55	4.55	-	-	13.20 3.20 - 15.00	3.491 0.850 - 4.571	16.03	15.33	99
20+25+50+60	1.70	2.13	4.26	5.11	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.474	15.95	15.26	99
20+25+50+71	1.59	1.99	3.98	5.65	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.398	15.96	15.27	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
20+25+50+80	1.51	1.89	3.77	6.03	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.368	15.92	15.23	99
20+25+60+60	1.60	2.00	4.80	4.80	-	-	13.20 3.20 - 15.10	3.457 0.850 - 4.377	15.87	15.18	99
20+25+60+71	1.50	1.88	4.50	5.33	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
20+35+35+35	2.10	3.67	3.67	3.67	-	-	13.10 3.20 - 15.00	3.483 0.850 - 4.623	16.00	15.30	99
20+35+35+42	1.98	3.47	3.47	4.17	-	-	13.10 3.20 - 15.00	3.487 0.850 - 4.617	16.01	15.31	99
20+35+35+50	1.89	3.30	3.30	4.71	-	-	13.20 3.20 - 15.00	3.497 0.850 - 4.617	16.06	15.36	99
20+35+35+60	1.76	3.08	3.08	5.28	-	-	13.20 3.20 - 15.00	3.480 0.850 - 4.520	15.97	15.28	99
20+35+35+71	1.64	2.87	2.87	5.82	-	-	13.20 3.20 - 15.10	3.484 0.850 - 4.444	16.00	15.30	99
20+35+35+80	1.55	2.72	2.72	6.21	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.374	15.95	15.26	99
20+35+42+42	1.90	3.32	3.99	3.99	-	-	13.20 3.20 - 15.00	3.491 0.850 - 4.611	16.03	15.33	99
20+35+42+50	1.80	3.14	3.77	4.49	-	-	13.20 3.20 - 15.00	3.491 0.850 - 4.561	16.03	15.33	99
20+35+42+60	1.68	2.94	3.53	5.04	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.464	15.95	15.26	99
20+35+42+71	1.57	2.75	3.30	5.58	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	15.96	15.27	99
20+35+42+80	1.49	2.61	3.13	5.97	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.368	15.92	15.23	99
20+35+50+50	1.70	2.98	4.26	4.26	-	-	13.20 3.20 - 15.10	3.491 0.850 - 4.491	16.03	15.33	99
20+35+50+60	1.60	2.80	4.00	4.80	-	-	13.20 3.20 - 15.10	3.474 0.850 - 4.394	15.95	15.26	99
20+35+50+71	1.50	2.63	3.75	5.33	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	15.96	15.27	99
20+35+60+60	1.51	2.64	4.53	4.53	-	-	13.20 3.20 - 15.10	3.457 0.850 - 4.357	15.87	15.18	99
20+42+42+42	1.81	3.80	3.80	3.80	-	-	13.20 3.20 - 15.00	3.485 0.850 - 4.555	16.01	15.31	99
20+42+42+50	1.71	3.60	3.60	4.29	-	-	13.20 3.20 - 15.10	3.485 0.850 - 4.495	16.01	15.31	99
20+42+42+60	1.61	3.38	3.38	4.83	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.398	15.92	15.23	99
20+42+42+71	1.51	3.17	3.17	5.36	-	-	13.20 3.20 - 15.10	3.472 0.850 - 4.372	15.94	15.25	99
20+42+50+50	1.63	3.42	4.07	4.07	-	-	13.20 3.20 - 15.10	3.485 0.850 - 4.435	16.01	15.31	99
20+42+50+60	1.53	3.22	3.84	4.60	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.368	15.92	15.23	99
20+50+50+50	1.55	3.88	3.88	3.88	-	-	13.20 3.20 - 15.10	3.485 0.850 - 4.385	16.01	15.31	99
20+50+50+60	1.47	3.67	3.67	4.40	-	-	13.20 3.20 - 15.10	3.468 0.850 - 4.368	15.92	15.23	99
22+22+22+22	3.13	3.13	3.13	3.13	-	-	12.50 3.20 - 14.90	3.266 0.850 - 4.146	14.99	14.34	99
22+22+22+25	3.05	3.05	3.05	3.46	-	-	12.60 3.20 - 14.90	3.316 0.850 - 4.266	15.22	14.56	99
22+22+22+35	2.79	2.79	2.79	4.44	-	-	12.80 3.20 - 15.00	3.446 0.850 - 4.616	15.82	15.13	99
22+22+22+42	2.63	2.63	2.63	5.02	-	-	12.90 3.20 - 15.00	3.450 0.850 - 4.610	15.84	15.15	99
22+22+22+50	2.47	2.47	2.47	5.60	-	-	13.00 3.20 - 15.00	3.460 0.850 - 4.610	15.89	15.20	99
22+22+22+60	2.29	2.29	2.29	6.24	-	-	13.10 3.20 - 15.00	3.453 0.850 - 4.593	15.85	15.16	99
22+22+22+71	2.12	2.12	2.12	6.84	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.597	15.96	15.27	99
22+22+22+80	1.99	1.99	1.99	7.23	-	-	13.20 3.20 - 15.00	3.467 0.850 - 4.537	15.92	15.23	99
22+22+25+25	2.97	2.97	3.38	3.38	-	-	12.70 3.20 - 15.00	3.356 0.850 - 4.386	15.41	14.74	99
22+22+25+35	2.71	2.71	3.08	4.31	-	-	12.80 3.20 - 15.00	3.456 0.850 - 4.616	15.87	15.18	99
22+22+25+42	2.56	2.56	2.91	4.88	-	-	12.90 3.20 - 15.00	3.450 0.850 - 4.610	15.84	15.15	99
22+22+25+50	2.40	2.40	2.73	5.46	-	-	13.00 3.20 - 15.00	3.460 0.850 - 4.610	15.89	15.20	99
22+22+25+60	2.23	2.23	2.54	6.09	-	-	13.10 3.20 - 15.00	3.463 0.850 - 4.593	15.90	15.21	99
22+22+25+71	2.07	2.07	2.36	6.69	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.597	15.96	15.27	99
22+22+25+80	1.95	1.95	2.21	7.09	-	-	13.20 3.20 - 15.00	3.467 0.850 - 4.517	15.92	15.23	99
22+22+35+35	2.49	2.49	3.96	3.96	-	-	12.90 3.20 - 15.00	3.466 0.850 - 4.616	15.91	15.22	99
22+22+35+42	2.36	2.36	3.76	4.51	-	-	13.00 3.20 - 15.00	3.470 0.850 - 4.610	15.93	15.24	99
22+22+35+50	2.23	2.23	3.55	5.08	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.610	15.97	15.28	99
22+22+35+60	2.09	2.09	3.32	5.70	-	-	13.20 3.20 - 15.00	3.473 0.850 - 4.593	15.94	15.25	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
22+22+35+71	1.94	1.94	3.08	6.25	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.517	15.96	15.27	99
22+22+35+80	1.83	1.83	2.91	6.64	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.437	15.92	15.23	99
22+22+42+42	2.25	2.25	4.30	4.30	-	-	13.10 3.20 - 15.00	3.474 0.850 - 4.604	15.95	15.26	99
22+22+42+50	2.14	2.14	4.08	4.85	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.604	16.00	15.30	99
22+22+42+60	1.99	1.99	3.80	5.42	-	-	13.20 3.20 - 15.00	3.467 0.850 - 4.537	15.92	15.23	99
22+22+42+71	1.85	1.85	3.53	5.97	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.461	15.93	15.24	99
22+22+42+80	1.75	1.75	3.34	6.36	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.381	15.89	15.20	99
22+22+50+50	2.02	2.02	4.58	4.58	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.574	16.00	15.30	99
22+22+50+60	1.89	1.89	4.29	5.14	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.477	15.92	15.23	99
22+22+50+71	1.76	1.76	4.00	5.68	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.391	15.93	15.24	99
22+22+50+80	1.67	1.67	3.79	6.07	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
22+22+60+60	1.77	1.77	4.83	4.83	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.380	15.84	15.15	99
22+22+60+71	1.66	1.66	4.53	5.36	-	-	13.20 3.20 - 15.10	3.454 0.850 - 4.354	15.86	15.17	99
22+25+25+25	2.88	3.27	3.27	3.27	-	-	12.70 3.20 - 15.00	3.406 0.850 - 4.496	15.64	14.96	99
22+25+25+35	2.65	3.01	3.01	4.22	-	-	12.90 3.20 - 15.00	3.456 0.850 - 4.616	15.87	15.18	99
22+25+25+42	2.49	2.83	2.83	4.75	-	-	12.90 3.20 - 15.00	3.460 0.850 - 4.610	15.89	15.20	99
22+25+25+50	2.34	2.66	2.66	5.33	-	-	13.00 3.20 - 15.00	3.470 0.850 - 4.610	15.93	15.24	99
22+25+25+60	2.18	2.48	2.48	5.95	-	-	13.10 3.20 - 15.00	3.463 0.850 - 4.593	15.90	15.21	99
22+25+25+71	2.03	2.31	2.31	6.55	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.577	15.96	15.27	99
22+25+25+80	1.91	2.17	2.17	6.95	-	-	13.20 3.20 - 15.00	3.467 0.850 - 4.497	15.92	15.23	99
22+25+35+35	2.44	2.78	3.89	3.89	-	-	13.00 3.20 - 15.00	3.466 0.850 - 4.616	15.91	15.22	99
22+25+35+42	2.31	2.62	3.67	4.40	-	-	13.00 3.20 - 15.00	3.470 0.850 - 4.610	15.93	15.24	99
22+25+35+50	2.18	2.48	3.47	4.96	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.610	15.97	15.28	99
22+25+35+60	2.05	2.32	3.25	5.58	-	-	13.20 3.20 - 15.00	3.473 0.850 - 4.573	15.94	15.25	99
22+25+35+71	1.90	2.16	3.02	6.13	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.497	15.96	15.27	99
22+25+35+80	1.79	2.04	2.85	6.52	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.417	15.92	15.23	99
22+25+42+42	2.20	2.50	4.20	4.20	-	-	13.10 3.20 - 15.00	3.474 0.850 - 4.604	15.95	15.26	99
22+25+42+50	2.09	2.37	3.99	4.75	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.604	16.00	15.30	99
22+25+42+60	1.95	2.21	3.72	5.32	-	-	13.20 3.20 - 15.00	3.467 0.850 - 4.517	15.92	15.23	99
22+25+42+71	1.82	2.06	3.47	5.86	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.431	15.93	15.24	99
22+25+42+80	1.72	1.95	3.28	6.25	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
22+25+50+50	1.98	2.24	4.49	4.49	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.554	16.00	15.30	99
22+25+50+60	1.85	2.10	4.20	5.04	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.457	15.92	15.23	99
22+25+50+71	1.73	1.96	3.93	5.58	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	15.93	15.24	99
22+25+50+80	1.64	1.86	3.73	5.97	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
22+25+60+60	1.74	1.98	4.74	4.74	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.360	15.84	15.15	99
22+25+60+71	1.63	1.85	4.45	5.27	-	-	13.20 3.20 - 15.10	3.454 0.850 - 4.354	15.86	15.17	99
22+35+35+35	2.27	3.61	3.61	3.61	-	-	13.10 3.20 - 15.00	3.476 0.850 - 4.616	15.96	15.27	99
22+35+35+42	2.15	3.42	3.42	4.11	-	-	13.10 3.20 - 15.00	3.480 0.850 - 4.610	15.97	15.28	99
22+35+35+50	2.05	3.25	3.25	4.65	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.590	16.03	15.33	99
22+35+35+60	1.91	3.04	3.04	5.21	-	-	13.20 3.20 - 15.00	3.473 0.850 - 4.503	15.94	15.25	99
22+35+35+71	1.78	2.83	2.83	5.75	-	-	13.20 3.20 - 15.10	3.477 0.850 - 4.417	15.96	15.27	99
22+35+35+80	1.69	2.69	2.69	6.14	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	15.92	15.23	99
22+35+42+42	2.06	3.28	3.93	3.93	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.594	16.00	15.30	99
22+35+42+50	1.95	3.10	3.72	4.43	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.534	16.00	15.30	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	
22+35+42+60	1.83	2.91	3.49	4.98	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.437	15.92	15.23	99
22+35+42+71	1.71	2.72	3.26	5.51	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	15.93	15.24	99
22+35+42+80	1.62	2.58	3.10	5.90	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
22+35+50+50	1.85	2.94	4.20	4.20	-	-	13.20 3.20 - 15.10	3.484 0.850 - 4.474	16.00	15.30	99
22+35+50+60	1.74	2.77	3.95	4.74	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.377	15.92	15.23	99
22+35+50+71	1.63	2.60	3.71	5.27	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	15.93	15.24	99
22+35+60+60	1.64	2.61	4.47	4.47	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.350	15.84	15.15	99
22+42+42+42	1.96	3.75	3.75	3.75	-	-	13.20 3.20 - 15.00	3.478 0.850 - 4.538	15.96	15.27	99
22+42+42+50	1.86	3.55	3.55	4.23	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.468	15.96	15.27	99
22+42+42+60	1.75	3.34	3.34	4.77	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.381	15.89	15.20	99
22+42+42+71	1.64	3.13	3.13	5.29	-	-	13.20 3.20 - 15.10	3.465 0.850 - 4.365	15.91	15.22	99
22+42+50+50	1.77	3.38	4.02	4.02	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.408	15.96	15.27	99
22+42+50+60	1.67	3.19	3.79	4.55	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
22+50+50+50	1.69	3.84	3.84	3.84	-	-	13.20 3.20 - 15.10	3.478 0.850 - 4.378	15.96	15.27	99
25+25+25+25	3.20	3.20	3.20	3.20	-	-	12.80 3.20 - 15.00	3.446 0.850 - 4.616	15.82	15.13	99
25+25+25+35	2.93	2.93	2.93	4.10	-	-	12.90 3.20 - 15.00	3.456 0.850 - 4.616	15.87	15.18	99
25+25+25+42	2.78	2.78	2.78	4.67	-	-	13.00 3.20 - 15.00	3.460 0.850 - 4.610	15.89	15.20	99
25+25+25+50	2.62	2.62	2.62	5.24	-	-	13.10 3.20 - 15.00	3.470 0.850 - 4.610	15.93	15.24	99
25+25+25+60	2.44	2.44	2.44	5.87	-	-	13.20 3.20 - 15.00	3.463 0.850 - 4.593	15.90	15.21	99
25+25+25+71	2.26	2.26	2.26	6.42	-	-	13.20 3.20 - 15.00	3.477 0.850 - 4.547	15.96	15.27	99
25+25+25+80	2.13	2.13	2.13	6.81	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.467	15.92	15.23	99
25+25+35+35	2.71	2.71	3.79	3.79	-	-	13.00 3.20 - 15.00	3.476 0.850 - 4.616	15.96	15.27	99
25+25+35+42	2.58	2.58	3.61	4.33	-	-	13.10 3.20 - 15.00	3.470 0.850 - 4.610	15.93	15.24	99
25+25+35+50	2.44	2.44	3.42	4.89	-	-	13.20 3.20 - 15.00	3.480 0.850 - 4.610	15.97	15.28	99
25+25+35+60	2.28	2.28	3.19	5.46	-	-	13.20 3.20 - 15.00	3.473 0.850 - 4.553	15.94	15.25	99
25+25+35+71	2.12	2.12	2.96	6.01	-	-	13.20 3.20 - 15.10	3.477 0.850 - 4.467	15.96	15.27	99
25+25+35+80	2.00	2.00	2.80	6.40	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.387	15.92	15.23	99
25+25+42+42	2.44	2.44	4.11	4.11	-	-	13.10 3.20 - 15.00	3.474 0.850 - 4.604	15.95	15.26	99
25+25+42+50	2.32	2.32	3.90	4.65	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.584	16.00	15.30	99
25+25+42+60	2.17	2.17	3.65	5.21	-	-	13.20 3.20 - 15.00	3.467 0.850 - 4.497	15.92	15.23	99
25+25+42+71	2.02	2.02	3.40	5.75	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.411	15.93	15.24	99
25+25+42+80	1.92	1.92	3.22	6.14	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
25+25+50+50	2.20	2.20	4.40	4.40	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.524	16.00	15.30	99
25+25+50+60	2.06	2.06	4.13	4.95	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.427	15.92	15.23	99
25+25+50+71	1.93	1.93	3.86	5.48	-	-	13.20 3.20 - 15.10	3.471 0.850 - 4.371	15.93	15.24	99
25+25+50+80	1.83	1.83	3.67	5.87	-	-	13.20 3.20 - 15.10	3.461 0.850 - 4.361	15.89	15.20	99
25+25+60+60	1.94	1.94	4.66	4.66	-	-	13.20 3.20 - 15.10	3.450 0.850 - 4.350	15.84	15.15	99
25+35+35+35	2.52	3.53	3.53	3.53	-	-	13.10 3.20 - 15.00	3.486 0.850 - 4.616	16.01	15.31	99
25+35+35+42	2.41	3.37	3.37	4.05	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.610	16.03	15.33	99
25+35+35+50	2.28	3.19	3.19	4.55	-	-	13.20 3.20 - 15.00	3.490 0.850 - 4.570	16.03	15.33	99
25+35+35+60	2.13	2.98	2.98	5.11	-	-	13.20 3.20 - 15.10	3.473 0.850 - 4.473	15.94	15.25	99
25+35+35+71	1.99	2.78	2.78	5.65	-	-	13.20 3.20 - 15.10	3.477 0.850 - 4.397	15.96	15.27	99
25+35+35+80	1.89	2.64	2.64	6.03	-	-	13.20 3.20 - 15.10	3.467 0.850 - 4.367	15.92	15.23	99
25+35+42+42	2.29	3.21	3.85	3.85	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.574	16.00	15.30	99
25+35+42+50	2.17	3.04	3.65	4.34	-	-	13.20 3.20 - 15.00	3.484 0.850 - 4.514	16.00	15.30	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
25+35+42+60	2.04	2.85	3.42	4.89	-	-	13.20 3.20 - 15.10	0.850 - 4.417	15.92	15.23	99
25+35+42+71	1.91	2.67	3.20	5.42	-	-	13.20 3.20 - 15.10	0.850 - 4.371	15.93	15.24	99
25+35+50+50	2.06	2.89	4.13	4.13	-	-	13.20 3.20 - 15.10	0.850 - 4.444	16.00	15.30	99
25+35+50+60	1.94	2.72	3.88	4.66	-	-	13.20 3.20 - 15.10	0.850 - 4.367	15.92	15.23	99
25+35+60+60	1.83	2.57	4.40	4.40	-	-	13.20 3.20 - 15.10	0.850 - 4.350	15.84	15.15	99
25+42+42+42	2.19	3.67	3.67	3.67	-	-	13.20 3.20 - 15.00	0.850 - 4.508	15.96	15.27	99
25+42+42+50	2.08	3.49	3.49	4.15	-	-	13.20 3.20 - 15.10	0.850 - 4.448	15.96	15.27	99
25+42+42+60	1.95	3.28	3.28	4.69	-	-	13.20 3.20 - 15.10	0.850 - 4.361	15.89	15.20	99
25+42+42+71	1.83	3.08	3.08	5.21	-	-	13.20 3.20 - 15.10	0.850 - 4.365	15.91	15.22	99
25+42+50+50	1.98	3.32	3.95	3.95	-	-	13.20 3.20 - 15.10	0.850 - 4.388	15.96	15.27	99
25+42+50+60	1.86	3.13	3.73	4.47	-	-	13.20 3.20 - 15.10	0.850 - 4.361	15.89	15.20	99
25+50+50+50	1.89	3.77	3.77	3.77	-	-	13.20 3.20 - 15.10	0.850 - 4.378	15.96	15.27	99
35+35+35+35	3.30	3.30	3.30	3.30	-	-	13.20 3.20 - 15.00	0.850 - 4.616	16.05	15.35	99
35+35+35+42	3.14	3.14	3.14	3.77	-	-	13.20 3.20 - 15.00	0.850 - 4.560	16.03	15.33	99
35+35+35+50	2.98	2.98	2.98	4.26	-	-	13.20 3.20 - 15.10	0.850 - 4.490	16.03	15.33	99
35+35+35+60	2.80	2.80	2.80	4.80	-	-	13.20 3.20 - 15.10	0.850 - 4.393	15.94	15.25	99
35+35+35+71	2.63	2.63	2.63	5.33	-	-	13.20 3.20 - 15.10	0.850 - 4.377	15.96	15.27	99
35+35+42+42	3.00	3.00	3.60	3.60	-	-	13.20 3.20 - 15.10	0.850 - 4.494	16.00	15.30	99
35+35+42+50	2.85	2.85	3.42	4.07	-	-	13.20 3.20 - 15.10	0.850 - 4.434	16.00	15.30	99
35+35+42+60	2.69	2.69	3.22	4.60	-	-	13.20 3.20 - 15.10	0.850 - 4.367	15.92	15.23	99
35+35+50+50	2.72	2.72	3.88	3.88	-	-	13.20 3.20 - 15.10	0.850 - 4.384	16.00	15.30	99
35+35+50+60	2.57	2.57	3.67	4.40	-	-	13.20 3.20 - 15.10	0.850 - 4.367	15.92	15.23	99
35+42+42+42	2.87	3.44	3.44	3.44	-	-	13.20 3.20 - 15.10	0.850 - 4.438	15.96	15.27	99
35+42+42+50	2.73	3.28	3.28	3.91	-	-	13.20 3.20 - 15.10	0.850 - 4.378	15.96	15.27	99
35+42+42+60	2.58	3.10	3.10	4.42	-	-	13.20 3.20 - 15.10	0.850 - 4.361	15.89	15.20	99
35+42+50+50	2.61	3.13	3.73	3.73	-	-	13.20 3.20 - 15.10	0.850 - 4.378	15.96	15.27	99
42+42+42+42	3.30	3.30	3.30	3.30	-	-	13.20 3.20 - 15.10	0.850 - 4.372	15.94	15.25	99
42+42+42+50	3.15	3.15	3.15	3.75	-	-	13.20 3.20 - 15.10	0.850 - 4.372	15.94	15.25	99
15+15+15+15+15	1.70	1.70	1.70	1.70	1.70	-	8.50 3.40 - 13.80	1.825 0.850 - 5.015	8.37	8.01	99
15+15+15+15+22	1.68	1.68	1.68	1.68	2.47	-	9.20 3.40 - 14.10	2.106 0.850 - 5.066	9.67	9.25	99
15+15+15+15+25	1.68	1.68	1.68	1.68	2.79	-	9.50 3.40 - 14.20	2.226 0.850 - 5.086	10.22	9.78	99
15+15+15+15+35	1.66	1.66	1.66	1.66	3.87	-	10.50 3.40 - 14.70	2.636 0.850 - 5.166	12.11	11.58	99
15+15+15+15+42	1.67	1.67	1.67	1.67	4.67	-	11.34 3.42 - 15.00	2.880 0.850 - 5.120	13.23	12.65	99
15+15+15+15+50	1.73	1.73	1.73	1.73	5.77	-	12.70 3.50 - 15.60	3.100 0.850 - 4.800	14.23	13.61	99
15+15+15+15+60	1.59	1.59	1.59	1.59	6.35	-	12.70 3.50 - 15.60	3.073 0.850 - 4.833	14.11	13.50	99
15+15+15+15+71	1.46	1.46	1.46	1.46	6.92	-	12.76 3.50 - 15.60	3.087 0.850 - 4.787	14.18	13.56	99
15+15+15+15+80	1.38	1.38	1.38	1.38	7.34	-	12.85 3.50 - 15.60	3.107 0.850 - 4.777	14.27	13.65	99
15+15+15+20+20	1.68	1.68	1.68	2.24	2.24	-	9.50 3.40 - 14.20	2.231 0.850 - 5.091	10.25	9.80	99
15+15+15+20+22	1.67	1.67	1.67	2.23	2.45	-	9.70 3.40 - 14.30	2.304 0.850 - 5.104	10.58	10.12	99
15+15+15+20+25	1.67	1.67	1.67	2.22	2.78	-	10.00 3.40 - 14.50	2.424 0.850 - 5.124	11.13	10.65	99
15+15+15+20+35	1.65	1.65	1.65	2.20	3.85	-	11.00 3.40 - 14.90	2.834 0.850 - 5.204	13.02	12.45	99
15+15+15+20+42	1.71	1.71	1.71	2.28	4.78	-	12.19 3.47 - 15.40	3.018 0.850 - 4.918	13.85	13.25	99
15+15+15+20+50	1.66	1.66	1.66	2.21	5.52	-	12.70 3.50 - 15.60	3.098 0.850 - 4.888	14.23	13.61	99
15+15+15+20+60	1.52	1.52	1.52	2.03	6.10	-	12.70 3.50 - 15.60	3.071 0.850 - 4.781	14.10	13.49	99
15+15+15+20+71	1.41	1.41	1.41	1.88	6.69	-	12.81 3.50 - 15.60	3.105 0.850 - 4.785	14.26	13.64	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+15+20+80	1.33	1.33	1.33	1.78	7.12	-	12.90 3.50 - 15.60	3.115 0.850 - 4.775	14.30	13.68	99
15+15+15+22+22	1.67	1.67	1.67	2.45	2.45	-	9.90 3.40 - 14.40	2.377 0.850 - 5.107	10.91	10.44	99
15+15+15+22+25	1.66	1.66	1.66	2.44	2.77	-	10.20 3.40 - 14.50	2.497 0.850 - 5.137	11.47	10.97	99
15+15+15+22+35	1.67	1.67	1.67	2.45	3.89	-	11.34 3.42 - 15.00	2.877 0.850 - 5.117	13.21	12.64	99
15+15+15+22+42	1.72	1.72	1.72	2.53	4.83	-	12.53 3.49 - 15.50	3.061 0.850 - 4.831	14.05	13.44	99
15+15+15+22+50	1.63	1.63	1.63	2.39	5.43	-	12.70 3.50 - 15.60	3.091 0.850 - 4.861	14.19	13.57	99
15+15+15+22+60	1.50	1.50	1.50	2.20	6.01	-	12.72 3.50 - 15.60	3.064 0.850 - 4.774	14.07	13.46	99
15+15+15+22+71	1.39	1.39	1.39	2.05	6.60	-	12.83 3.50 - 15.60	3.098 0.850 - 4.778	14.23	13.61	99
15+15+15+22+80	1.32	1.32	1.32	1.93	7.03	-	12.92 3.50 - 15.60	3.108 0.850 - 4.768	14.27	13.65	99
15+15+15+25+25	1.66	1.66	1.66	2.76	2.76	-	10.50 3.40 - 14.70	2.627 0.850 - 5.157	12.06	11.54	99
15+15+15+25+35	1.69	1.69	1.69	2.82	3.95	-	11.85 3.45 - 15.30	2.967 0.850 - 4.997	13.62	13.03	99
15+15+15+25+42	1.70	1.70	1.70	2.83	4.76	-	12.70 3.50 - 15.60	3.091 0.850 - 4.911	14.19	13.57	99
15+15+15+25+50	1.59	1.59	1.59	2.65	5.29	-	12.70 3.50 - 15.60	3.081 0.850 - 4.841	14.15	13.53	99
15+15+15+25+60	1.47	1.47	1.47	2.45	5.88	-	12.75 3.50 - 15.60	3.074 0.850 - 4.774	14.11	13.50	99
15+15+15+25+71	1.37	1.37	1.37	2.28	6.48	-	12.86 3.50 - 15.60	3.108 0.850 - 4.778	14.27	13.65	99
15+15+15+25+80	1.30	1.30	1.30	2.16	6.91	-	12.95 3.50 - 15.60	3.118 0.850 - 4.768	14.31	13.69	99
15+15+15+35+35	1.66	1.66	1.66	3.87	3.87	-	12.70 3.50 - 15.60	3.097 0.850 - 4.887	14.22	13.60	99
15+15+15+35+42	1.56	1.56	1.56	3.64	4.37	-	12.70 3.50 - 15.60	3.081 0.850 - 4.821	14.15	13.53	99
15+15+15+35+50	1.47	1.47	1.47	3.43	4.90	-	12.75 3.50 - 15.60	3.091 0.850 - 4.791	14.19	13.57	99
15+15+15+35+60	1.38	1.38	1.38	3.21	5.51	-	12.85 3.50 - 15.60	3.104 0.850 - 4.774	14.25	13.63	99
15+15+15+35+71	1.29	1.29	1.29	3.00	6.09	-	12.96 3.50 - 15.60	3.128 0.850 - 4.778	14.36	13.74	99
15+15+15+35+80	1.22	1.22	1.22	2.85	6.53	-	13.05 3.50 - 15.60	3.138 0.850 - 4.768	14.41	13.78	99
15+15+15+42+42	1.48	1.48	1.48	4.15	4.15	-	12.74 3.50 - 15.60	3.085 0.850 - 4.785	14.17	13.55	99
15+15+15+42+50	1.40	1.40	1.40	3.93	4.68	-	12.82 3.50 - 15.60	3.105 0.850 - 4.785	14.26	13.64	99
15+15+15+42+60	1.32	1.32	1.32	3.69	5.27	-	12.92 3.50 - 15.60	3.108 0.850 - 4.768	14.27	13.65	99
15+15+15+42+71	1.24	1.24	1.24	3.46	5.86	-	13.03 3.50 - 15.60	3.142 0.850 - 4.772	14.43	13.80	99
15+15+15+42+80	1.18	1.18	1.18	3.30	6.29	-	13.12 3.50 - 15.60	3.152 0.850 - 4.762	14.47	13.84	99
15+15+15+50+50	1.33	1.33	1.33	4.45	4.45	-	12.90 3.50 - 15.60	3.125 0.850 - 4.785	14.34	13.72	99
15+15+15+50+60	1.26	1.26	1.26	4.19	5.03	-	13.00 3.50 - 15.60	3.128 0.850 - 4.768	14.36	13.74	99
15+15+15+50+71	1.18	1.18	1.18	3.95	5.61	-	13.11 3.50 - 15.60	3.162 0.850 - 4.772	14.52	13.89	99
15+15+15+50+80	1.13	1.13	1.13	3.77	6.03	-	13.20 3.50 - 15.60	3.172 0.850 - 4.762	14.56	13.93	99
15+15+15+60+60	1.19	1.19	1.19	4.76	4.76	-	13.10 3.50 - 15.60	3.141 0.850 - 4.751	14.42	13.79	99
15+15+15+60+71	1.13	1.13	1.13	4.50	5.33	-	13.20 3.50 - 15.60	3.165 0.850 - 4.755	14.53	13.90	99
15+15+20+20+20	1.67	1.67	2.22	2.22	2.22	-	10.00 3.40 - 14.50	2.429 0.850 - 5.129	11.16	10.67	99
15+15+20+20+22	1.66	1.66	2.22	2.22	2.44	-	10.20 3.40 - 14.50	2.502 0.850 - 5.142	11.49	10.99	99
15+15+20+20+25	1.66	1.66	2.21	2.21	2.76	-	10.50 3.40 - 14.70	2.632 0.850 - 5.162	12.09	11.56	99
15+15+20+20+35	1.69	1.69	2.26	2.26	3.95	-	11.85 3.45 - 15.30	2.972 0.850 - 5.002	13.64	13.05	99
15+15+20+20+42	1.70	1.70	2.27	2.27	4.76	-	12.70 3.50 - 15.60	3.096 0.850 - 4.916	14.22	13.60	99
15+15+20+20+50	1.59	1.59	2.12	2.12	5.29	-	12.70 3.50 - 15.60	3.086 0.850 - 4.846	14.17	13.55	99
15+15+20+20+60	1.47	1.47	1.96	1.96	5.88	-	12.75 3.50 - 15.60	3.079 0.850 - 4.779	14.13	13.52	99
15+15+20+20+71	1.37	1.37	1.82	1.82	6.48	-	12.86 3.50 - 15.60	3.113 0.850 - 4.783	14.29	13.67	99
15+15+20+20+80	1.30	1.30	1.73	1.73	6.91	-	12.95 3.50 - 15.60	3.123 0.850 - 4.773	14.34	13.72	99
15+15+20+22+22	1.66	1.66	2.21	2.43	2.43	-	10.40 3.40 - 14.60	2.585 0.850 - 5.145	11.87	11.35	99
15+15+20+22+25	1.65	1.65	2.21	2.43	2.76	-	10.70 3.40 - 14.80	2.705 0.850 - 5.175	12.42	11.88	99
15+15+20+22+35	1.71	1.71	2.28	2.51	3.99	-	12.19 3.47 - 15.40	3.015 0.850 - 4.915	13.84	13.24	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+15+20+22+42	1.67	1.67	2.23	2.45	4.68	-	12.70 3.50 - 15.60	3.089 0.850 - 4.889	14.19	13.57	99
15+15+20+22+50	1.56	1.56	2.08	2.29	5.20	-	12.70 3.50 - 15.60	3.079 0.850 - 4.819	14.13	13.52	99
15+15+20+22+60	1.45	1.45	1.93	2.13	5.80	-	12.77 3.50 - 15.60	3.082 0.850 - 4.772	14.16	13.54	99
15+15+20+22+71	1.35	1.35	1.80	1.98	6.39	-	12.88 3.50 - 15.60	3.106 0.850 - 4.776	14.26	13.64	99
15+15+20+22+80	1.28	1.28	1.71	1.88	6.83	-	12.97 3.50 - 15.60	3.116 0.850 - 4.766	14.30	13.68	99
15+15+20+25+25	1.65	1.65	2.20	2.75	2.75	-	11.00 3.40 - 14.90	2.825 0.850 - 5.195	12.97	12.41	99
15+15+20+25+35	1.73	1.73	2.31	2.89	4.04	-	12.70 3.50 - 15.60	3.095 0.850 - 4.795	14.21	13.59	99
15+15+20+25+42	1.63	1.63	2.17	2.71	4.56	-	12.70 3.50 - 15.60	3.089 0.850 - 4.859	14.19	13.57	99
15+15+20+25+50	1.52	1.52	2.03	2.54	5.08	-	12.70 3.50 - 15.60	3.079 0.850 - 4.789	14.13	13.52	99
15+15+20+25+60	1.42	1.42	1.90	2.37	5.69	-	12.80 3.50 - 15.60	3.082 0.850 - 4.772	14.16	13.54	99
15+15+20+25+71	1.33	1.33	1.77	2.21	6.28	-	12.91 3.50 - 15.60	3.116 0.850 - 4.776	14.30	13.68	99
15+15+20+25+80	1.26	1.26	1.68	2.10	6.71	-	13.00 3.50 - 15.60	3.126 0.850 - 4.766	14.35	13.73	99
15+15+20+35+35	1.59	1.59	2.12	3.70	3.70	-	12.70 3.50 - 15.60	3.085 0.850 - 4.845	14.17	13.55	99
15+15+20+35+42	1.50	1.50	2.00	3.51	4.21	-	12.72 3.50 - 15.60	3.079 0.850 - 4.789	14.13	13.52	99
15+15+20+35+50	1.42	1.42	1.90	3.32	4.74	-	12.80 3.50 - 15.60	3.099 0.850 - 4.789	14.23	13.61	99
15+15+20+35+60	1.33	1.33	1.78	3.11	5.34	-	12.90 3.50 - 15.60	3.112 0.850 - 4.772	14.29	13.67	99
15+15+20+35+71	1.25	1.25	1.67	2.92	5.92	-	13.01 3.50 - 15.60	3.136 0.850 - 4.776	14.40	13.77	99
15+15+20+35+80	1.19	1.19	1.59	2.78	6.35	-	13.10 3.50 - 15.60	3.156 0.850 - 4.766	14.49	13.86	99
15+15+20+42+42	1.43	1.43	1.91	4.01	4.01	-	12.79 3.50 - 15.60	3.093 0.850 - 4.783	14.20	13.58	99
15+15+20+42+50	1.36	1.36	1.81	3.81	4.53	-	12.87 3.50 - 15.60	3.113 0.850 - 4.783	14.29	13.67	99
15+15+20+42+60	1.28	1.28	1.71	3.58	5.12	-	12.97 3.50 - 15.60	3.116 0.850 - 4.766	14.30	13.68	99
15+15+20+42+71	1.20	1.20	1.60	3.37	5.70	-	13.08 3.50 - 15.60	3.150 0.850 - 4.770	14.46	13.83	99
15+15+20+42+80	1.15	1.15	1.53	3.22	6.13	-	13.17 3.50 - 15.60	3.160 0.850 - 4.760	14.51	13.88	99
15+15+20+50+50	1.30	1.30	1.73	4.32	4.32	-	12.95 3.50 - 15.60	3.133 0.850 - 4.783	14.39	13.76	99
15+15+20+50+60	1.22	1.22	1.63	4.08	4.89	-	13.05 3.50 - 15.60	3.136 0.850 - 4.766	14.40	13.77	99
15+15+20+50+71	1.15	1.15	1.54	3.85	5.46	-	13.16 3.50 - 15.60	3.170 0.850 - 4.770	14.55	13.92	99
15+15+20+50+80	1.10	1.10	1.47	3.67	5.87	-	13.20 3.50 - 15.60	3.170 0.850 - 4.760	14.55	13.92	99
15+15+20+60+60	1.16	1.16	1.55	4.64	4.64	-	13.15 3.50 - 15.60	3.149 0.850 - 4.749	14.46	13.83	99
15+15+22+22+22	1.66	1.66	2.43	2.43	2.43	-	10.60 3.40 - 14.70	2.658 0.850 - 5.158	12.20	11.67	99
15+15+22+22+25	1.65	1.65	2.42	2.42	2.75	-	10.90 3.40 - 14.90	2.778 0.850 - 5.178	12.75	12.20	99
15+15+22+22+35	1.72	1.72	2.53	2.53	4.02	-	12.53 3.49 - 15.50	3.058 0.850 - 4.828	14.04	13.43	99
15+15+22+22+42	1.64	1.64	2.41	2.41	4.60	-	12.70 3.50 - 15.60	3.082 0.850 - 4.862	14.16	13.54	99
15+15+22+22+50	1.54	1.54	2.25	2.25	5.12	-	12.70 3.50 - 15.60	3.072 0.850 - 4.792	14.10	13.49	99
15+15+22+22+60	1.43	1.43	2.10	2.10	5.73	-	12.79 3.50 - 15.60	3.075 0.850 - 4.765	14.11	13.50	99
15+15+22+22+71	1.33	1.33	1.96	1.96	6.32	-	12.90 3.50 - 15.60	3.109 0.850 - 4.769	14.27	13.65	99
15+15+22+22+80	1.27	1.27	1.86	1.86	6.75	-	12.99 3.50 - 15.60	3.119 0.850 - 4.759	14.32	13.70	99
15+15+22+25+25	1.67	1.67	2.45	2.78	2.78	-	11.34 3.42 - 15.00	2.868 0.850 - 5.108	13.17	12.60	99
15+15+22+25+35	1.70	1.70	2.49	2.83	3.97	-	12.70 3.50 - 15.60	3.088 0.850 - 4.908	14.18	13.56	99
15+15+22+25+42	1.60	1.60	2.35	2.67	4.48	-	12.70 3.50 - 15.60	3.072 0.850 - 4.832	14.10	13.49	99
15+15+22+25+50	1.50	1.50	2.20	2.50	5.01	-	12.72 3.50 - 15.60	3.072 0.850 - 4.782	14.10	13.49	99
15+15+22+25+60	1.40	1.40	2.06	2.34	5.61	-	12.82 3.50 - 15.60	3.085 0.850 - 4.765	14.17	13.55	99
15+15+22+25+71	1.31	1.31	1.92	2.18	6.20	-	12.93 3.50 - 15.60	3.119 0.850 - 4.769	14.32	13.70	99
15+15+22+25+80	1.24	1.24	1.82	2.07	6.63	-	13.02 3.50 - 15.60	3.129 0.850 - 4.759	14.36	13.74	99
15+15+22+35+35	1.56	1.56	2.29	3.64	3.64	-	12.70 3.50 - 15.60	3.078 0.850 - 4.818	14.13	13.52	99
15+15+22+35+42	1.48	1.48	2.17	3.46	4.15	-	12.74 3.50 - 15.60	3.082 0.850 - 4.782	14.16	13.54	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
15+15+22+35+50	1.40	1.40	2.06	3.28	4.68	-	12.82 3.50 - 15.60	3.102 0.850 - 4.782	14.24	13.62	99
15+15+22+35+60	1.32	1.32	1.93	3.08	5.27	-	12.92 3.50 - 15.60	3.105 0.850 - 4.765	14.26	13.64	99
15+15+22+35+71	1.24	1.24	1.81	2.89	5.86	-	13.03 3.50 - 15.60	3.139 0.850 - 4.769	14.42	13.79	99
15+15+22+35+80	1.18	1.18	1.73	2.75	6.29	-	13.12 3.50 - 15.60	3.149 0.850 - 4.759	14.46	13.83	99
15+15+22+42+42	1.41	1.41	2.07	3.96	3.96	-	12.81 3.50 - 15.60	3.096 0.850 - 4.776	14.22	13.60	99
15+15+22+42+50	1.34	1.34	1.97	3.76	4.48	-	12.89 3.50 - 15.60	3.116 0.850 - 4.776	14.30	13.68	99
15+15+22+42+60	1.27	1.27	1.86	3.54	5.06	-	12.99 3.50 - 15.60	3.119 0.850 - 4.759	14.32	13.70	99
15+15+22+42+71	1.19	1.19	1.75	3.33	5.64	-	13.10 3.50 - 15.60	3.153 0.850 - 4.763	14.48	13.85	99
15+15+22+42+80	1.14	1.14	1.67	3.18	6.06	-	13.19 3.50 - 15.60	3.163 0.850 - 4.753	14.52	13.89	99
15+15+22+50+50	1.28	1.28	1.88	4.27	4.27	-	12.97 3.50 - 15.60	3.126 0.850 - 4.776	14.35	13.73	99
15+15+22+50+60	1.21	1.21	1.77	4.03	4.84	-	13.07 3.50 - 15.60	3.139 0.850 - 4.759	14.42	13.79	99
15+15+22+50+71	1.14	1.14	1.68	3.81	5.41	-	13.18 3.50 - 15.60	3.173 0.850 - 4.763	14.57	13.94	99
15+15+22+60+60	1.15	1.15	1.68	4.59	4.59	-	13.17 3.50 - 15.60	3.142 0.850 - 4.742	14.43	13.80	99
15+15+25+25+25	1.69	1.69	2.82	2.82	2.82	-	11.85 3.45 - 15.30	2.958 0.850 - 4.988	13.58	12.99	99
15+15+25+25+35	1.66	1.66	2.76	2.76	3.87	-	12.70 3.50 - 15.60	3.088 0.850 - 4.878	14.18	13.56	99
15+15+25+25+42	1.56	1.56	2.60	2.60	4.37	-	12.70 3.50 - 15.60	3.072 0.850 - 4.812	14.10	13.49	99
15+15+25+25+50	1.47	1.47	2.45	2.45	4.90	-	12.75 3.50 - 15.60	3.082 0.850 - 4.782	14.16	13.54	99
15+15+25+25+60	1.38	1.38	2.29	2.29	5.51	-	12.85 3.50 - 15.60	3.095 0.850 - 4.765	14.21	13.59	99
15+15+25+25+71	1.29	1.29	2.15	2.15	6.09	-	12.96 3.50 - 15.60	3.119 0.850 - 4.769	14.32	13.70	99
15+15+25+25+80	1.22	1.22	2.04	2.04	6.53	-	13.05 3.50 - 15.60	3.129 0.850 - 4.759	14.36	13.74	99
15+15+25+35+35	1.52	1.52	2.54	3.56	3.56	-	12.70 3.50 - 15.60	3.078 0.850 - 4.788	14.13	13.52	99
15+15+25+35+42	1.45	1.45	2.42	3.39	4.06	-	12.77 3.50 - 15.60	3.092 0.850 - 4.782	14.20	13.58	99
15+15+25+35+50	1.38	1.38	2.29	3.21	4.59	-	12.85 3.50 - 15.60	3.112 0.850 - 4.782	14.29	13.67	99
15+15+25+35+60	1.30	1.30	2.16	3.02	5.18	-	12.95 3.50 - 15.60	3.115 0.850 - 4.765	14.30	13.68	99
15+15+25+35+71	1.22	1.22	2.03	2.84	5.76	-	13.06 3.50 - 15.60	3.149 0.850 - 4.769	14.46	13.83	99
15+15+25+35+80	1.16	1.16	1.93	2.71	6.19	-	13.15 3.50 - 15.60	3.159 0.850 - 4.759	14.50	13.87	99
15+15+25+42+42	1.39	1.39	2.31	3.88	3.88	-	12.84 3.50 - 15.60	3.096 0.850 - 4.776	14.22	13.60	99
15+15+25+42+50	1.32	1.32	2.20	3.69	4.39	-	12.92 3.50 - 15.60	3.116 0.850 - 4.776	14.30	13.68	99
15+15+25+42+60	1.24	1.24	2.07	3.48	4.98	-	13.02 3.50 - 15.60	3.129 0.850 - 4.759	14.36	13.74	99
15+15+25+42+71	1.17	1.17	1.95	3.28	5.55	-	13.13 3.50 - 15.60	3.153 0.850 - 4.763	14.48	13.85	99
15+15+25+42+80	1.12	1.12	1.86	3.13	5.97	-	13.20 3.50 - 15.60	3.163 0.850 - 4.753	14.52	13.89	99
15+15+25+50+50	1.26	1.26	2.10	4.19	4.19	-	13.00 3.50 - 15.60	3.136 0.850 - 4.776	14.40	13.77	99
15+15+25+50+60	1.19	1.19	1.98	3.97	4.76	-	13.10 3.50 - 15.60	3.149 0.850 - 4.759	14.46	13.83	99
15+15+25+50+71	1.13	1.13	1.88	3.75	5.33	-	13.20 3.50 - 15.60	3.173 0.850 - 4.763	14.57	13.94	99
15+15+25+60+60	1.13	1.13	1.89	4.53	4.53	-	13.20 3.50 - 15.60	3.152 0.850 - 4.742	14.47	13.84	99
15+15+35+35+35	1.42	1.42	3.32	3.32	3.32	-	12.80 3.50 - 15.60	3.098 0.850 - 4.788	14.23	13.61	99
15+15+35+35+42	1.36	1.36	3.17	3.17	3.81	-	12.87 3.50 - 15.60	3.112 0.850 - 4.782	14.29	13.67	99
15+15+35+35+50	1.30	1.30	3.02	3.02	4.32	-	12.95 3.50 - 15.60	3.132 0.850 - 4.782	14.38	13.75	99
15+15+35+35+60	1.22	1.22	2.85	2.85	4.89	-	13.05 3.50 - 15.60	3.135 0.850 - 4.765	14.40	13.77	99
15+15+35+35+71	1.15	1.15	2.69	2.69	5.46	-	13.16 3.50 - 15.60	3.169 0.850 - 4.769	14.55	13.92	99
15+15+35+35+80	1.10	1.10	2.57	2.57	5.87	-	13.20 3.50 - 15.60	3.169 0.850 - 4.759	14.55	13.92	99
15+15+35+42+42	1.30	1.30	3.04	3.65	3.65	-	12.94 3.50 - 15.60	3.126 0.850 - 4.776	14.35	13.73	99
15+15+35+42+50	1.24	1.24	2.90	3.48	4.15	-	13.02 3.50 - 15.60	3.146 0.850 - 4.776	14.45	13.82	99
15+15+35+42+60	1.18	1.18	2.75	3.30	4.71	-	13.12 3.50 - 15.60	3.149 0.850 - 4.759	14.46	13.83	99
15+15+35+42+71	1.11	1.11	2.60	3.11	5.27	-	13.20 3.50 - 15.60	3.173 0.850 - 4.763	14.57	13.94	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
15+15+35+50+50	1.19	1.19	2.78	3.97	3.97	-	13.10 3.50 - 15.60	3.166 0.850 - 4.776	14.53	13.90	99
15+15+35+50+60	1.13	1.13	2.64	3.77	4.53	-	13.20 3.50 - 15.60	3.169 0.850 - 4.759	14.55	13.92	99
15+15+42+42+42	1.25	1.25	3.50	3.50	3.50	-	13.01 3.50 - 15.60	3.130 0.850 - 4.770	14.38	13.75	99
15+15+42+42+50	1.20	1.20	3.35	3.35	3.99	-	13.09 3.50 - 15.60	3.150 0.850 - 4.770	14.46	13.83	99
15+15+42+42+60	1.14	1.14	3.18	3.18	4.55	-	13.19 3.50 - 15.60	3.163 0.850 - 4.753	14.52	13.89	99
15+15+42+50+50	1.15	1.15	3.22	3.83	3.83	-	13.17 3.50 - 15.60	3.170 0.850 - 4.770	14.55	13.92	99
15+15+50+50+50	1.10	1.10	3.67	3.67	3.67	-	13.20 3.50 - 15.60	3.180 0.850 - 4.770	14.61	13.97	99
15+20+20+20+20	1.66	2.21	2.21	2.21	2.21	-	10.50 3.40 - 14.70	2.637 0.850 - 5.167	12.11	11.58	99
15+20+20+20+22	1.65	2.21	2.21	2.21	2.43	-	10.70 3.40 - 14.80	2.710 0.850 - 5.180	12.44	11.90	99
15+20+20+20+25	1.65	2.20	2.20	2.20	2.75	-	11.00 3.40 - 14.90	2.830 0.850 - 5.200	13.00	12.43	99
15+20+20+20+35	1.73	2.31	2.31	2.31	4.04	-	12.70 3.50 - 15.60	3.100 0.850 - 4.800	14.23	13.61	99
15+20+20+20+42	1.63	2.17	2.17	2.17	4.56	-	12.70 3.50 - 15.60	3.094 0.850 - 4.864	14.21	13.59	99
15+20+20+20+50	1.52	2.03	2.03	2.03	5.08	-	12.70 3.50 - 15.60	3.084 0.850 - 4.794	14.16	13.54	99
15+20+20+20+60	1.42	1.90	1.90	1.90	5.69	-	12.80 3.50 - 15.60	3.087 0.850 - 4.777	14.18	13.56	99
15+20+20+20+71	1.33	1.77	1.77	1.77	6.28	-	12.91 3.50 - 15.60	3.121 0.850 - 4.781	14.33	13.71	99
15+20+20+20+80	1.26	1.68	1.68	1.68	6.71	-	13.00 3.50 - 15.60	3.131 0.850 - 4.771	14.38	13.75	99
15+20+20+22+22	1.65	2.20	2.20	2.42	2.42	-	10.90 3.40 - 14.90	2.783 0.850 - 5.183	12.78	12.22	99
15+20+20+22+25	1.67	2.22	2.22	2.45	2.78	-	11.34 3.42 - 15.00	2.873 0.850 - 5.113	13.19	12.62	99
15+20+20+22+35	1.70	2.27	2.27	2.49	3.97	-	12.70 3.50 - 15.60	3.093 0.850 - 4.913	14.20	13.58	99
15+20+20+22+42	1.60	2.13	2.13	2.35	4.48	-	12.70 3.50 - 15.60	3.077 0.850 - 4.837	14.12	13.51	99
15+20+20+22+50	1.50	2.00	2.00	2.20	5.01	-	12.72 3.50 - 15.60	3.077 0.850 - 4.787	14.12	13.51	99
15+20+20+22+60	1.40	1.87	1.87	2.06	5.61	-	12.82 3.50 - 15.60	3.090 0.850 - 4.770	14.19	13.57	99
15+20+20+22+71	1.31	1.75	1.75	1.92	6.20	-	12.93 3.50 - 15.60	3.124 0.850 - 4.774	14.34	13.72	99
15+20+20+22+80	1.24	1.66	1.66	1.82	6.63	-	13.02 3.50 - 15.60	3.134 0.850 - 4.764	14.39	13.76	99
15+20+20+25+25	1.69	2.26	2.26	2.82	2.82	-	11.85 3.45 - 15.30	2.963 0.850 - 4.993	13.60	13.01	99
15+20+20+25+35	1.66	2.21	2.21	2.76	3.87	-	12.70 3.50 - 15.60	3.093 0.850 - 4.883	14.20	13.58	99
15+20+20+25+42	1.56	2.08	2.08	2.60	4.37	-	12.70 3.50 - 15.60	3.077 0.850 - 4.817	14.12	13.51	99
15+20+20+25+50	1.47	1.96	1.96	2.45	4.90	-	12.75 3.50 - 15.60	3.087 0.850 - 4.787	14.18	13.56	99
15+20+20+25+60	1.38	1.84	1.84	2.29	5.51	-	12.85 3.50 - 15.60	3.100 0.850 - 4.770	14.23	13.61	99
15+20+20+25+71	1.29	1.72	1.72	2.15	6.09	-	12.96 3.50 - 15.60	3.124 0.850 - 4.774	14.34	13.72	99
15+20+20+25+80	1.22	1.63	1.63	2.04	6.53	-	13.05 3.50 - 15.60	3.134 0.850 - 4.764	14.39	13.76	99
15+20+20+35+35	1.52	2.03	2.03	3.56	3.56	-	12.70 3.50 - 15.60	3.083 0.850 - 4.793	14.16	13.54	99
15+20+20+35+42	1.45	1.93	1.93	3.39	4.06	-	12.77 3.50 - 15.60	3.097 0.850 - 4.787	14.22	13.60	99
15+20+20+35+50	1.38	1.84	1.84	3.21	4.59	-	12.85 3.50 - 15.60	3.117 0.850 - 4.787	14.31	13.69	99
15+20+20+35+60	1.30	1.73	1.73	3.02	5.18	-	12.95 3.50 - 15.60	3.120 0.850 - 4.770	14.32	13.70	99
15+20+20+35+71	1.22	1.62	1.62	2.84	5.76	-	13.06 3.50 - 15.60	3.154 0.850 - 4.774	14.48	13.85	99
15+20+20+35+80	1.16	1.55	1.55	2.71	6.19	-	13.15 3.50 - 15.60	3.164 0.850 - 4.764	14.53	13.90	99
15+20+20+42+42	1.39	1.85	1.85	3.88	3.88	-	12.84 3.50 - 15.60	3.101 0.850 - 4.781	14.24	13.62	99
15+20+20+42+50	1.32	1.76	1.76	3.69	4.39	-	12.92 3.50 - 15.60	3.121 0.850 - 4.781	14.33	13.71	99
15+20+20+42+60	1.24	1.66	1.66	3.48	4.98	-	13.02 3.50 - 15.60	3.134 0.850 - 4.764	14.39	13.76	99
15+20+20+42+71	1.17	1.56	1.56	3.28	5.55	-	13.13 3.50 - 15.60	3.158 0.850 - 4.768	14.50	13.87	99
15+20+20+42+80	1.12	1.49	1.49	3.13	5.97	-	13.20 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
15+20+20+50+50	1.26	1.68	1.68	4.19	4.19	-	13.00 3.50 - 15.60	3.141 0.850 - 4.781	14.42	13.79	99
15+20+20+50+60	1.19	1.59	1.59	3.97	4.76	-	13.10 3.50 - 15.60	3.154 0.850 - 4.764	14.48	13.85	99
15+20+20+50+71	1.13	1.50	1.50	3.75	5.33	-	13.20 3.50 - 15.60	3.178 0.850 - 4.768	14.59	13.96	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
15+20+20+60+60	1.13	1.51	1.51	4.53	4.53	-	13.20 3.50 - 15.60	3.157 0.850 - 4.747	14.49	13.86	99
15+20+22+22+22	1.66	2.21	2.43	2.43	2.43	-	11.17 3.41 - 15.00	2.846 0.850 - 5.146	13.07	12.50	99
15+20+22+22+25	1.68	2.25	2.47	2.47	2.81	-	11.68 3.44 - 15.20	2.926 0.850 - 5.026	13.43	12.85	99
15+20+22+22+35	1.67	2.23	2.45	2.45	3.90	-	12.70 3.50 - 15.60	3.086 0.850 - 4.886	14.17	13.55	99
15+20+22+22+42	1.57	2.10	2.31	2.31	4.41	-	12.70 3.50 - 15.60	3.070 0.850 - 4.820	14.09	13.48	99
15+20+22+22+50	1.48	1.98	2.17	2.17	4.94	-	12.74 3.50 - 15.60	3.080 0.850 - 4.780	14.15	13.53	99
15+20+22+22+60	1.39	1.85	2.03	2.03	5.54	-	12.84 3.50 - 15.60	3.083 0.850 - 4.763	14.16	13.54	99
15+20+22+22+71	1.30	1.73	1.90	1.90	6.13	-	12.95 3.50 - 15.60	3.117 0.850 - 4.767	14.31	13.69	99
15+20+22+22+80	1.23	1.64	1.80	1.80	6.56	-	13.04 3.50 - 15.60	3.127 0.850 - 4.757	14.35	13.73	99
15+20+22+25+25	1.71	2.28	2.51	2.85	2.85	-	12.19 3.47 - 15.40	3.006 0.850 - 4.906	13.80	13.20	99
15+20+22+25+35	1.63	2.17	2.39	2.71	3.80	-	12.70 3.50 - 15.60	3.086 0.850 - 4.856	14.17	13.55	99
15+20+22+25+42	1.54	2.05	2.25	2.56	4.30	-	12.70 3.50 - 15.60	3.070 0.850 - 4.790	14.09	13.48	99
15+20+22+25+50	1.45	1.93	2.13	2.42	4.84	-	12.77 3.50 - 15.60	3.090 0.850 - 4.780	14.19	13.57	99
15+20+22+25+60	1.36	1.81	1.99	2.27	5.44	-	12.87 3.50 - 15.60	3.093 0.850 - 4.763	14.20	13.58	99
15+20+22+25+71	1.27	1.70	1.87	2.12	6.02	-	12.98 3.50 - 15.60	3.127 0.850 - 4.767	14.35	13.73	99
15+20+22+25+80	1.21	1.61	1.77	2.02	6.45	-	13.07 3.50 - 15.60	3.137 0.850 - 4.757	14.41	13.78	99
15+20+22+35+35	1.50	2.00	2.20	3.51	3.51	-	12.72 3.50 - 15.60	3.076 0.850 - 4.786	14.12	13.51	99
15+20+22+35+42	1.43	1.91	2.10	3.34	4.01	-	12.79 3.50 - 15.60	3.090 0.850 - 4.780	14.19	13.57	99
15+20+22+35+50	1.36	1.81	1.99	3.17	4.53	-	12.87 3.50 - 15.60	3.110 0.850 - 4.780	14.28	13.66	99
15+20+22+35+60	1.28	1.71	1.88	2.99	5.12	-	12.97 3.50 - 15.60	3.113 0.850 - 4.763	14.29	13.67	99
15+20+22+35+71	1.20	1.60	1.77	2.81	5.70	-	13.08 3.50 - 15.60	3.147 0.850 - 4.767	14.45	13.82	99
15+20+22+35+80	1.15	1.53	1.68	2.68	6.13	-	13.17 3.50 - 15.60	3.157 0.850 - 4.757	14.49	13.86	99
15+20+22+42+42	1.37	1.82	2.01	3.83	3.83	-	12.86 3.50 - 15.60	3.104 0.850 - 4.774	14.25	13.63	99
15+20+22+42+50	1.30	1.74	1.91	3.65	4.34	-	12.94 3.50 - 15.60	3.124 0.850 - 4.774	14.34	13.72	99
15+20+22+42+60	1.23	1.64	1.80	3.44	4.92	-	13.04 3.50 - 15.60	3.127 0.850 - 4.757	14.35	13.73	99
15+20+22+42+71	1.16	1.55	1.70	3.25	5.49	-	13.15 3.50 - 15.60	3.161 0.850 - 4.761	14.51	13.88	99
15+20+22+42+80	1.11	1.47	1.62	3.10	5.90	-	13.20 3.50 - 15.60	3.161 0.850 - 4.751	14.51	13.88	99
15+20+22+50+50	1.24	1.66	1.82	4.15	4.15	-	13.02 3.50 - 15.60	3.144 0.850 - 4.774	14.44	13.81	99
15+20+22+50+60	1.18	1.57	1.73	3.93	4.71	-	13.12 3.50 - 15.60	3.147 0.850 - 4.757	14.45	13.82	99
15+20+22+50+71	1.11	1.48	1.63	3.71	5.27	-	13.20 3.50 - 15.60	3.171 0.850 - 4.761	14.56	13.93	99
15+20+22+60+60	1.12	1.49	1.64	4.47	4.47	-	13.20 3.50 - 15.60	3.150 0.850 - 4.740	14.46	13.83	99
15+20+25+25+25	1.73	2.31	2.89	2.89	2.89	-	12.70 3.50 - 15.60	3.086 0.850 - 4.786	14.17	13.55	99
15+20+25+25+35	1.59	2.12	2.65	2.65	3.70	-	12.70 3.50 - 15.60	3.076 0.850 - 4.836	14.12	13.51	99
15+20+25+25+42	1.50	2.00	2.50	2.50	4.21	-	12.72 3.50 - 15.60	3.070 0.850 - 4.780	14.09	13.48	99
15+20+25+25+50	1.42	1.90	2.37	2.37	4.74	-	12.80 3.50 - 15.60	3.090 0.850 - 4.780	14.19	13.57	99
15+20+25+25+60	1.33	1.78	2.22	2.22	5.34	-	12.90 3.50 - 15.60	3.103 0.850 - 4.763	14.25	13.63	99
15+20+25+25+71	1.25	1.67	2.08	2.08	5.92	-	13.01 3.50 - 15.60	3.127 0.850 - 4.767	14.35	13.73	99
15+20+25+25+80	1.19	1.59	1.98	1.98	6.35	-	13.10 3.50 - 15.60	3.147 0.850 - 4.757	14.45	13.82	99
15+20+25+35+35	1.47	1.96	2.45	3.43	3.43	-	12.75 3.50 - 15.60	3.086 0.850 - 4.786	14.17	13.55	99
15+20+25+35+42	1.40	1.87	2.34	3.28	3.93	-	12.82 3.50 - 15.60	3.100 0.850 - 4.780	14.23	13.61	99
15+20+25+35+50	1.33	1.78	2.22	3.11	4.45	-	12.90 3.50 - 15.60	3.120 0.850 - 4.780	14.32	13.70	99
15+20+25+35+60	1.26	1.68	2.10	2.94	5.03	-	13.00 3.50 - 15.60	3.123 0.850 - 4.763	14.34	13.72	99
15+20+25+35+71	1.18	1.58	1.97	2.76	5.61	-	13.11 3.50 - 15.60	3.157 0.850 - 4.767	14.49	13.86	99
15+20+25+35+80	1.13	1.51	1.89	2.64	6.03	-	13.20 3.50 - 15.60	3.167 0.850 - 4.757	14.54	13.91	99
15+20+25+42+42	1.34	1.79	2.24	3.76	3.76	-	12.89 3.50 - 15.60	3.114 0.850 - 4.774	14.30	13.68	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+20+25+42+50	1.28	1.71	2.13	3.58	4.27	-	12.97 3.50 - 15.60	3.124 0.850 - 4.774	14.34	13.72	99
15+20+25+42+60	1.21	1.61	2.02	3.39	4.84	-	13.07 3.50 - 15.60	3.137 0.850 - 4.757	14.41	13.78	99
15+20+25+42+71	1.14	1.52	1.90	3.20	5.41	-	13.18 3.50 - 15.60	3.171 0.850 - 4.761	14.56	13.93	99
15+20+25+50+50	1.22	1.63	2.04	4.08	4.08	-	13.05 3.50 - 15.60	3.144 0.850 - 4.774	14.44	13.81	99
15+20+25+50+60	1.16	1.55	1.93	3.87	4.64	-	13.15 3.50 - 15.60	3.157 0.850 - 4.757	14.49	13.86	99
15+20+25+60+60	1.10	1.47	1.83	4.40	4.40	-	13.20 3.50 - 15.60	3.150 0.850 - 4.740	14.46	13.83	99
15+20+35+35+35	1.38	1.84	3.21	3.21	3.21	-	12.85 3.50 - 15.60	3.116 0.850 - 4.786	14.30	13.68	99
15+20+35+35+42	1.32	1.76	3.08	3.08	3.69	-	12.92 3.50 - 15.60	3.120 0.850 - 4.780	14.32	13.70	99
15+20+35+35+50	1.26	1.68	2.94	2.94	4.19	-	13.00 3.50 - 15.60	3.140 0.850 - 4.780	14.42	13.79	99
15+20+35+35+60	1.19	1.59	2.78	2.78	4.76	-	13.10 3.50 - 15.60	3.153 0.850 - 4.763	14.48	13.85	99
15+20+35+35+71	1.13	1.50	2.63	2.63	5.33	-	13.20 3.50 - 15.60	3.177 0.850 - 4.767	14.58	13.95	99
15+20+35+42+42	1.27	1.69	2.95	3.54	3.54	-	12.99 3.50 - 15.60	3.134 0.850 - 4.774	14.39	13.76	99
15+20+35+42+50	1.21	1.61	2.82	3.39	4.03	-	13.07 3.50 - 15.60	3.154 0.850 - 4.774	14.48	13.85	99
15+20+35+42+60	1.15	1.53	2.68	3.22	4.59	-	13.17 3.50 - 15.60	3.157 0.850 - 4.757	14.49	13.86	99
15+20+35+50+50	1.16	1.55	2.71	3.87	3.87	-	13.15 3.50 - 15.60	3.174 0.850 - 4.774	14.57	13.94	99
15+20+35+50+60	1.10	1.47	2.57	3.67	4.40	-	13.20 3.50 - 15.60	3.167 0.850 - 4.757	14.54	13.91	99
15+20+42+42+42	1.22	1.62	3.41	3.41	3.41	-	13.06 3.50 - 15.60	3.148 0.850 - 4.768	14.46	13.83	99
15+20+42+42+50	1.17	1.56	3.27	3.27	3.89	-	13.14 3.50 - 15.60	3.168 0.850 - 4.768	14.54	13.91	99
15+20+42+42+60	1.11	1.47	3.10	3.10	4.42	-	13.20 3.50 - 15.60	3.161 0.850 - 4.751	14.51	13.88	99
15+20+42+50+50	1.12	1.49	3.13	3.73	3.73	-	13.20 3.50 - 15.60	3.178 0.850 - 4.768	14.59	13.96	99
15+22+22+22+22	1.68	2.46	2.46	2.46	2.46	-	11.51 3.43 - 15.10	2.889 0.850 - 5.059	13.27	12.69	99
15+22+22+22+25	1.70	2.49	2.49	2.49	2.83	-	12.02 3.46 - 15.30	2.969 0.850 - 4.939	13.63	13.04	99
15+22+22+22+35	1.64	2.41	2.41	2.41	3.83	-	12.70 3.50 - 15.60	3.079 0.850 - 4.859	14.13	13.52	99
15+22+22+22+42	1.55	2.27	2.27	2.27	4.34	-	12.70 3.50 - 15.60	3.063 0.850 - 4.793	14.06	13.45	99
15+22+22+22+50	1.46	2.14	2.14	2.14	4.87	-	12.76 3.50 - 15.60	3.073 0.850 - 4.773	14.11	13.50	99
15+22+22+22+60	1.37	2.01	2.01	2.01	5.47	-	12.86 3.50 - 15.60	3.086 0.850 - 4.756	14.17	13.55	99
15+22+22+22+71	1.28	1.88	1.88	1.88	6.06	-	12.97 3.50 - 15.60	3.110 0.850 - 4.760	14.28	13.66	99
15+22+22+22+80	1.22	1.78	1.78	1.78	6.49	-	13.06 3.50 - 15.60	3.130 0.850 - 4.750	14.38	13.75	99
15+22+22+25+25	1.72	2.53	2.53	2.87	2.87	-	12.53 3.49 - 15.50	3.049 0.850 - 4.819	14.00	13.39	99
15+22+22+25+35	1.60	2.35	2.35	2.67	3.74	-	12.70 3.50 - 15.60	3.069 0.850 - 4.829	14.09	13.48	99
15+22+22+25+42	1.51	2.22	2.22	2.52	4.24	-	12.71 3.50 - 15.60	3.063 0.850 - 4.773	14.06	13.45	99
15+22+22+25+50	1.43	2.10	2.10	2.39	4.77	-	12.79 3.50 - 15.60	3.083 0.850 - 4.773	14.16	13.54	99
15+22+22+25+60	1.34	1.97	1.97	2.24	5.37	-	12.89 3.50 - 15.60	3.096 0.850 - 4.756	14.22	13.60	99
15+22+22+25+71	1.26	1.85	1.85	2.10	5.95	-	13.00 3.50 - 15.60	3.120 0.850 - 4.760	14.32	13.70	99
15+22+22+25+80	1.20	1.76	1.76	2.00	6.39	-	13.09 3.50 - 15.60	3.130 0.850 - 4.750	14.38	13.75	99
15+22+22+35+35	1.48	2.17	2.17	3.46	3.46	-	12.74 3.50 - 15.60	3.079 0.850 - 4.779	14.13	13.52	99
15+22+22+35+42	1.41	2.07	2.07	3.30	3.96	-	12.81 3.50 - 15.60	3.093 0.850 - 4.773	14.20	13.58	99
15+22+22+35+50	1.34	1.97	1.97	3.13	4.48	-	12.89 3.50 - 15.60	3.113 0.850 - 4.773	14.29	13.67	99
15+22+22+35+60	1.27	1.86	1.86	2.95	5.06	-	12.99 3.50 - 15.60	3.116 0.850 - 4.756	14.30	13.68	99
15+22+22+35+71	1.19	1.75	1.75	2.78	5.64	-	13.10 3.50 - 15.60	3.150 0.850 - 4.760	14.46	13.83	99
15+22+22+35+80	1.14	1.67	1.67	2.65	6.06	-	13.19 3.50 - 15.60	3.160 0.850 - 4.750	14.51	13.88	99
15+22+22+42+42	1.35	1.98	1.98	3.78	3.78	-	12.88 3.50 - 15.60	3.097 0.850 - 4.767	14.22	13.60	99
15+22+22+42+50	1.29	1.89	1.89	3.60	4.29	-	12.96 3.50 - 15.60	3.117 0.850 - 4.767	14.31	13.69	99
15+22+22+42+60	1.22	1.78	1.78	3.41	4.87	-	13.06 3.50 - 15.60	3.130 0.850 - 4.750	14.38	13.75	99
15+22+22+42+71	1.15	1.68	1.68	3.22	5.44	-	13.17 3.50 - 15.60	3.154 0.850 - 4.754	14.48	13.85	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)	220	230		
15+22+22+50+50	1.23	1.80	1.80	4.10	4.10	-	13.04 3.50 - 15.60	3.137 0.850 - 4.767	14.41	13.78	99
15+22+22+50+60	1.17	1.71	1.71	3.89	4.67	-	13.14 3.50 - 15.60	3.150 0.850 - 4.750	14.46	13.83	99
15+22+22+50+71	1.10	1.61	1.61	3.67	5.21	-	13.20 3.50 - 15.60	3.164 0.850 - 4.754	14.53	13.90	99
15+22+22+60+60	1.11	1.62	1.62	4.42	4.42	-	13.20 3.50 - 15.60	3.143 0.850 - 4.733	14.43	13.80	99
15+22+25+25+25	1.70	2.49	2.83	2.83	2.83	-	12.70 3.50 - 15.60	3.079 0.850 - 4.899	14.13	13.52	99
15+22+25+25+35	1.56	2.29	2.60	2.60	3.64	-	12.70 3.50 - 15.60	3.069 0.850 - 4.809	14.09	13.48	99
15+22+25+25+42	1.48	2.17	2.47	2.47	4.15	-	12.74 3.50 - 15.60	3.073 0.850 - 4.773	14.11	13.50	99
15+22+25+25+50	1.40	2.06	2.34	2.34	4.68	-	12.82 3.50 - 15.60	3.093 0.850 - 4.773	14.20	13.58	99
15+22+25+25+60	1.32	1.93	2.20	2.20	5.27	-	12.92 3.50 - 15.60	3.096 0.850 - 4.756	14.22	13.60	99
15+22+25+25+71	1.24	1.81	2.06	2.06	5.86	-	13.03 3.50 - 15.60	3.130 0.850 - 4.760	14.38	13.75	99
15+22+25+25+80	1.18	1.73	1.96	1.96	6.29	-	13.12 3.50 - 15.60	3.140 0.850 - 4.750	14.42	13.79	99
15+22+25+35+35	1.45	2.13	2.42	3.39	3.39	-	12.77 3.50 - 15.60	3.089 0.850 - 4.779	14.19	13.57	99
15+22+25+35+42	1.39	2.03	2.31	3.23	3.88	-	12.84 3.50 - 15.60	3.093 0.850 - 4.773	14.20	13.58	99
15+22+25+35+50	1.32	1.93	2.20	3.08	4.39	-	12.92 3.50 - 15.60	3.113 0.850 - 4.773	14.29	13.67	99
15+22+25+35+60	1.24	1.82	2.07	2.90	4.98	-	13.02 3.50 - 15.60	3.126 0.850 - 4.756	14.35	13.73	99
15+22+25+35+71	1.17	1.72	1.95	2.74	5.55	-	13.13 3.50 - 15.60	3.150 0.850 - 4.760	14.46	13.83	99
15+22+25+35+80	1.12	1.64	1.86	2.61	5.97	-	13.20 3.50 - 15.60	3.160 0.850 - 4.750	14.51	13.88	99
15+22+25+42+42	1.33	1.95	2.21	3.71	3.71	-	12.91 3.50 - 15.60	3.107 0.850 - 4.767	14.27	13.65	99
15+22+25+42+50	1.27	1.86	2.11	3.54	4.22	-	12.99 3.50 - 15.60	3.127 0.850 - 4.767	14.35	13.73	99
15+22+25+42+60	1.20	1.76	2.00	3.35	4.79	-	13.09 3.50 - 15.60	3.130 0.850 - 4.750	14.38	13.75	99
15+22+25+42+71	1.13	1.66	1.89	3.17	5.36	-	13.20 3.50 - 15.60	3.164 0.850 - 4.754	14.53	13.90	99
15+22+25+50+50	1.21	1.77	2.02	4.03	4.03	-	13.07 3.50 - 15.60	3.147 0.850 - 4.767	14.45	13.82	99
15+22+25+50+60	1.15	1.68	1.91	3.83	4.59	-	13.17 3.50 - 15.60	3.150 0.850 - 4.750	14.46	13.83	99
15+22+35+35+35	1.36	1.99	3.17	3.17	3.17	-	12.87 3.50 - 15.60	3.109 0.850 - 4.779	14.27	13.65	99
15+22+35+35+42	1.30	1.91	3.04	3.04	3.65	-	12.94 3.50 - 15.60	3.123 0.850 - 4.773	14.34	13.72	99
15+22+35+35+50	1.24	1.82	2.90	2.90	4.15	-	13.02 3.50 - 15.60	3.143 0.850 - 4.773	14.43	13.80	99
15+22+35+35+60	1.18	1.73	2.75	2.75	4.71	-	13.12 3.50 - 15.60	3.146 0.850 - 4.756	14.45	13.82	99
15+22+35+35+71	1.11	1.63	2.60	2.60	5.27	-	13.20 3.50 - 15.60	3.170 0.850 - 4.760	14.55	13.92	99
15+22+35+42+42	1.25	1.83	2.92	3.50	3.50	-	13.01 3.50 - 15.60	3.127 0.850 - 4.767	14.35	13.73	99
15+22+35+42+50	1.20	1.76	2.79	3.35	3.99	-	13.09 3.50 - 15.60	3.147 0.850 - 4.767	14.45	13.82	99
15+22+35+42+60	1.14	1.67	2.65	3.18	4.55	-	13.19 3.50 - 15.60	3.160 0.850 - 4.750	14.51	13.88	99
15+22+35+50+50	1.15	1.68	2.68	3.83	3.83	-	13.17 3.50 - 15.60	3.167 0.850 - 4.767	14.54	13.91	99
15+22+42+42+42	1.20	1.77	3.37	3.37	3.37	-	13.08 3.50 - 15.60	3.141 0.850 - 4.761	14.42	13.79	99
15+22+42+42+50	1.15	1.69	3.23	3.23	3.85	-	13.16 3.50 - 15.60	3.161 0.850 - 4.761	14.51	13.88	99
15+22+42+50+50	1.11	1.62	3.10	3.69	3.69	-	13.20 3.50 - 15.60	3.171 0.850 - 4.761	14.56	13.93	99
15+25+25+25+25	1.66	2.76	2.76	2.76	2.76	-	12.70 3.50 - 15.60	3.079 0.850 - 4.869	14.13	13.52	99
15+25+25+25+35	1.52	2.54	2.54	2.54	3.56	-	12.70 3.50 - 15.60	3.069 0.850 - 4.779	14.09	13.48	99
15+25+25+25+42	1.45	2.42	2.42	2.42	4.06	-	12.77 3.50 - 15.60	3.083 0.850 - 4.773	14.16	13.54	99
15+25+25+25+50	1.38	2.29	2.29	2.29	4.59	-	12.85 3.50 - 15.60	3.103 0.850 - 4.773	14.25	13.63	99
15+25+25+25+60	1.30	2.16	2.16	2.16	5.18	-	12.95 3.50 - 15.60	3.106 0.850 - 4.756	14.26	13.64	99
15+25+25+25+71	1.22	2.03	2.03	2.03	5.76	-	13.06 3.50 - 15.60	3.140 0.850 - 4.760	14.42	13.79	99
15+25+25+25+80	1.16	1.93	1.93	1.93	6.19	-	13.15 3.50 - 15.60	3.150 0.850 - 4.750	14.46	13.83	99
15+25+25+35+35	1.42	2.37	2.37	3.32	3.32	-	12.80 3.50 - 15.60	3.089 0.850 - 4.779	14.19	13.57	99
15+25+25+35+42	1.36	2.27	2.27	3.17	3.81	-	12.87 3.50 - 15.60	3.103 0.850 - 4.773	14.25	13.63	99
15+25+25+35+50	1.30	2.16	2.16	3.02	4.32	-	12.95 3.50 - 15.60	3.123 0.850 - 4.773	14.34	13.72	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+25+25+35+60	1.22	2.04	2.04	2.85	4.89	-	13.05 3.50 - 15.60	3.126 0.850 - 4.756	14.35	13.73	99
15+25+25+35+71	1.15	1.92	1.92	2.69	5.46	-	13.16 3.50 - 15.60	3.160 0.850 - 4.760	14.51	13.88	99
15+25+25+35+80	1.10	1.83	1.83	2.57	5.87	-	13.20 3.50 - 15.60	3.160 0.850 - 4.750	14.51	13.88	99
15+25+25+42+42	1.30	2.17	2.17	3.65	3.65	-	12.94 3.50 - 15.60	3.117 0.850 - 4.767	14.31	13.69	99
15+25+25+42+50	1.24	2.07	2.07	3.48	4.15	-	13.02 3.50 - 15.60	3.137 0.850 - 4.767	14.41	13.78	99
15+25+25+42+60	1.18	1.96	1.96	3.30	4.71	-	13.12 3.50 - 15.60	3.140 0.850 - 4.750	14.42	13.79	99
15+25+25+42+71	1.11	1.85	1.85	3.11	5.27	-	13.20 3.50 - 15.60	3.164 0.850 - 4.754	14.53	13.90	99
15+25+25+50+50	1.19	1.98	1.98	3.97	3.97	-	13.10 3.50 - 15.60	3.157 0.850 - 4.767	14.49	13.86	99
15+25+25+50+60	1.13	1.89	1.89	3.77	4.53	-	13.20 3.50 - 15.60	3.160 0.850 - 4.750	14.51	13.88	99
15+25+35+35+35	1.33	2.22	3.11	3.11	3.11	-	12.90 3.50 - 15.60	3.119 0.850 - 4.779	14.32	13.70	99
15+25+35+35+42	1.28	2.13	2.99	2.99	3.58	-	12.97 3.50 - 15.60	3.123 0.850 - 4.773	14.34	13.72	99
15+25+35+35+50	1.22	2.04	2.85	2.85	4.08	-	13.05 3.50 - 15.60	3.143 0.850 - 4.773	14.43	13.80	99
15+25+35+35+60	1.16	1.93	2.71	2.71	4.64	-	13.15 3.50 - 15.60	3.156 0.850 - 4.756	14.49	13.86	99
15+25+35+42+42	1.23	2.05	2.87	3.44	3.44	-	13.04 3.50 - 15.60	3.137 0.850 - 4.767	14.41	13.78	99
15+25+35+42+50	1.18	1.96	2.75	3.30	3.93	-	13.12 3.50 - 15.60	3.157 0.850 - 4.767	14.49	13.86	99
15+25+35+42+60	1.12	1.86	2.61	3.13	4.47	-	13.20 3.50 - 15.60	3.160 0.850 - 4.750	14.51	13.88	99
15+25+35+50+50	1.13	1.89	2.64	3.77	3.77	-	13.20 3.50 - 15.60	3.177 0.850 - 4.767	14.58	13.95	99
15+25+42+42+42	1.18	1.97	3.32	3.32	3.32	-	13.11 3.50 - 15.60	3.151 0.850 - 4.761	14.47	13.84	99
15+25+42+42+50	1.14	1.90	3.18	3.18	3.79	-	13.19 3.50 - 15.60	3.171 0.850 - 4.761	14.56	13.93	99
15+35+35+35+35	1.26	2.94	2.94	2.94	2.94	-	13.00 3.50 - 15.60	3.139 0.850 - 4.779	14.42	13.79	99
15+35+35+35+42	1.21	2.82	2.82	2.82	3.39	-	13.07 3.50 - 15.60	3.153 0.850 - 4.773	14.48	13.85	99
15+35+35+35+50	1.16	2.71	2.71	2.71	3.87	-	13.15 3.50 - 15.60	3.173 0.850 - 4.773	14.57	13.94	99
15+35+35+35+60	1.10	2.57	2.57	2.57	4.40	-	13.20 3.50 - 15.60	3.166 0.850 - 4.756	14.53	13.90	99
15+35+35+42+42	1.17	2.72	2.72	3.27	3.27	-	13.14 3.50 - 15.60	3.167 0.850 - 4.767	14.54	13.91	99
15+35+35+42+50	1.12	2.61	2.61	3.13	3.73	-	13.20 3.50 - 15.60	3.177 0.850 - 4.767	14.58	13.95	99
15+35+42+42+42	1.13	2.63	3.15	3.15	3.15	-	13.20 3.50 - 15.60	3.171 0.850 - 4.761	14.56	13.93	99
20+20+20+20+20	2.20	2.20	2.20	2.20	2.20	-	11.00 3.40 - 14.90	2.835 0.850 - 5.205	13.02	12.45	99
20+20+20+20+22	2.22	2.22	2.22	2.22	2.45	-	11.34 3.42 - 15.00	2.878 0.850 - 5.118	13.21	12.64	99
20+20+20+20+25	2.26	2.26	2.26	2.26	2.82	-	11.85 3.45 - 15.30	2.968 0.850 - 4.998	13.62	13.03	99
20+20+20+20+35	2.21	2.21	2.21	2.21	3.87	-	12.70 3.50 - 15.60	3.098 0.850 - 4.888	14.23	13.61	99
20+20+20+20+42	2.08	2.08	2.08	2.08	4.37	-	12.70 3.50 - 15.60	3.082 0.850 - 4.822	14.16	13.54	99
20+20+20+20+50	1.96	1.96	1.96	1.96	4.90	-	12.75 3.50 - 15.60	3.092 0.850 - 4.792	14.20	13.58	99
20+20+20+20+60	1.84	1.84	1.84	1.84	5.51	-	12.85 3.50 - 15.60	3.105 0.850 - 4.775	14.26	13.64	99
20+20+20+20+71	1.72	1.72	1.72	1.72	6.09	-	12.96 3.50 - 15.60	3.129 0.850 - 4.779	14.36	13.74	99
20+20+20+20+80	1.63	1.63	1.63	1.63	6.53	-	13.05 3.50 - 15.60	3.139 0.850 - 4.769	14.42	13.79	99
20+20+20+22+22	2.25	2.25	2.25	2.47	2.47	-	11.68 3.44 - 15.20	2.931 0.850 - 5.031	13.46	12.87	99
20+20+20+22+25	2.28	2.28	2.28	2.51	2.85	-	12.19 3.47 - 15.40	3.011 0.850 - 4.911	13.82	13.22	99
20+20+20+22+35	2.17	2.17	2.17	2.39	3.80	-	12.70 3.50 - 15.60	3.091 0.850 - 4.861	14.19	13.57	99
20+20+20+22+42	2.05	2.05	2.05	2.25	4.30	-	12.70 3.50 - 15.60	3.075 0.850 - 4.795	14.11	13.50	99
20+20+20+22+50	1.93	1.93	1.93	2.13	4.84	-	12.77 3.50 - 15.60	3.095 0.850 - 4.785	14.21	13.59	99
20+20+20+22+60	1.81	1.81	1.81	1.99	5.44	-	12.87 3.50 - 15.60	3.098 0.850 - 4.768	14.23	13.61	99
20+20+20+22+71	1.70	1.70	1.70	1.87	6.02	-	12.98 3.50 - 15.60	3.132 0.850 - 4.772	14.38	13.75	99
20+20+20+22+80	1.61	1.61	1.61	1.77	6.45	-	13.07 3.50 - 15.60	3.142 0.850 - 4.762	14.43	13.80	99
20+20+20+25+25	2.31	2.31	2.31	2.89	2.89	-	12.70 3.50 - 15.60	3.091 0.850 - 4.791	14.19	13.57	99
20+20+20+25+35	2.12	2.12	2.12	2.65	3.70	-	12.70 3.50 - 15.60	3.081 0.850 - 4.841	14.15	13.53	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
20+20+20+25+42	2.00	2.00	2.00	2.50	4.21	-	12.72 3.50 - 15.60	3.075 0.850 - 4.785	14.11	13.50	99
20+20+20+25+50	1.90	1.90	1.90	2.37	4.74	-	12.80 3.50 - 15.60	3.095 0.850 - 4.785	14.21	13.59	99
20+20+20+25+60	1.78	1.78	1.78	2.22	5.34	-	12.90 3.50 - 15.60	3.108 0.850 - 4.768	14.27	13.65	99
20+20+20+25+71	1.67	1.67	1.67	2.08	5.92	-	13.01 3.50 - 15.60	3.132 0.850 - 4.772	14.38	13.75	99
20+20+20+25+80	1.59	1.59	1.59	1.98	6.35	-	13.10 3.50 - 15.60	3.152 0.850 - 4.762	14.47	13.84	99
20+20+20+35+35	1.96	1.96	1.96	3.43	3.43	-	12.75 3.50 - 15.60	3.091 0.850 - 4.791	14.19	13.57	99
20+20+20+35+42	1.87	1.87	1.87	3.28	3.93	-	12.82 3.50 - 15.60	3.105 0.850 - 4.785	14.26	13.64	99
20+20+20+35+50	1.78	1.78	1.78	3.11	4.45	-	12.90 3.50 - 15.60	3.125 0.850 - 4.785	14.34	13.72	99
20+20+20+35+60	1.68	1.68	1.68	2.94	5.03	-	13.00 3.50 - 15.60	3.128 0.850 - 4.768	14.36	13.74	99
20+20+20+35+71	1.58	1.58	1.58	2.76	5.61	-	13.11 3.50 - 15.60	3.162 0.850 - 4.772	14.52	13.89	99
20+20+20+35+80	1.51	1.51	1.51	2.64	6.03	-	13.20 3.50 - 15.60	3.172 0.850 - 4.762	14.56	13.93	99
20+20+20+42+42	1.79	1.79	1.79	3.76	3.76	-	12.89 3.50 - 15.60	3.119 0.850 - 4.779	14.32	13.70	99
20+20+20+42+50	1.71	1.71	1.71	3.58	4.27	-	12.97 3.50 - 15.60	3.129 0.850 - 4.779	14.36	13.74	99
20+20+20+42+60	1.61	1.61	1.61	3.39	4.84	-	13.07 3.50 - 15.60	3.142 0.850 - 4.762	14.43	13.80	99
20+20+20+42+71	1.52	1.52	1.52	3.20	5.41	-	13.18 3.50 - 15.60	3.176 0.850 - 4.766	14.58	13.95	99
20+20+20+50+50	1.63	1.63	1.63	4.08	4.08	-	13.05 3.50 - 15.60	3.149 0.850 - 4.779	14.46	13.83	99
20+20+20+50+60	1.55	1.55	1.55	3.87	4.64	-	13.15 3.50 - 15.60	3.162 0.850 - 4.762	14.52	13.89	99
20+20+20+60+60	1.47	1.47	1.47	4.40	4.40	-	13.20 3.50 - 15.60	3.155 0.850 - 4.745	14.49	13.86	99
20+20+22+22+22	2.27	2.27	2.49	2.49	2.49	-	12.02 3.46 - 15.30	2.974 0.850 - 4.944	13.65	13.06	99
20+20+22+22+25	2.30	2.30	2.53	2.53	2.87	-	12.53 3.49 - 15.50	3.054 0.850 - 4.824	14.02	13.41	99
20+20+22+22+35	2.13	2.13	2.35	2.35	3.74	-	12.70 3.50 - 15.60	3.074 0.850 - 4.834	14.11	13.50	99
20+20+22+22+42	2.02	2.02	2.22	2.22	4.24	-	12.71 3.50 - 15.60	3.068 0.850 - 4.778	14.08	13.47	99
20+20+22+22+50	1.91	1.91	2.10	2.10	4.77	-	12.79 3.50 - 15.60	3.088 0.850 - 4.778	14.18	13.56	99
20+20+22+22+60	1.79	1.79	1.97	1.97	5.37	-	12.89 3.50 - 15.60	3.101 0.850 - 4.761	14.24	13.62	99
20+20+22+22+71	1.68	1.68	1.85	1.85	5.95	-	13.00 3.50 - 15.60	3.125 0.850 - 4.765	14.34	13.72	99
20+20+22+22+80	1.60	1.60	1.76	1.76	6.39	-	13.09 3.50 - 15.60	3.135 0.850 - 4.755	14.40	13.77	99
20+20+22+25+25	2.27	2.27	2.49	2.83	2.83	-	12.70 3.50 - 15.60	3.084 0.850 - 4.904	14.16	13.54	99
20+20+22+25+35	2.08	2.08	2.29	2.60	3.64	-	12.70 3.50 - 15.60	3.074 0.850 - 4.814	14.11	13.50	99
20+20+22+25+42	1.98	1.98	2.17	2.47	4.15	-	12.74 3.50 - 15.60	3.078 0.850 - 4.778	14.13	13.52	99
20+20+22+25+50	1.87	1.87	2.06	2.34	4.68	-	12.82 3.50 - 15.60	3.098 0.850 - 4.778	14.23	13.61	99
20+20+22+25+60	1.76	1.76	1.93	2.20	5.27	-	12.92 3.50 - 15.60	3.101 0.850 - 4.761	14.24	13.62	99
20+20+22+25+71	1.65	1.65	1.81	2.06	5.86	-	13.03 3.50 - 15.60	3.135 0.850 - 4.765	14.40	13.77	99
20+20+22+25+80	1.57	1.57	1.73	1.96	6.29	-	13.12 3.50 - 15.60	3.145 0.850 - 4.755	14.44	13.81	99
20+20+22+35+35	1.93	1.93	2.13	3.39	3.39	-	12.77 3.50 - 15.60	3.094 0.850 - 4.784	14.21	13.59	99
20+20+22+35+42	1.85	1.85	2.03	3.23	3.88	-	12.84 3.50 - 15.60	3.098 0.850 - 4.778	14.23	13.61	99
20+20+22+35+50	1.76	1.76	1.93	3.08	4.39	-	12.92 3.50 - 15.60	3.118 0.850 - 4.778	14.31	13.69	99
20+20+22+35+60	1.66	1.66	1.82	2.90	4.98	-	13.02 3.50 - 15.60	3.131 0.850 - 4.761	14.38	13.75	99
20+20+22+35+71	1.56	1.56	1.72	2.74	5.55	-	13.13 3.50 - 15.60	3.155 0.850 - 4.765	14.49	13.86	99
20+20+22+35+80	1.49	1.49	1.64	2.61	5.97	-	13.20 3.50 - 15.60	3.165 0.850 - 4.755	14.53	13.90	99
20+20+22+42+42	1.77	1.77	1.95	3.71	3.71	-	12.91 3.50 - 15.60	3.112 0.850 - 4.772	14.29	13.67	99
20+20+22+42+50	1.69	1.69	1.86	3.54	4.22	-	12.99 3.50 - 15.60	3.132 0.850 - 4.772	14.38	13.75	99
20+20+22+42+60	1.60	1.60	1.76	3.35	4.79	-	13.09 3.50 - 15.60	3.135 0.850 - 4.755	14.40	13.77	99
20+20+22+42+71	1.51	1.51	1.66	3.17	5.36	-	13.20 3.50 - 15.60	3.169 0.850 - 4.759	14.55	13.92	99
20+20+22+50+50	1.61	1.61	1.77	4.03	4.03	-	13.07 3.50 - 15.60	3.152 0.850 - 4.772	14.47	13.84	99
20+20+22+50+60	1.53	1.53	1.68	3.83	4.59	-	13.17 3.50 - 15.60	3.155 0.850 - 4.755	14.49	13.86	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
20+20+25+25+25	2.21	2.21	2.76	2.76	2.76	-	12.70 3.50 - 15.60	3.084 0.850 - 4.874	14.16	13.54	99
20+20+25+25+35	2.03	2.03	2.54	2.54	3.56	-	12.70 3.50 - 15.60	3.074 0.850 - 4.784	14.11	13.50	99
20+20+25+25+42	1.93	1.93	2.42	2.42	4.06	-	12.77 3.50 - 15.60	3.088 0.850 - 4.778	14.18	13.56	99
20+20+25+25+50	1.84	1.84	2.29	2.29	4.59	-	12.85 3.50 - 15.60	3.108 0.850 - 4.778	14.27	13.65	99
20+20+25+25+60	1.73	1.73	2.16	2.16	5.18	-	12.95 3.50 - 15.60	3.111 0.850 - 4.761	14.28	13.66	99
20+20+25+25+71	1.62	1.62	2.03	2.03	5.76	-	13.06 3.50 - 15.60	3.145 0.850 - 4.765	14.44	13.81	99
20+20+25+25+80	1.55	1.55	1.93	1.93	6.19	-	13.15 3.50 - 15.60	3.155 0.850 - 4.755	14.49	13.86	99
20+20+25+35+35	1.90	1.90	2.37	3.32	3.32	-	12.80 3.50 - 15.60	3.094 0.850 - 4.784	14.21	13.59	99
20+20+25+35+42	1.81	1.81	2.27	3.17	3.81	-	12.87 3.50 - 15.60	3.108 0.850 - 4.778	14.27	13.65	99
20+20+25+35+50	1.73	1.73	2.16	3.02	4.32	-	12.95 3.50 - 15.60	3.128 0.850 - 4.778	14.36	13.74	99
20+20+25+35+60	1.63	1.63	2.04	2.85	4.89	-	13.05 3.50 - 15.60	3.131 0.850 - 4.761	14.38	13.75	99
20+20+25+35+71	1.54	1.54	1.92	2.69	5.46	-	13.16 3.50 - 15.60	3.165 0.850 - 4.765	14.53	13.90	99
20+20+25+35+80	1.47	1.47	1.83	2.57	5.87	-	13.20 3.50 - 15.60	3.165 0.850 - 4.755	14.53	13.90	99
20+20+25+42+42	1.74	1.74	2.17	3.65	3.65	-	12.94 3.50 - 15.60	3.122 0.850 - 4.772	14.33	13.71	99
20+20+25+42+50	1.66	1.66	2.07	3.48	4.15	-	13.02 3.50 - 15.60	3.142 0.850 - 4.772	14.43	13.80	99
20+20+25+42+60	1.57	1.57	1.96	3.30	4.71	-	13.12 3.50 - 15.60	3.145 0.850 - 4.755	14.44	13.81	99
20+20+25+42+71	1.48	1.48	1.85	3.11	5.27	-	13.20 3.50 - 15.60	3.169 0.850 - 4.759	14.55	13.92	99
20+20+25+50+50	1.59	1.59	1.98	3.97	3.97	-	13.10 3.50 - 15.60	3.162 0.850 - 4.772	14.52	13.89	99
20+20+25+50+60	1.51	1.51	1.89	3.77	4.53	-	13.20 3.50 - 15.60	3.165 0.850 - 4.755	14.53	13.90	99
20+20+35+35+35	1.78	1.78	3.11	3.11	3.11	-	12.90 3.50 - 15.60	3.124 0.850 - 4.784	14.34	13.72	99
20+20+35+35+42	1.71	1.71	2.99	2.99	3.58	-	12.97 3.50 - 15.60	3.128 0.850 - 4.778	14.36	13.74	99
20+20+35+35+50	1.63	1.63	2.85	2.85	4.08	-	13.05 3.50 - 15.60	3.148 0.850 - 4.778	14.46	13.83	99
20+20+35+35+60	1.55	1.55	2.71	2.71	4.64	-	13.15 3.50 - 15.60	3.161 0.850 - 4.761	14.51	13.88	99
20+20+35+42+42	1.64	1.64	2.87	3.44	3.44	-	13.04 3.50 - 15.60	3.142 0.850 - 4.772	14.43	13.80	99
20+20+35+42+50	1.57	1.57	2.75	3.30	3.93	-	13.12 3.50 - 15.60	3.162 0.850 - 4.772	14.52	13.89	99
20+20+35+42+60	1.49	1.49	2.61	3.13	4.47	-	13.20 3.50 - 15.60	3.165 0.850 - 4.755	14.53	13.90	99
20+20+35+50+50	1.51	1.51	2.64	3.77	3.77	-	13.20 3.50 - 15.60	3.182 0.850 - 4.772	14.61	13.97	99
20+20+42+42+42	1.58	1.58	3.32	3.32	3.32	-	13.11 3.50 - 15.60	3.156 0.850 - 4.766	14.49	13.86	99
20+20+42+42+50	1.52	1.52	3.18	3.18	3.79	-	13.19 3.50 - 15.60	3.176 0.850 - 4.766	14.58	13.95	99
20+22+22+22+22	2.29	2.52	2.52	2.52	2.52	-	12.36 3.48 - 15.50	3.027 0.850 - 4.857	13.89	13.29	99
20+22+22+22+25	2.29	2.52	2.52	2.52	2.86	-	12.70 3.50 - 15.60	3.077 0.850 - 4.907	14.12	13.51	99
20+22+22+22+35	2.10	2.31	2.31	2.31	3.67	-	12.70 3.50 - 15.60	3.067 0.850 - 4.817	14.08	13.47	99
20+22+22+22+42	1.99	2.19	2.19	2.19	4.18	-	12.73 3.50 - 15.60	3.071 0.850 - 4.771	14.10	13.49	99
20+22+22+22+50	1.88	2.07	2.07	2.07	4.71	-	12.81 3.50 - 15.60	3.091 0.850 - 4.771	14.19	13.57	99
20+22+22+22+60	1.77	1.95	1.95	1.95	5.31	-	12.91 3.50 - 15.60	3.094 0.850 - 4.754	14.21	13.59	99
20+22+22+22+71	1.66	1.82	1.82	1.82	5.89	-	13.02 3.50 - 15.60	3.128 0.850 - 4.758	14.36	13.74	99
20+22+22+22+80	1.58	1.74	1.74	1.74	6.32	-	13.11 3.50 - 15.60	3.138 0.850 - 4.748	14.41	13.78	99
20+22+22+25+25	2.23	2.45	2.45	2.79	2.79	-	12.70 3.50 - 15.60	3.077 0.850 - 4.877	14.12	13.51	99
20+22+22+25+35	2.05	2.25	2.25	2.56	3.58	-	12.70 3.50 - 15.60	3.067 0.850 - 4.787	14.08	13.47	99
20+22+22+25+42	1.95	2.14	2.14	2.44	4.09	-	12.76 3.50 - 15.60	3.071 0.850 - 4.771	14.10	13.49	99
20+22+22+25+50	1.85	2.03	2.03	2.31	4.62	-	12.84 3.50 - 15.60	3.091 0.850 - 4.771	14.19	13.57	99
20+22+22+25+60	1.74	1.91	1.91	2.17	5.21	-	12.94 3.50 - 15.60	3.104 0.850 - 4.754	14.25	13.63	99
20+22+22+25+71	1.63	1.79	1.79	2.04	5.79	-	13.05 3.50 - 15.60	3.128 0.850 - 4.758	14.36	13.74	99
20+22+22+25+80	1.56	1.71	1.71	1.94	6.22	-	13.14 3.50 - 15.60	3.148 0.850 - 4.748	14.46	13.83	99
20+22+22+35+35	1.91	2.10	2.10	3.34	3.34	-	12.79 3.50 - 15.60	3.087 0.850 - 4.777	14.18	13.56	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
20+22+22+35+42	1.82	2.01	2.01	3.19	3.83	-	12.86 3.50 - 15.60	3.101 0.850 - 4.771	14.24	13.62	99
20+22+22+35+50	1.74	1.91	1.91	3.04	4.34	-	12.94 3.50 - 15.60	3.121 0.850 - 4.771	14.33	13.71	99
20+22+22+35+60	1.64	1.80	1.80	2.87	4.92	-	13.04 3.50 - 15.60	3.124 0.850 - 4.754	14.34	13.72	99
20+22+22+35+71	1.55	1.70	1.70	2.71	5.49	-	13.15 3.50 - 15.60	3.158 0.850 - 4.758	14.50	13.87	99
20+22+22+35+80	1.47	1.62	1.62	2.58	5.90	-	13.20 3.50 - 15.60	3.158 0.850 - 4.748	14.50	13.87	99
20+22+22+42+42	1.75	1.92	1.92	3.67	3.67	-	12.93 3.50 - 15.60	3.115 0.850 - 4.765	14.30	13.68	99
20+22+22+42+50	1.67	1.83	1.83	3.50	4.17	-	13.01 3.50 - 15.60	3.125 0.850 - 4.765	14.34	13.72	99
20+22+22+42+60	1.58	1.74	1.74	3.32	4.74	-	13.11 3.50 - 15.60	3.138 0.850 - 4.748	14.41	13.78	99
20+22+22+42+71	1.49	1.64	1.64	3.13	5.29	-	13.20 3.50 - 15.60	3.162 0.850 - 4.752	14.52	13.89	99
20+22+22+50+50	1.60	1.76	1.76	3.99	3.99	-	13.09 3.50 - 15.60	3.145 0.850 - 4.765	14.44	13.81	99
20+22+22+50+60	1.52	1.67	1.67	3.79	4.55	-	13.19 3.50 - 15.60	3.158 0.850 - 4.748	14.50	13.87	99
20+22+25+25+25	2.17	2.39	2.71	2.71	2.71	-	12.70 3.50 - 15.60	3.077 0.850 - 4.847	14.12	13.51	99
20+22+25+25+35	2.00	2.20	2.50	2.50	3.51	-	12.72 3.50 - 15.60	3.067 0.850 - 4.777	14.08	13.47	99
20+22+25+25+42	1.91	2.10	2.39	2.39	4.01	-	12.79 3.50 - 15.60	3.081 0.850 - 4.771	14.15	13.53	99
20+22+25+25+50	1.81	1.99	2.27	2.27	4.53	-	12.87 3.50 - 15.60	3.101 0.850 - 4.771	14.24	13.62	99
20+22+25+25+60	1.71	1.88	2.13	2.13	5.12	-	12.97 3.50 - 15.60	3.104 0.850 - 4.754	14.25	13.63	99
20+22+25+25+71	1.60	1.77	2.01	2.01	5.70	-	13.08 3.50 - 15.60	3.138 0.850 - 4.758	14.41	13.78	99
20+22+25+25+80	1.53	1.68	1.91	1.91	6.13	-	13.17 3.50 - 15.60	3.148 0.850 - 4.748	14.46	13.83	99
20+22+25+35+35	1.87	2.06	2.34	3.28	3.28	-	12.82 3.50 - 15.60	3.097 0.850 - 4.777	14.22	13.60	99
20+22+25+35+42	1.79	1.97	2.24	3.13	3.76	-	12.89 3.50 - 15.60	3.111 0.850 - 4.771	14.28	13.66	99
20+22+25+35+50	1.71	1.88	2.13	2.99	4.27	-	12.97 3.50 - 15.60	3.121 0.850 - 4.771	14.33	13.71	99
20+22+25+35+60	1.61	1.77	2.02	2.82	4.84	-	13.07 3.50 - 15.60	3.134 0.850 - 4.754	14.39	13.76	99
20+22+25+35+71	1.52	1.68	1.90	2.67	5.41	-	13.18 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
20+22+25+42+42	1.72	1.89	2.15	3.60	3.60	-	12.96 3.50 - 15.60	3.115 0.850 - 4.765	14.30	13.68	99
20+22+25+42+50	1.64	1.80	2.05	3.44	4.10	-	13.04 3.50 - 15.60	3.135 0.850 - 4.765	14.40	13.77	99
20+22+25+42+60	1.56	1.71	1.94	3.27	4.67	-	13.14 3.50 - 15.60	3.148 0.850 - 4.748	14.46	13.83	99
20+22+25+42+71	1.47	1.61	1.83	3.08	5.21	-	13.20 3.50 - 15.60	3.162 0.850 - 4.752	14.52	13.89	99
20+22+25+50+50	1.57	1.73	1.96	3.93	3.93	-	13.12 3.50 - 15.60	3.155 0.850 - 4.765	14.49	13.86	99
20+22+25+50+60	1.49	1.64	1.86	3.73	4.47	-	13.20 3.50 - 15.60	3.158 0.850 - 4.748	14.50	13.87	99
20+22+35+35+35	1.76	1.93	3.08	3.08	3.08	-	12.92 3.50 - 15.60	3.117 0.850 - 4.777	14.31	13.69	99
20+22+35+35+42	1.69	1.86	2.95	2.95	3.54	-	12.99 3.50 - 15.60	3.131 0.850 - 4.771	14.38	13.75	99
20+22+35+35+50	1.61	1.77	2.82	2.82	4.03	-	13.07 3.50 - 15.60	3.151 0.850 - 4.771	14.47	13.84	99
20+22+35+35+60	1.53	1.68	2.68	2.68	4.59	-	13.17 3.50 - 15.60	3.154 0.850 - 4.754	14.48	13.85	99
20+22+35+42+42	1.62	1.78	2.84	3.41	3.41	-	13.06 3.50 - 15.60	3.145 0.850 - 4.765	14.44	13.81	99
20+22+35+42+50	1.56	1.71	2.72	3.27	3.89	-	13.14 3.50 - 15.60	3.165 0.850 - 4.765	14.53	13.90	99
20+22+35+42+60	1.47	1.62	2.58	3.10	4.42	-	13.20 3.50 - 15.60	3.158 0.850 - 4.748	14.50	13.87	99
20+22+35+50+50	1.49	1.64	2.61	3.73	3.73	-	13.20 3.50 - 15.60	3.175 0.850 - 4.765	14.57	13.94	99
20+22+42+42+42	1.56	1.72	3.28	3.28	3.28	-	13.13 3.50 - 15.60	3.149 0.850 - 4.759	14.46	13.83	99
20+22+42+42+50	1.50	1.65	3.15	3.15	3.75	-	13.20 3.50 - 15.60	3.169 0.850 - 4.759	14.55	13.92	99
20+25+25+25+25	2.12	2.65	2.65	2.65	2.65	-	12.70 3.50 - 15.60	3.067 0.850 - 4.827	14.08	13.47	99
20+25+25+25+35	1.96	2.45	2.45	2.45	3.43	-	12.75 3.50 - 15.60	3.077 0.850 - 4.777	14.12	13.51	99
20+25+25+25+42	1.87	2.34	2.34	2.34	3.93	-	12.82 3.50 - 15.60	3.091 0.850 - 4.771	14.19	13.57	99
20+25+25+25+50	1.78	2.22	2.22	2.22	4.45	-	12.90 3.50 - 15.60	3.111 0.850 - 4.771	14.28	13.66	99
20+25+25+25+60	1.68	2.10	2.10	2.10	5.03	-	13.00 3.50 - 15.60	3.114 0.850 - 4.754	14.30	13.68	99
20+25+25+25+71	1.58	1.97	1.97	1.97	5.61	-	13.11 3.50 - 15.60	3.148 0.850 - 4.758	14.46	13.83	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
20+25+25+25+80	1.51	1.89	1.89	1.89	6.03	-	13.20 3.50 - 15.60	3.158 0.850 - 4.748	14.50	13.87	99
20+25+25+35+35	1.84	2.29	2.29	3.21	3.21	-	12.85 3.50 - 15.60	3.107 0.850 - 4.777	14.27	13.65	99
20+25+25+35+42	1.76	2.20	2.20	3.08	3.69	-	12.92 3.50 - 15.60	3.111 0.850 - 4.771	14.28	13.66	99
20+25+25+35+50	1.68	2.10	2.10	2.94	4.19	-	13.00 3.50 - 15.60	3.131 0.850 - 4.771	14.38	13.75	99
20+25+25+35+60	1.59	1.98	1.98	2.78	4.76	-	13.10 3.50 - 15.60	3.144 0.850 - 4.754	14.44	13.81	99
20+25+25+35+71	1.50	1.88	1.88	2.63	5.33	-	13.20 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
20+25+25+42+42	1.69	2.11	2.11	3.54	3.54	-	12.99 3.50 - 15.60	3.125 0.850 - 4.765	14.34	13.72	99
20+25+25+42+50	1.61	2.02	2.02	3.39	4.03	-	13.07 3.50 - 15.60	3.145 0.850 - 4.765	14.44	13.81	99
20+25+25+42+60	1.53	1.91	1.91	3.22	4.59	-	13.17 3.50 - 15.60	3.148 0.850 - 4.748	14.46	13.83	99
20+25+25+50+50	1.55	1.93	1.93	3.87	3.87	-	13.15 3.50 - 15.60	3.165 0.850 - 4.765	14.53	13.90	99
20+25+25+50+60	1.47	1.83	1.83	3.67	4.40	-	13.20 3.50 - 15.60	3.158 0.850 - 4.748	14.50	13.87	99
20+25+35+35+35	1.73	2.16	3.02	3.02	3.02	-	12.95 3.50 - 15.60	3.127 0.850 - 4.777	14.35	13.73	99
20+25+35+35+42	1.66	2.07	2.90	2.90	3.48	-	13.02 3.50 - 15.60	3.141 0.850 - 4.771	14.42	13.79	99
20+25+35+35+50	1.59	1.98	2.78	2.78	3.97	-	13.10 3.50 - 15.60	3.161 0.850 - 4.771	14.51	13.88	99
20+25+35+35+60	1.51	1.89	2.64	2.64	4.53	-	13.20 3.50 - 15.60	3.164 0.850 - 4.754	14.53	13.90	99
20+25+35+42+42	1.60	2.00	2.79	3.35	3.35	-	13.09 3.50 - 15.60	3.145 0.850 - 4.765	14.44	13.81	99
20+25+35+42+50	1.53	1.91	2.68	3.22	3.83	-	13.17 3.50 - 15.60	3.165 0.850 - 4.765	14.53	13.90	99
20+25+35+50+50	1.47	1.83	2.57	3.67	3.67	-	13.20 3.50 - 15.60	3.175 0.850 - 4.765	14.57	13.94	99
20+25+42+42+42	1.54	1.92	3.23	3.23	3.23	-	13.16 3.50 - 15.60	3.159 0.850 - 4.759	14.50	13.87	99
20+25+42+42+50	1.47	1.84	3.10	3.10	3.69	-	13.20 3.50 - 15.60	3.169 0.850 - 4.759	14.55	13.92	99
20+35+35+35+35	1.63	2.85	2.85	2.85	2.85	-	13.05 3.50 - 15.60	3.147 0.850 - 4.777	14.45	13.82	99
20+35+35+35+42	1.57	2.75	2.75	2.75	3.30	-	13.12 3.50 - 15.60	3.161 0.850 - 4.771	14.51	13.88	99
20+35+35+35+50	1.51	2.64	2.64	2.64	3.77	-	13.20 3.50 - 15.60	3.181 0.850 - 4.771	14.61	13.97	99
20+35+35+42+42	1.52	2.65	2.65	3.18	3.18	-	13.19 3.50 - 15.60	3.175 0.850 - 4.765	14.57	13.94	99
22+22+22+22+22	2.54	2.54	2.54	2.54	2.54	-	12.70 3.50 - 15.60	3.070 0.850 - 4.770	14.09	13.48	99
22+22+22+22+25	2.47	2.47	2.47	2.47	2.81	-	12.70 3.50 - 15.60	3.070 0.850 - 4.880	14.09	13.48	99
22+22+22+22+35	2.27	2.27	2.27	2.27	3.61	-	12.70 3.50 - 15.60	3.060 0.850 - 4.790	14.05	13.44	99
22+22+22+22+42	2.16	2.16	2.16	2.16	4.12	-	12.75 3.50 - 15.60	3.064 0.850 - 4.764	14.07	13.46	99
22+22+22+22+50	2.05	2.05	2.05	2.05	4.65	-	12.83 3.50 - 15.60	3.084 0.850 - 4.764	14.16	13.54	99
22+22+22+22+60	1.92	1.92	1.92	1.92	5.24	-	12.93 3.50 - 15.60	3.097 0.850 - 4.747	14.22	13.60	99
22+22+22+22+71	1.80	1.80	1.80	1.80	5.82	-	13.04 3.50 - 15.60	3.121 0.850 - 4.751	14.33	13.71	99
22+22+22+22+80	1.72	1.72	1.72	1.72	6.25	-	13.13 3.50 - 15.60	3.131 0.850 - 4.741	14.38	13.75	99
22+22+22+25+25	2.41	2.41	2.41	2.74	2.74	-	12.70 3.50 - 15.60	3.070 0.850 - 4.850	14.09	13.48	99
22+22+22+25+35	2.22	2.22	2.22	2.52	3.53	-	12.71 3.50 - 15.60	3.060 0.850 - 4.770	14.05	13.44	99
22+22+22+25+42	2.11	2.11	2.11	2.40	4.04	-	12.78 3.50 - 15.60	3.074 0.850 - 4.764	14.11	13.50	99
22+22+22+25+50	2.01	2.01	2.01	2.28	4.56	-	12.86 3.50 - 15.60	3.094 0.850 - 4.764	14.21	13.59	99
22+22+22+25+60	1.89	1.89	1.89	2.15	5.15	-	12.96 3.50 - 15.60	3.097 0.850 - 4.747	14.22	13.60	99
22+22+22+25+71	1.77	1.77	1.77	2.02	5.73	-	13.07 3.50 - 15.60	3.131 0.850 - 4.751	14.38	13.75	99
22+22+22+25+80	1.69	1.69	1.69	1.92	6.16	-	13.16 3.50 - 15.60	3.141 0.850 - 4.741	14.42	13.79	99
22+22+22+35+35	2.07	2.07	2.07	3.30	3.30	-	12.81 3.50 - 15.60	3.090 0.850 - 4.770	14.19	13.57	99
22+22+22+35+42	1.98	1.98	1.98	3.15	3.78	-	12.88 3.50 - 15.60	3.094 0.850 - 4.764	14.21	13.59	99
22+22+22+35+50	1.89	1.89	1.89	3.00	4.29	-	12.96 3.50 - 15.60	3.114 0.850 - 4.764	14.30	13.68	99
22+22+22+35+60	1.78	1.78	1.78	2.84	4.87	-	13.06 3.50 - 15.60	3.127 0.850 - 4.747	14.35	13.73	99
22+22+22+35+71	1.68	1.68	1.68	2.68	5.44	-	13.17 3.50 - 15.60	3.151 0.850 - 4.751	14.47	13.84	99
22+22+22+42+42	1.90	1.90	1.90	3.63	3.63	-	12.95 3.50 - 15.60	3.108 0.850 - 4.758	14.27	13.65	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
22+22+22+42+50	1.81	1.81	1.81	3.46	4.12	-	13.03 3.50 - 15.60	3.128 0.850 - 4.758	14.36	13.74	99
22+22+22+42+60	1.72	1.72	1.72	3.28	4.69	-	13.13 3.50 - 15.60	3.131 0.850 - 4.741	14.38	13.75	99
22+22+22+42+71	1.62	1.62	1.62	3.10	5.24	-	13.20 3.50 - 15.60	3.155 0.850 - 4.745	14.49	13.86	99
22+22+22+50+50	1.74	1.74	1.74	3.95	3.95	-	13.11 3.50 - 15.60	3.148 0.850 - 4.758	14.46	13.83	99
22+22+22+50+60	1.65	1.65	1.65	3.75	4.50	-	13.20 3.50 - 15.60	3.151 0.850 - 4.741	14.47	13.84	99
22+22+25+25+25	2.35	2.35	2.67	2.67	2.67	-	12.70 3.50 - 15.60	3.060 0.850 - 4.820	14.05	13.44	99
22+22+25+25+35	2.17	2.17	2.47	2.47	3.46	-	12.74 3.50 - 15.60	3.070 0.850 - 4.770	14.09	13.48	99
22+22+25+25+42	2.07	2.07	2.35	2.35	3.96	-	12.81 3.50 - 15.60	3.084 0.850 - 4.764	14.16	13.54	99
22+22+25+25+50	1.97	1.97	2.24	2.24	4.48	-	12.89 3.50 - 15.60	3.104 0.850 - 4.764	14.25	13.63	99
22+22+25+25+60	1.86	1.86	2.11	2.11	5.06	-	12.99 3.50 - 15.60	3.107 0.850 - 4.747	14.27	13.65	99
22+22+25+25+71	1.75	1.75	1.98	1.98	5.64	-	13.10 3.50 - 15.60	3.141 0.850 - 4.751	14.42	13.79	99
22+22+25+25+80	1.67	1.67	1.90	1.90	6.06	-	13.19 3.50 - 15.60	3.151 0.850 - 4.741	14.47	13.84	99
22+22+25+35+35	2.03	2.03	2.31	3.23	3.23	-	12.84 3.50 - 15.60	3.090 0.850 - 4.770	14.19	13.57	99
22+22+25+35+42	1.95	1.95	2.21	3.09	3.71	-	12.91 3.50 - 15.60	3.104 0.850 - 4.764	14.25	13.63	99
22+22+25+35+50	1.86	1.86	2.11	2.95	4.22	-	12.99 3.50 - 15.60	3.124 0.850 - 4.764	14.34	13.72	99
22+22+25+35+60	1.76	1.76	2.00	2.79	4.79	-	13.09 3.50 - 15.60	3.127 0.850 - 4.747	14.35	13.73	99
22+22+25+35+71	1.66	1.66	1.89	2.64	5.36	-	13.20 3.50 - 15.60	3.161 0.850 - 4.751	14.51	13.88	99
22+22+25+42+42	1.87	1.87	2.12	3.56	3.56	-	12.98 3.50 - 15.60	3.118 0.850 - 4.758	14.31	13.69	99
22+22+25+42+50	1.78	1.78	2.03	3.41	4.06	-	13.06 3.50 - 15.60	3.138 0.850 - 4.758	14.41	13.78	99
22+22+25+42+60	1.69	1.69	1.92	3.23	4.62	-	13.16 3.50 - 15.60	3.141 0.850 - 4.741	14.42	13.79	99
22+22+25+50+50	1.71	1.71	1.94	3.89	3.89	-	13.14 3.50 - 15.60	3.158 0.850 - 4.758	14.50	13.87	99
22+22+25+50+60	1.62	1.62	1.84	3.69	4.42	-	13.20 3.50 - 15.60	3.151 0.850 - 4.741	14.47	13.84	99
22+22+35+35+35	1.91	1.91	3.04	3.04	3.04	-	12.94 3.50 - 15.60	3.120 0.850 - 4.770	14.32	13.70	99
22+22+35+35+42	1.83	1.83	2.92	2.92	3.50	-	13.01 3.50 - 15.60	3.124 0.850 - 4.764	14.34	13.72	99
22+22+35+35+50	1.76	1.76	2.79	2.79	3.99	-	13.09 3.50 - 15.60	3.144 0.850 - 4.764	14.44	13.81	99
22+22+35+35+60	1.67	1.67	2.65	2.65	4.55	-	13.19 3.50 - 15.60	3.157 0.850 - 4.747	14.49	13.86	99
22+22+35+42+42	1.77	1.77	2.81	3.37	3.37	-	13.08 3.50 - 15.60	3.138 0.850 - 4.758	14.41	13.78	99
22+22+35+42+50	1.69	1.69	2.69	3.23	3.85	-	13.16 3.50 - 15.60	3.158 0.850 - 4.758	14.50	13.87	99
22+22+35+50+50	1.62	1.62	2.58	3.69	3.69	-	13.20 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
22+22+42+42+42	1.70	1.70	3.25	3.25	3.25	-	13.15 3.50 - 15.60	3.152 0.850 - 4.752	14.47	13.84	99
22+22+42+42+50	1.63	1.63	3.11	3.11	3.71	-	13.20 3.50 - 15.60	3.162 0.850 - 4.752	14.52	13.89	99
22+25+25+25+25	2.29	2.60	2.60	2.60	2.60	-	12.70 3.50 - 15.60	3.060 0.850 - 4.800	14.05	13.44	99
22+25+25+25+35	2.13	2.42	2.42	2.42	3.39	-	12.77 3.50 - 15.60	3.080 0.850 - 4.770	14.15	13.53	99
22+25+25+25+42	2.03	2.31	2.31	2.31	3.88	-	12.84 3.50 - 15.60	3.084 0.850 - 4.764	14.16	13.54	99
22+25+25+25+50	1.93	2.20	2.20	2.20	4.39	-	12.92 3.50 - 15.60	3.104 0.850 - 4.764	14.25	13.63	99
22+25+25+25+60	1.82	2.07	2.07	2.07	4.98	-	13.02 3.50 - 15.60	3.117 0.850 - 4.747	14.31	13.69	99
22+25+25+25+71	1.72	1.95	1.95	1.95	5.55	-	13.13 3.50 - 15.60	3.141 0.850 - 4.751	14.42	13.79	99
22+25+25+25+80	1.64	1.86	1.86	1.86	5.97	-	13.20 3.50 - 15.60	3.151 0.850 - 4.741	14.47	13.84	99
22+25+25+35+35	1.99	2.27	2.27	3.17	3.17	-	12.87 3.50 - 15.60	3.100 0.850 - 4.770	14.23	13.61	99
22+25+25+35+42	1.91	2.17	2.17	3.04	3.65	-	12.94 3.50 - 15.60	3.114 0.850 - 4.764	14.30	13.68	99
22+25+25+35+50	1.82	2.07	2.07	2.90	4.15	-	13.02 3.50 - 15.60	3.134 0.850 - 4.764	14.39	13.76	99
22+25+25+35+60	1.73	1.96	1.96	2.75	4.71	-	13.12 3.50 - 15.60	3.137 0.850 - 4.747	14.41	13.78	99
22+25+25+35+71	1.63	1.85	1.85	2.60	5.27	-	13.20 3.50 - 15.60	3.161 0.850 - 4.751	14.51	13.88	99
22+25+25+42+42	1.83	2.08	2.08	3.50	3.50	-	13.01 3.50 - 15.60	3.118 0.850 - 4.758	14.31	13.69	99
22+25+25+42+50	1.76	2.00	2.00	3.35	3.99	-	13.09 3.50 - 15.60	3.138 0.850 - 4.758	14.41	13.78	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
22+25+25+42+60	1.67	1.90	1.90	3.18	4.55	-	13.19 3.50 - 15.60	3.151 0.850 - 4.741	14.47	13.84	99
22+25+25+50+50	1.68	1.91	1.91	3.83	3.83	-	13.17 3.50 - 15.60	3.158 0.850 - 4.758	14.50	13.87	99
22+25+35+35+35	1.88	2.13	2.99	2.99	2.99	-	12.97 3.50 - 15.60	3.120 0.850 - 4.770	14.32	13.70	99
22+25+35+35+42	1.80	2.05	2.87	2.87	3.44	-	13.04 3.50 - 15.60	3.134 0.850 - 4.764	14.39	13.76	99
22+25+35+35+50	1.73	1.96	2.75	2.75	3.93	-	13.12 3.50 - 15.60	3.154 0.850 - 4.764	14.48	13.85	99
22+25+35+35+60	1.64	1.86	2.61	2.61	4.47	-	13.20 3.50 - 15.60	3.157 0.850 - 4.747	14.49	13.86	99
22+25+35+42+42	1.74	1.97	2.76	3.32	3.32	-	13.11 3.50 - 15.60	3.148 0.850 - 4.758	14.46	13.83	99
22+25+35+42+50	1.67	1.90	2.65	3.18	3.79	-	13.19 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
22+25+42+42+42	1.68	1.90	3.20	3.20	3.20	-	13.18 3.50 - 15.60	3.162 0.850 - 4.752	14.52	13.89	99
22+35+35+35+35	1.77	2.82	2.82	2.82	2.82	-	13.07 3.50 - 15.60	3.150 0.850 - 4.770	14.46	13.83	99
22+35+35+35+42	1.71	2.72	2.72	2.72	3.27	-	13.14 3.50 - 15.60	3.164 0.850 - 4.764	14.53	13.90	99
22+35+35+35+50	1.64	2.61	2.61	2.61	3.73	-	13.20 3.50 - 15.60	3.174 0.850 - 4.764	14.57	13.94	99
22+35+35+42+42	1.65	2.63	2.63	3.15	3.15	-	13.20 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
25+25+25+25+25	2.54	2.54	2.54	2.54	2.54	-	12.70 3.50 - 15.60	3.060 0.850 - 4.770	14.05	13.44	99
25+25+25+25+35	2.37	2.37	2.37	2.37	3.32	-	12.80 3.50 - 15.60	3.080 0.850 - 4.770	14.15	13.53	99
25+25+25+25+42	2.27	2.27	2.27	2.27	3.81	-	12.87 3.50 - 15.60	3.094 0.850 - 4.764	14.21	13.59	99
25+25+25+25+50	2.16	2.16	2.16	2.16	4.32	-	12.95 3.50 - 15.60	3.114 0.850 - 4.764	14.30	13.68	99
25+25+25+25+60	2.04	2.04	2.04	2.04	4.89	-	13.05 3.50 - 15.60	3.117 0.850 - 4.747	14.31	13.69	99
25+25+25+25+71	1.92	1.92	1.92	1.92	5.46	-	13.16 3.50 - 15.60	3.151 0.850 - 4.751	14.47	13.84	99
25+25+25+25+80	1.83	1.83	1.83	1.83	5.87	-	13.20 3.50 - 15.60	3.151 0.850 - 4.741	14.47	13.84	99
25+25+25+35+35	2.22	2.22	2.22	3.11	3.11	-	12.90 3.50 - 15.60	3.110 0.850 - 4.770	14.28	13.66	99
25+25+25+35+42	2.13	2.13	2.13	2.99	3.58	-	12.97 3.50 - 15.60	3.114 0.850 - 4.764	14.30	13.68	99
25+25+25+35+50	2.04	2.04	2.04	2.85	4.08	-	13.05 3.50 - 15.60	3.134 0.850 - 4.764	14.39	13.76	99
25+25+25+35+60	1.93	1.93	1.93	2.71	4.64	-	13.15 3.50 - 15.60	3.147 0.850 - 4.747	14.45	13.82	99
25+25+25+42+42	2.05	2.05	2.05	3.44	3.44	-	13.04 3.50 - 15.60	3.128 0.850 - 4.758	14.36	13.74	99
25+25+25+42+50	1.96	1.96	1.96	3.30	3.93	-	13.12 3.50 - 15.60	3.148 0.850 - 4.758	14.46	13.83	99
25+25+25+42+60	1.86	1.86	1.86	3.13	4.47	-	13.20 3.50 - 15.60	3.151 0.850 - 4.741	14.47	13.84	99
25+25+25+50+50	1.89	1.89	1.89	3.77	3.77	-	13.20 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
25+25+35+35+35	2.10	2.10	2.94	2.94	2.94	-	13.00 3.50 - 15.60	3.130 0.850 - 4.770	14.38	13.75	99
25+25+35+35+42	2.02	2.02	2.82	2.82	3.39	-	13.07 3.50 - 15.60	3.144 0.850 - 4.764	14.44	13.81	99
25+25+35+35+50	1.93	1.93	2.71	2.71	3.87	-	13.15 3.50 - 15.60	3.164 0.850 - 4.764	14.53	13.90	99
25+25+35+35+60	1.83	1.83	2.57	2.57	4.40	-	13.20 3.50 - 15.60	3.157 0.850 - 4.747	14.49	13.86	99
25+25+35+42+42	1.94	1.94	2.72	3.27	3.27	-	13.14 3.50 - 15.60	3.158 0.850 - 4.758	14.50	13.87	99
25+25+35+42+50	1.86	1.86	2.61	3.13	3.73	-	13.20 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
25+25+42+42+42	1.88	1.88	3.15	3.15	3.15	-	13.20 3.50 - 15.60	3.162 0.850 - 4.752	14.52	13.89	99
25+35+35+35+35	1.98	2.78	2.78	2.78	2.78	-	13.10 3.50 - 15.60	3.160 0.850 - 4.770	14.51	13.88	99
25+35+35+35+42	1.91	2.68	2.68	2.68	3.22	-	13.17 3.50 - 15.60	3.164 0.850 - 4.764	14.53	13.90	99
25+35+35+35+50	1.83	2.57	2.57	2.57	3.67	-	13.20 3.50 - 15.60	3.174 0.850 - 4.764	14.57	13.94	99
25+35+35+42+42	1.84	2.58	2.58	3.10	3.10	-	13.20 3.50 - 15.60	3.168 0.850 - 4.758	14.54	13.91	99
35+35+35+35+35	2.64	2.64	2.64	2.64	2.64	-	13.20 3.50 - 15.60	3.180 0.850 - 4.770	14.61	13.97	99
15+15+15+15+15+15	1.73	1.73	1.73	1.73	1.73	1.73	10.40 3.50 - 15.90	2.298 0.850 - 5.198	10.55	10.09	99
15+15+15+15+15+20	1.71	1.71	1.71	1.71	1.71	2.27	10.80 3.50 - 15.90	2.396 0.850 - 5.196	11.00	10.52	99
15+15+15+15+15+22	1.69	1.69	1.69	1.69	1.69	2.48	10.95 3.50 - 15.90	2.429 0.850 - 5.189	11.16	10.67	99
15+15+15+15+15+25	1.68	1.68	1.68	1.68	1.68	2.80	11.20 3.50 - 15.90	2.479 0.850 - 5.189	11.39	10.89	99
15+15+15+15+15+35	1.64	1.64	1.64	1.64	1.64	3.82	12.00 3.50 - 15.90	2.679 0.850 - 5.189	12.31	11.77	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)	220	230		
15+15+15+15+15+42	1.60	1.60	1.60	1.60	1.60	4.49	12.50 3.50 - 15.90	2.803 0.850 - 5.183	12.87	12.31	99
15+15+15+15+15+50	1.52	1.52	1.52	1.52	1.52	5.08	12.70 3.50 - 16.00	2.863 0.850 - 5.183	13.14	12.57	99
15+15+15+15+15+60	1.41	1.41	1.41	1.41	1.41	5.64	12.70 3.50 - 16.20	2.856 0.850 - 5.166	13.11	12.54	99
15+15+15+15+15+71	1.30	1.30	1.30	1.30	1.30	6.18	12.70 3.50 - 16.42	2.870 0.850 - 5.170	13.17	12.60	99
15+15+15+15+15+80	1.23	1.23	1.23	1.23	1.23	6.55	12.70 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
15+15+15+15+20+20	1.67	1.67	1.67	1.67	2.22	2.22	11.10 3.50 - 15.90	2.484 0.850 - 5.194	11.41	10.91	99
15+15+15+15+20+22	1.67	1.67	1.67	1.67	2.23	2.45	11.35 3.50 - 15.90	2.517 0.850 - 5.187	11.55	11.05	99
15+15+15+15+20+25	1.66	1.66	1.66	1.66	2.21	2.76	11.60 3.50 - 15.90	2.577 0.850 - 5.187	11.83	11.32	99
15+15+15+15+20+35	1.60	1.60	1.60	1.60	2.14	3.74	12.30 3.50 - 15.90	2.767 0.850 - 5.187	12.70	12.15	99
15+15+15+15+20+42	1.56	1.56	1.56	1.56	2.08	4.37	12.70 3.50 - 15.94	2.861 0.850 - 5.181	13.13	12.56	99
15+15+15+15+20+50	1.47	1.47	1.47	1.47	1.95	4.88	12.70 3.50 - 16.10	2.871 0.850 - 5.181	13.18	12.61	99
15+15+15+15+20+60	1.36	1.36	1.36	1.36	1.81	5.44	12.70 3.50 - 16.30	2.854 0.850 - 5.164	13.10	12.53	99
15+15+15+15+20+71	1.26	1.26	1.26	1.26	1.68	5.97	12.70 3.50 - 16.50	2.868 0.850 - 5.168	13.17	12.60	99
15+15+15+15+20+80	1.19	1.19	1.19	1.19	1.59	6.35	12.70 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
15+15+15+15+22+22	1.66	1.66	1.66	1.66	2.43	2.43	11.50 3.50 - 15.90	2.550 0.850 - 5.180	11.71	11.20	99
15+15+15+15+22+25	1.65	1.65	1.65	1.65	2.42	2.75	11.75 3.50 - 15.90	2.610 0.850 - 5.180	11.98	11.46	99
15+15+15+15+22+35	1.61	1.61	1.61	1.61	2.36	3.75	12.55 3.50 - 15.90	2.800 0.850 - 5.180	12.86	12.30	99
15+15+15+15+22+42	1.54	1.54	1.54	1.54	2.26	4.32	12.75 3.50 - 15.98	2.854 0.850 - 5.174	13.10	12.53	99
15+15+15+15+22+50	1.45	1.45	1.45	1.45	2.13	4.83	12.75 3.50 - 16.14	2.864 0.850 - 5.174	13.15	12.58	99
15+15+15+15+22+60	1.35	1.35	1.35	1.35	1.98	5.39	12.75 3.50 - 16.34	2.847 0.850 - 5.157	13.07	12.50	99
15+15+15+15+22+71	1.25	1.25	1.25	1.25	1.83	5.92	12.75 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+15+15+15+22+80	1.18	1.18	1.18	1.18	1.73	6.30	12.75 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+15+15+15+25+25	1.65	1.65	1.65	1.65	2.75	2.75	12.10 3.50 - 15.90	2.670 0.850 - 5.180	12.26	11.73	99
15+15+15+15+25+35	1.60	1.60	1.60	1.60	2.67	3.73	12.80 3.50 - 15.90	2.860 0.850 - 5.180	13.13	12.56	99
15+15+15+15+25+42	1.51	1.51	1.51	1.51	2.52	4.23	12.80 3.50 - 16.04	2.854 0.850 - 5.174	13.10	12.53	99
15+15+15+15+25+50	1.42	1.42	1.42	1.42	2.37	4.74	12.80 3.50 - 16.20	2.864 0.850 - 5.174	13.15	12.58	99
15+15+15+15+25+60	1.32	1.32	1.32	1.32	2.21	5.30	12.80 3.50 - 16.40	2.857 0.850 - 5.157	13.12	12.55	99
15+15+15+15+25+71	1.23	1.23	1.23	1.23	2.05	5.83	12.80 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+15+15+15+25+80	1.16	1.16	1.16	1.16	1.94	6.21	12.80 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+15+15+15+35+35	1.48	1.48	1.48	1.48	3.45	3.45	12.80 3.50 - 16.10	2.870 0.850 - 5.180	13.17	12.60	99
15+15+15+15+35+42	1.40	1.40	1.40	1.40	3.27	3.92	12.80 3.50 - 16.24	2.864 0.850 - 5.174	13.15	12.58	99
15+15+15+15+35+50	1.32	1.32	1.32	1.32	3.09	4.41	12.80 3.50 - 16.40	2.874 0.850 - 5.174	13.19	12.62	99
15+15+15+15+35+60	1.24	1.24	1.24	1.24	2.89	4.95	12.80 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99
15+15+15+15+35+71	1.16	1.16	1.16	1.16	2.70	5.47	12.80 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+15+15+15+35+80	1.10	1.10	1.10	1.10	2.56	5.85	12.80 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+15+15+15+42+42	1.33	1.33	1.33	1.33	3.73	3.73	12.80 3.50 - 16.38	2.868 0.850 - 5.168	13.17	12.60	99
15+15+15+15+42+50	1.26	1.26	1.26	1.26	3.54	4.21	12.80 3.50 - 16.50	2.868 0.850 - 5.168	13.17	12.60	99
15+15+15+15+42+60	1.19	1.19	1.19	1.19	3.32	4.74	12.80 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+15+15+15+42+71	1.11	1.11	1.11	1.11	3.11	5.25	12.80 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+15+15+15+50+50	1.20	1.20	1.20	1.20	4.00	4.00	12.80 3.50 - 16.50	2.868 0.850 - 5.168	13.17	12.60	99
15+15+15+15+50+60	1.13	1.13	1.13	1.13	3.76	4.52	12.80 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+15+15+15+60+60	1.07	1.07	1.07	1.07	4.27	4.27	12.80 3.50 - 16.50	2.834 0.850 - 5.134	13.02	12.45	99
15+15+15+20+20+20	1.64	1.64	1.64	2.19	2.19	2.19	11.50 3.50 - 15.90	2.582 0.850 - 5.192	11.86	11.34	99
15+15+15+20+20+22	1.63	1.63	1.63	2.18	2.18	2.40	11.65 3.50 - 15.90	2.615 0.850 - 5.185	12.00	11.48	99
15+15+15+20+20+25	1.64	1.64	1.64	2.18	2.18	2.73	12.00 3.50 - 15.90	2.675 0.850 - 5.185	12.28	11.75	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
15+15+15+20+20+35	1.59	1.59	1.59	2.12	2.12	3.70	12.70 3.50 - 15.90	2.865 0.850 - 5.185	13.15	12.58	99
15+15+15+20+20+42	1.50	1.50	1.50	2.00	2.00	4.20	12.70 3.50 - 16.04	2.859 0.850 - 5.179	13.13	12.56	99
15+15+15+20+20+50	1.41	1.41	1.41	1.88	1.88	4.70	12.70 3.50 - 16.20	2.869 0.850 - 5.179	13.17	12.60	99
15+15+15+20+20+60	1.31	1.31	1.31	1.75	1.75	5.26	12.70 3.50 - 16.40	2.862 0.850 - 5.162	13.14	12.57	99
15+15+15+20+20+71	1.22	1.22	1.22	1.63	1.63	5.78	12.70 3.50 - 16.50	2.866 0.850 - 5.166	13.16	12.59	99
15+15+15+20+20+80	1.15	1.15	1.15	1.54	1.54	6.16	12.70 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+15+20+22+22	1.64	1.64	1.64	2.18	2.40	2.40	11.90 3.50 - 15.90	2.648 0.850 - 5.178	12.16	11.63	99
15+15+15+20+22+25	1.63	1.63	1.63	2.17	2.39	2.71	12.15 3.50 - 15.90	2.708 0.850 - 5.178	12.43	11.89	99
15+15+15+20+22+35	1.57	1.57	1.57	2.09	2.30	3.66	12.75 3.50 - 15.94	2.858 0.850 - 5.178	13.12	12.55	99
15+15+15+20+22+42	1.48	1.48	1.48	1.98	2.17	4.15	12.75 3.50 - 16.08	2.862 0.850 - 5.172	13.14	12.57	99
15+15+15+20+22+50	1.40	1.40	1.40	1.86	2.05	4.65	12.75 3.50 - 16.24	2.862 0.850 - 5.172	13.14	12.57	99
15+15+15+20+22+60	1.30	1.30	1.30	1.73	1.91	5.20	12.75 3.50 - 16.44	2.855 0.850 - 5.155	13.11	12.54	99
15+15+15+20+22+71	1.21	1.21	1.21	1.61	1.78	5.73	12.75 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+20+22+80	1.15	1.15	1.15	1.53	1.68	6.11	12.75 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
15+15+15+20+25+25	1.62	1.62	1.62	2.16	2.70	2.70	12.40 3.50 - 15.90	2.758 0.850 - 5.178	12.66	12.11	99
15+15+15+20+25+35	1.54	1.54	1.54	2.05	2.56	3.58	12.80 3.50 - 16.00	2.858 0.850 - 5.178	13.12	12.55	99
15+15+15+20+25+42	1.45	1.45	1.45	1.94	2.42	4.07	12.80 3.50 - 16.14	2.862 0.850 - 5.172	13.14	12.57	99
15+15+15+20+25+50	1.37	1.37	1.37	1.83	2.29	4.57	12.80 3.50 - 16.30	2.862 0.850 - 5.172	13.14	12.57	99
15+15+15+20+25+60	1.28	1.28	1.28	1.71	2.13	5.12	12.80 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+15+15+20+25+71	1.19	1.19	1.19	1.59	1.99	5.64	12.80 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+20+25+80	1.13	1.13	1.13	1.51	1.88	6.02	12.80 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
15+15+15+20+35+35	1.42	1.42	1.42	1.90	3.32	3.32	12.80 3.50 - 16.20	2.868 0.850 - 5.178	13.17	12.60	99
15+15+15+20+35+42	1.35	1.35	1.35	1.80	3.15	3.79	12.80 3.50 - 16.34	2.862 0.850 - 5.172	13.14	12.57	99
15+15+15+20+35+50	1.28	1.28	1.28	1.71	2.99	4.27	12.80 3.50 - 16.50	2.872 0.850 - 5.172	13.18	12.61	99
15+15+15+20+35+60	1.20	1.20	1.20	1.60	2.80	4.80	12.80 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+15+15+20+35+71	1.12	1.12	1.12	1.50	2.62	5.31	12.80 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+20+35+80	1.07	1.07	1.07	1.42	2.49	5.69	12.80 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
15+15+15+20+42+42	1.29	1.29	1.29	1.72	3.61	3.61	12.80 3.50 - 16.48	2.866 0.850 - 5.166	13.16	12.59	99
15+15+15+20+42+50	1.22	1.22	1.22	1.63	3.42	4.08	12.80 3.50 - 16.50	2.866 0.850 - 5.166	13.16	12.59	99
15+15+15+20+42+60	1.15	1.15	1.15	1.53	3.22	4.60	12.80 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
15+15+15+20+42+71	1.08	1.08	1.08	1.44	3.02	5.11	12.80 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+15+15+20+50+50	1.16	1.16	1.16	1.55	3.88	3.88	12.80 3.50 - 16.50	2.866 0.850 - 5.166	13.16	12.59	99
15+15+15+20+50+60	1.10	1.10	1.10	1.46	3.66	4.39	12.80 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
15+15+15+22+22+22	1.63	1.63	1.63	2.39	2.39	2.39	12.05 3.50 - 15.90	2.681 0.850 - 5.171	12.31	11.77	99
15+15+15+22+22+25	1.63	1.63	1.63	2.39	2.39	2.72	12.40 3.50 - 15.90	2.731 0.850 - 5.171	12.54	11.99	99
15+15+15+22+22+35	1.55	1.55	1.55	2.27	2.27	3.61	12.80 3.50 - 15.98	2.851 0.850 - 5.171	13.09	12.52	99
15+15+15+22+22+42	1.47	1.47	1.47	2.15	2.15	4.10	12.80 3.50 - 16.12	2.855 0.850 - 5.165	13.11	12.54	99
15+15+15+22+22+50	1.38	1.38	1.38	2.03	2.03	4.60	12.80 3.50 - 16.28	2.855 0.850 - 5.165	13.11	12.54	99
15+15+15+22+22+60	1.29	1.29	1.29	1.89	1.89	5.15	12.80 3.50 - 16.48	2.848 0.850 - 5.148	13.08	12.51	99
15+15+15+22+22+71	1.20	1.20	1.20	1.76	1.76	5.68	12.80 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
15+15+15+22+22+80	1.14	1.14	1.14	1.67	1.67	6.06	12.80 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
15+15+15+22+25+25	1.62	1.62	1.62	2.38	2.70	2.70	12.65 3.50 - 15.90	2.791 0.850 - 5.171	12.82	12.26	99
15+15+15+22+25+35	1.52	1.52	1.52	2.23	2.53	3.54	12.85 3.50 - 16.04	2.851 0.850 - 5.171	13.09	12.52	99
15+15+15+22+25+42	1.44	1.44	1.44	2.11	2.40	4.03	12.85 3.50 - 16.18	2.855 0.850 - 5.165	13.11	12.54	99
15+15+15+22+25+50	1.36	1.36	1.36	1.99	2.26	4.52	12.85 3.50 - 16.34	2.855 0.850 - 5.165	13.11	12.54	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+15+15+22+25+60	1.27	1.27	1.27	1.86	2.11	5.07	12.85 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+15+15+22+25+71	1.18	1.18	1.18	1.73	1.97	5.60	12.85 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
15+15+15+22+25+80	1.12	1.12	1.12	1.64	1.87	5.98	12.85 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
15+15+15+22+35+35	1.41	1.41	1.41	2.06	3.28	3.28	12.85 3.50 - 16.24	2.861 0.850 - 5.171	13.13	12.56	99
15+15+15+22+35+42	1.34	1.34	1.34	1.96	3.12	3.75	12.85 3.50 - 16.38	2.865 0.850 - 5.165	13.15	12.58	99
15+15+15+22+35+50	1.27	1.27	1.27	1.86	2.96	4.23	12.85 3.50 - 16.50	2.865 0.850 - 5.165	13.15	12.58	99
15+15+15+22+35+60	1.19	1.19	1.19	1.75	2.78	4.76	12.85 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+15+15+22+35+71	1.11	1.11	1.11	1.63	2.60	5.27	12.85 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
15+15+15+22+42+42	1.28	1.28	1.28	1.87	3.57	3.57	12.85 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+22+42+50	1.21	1.21	1.21	1.78	3.39	4.04	12.85 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+22+42+60	1.14	1.14	1.14	1.67	3.19	4.56	12.85 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
15+15+15+22+42+71	1.07	1.07	1.07	1.57	3.00	5.07	12.85 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
15+15+15+22+50+50	1.15	1.15	1.15	1.69	3.85	3.85	12.85 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+22+50+60	1.09	1.09	1.09	1.60	3.63	4.36	12.85 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
15+15+15+25+25+25	1.61	1.61	1.61	2.69	2.69	2.69	12.90 3.50 - 15.90	2.851 0.850 - 5.171	13.09	12.52	99
15+15+15+25+25+35	1.49	1.49	1.49	2.48	2.48	3.47	12.90 3.50 - 16.10	2.861 0.850 - 5.171	13.13	12.56	99
15+15+15+25+25+42	1.41	1.41	1.41	2.35	2.35	3.95	12.90 3.50 - 16.24	2.855 0.850 - 5.165	13.11	12.54	99
15+15+15+25+25+50	1.33	1.33	1.33	2.22	2.22	4.45	12.90 3.50 - 16.40	2.865 0.850 - 5.165	13.15	12.58	99
15+15+15+25+25+60	1.25	1.25	1.25	2.08	2.08	4.99	12.90 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+15+15+25+25+71	1.17	1.17	1.17	1.94	1.94	5.52	12.90 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
15+15+15+25+25+80	1.11	1.11	1.11	1.84	1.84	5.90	12.90 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
15+15+15+25+35+35	1.38	1.38	1.38	2.30	3.23	3.23	12.90 3.50 - 16.30	2.861 0.850 - 5.171	13.13	12.56	99
15+15+15+25+35+42	1.32	1.32	1.32	2.19	3.07	3.69	12.90 3.50 - 16.44	2.865 0.850 - 5.165	13.15	12.58	99
15+15+15+25+35+50	1.25	1.25	1.25	2.08	2.91	4.16	12.90 3.50 - 16.50	2.865 0.850 - 5.165	13.15	12.58	99
15+15+15+25+35+60	1.17	1.17	1.17	1.95	2.74	4.69	12.90 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+15+15+25+35+71	1.10	1.10	1.10	1.83	2.57	5.20	12.90 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
15+15+15+25+42+42	1.26	1.26	1.26	2.09	3.52	3.52	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+25+42+50	1.19	1.19	1.19	1.99	3.34	3.98	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+25+42+60	1.13	1.13	1.13	1.88	3.15	4.50	12.90 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
15+15+15+25+50+50	1.14	1.14	1.14	1.90	3.79	3.79	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+25+50+60	1.08	1.08	1.08	1.79	3.58	4.30	12.90 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
15+15+15+35+35+35	1.29	1.29	1.29	3.01	3.01	3.01	12.90 3.50 - 16.50	2.871 0.850 - 5.171	13.18	12.61	99
15+15+15+35+35+42	1.23	1.23	1.23	2.88	2.88	3.45	12.90 3.50 - 16.50	2.865 0.850 - 5.165	13.15	12.58	99
15+15+15+35+35+50	1.17	1.17	1.17	2.74	2.74	3.91	12.90 3.50 - 16.50	2.865 0.850 - 5.165	13.15	12.58	99
15+15+15+35+35+60	1.11	1.11	1.11	2.58	2.58	4.42	12.90 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+15+15+35+42+42	1.18	1.18	1.18	2.75	3.30	3.30	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+35+42+50	1.13	1.13	1.13	2.63	3.15	3.75	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+35+50+50	1.08	1.08	1.08	2.51	3.58	3.58	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
15+15+15+42+42+42	1.13	1.13	1.13	3.17	3.17	3.17	12.90 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+15+15+42+42+50	1.08	1.08	1.08	3.03	3.03	3.60	12.90 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+15+20+20+20+20	1.62	1.62	2.16	2.16	2.16	2.16	11.90 3.50 - 15.90	2.680 0.850 - 5.190	12.31	11.77	99
15+15+20+20+20+22	1.61	1.61	2.15	2.15	2.15	2.37	12.05 3.50 - 15.90	2.713 0.850 - 5.183	12.45	11.91	99
15+15+20+20+20+25	1.60	1.60	2.14	2.14	2.14	2.67	12.30 3.50 - 15.90	2.763 0.850 - 5.183	12.68	12.13	99
15+15+20+20+20+35	1.52	1.52	2.03	2.03	2.03	3.56	12.70 3.50 - 16.00	2.863 0.850 - 5.183	13.14	12.57	99
15+15+20+20+20+42	1.44	1.44	1.92	1.92	1.92	4.04	12.70 3.50 - 16.14	2.867 0.850 - 5.177	13.16	12.59	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	
15+15+20+20+20+50	1.36	1.36	1.81	1.81	1.81	4.54	12.70 3.50 - 16.30	2.867 0.850 - 5.177	13.16	12.59	99
15+15+20+20+20+60	1.27	1.27	1.69	1.69	1.69	5.08	12.70 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
15+15+20+20+20+71	1.18	1.18	1.58	1.58	1.58	5.60	12.70 3.50 - 16.50	2.864 0.850 - 5.164	13.15	12.58	99
15+15+20+20+20+80	1.12	1.12	1.49	1.49	1.49	5.98	12.70 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+15+20+20+22+22	1.62	1.62	2.16	2.16	2.37	2.37	12.30 3.50 - 15.90	2.736 0.850 - 5.176	12.57	12.02	99
15+15+20+20+22+25	1.61	1.61	2.15	2.15	2.36	2.68	12.55 3.50 - 15.90	2.796 0.850 - 5.176	12.84	12.28	99
15+15+20+20+22+35	1.51	1.51	2.01	2.01	2.21	3.51	12.75 3.50 - 16.04	2.856 0.850 - 5.176	13.11	12.54	99
15+15+20+20+22+42	1.43	1.43	1.90	1.90	2.09	4.00	12.75 3.50 - 16.18	2.860 0.850 - 5.170	13.13	12.56	99
15+15+20+20+22+50	1.35	1.35	1.80	1.80	1.98	4.49	12.75 3.50 - 16.34	2.860 0.850 - 5.170	13.13	12.56	99
15+15+20+20+22+60	1.26	1.26	1.68	1.68	1.85	5.03	12.75 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+15+20+20+22+71	1.17	1.17	1.56	1.56	1.72	5.55	12.75 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99
15+15+20+20+22+80	1.11	1.11	1.48	1.48	1.63	5.93	12.75 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+15+20+20+25+25	1.60	1.60	2.13	2.13	2.67	2.67	12.80 3.50 - 15.90	2.856 0.850 - 5.176	13.11	12.54	99
15+15+20+20+25+35	1.48	1.48	1.97	1.97	2.46	3.45	12.80 3.50 - 16.10	2.866 0.850 - 5.176	13.16	12.59	99
15+15+20+20+25+42	1.40	1.40	1.87	1.87	2.34	3.92	12.80 3.50 - 16.24	2.860 0.850 - 5.170	13.13	12.56	99
15+15+20+20+25+50	1.32	1.32	1.77	1.77	2.21	4.41	12.80 3.50 - 16.40	2.870 0.850 - 5.170	13.17	12.60	99
15+15+20+20+25+60	1.24	1.24	1.65	1.65	2.06	4.95	12.80 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+15+20+20+25+71	1.16	1.16	1.54	1.54	1.93	5.47	12.80 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99
15+15+20+20+25+80	1.10	1.10	1.46	1.46	1.83	5.85	12.80 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+15+20+20+35+35	1.37	1.37	1.83	1.83	3.20	3.20	12.80 3.50 - 16.30	2.866 0.850 - 5.176	13.16	12.59	99
15+15+20+20+35+42	1.31	1.31	1.74	1.74	3.05	3.66	12.80 3.50 - 16.44	2.870 0.850 - 5.170	13.17	12.60	99
15+15+20+20+35+50	1.24	1.24	1.65	1.65	2.89	4.13	12.80 3.50 - 16.50	2.870 0.850 - 5.170	13.17	12.60	99
15+15+20+20+35+60	1.16	1.16	1.55	1.55	2.72	4.65	12.80 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+15+20+20+35+71	1.09	1.09	1.45	1.45	2.55	5.16	12.80 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99
15+15+20+20+42+42	1.25	1.25	1.66	1.66	3.49	3.49	12.80 3.50 - 16.50	2.864 0.850 - 5.164	13.15	12.58	99
15+15+20+20+42+50	1.19	1.19	1.58	1.58	3.32	3.95	12.80 3.50 - 16.50	2.864 0.850 - 5.164	13.15	12.58	99
15+15+20+20+42+60	1.12	1.12	1.49	1.49	3.13	4.47	12.80 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+15+20+20+50+50	1.13	1.13	1.51	1.51	3.76	3.76	12.80 3.50 - 16.50	2.864 0.850 - 5.164	13.15	12.58	99
15+15+20+20+50+60	1.07	1.07	1.42	1.42	3.56	4.27	12.80 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+15+20+22+22+22	1.61	1.61	2.15	2.36	2.36	2.36	12.45 3.50 - 15.90	2.769 0.850 - 5.169	12.71	12.16	99
15+15+20+22+22+25	1.60	1.60	2.13	2.35	2.35	2.67	12.70 3.50 - 15.90	2.829 0.850 - 5.169	12.98	12.42	99
15+15+20+22+22+35	1.49	1.49	1.98	2.18	2.18	3.47	12.80 3.50 - 16.08	2.859 0.850 - 5.169	13.13	12.56	99
15+15+20+22+22+42	1.41	1.41	1.88	2.07	2.07	3.95	12.80 3.50 - 16.22	2.853 0.850 - 5.163	13.10	12.53	99
15+15+20+22+22+50	1.33	1.33	1.78	1.96	1.96	4.44	12.80 3.50 - 16.38	2.863 0.850 - 5.163	13.14	12.57	99
15+15+20+22+22+60	1.25	1.25	1.66	1.83	1.83	4.99	12.80 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
15+15+20+22+22+71	1.16	1.16	1.55	1.71	1.71	5.51	12.80 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+20+22+22+80	1.10	1.10	1.47	1.62	1.62	5.89	12.80 3.50 - 16.50	2.840 0.850 - 5.140	13.04	12.47	99
15+15+20+22+25+25	1.58	1.58	2.11	2.32	2.63	2.63	12.85 3.50 - 15.94	2.849 0.850 - 5.169	13.08	12.51	99
15+15+20+22+25+35	1.46	1.46	1.95	2.14	2.43	3.41	12.85 3.50 - 16.14	2.859 0.850 - 5.169	13.13	12.56	99
15+15+20+22+25+42	1.39	1.39	1.85	2.03	2.31	3.88	12.85 3.50 - 16.28	2.853 0.850 - 5.163	13.10	12.53	99
15+15+20+22+25+50	1.31	1.31	1.75	1.92	2.19	4.37	12.85 3.50 - 16.44	2.863 0.850 - 5.163	13.14	12.57	99
15+15+20+22+25+60	1.23	1.23	1.64	1.80	2.05	4.91	12.85 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
15+15+20+22+25+71	1.15	1.15	1.53	1.68	1.91	5.43	12.85 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+20+22+25+80	1.09	1.09	1.45	1.60	1.81	5.81	12.85 3.50 - 16.50	2.840 0.850 - 5.140	13.04	12.47	99
15+15+20+22+35+35	1.36	1.36	1.81	1.99	3.17	3.17	12.85 3.50 - 16.34	2.859 0.850 - 5.169	13.13	12.56	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit			Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)			220	230	
15+15+20+22+35+42	1.29	1.29	1.72	1.90	3.02	3.62	12.85 3.50 - 16.48	2.863 0.850 - 5.163	13.14	12.57	99	
15+15+20+22+35+50	1.23	1.23	1.64	1.80	2.86	4.09	12.85 3.50 - 16.50	2.863 0.850 - 5.163	13.14	12.57	99	
15+15+20+22+35+60	1.15	1.15	1.54	1.69	2.69	4.62	12.85 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99	
15+15+20+22+35+71	1.08	1.08	1.44	1.59	2.53	5.13	12.85 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99	
15+15+20+22+42+42	1.24	1.24	1.65	1.81	3.46	3.46	12.85 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+22+42+50	1.18	1.18	1.57	1.72	3.29	3.92	12.85 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+22+42+60	1.11	1.11	1.48	1.62	3.10	4.43	12.85 3.50 - 16.50	2.840 0.850 - 5.140	13.04	12.47	99	
15+15+20+22+50+50	1.12	1.12	1.49	1.64	3.74	3.74	12.85 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+25+25+25	1.55	1.55	2.06	2.58	2.58	2.58	12.90 3.50 - 16.00	2.849 0.850 - 5.169	13.08	12.51	99	
15+15+20+25+25+35	1.43	1.43	1.91	2.39	2.39	3.34	12.90 3.50 - 16.20	2.859 0.850 - 5.169	13.13	12.56	99	
15+15+20+25+25+42	1.36	1.36	1.82	2.27	2.27	3.82	12.90 3.50 - 16.34	2.853 0.850 - 5.163	13.10	12.53	99	
15+15+20+25+25+50	1.29	1.29	1.72	2.15	2.15	4.30	12.90 3.50 - 16.50	2.863 0.850 - 5.163	13.14	12.57	99	
15+15+20+25+25+60	1.21	1.21	1.61	2.02	2.02	4.84	12.90 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99	
15+15+20+25+25+71	1.13	1.13	1.51	1.89	1.89	5.36	12.90 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99	
15+15+20+25+25+80	1.08	1.08	1.43	1.79	1.79	5.73	12.90 3.50 - 16.50	2.840 0.850 - 5.140	13.04	12.47	99	
15+15+20+25+35+35	1.33	1.33	1.78	2.22	3.11	3.11	12.90 3.50 - 16.40	2.869 0.850 - 5.169	13.17	12.60	99	
15+15+20+25+35+42	1.27	1.27	1.70	2.12	2.97	3.56	12.90 3.50 - 16.50	2.863 0.850 - 5.163	13.14	12.57	99	
15+15+20+25+35+50	1.21	1.21	1.61	2.02	2.82	4.03	12.90 3.50 - 16.50	2.863 0.850 - 5.163	13.14	12.57	99	
15+15+20+25+35+60	1.14	1.14	1.52	1.90	2.66	4.55	12.90 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99	
15+15+20+25+42+42	1.22	1.22	1.62	2.03	3.41	3.41	12.90 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+25+42+50	1.16	1.16	1.54	1.93	3.24	3.86	12.90 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+25+42+60	1.09	1.09	1.46	1.82	3.06	4.37	12.90 3.50 - 16.50	2.840 0.850 - 5.140	13.04	12.47	99	
15+15+20+25+50+50	1.11	1.11	1.47	1.84	3.69	3.69	12.90 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+35+35+35	1.25	1.25	1.66	2.91	2.91	2.91	12.90 3.50 - 16.50	2.869 0.850 - 5.169	13.17	12.60	99	
15+15+20+35+35+42	1.19	1.19	1.59	2.79	2.79	3.34	12.90 3.50 - 16.50	2.863 0.850 - 5.163	13.14	12.57	99	
15+15+20+35+35+50	1.14	1.14	1.52	2.66	2.66	3.79	12.90 3.50 - 16.50	2.863 0.850 - 5.163	13.14	12.57	99	
15+15+20+35+35+60	1.08	1.08	1.43	2.51	2.51	4.30	12.90 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99	
15+15+20+35+42+42	1.14	1.14	1.53	2.67	3.21	3.21	12.90 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+35+42+50	1.09	1.09	1.46	2.55	3.06	3.64	12.90 3.50 - 16.50	2.857 0.850 - 5.157	13.12	12.55	99	
15+15+20+42+42+42	1.10	1.10	1.47	3.08	3.08	3.08	12.90 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
15+15+22+22+22+22	1.61	1.61	2.37	2.37	2.37	2.37	12.70 3.50 - 15.90	2.802 0.850 - 5.162	12.87	12.31	99	
15+15+22+22+22+25	1.59	1.59	2.34	2.34	2.34	2.65	12.85 3.50 - 15.92	2.842 0.850 - 5.162	13.05	12.48	99	
15+15+22+22+22+35	1.47	1.47	2.16	2.16	2.16	3.43	12.85 3.50 - 16.12	2.852 0.850 - 5.162	13.10	12.53	99	
15+15+22+22+22+42	1.40	1.40	2.05	2.05	2.05	3.91	12.85 3.50 - 16.26	2.846 0.850 - 5.156	13.07	12.50	99	
15+15+22+22+22+50	1.32	1.32	1.94	1.94	1.94	4.40	12.85 3.50 - 16.42	2.856 0.850 - 5.156	13.11	12.54	99	
15+15+22+22+22+60	1.24	1.24	1.81	1.81	1.81	4.94	12.85 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99	
15+15+22+22+22+71	1.15	1.15	1.69	1.69	1.69	5.46	12.85 3.50 - 16.50	2.843 0.850 - 5.143	13.06	12.49	99	
15+15+22+22+22+80	1.10	1.10	1.61	1.61	1.61	5.84	12.85 3.50 - 16.50	2.833 0.850 - 5.133	13.01	12.44	99	
15+15+22+22+25+25	1.56	1.56	2.29	2.29	2.60	2.60	12.90 3.50 - 15.98	2.842 0.850 - 5.162	13.05	12.48	99	
15+15+22+22+25+35	1.44	1.44	2.12	2.12	2.41	3.37	12.90 3.50 - 16.18	2.852 0.850 - 5.162	13.10	12.53	99	
15+15+22+22+25+42	1.37	1.37	2.01	2.01	2.29	3.84	12.90 3.50 - 16.32	2.846 0.850 - 5.156	13.07	12.50	99	
15+15+22+22+25+50	1.30	1.30	1.90	1.90	2.16	4.33	12.90 3.50 - 16.48	2.856 0.850 - 5.156	13.11	12.54	99	
15+15+22+22+25+60	1.22	1.22	1.78	1.78	2.03	4.87	12.90 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99	
15+15+22+22+25+71	1.14	1.14	1.67	1.67	1.90	5.39	12.90 3.50 - 16.50	2.843 0.850 - 5.143	13.06	12.49	99	
15+15+22+22+25+80	1.08	1.08	1.59	1.59	1.80	5.77	12.90 3.50 - 16.50	2.833 0.850 - 5.133	13.01	12.44	99	

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)	220	230		
15+15+22+22+35+35	1.34	1.34	1.97	1.97	3.14	3.14	12.90 3.50 - 16.38	2.862 0.850 - 5.162	13.14	12.57	99
15+15+22+22+35+42	1.28	1.28	1.88	1.88	2.99	3.59	12.90 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+22+35+50	1.22	1.22	1.78	1.78	2.84	4.06	12.90 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+22+35+60	1.14	1.14	1.68	1.68	2.67	4.58	12.90 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
15+15+22+22+35+71	1.08	1.08	1.58	1.58	2.51	5.09	12.90 3.50 - 16.50	2.843 0.850 - 5.143	13.06	12.49	99
15+15+22+22+42+42	1.22	1.22	1.80	1.80	3.43	3.43	12.90 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+22+42+50	1.17	1.17	1.71	1.71	3.26	3.89	12.90 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+22+42+60	1.10	1.10	1.61	1.61	3.08	4.40	12.90 3.50 - 16.50	2.833 0.850 - 5.133	13.01	12.44	99
15+15+22+22+50+50	1.11	1.11	1.63	1.63	3.71	3.71	12.90 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+25+25+25	1.53	1.53	2.24	2.55	2.55	2.55	12.95 3.50 - 16.04	2.842 0.850 - 5.162	13.05	12.48	99
15+15+22+25+25+35	1.42	1.42	2.08	2.36	2.36	3.31	12.95 3.50 - 16.24	2.852 0.850 - 5.162	13.10	12.53	99
15+15+22+25+25+42	1.35	1.35	1.98	2.25	2.25	3.78	12.95 3.50 - 16.38	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+25+25+50	1.28	1.28	1.87	2.13	2.13	4.26	12.95 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+25+25+60	1.20	1.20	1.76	2.00	2.00	4.80	12.95 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
15+15+22+25+25+71	1.12	1.12	1.65	1.87	1.87	5.31	12.95 3.50 - 16.50	2.843 0.850 - 5.143	13.06	12.49	99
15+15+22+25+35+35	1.32	1.32	1.94	2.20	3.08	3.08	12.95 3.50 - 16.44	2.862 0.850 - 5.162	13.14	12.57	99
15+15+22+25+35+42	1.26	1.26	1.85	2.10	2.94	3.53	12.95 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+25+35+50	1.20	1.20	1.76	2.00	2.80	4.00	12.95 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+25+35+60	1.13	1.13	1.66	1.88	2.64	4.52	12.95 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
15+15+22+25+42+42	1.21	1.21	1.77	2.01	3.38	3.38	12.95 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+25+42+50	1.15	1.15	1.69	1.92	3.22	3.83	12.95 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+25+42+60	1.09	1.09	1.59	1.81	3.04	4.34	12.95 3.50 - 16.50	2.833 0.850 - 5.133	13.01	12.44	99
15+15+22+25+50+50	1.10	1.10	1.61	1.83	3.66	3.66	12.95 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+35+35+35	1.24	1.24	1.81	2.89	2.89	2.89	12.95 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+15+22+35+35+42	1.18	1.18	1.74	2.76	2.76	3.32	12.95 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+35+35+50	1.13	1.13	1.66	2.64	2.64	3.76	12.95 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+22+35+42+42	1.14	1.14	1.67	2.65	3.18	3.18	12.95 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+35+42+50	1.09	1.09	1.59	2.53	3.04	3.62	12.95 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+22+42+42+42	1.09	1.09	1.60	3.06	3.06	3.06	12.95 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
15+15+25+25+25+25	1.50	1.50	2.50	2.50	2.50	2.50	13.00 3.50 - 16.10	2.852 0.850 - 5.162	13.10	12.53	99
15+15+25+25+25+35	1.39	1.39	2.32	2.32	2.32	3.25	13.00 3.50 - 16.30	2.852 0.850 - 5.162	13.10	12.53	99
15+15+25+25+25+42	1.33	1.33	2.21	2.21	2.21	3.71	13.00 3.50 - 16.44	2.856 0.850 - 5.156	13.11	12.54	99
15+15+25+25+25+50	1.26	1.26	2.10	2.10	2.10	4.19	13.00 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+25+25+25+60	1.18	1.18	1.97	1.97	1.97	4.73	13.00 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
15+15+25+25+25+71	1.11	1.11	1.85	1.85	1.85	5.24	13.00 3.50 - 16.50	2.843 0.850 - 5.143	13.06	12.49	99
15+15+25+25+35+35	1.30	1.30	2.17	2.17	3.03	3.03	13.00 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+15+25+25+35+42	1.24	1.24	2.07	2.07	2.90	3.48	13.00 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+25+25+35+50	1.18	1.18	1.97	1.97	2.76	3.94	13.00 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+25+25+35+60	1.11	1.11	1.86	1.86	2.60	4.46	13.00 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
15+15+25+25+42+42	1.19	1.19	1.98	1.98	3.33	3.33	13.00 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+25+25+42+50	1.13	1.13	1.89	1.89	3.17	3.78	13.00 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+25+25+50+50	1.08	1.08	1.81	1.81	3.61	3.61	13.00 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+25+35+35+35	1.22	1.22	2.03	2.84	2.84	2.84	13.00 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+15+25+35+35+42	1.17	1.17	1.95	2.72	2.72	3.27	13.00 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+15+25+35+35+50	1.11	1.11	1.86	2.60	2.60	3.71	13.00 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
15+15+25+35+42+42	1.12	1.12	1.87	2.61	3.14	3.14	13.00 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
15+15+35+35+35+35	1.15	1.15	2.68	2.68	2.68	2.68	13.00 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+15+35+35+35+42	1.10	1.10	2.57	2.57	2.57	3.08	13.00 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
15+20+20+20+20+20	1.59	2.12	2.12	2.12	2.12	2.12	12.20 3.50 - 15.90	2.768 0.850 - 5.188	12.71	12.16	99
15+20+20+20+20+22	1.60	2.13	2.13	2.13	2.13	2.34	12.45 3.50 - 15.90	2.801 0.850 - 5.181	12.86	12.30	99
15+20+20+20+20+25	1.59	2.12	2.12	2.12	2.12	2.65	12.70 3.50 - 15.90	2.861 0.850 - 5.181	13.13	12.56	99
15+20+20+20+20+35	1.47	1.95	1.95	1.95	1.95	3.42	12.70 3.50 - 16.10	2.871 0.850 - 5.181	13.18	12.61	99
15+20+20+20+20+42	1.39	1.85	1.85	1.85	1.85	3.89	12.70 3.50 - 16.24	2.865 0.850 - 5.175	13.15	12.58	99
15+20+20+20+20+50	1.31	1.75	1.75	1.75	1.75	4.38	12.70 3.50 - 16.40	2.875 0.850 - 5.175	13.20	12.63	99
15+20+20+20+20+60	1.23	1.64	1.64	1.64	1.64	4.92	12.70 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
15+20+20+20+20+71	1.15	1.53	1.53	1.53	1.53	5.43	12.70 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+20+20+20+20+80	1.09	1.45	1.45	1.45	1.45	5.81	12.70 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
15+20+20+20+22+22	1.59	2.12	2.12	2.12	2.33	2.33	12.60 3.50 - 15.90	2.834 0.850 - 5.174	13.02	12.45	99
15+20+20+20+22+25	1.57	2.09	2.09	2.09	2.30	2.61	12.75 3.50 - 15.94	2.854 0.850 - 5.174	13.10	12.53	99
15+20+20+20+22+35	1.45	1.93	1.93	1.93	2.13	3.38	12.75 3.50 - 16.14	2.864 0.850 - 5.174	13.15	12.58	99
15+20+20+20+22+42	1.38	1.83	1.83	1.83	2.02	3.85	12.75 3.50 - 16.28	2.858 0.850 - 5.168	13.12	12.55	99
15+20+20+20+22+50	1.30	1.73	1.73	1.73	1.91	4.34	12.75 3.50 - 16.44	2.868 0.850 - 5.168	13.17	12.60	99
15+20+20+20+22+60	1.22	1.62	1.62	1.62	1.79	4.87	12.75 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+20+20+20+22+71	1.14	1.52	1.52	1.52	1.67	5.39	12.75 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+20+22+80	1.08	1.44	1.44	1.44	1.58	5.76	12.75 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
15+20+20+20+25+25	1.54	2.05	2.05	2.05	2.56	2.56	12.80 3.50 - 16.00	2.854 0.850 - 5.174	13.10	12.53	99
15+20+20+20+25+35	1.42	1.90	1.90	1.90	2.37	3.32	12.80 3.50 - 16.20	2.864 0.850 - 5.174	13.15	12.58	99
15+20+20+20+25+42	1.35	1.80	1.80	1.80	2.25	3.79	12.80 3.50 - 16.34	2.858 0.850 - 5.168	13.12	12.55	99
15+20+20+20+25+50	1.28	1.71	1.71	1.71	2.13	4.27	12.80 3.50 - 16.50	2.868 0.850 - 5.168	13.17	12.60	99
15+20+20+20+25+60	1.20	1.60	1.60	1.60	2.00	4.80	12.80 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+20+20+20+25+71	1.12	1.50	1.50	1.50	1.87	5.31	12.80 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+20+25+80	1.07	1.42	1.42	1.42	1.78	5.69	12.80 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
15+20+20+20+35+35	1.32	1.77	1.77	1.77	3.09	3.09	12.80 3.50 - 16.40	2.874 0.850 - 5.174	13.19	12.62	99
15+20+20+20+35+42	1.26	1.68	1.68	1.68	2.95	3.54	12.80 3.50 - 16.50	2.868 0.850 - 5.168	13.17	12.60	99
15+20+20+20+35+50	1.20	1.60	1.60	1.60	2.80	4.00	12.80 3.50 - 16.50	2.868 0.850 - 5.168	13.17	12.60	99
15+20+20+20+35+60	1.13	1.51	1.51	1.51	2.64	4.52	12.80 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
15+20+20+20+42+42	1.21	1.61	1.61	1.61	3.38	3.38	12.80 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+20+20+20+42+50	1.15	1.53	1.53	1.53	3.22	3.83	12.80 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+20+20+20+42+60	1.08	1.45	1.45	1.45	3.04	4.34	12.80 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
15+20+20+20+50+50	1.10	1.46	1.46	1.46	3.66	3.66	12.80 3.50 - 16.50	2.862 0.850 - 5.162	13.14	12.57	99
15+20+20+22+22+22	1.58	2.11	2.11	2.32	2.32	2.32	12.75 3.50 - 15.92	2.847 0.850 - 5.167	13.07	12.50	99
15+20+20+22+22+25	1.55	2.06	2.06	2.27	2.27	2.58	12.80 3.50 - 15.98	2.847 0.850 - 5.167	13.07	12.50	99
15+20+20+22+22+35	1.43	1.91	1.91	2.10	2.10	3.34	12.80 3.50 - 16.18	2.857 0.850 - 5.167	13.12	12.55	99
15+20+20+22+22+42	1.36	1.82	1.82	2.00	2.00	3.81	12.80 3.50 - 16.32	2.851 0.850 - 5.161	13.09	12.52	99
15+20+20+22+22+50	1.29	1.72	1.72	1.89	1.89	4.30	12.80 3.50 - 16.48	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+22+22+60	1.21	1.61	1.61	1.77	1.77	4.83	12.80 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
15+20+20+22+22+71	1.13	1.51	1.51	1.66	1.66	5.35	12.80 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+20+22+22+80	1.07	1.43	1.43	1.57	1.57	5.72	12.80 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
15+20+20+22+25+25	1.52	2.02	2.02	2.23	2.53	2.53	12.85 3.50 - 16.04	2.847 0.850 - 5.167	13.07	12.50	99
15+20+20+22+25+35	1.41	1.88	1.88	2.06	2.34	3.28	12.85 3.50 - 16.24	2.857 0.850 - 5.167	13.12	12.55	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+20+20+22+25+42	1.34	1.78	1.78	1.96	2.23	3.75	12.85 3.50 - 16.38	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+22+25+50	1.27	1.69	1.69	1.86	2.11	4.23	12.85 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+22+25+60	1.19	1.59	1.59	1.75	1.98	4.76	12.85 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
15+20+20+22+25+71	1.11	1.49	1.49	1.63	1.86	5.27	12.85 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+20+22+35+35	1.31	1.75	1.75	1.92	3.06	3.06	12.85 3.50 - 16.44	2.867 0.850 - 5.167	13.16	12.59	99
15+20+20+22+35+42	1.25	1.67	1.67	1.84	2.92	3.50	12.85 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+22+35+50	1.19	1.59	1.59	1.75	2.78	3.97	12.85 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+22+35+60	1.12	1.49	1.49	1.64	2.61	4.48	12.85 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
15+20+20+22+42+42	1.20	1.60	1.60	1.76	3.35	3.35	12.85 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+22+42+50	1.14	1.52	1.52	1.67	3.19	3.80	12.85 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+22+42+60	1.08	1.44	1.44	1.58	3.02	4.31	12.85 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
15+20+20+22+50+50	1.09	1.45	1.45	1.60	3.63	3.63	12.85 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+25+25+25	1.49	1.98	1.98	2.48	2.48	2.48	12.90 3.50 - 16.10	2.857 0.850 - 5.167	13.12	12.55	99
15+20+20+25+25+35	1.38	1.84	1.84	2.30	2.30	3.23	12.90 3.50 - 16.30	2.857 0.850 - 5.167	13.12	12.55	99
15+20+20+25+25+42	1.32	1.76	1.76	2.19	2.19	3.69	12.90 3.50 - 16.44	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+25+25+50	1.25	1.66	1.66	2.08	2.08	4.16	12.90 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+25+25+60	1.17	1.56	1.56	1.95	1.95	4.69	12.90 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
15+20+20+25+25+71	1.10	1.47	1.47	1.83	1.83	5.20	12.90 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+20+25+35+35	1.29	1.72	1.72	2.15	3.01	3.01	12.90 3.50 - 16.50	2.867 0.850 - 5.167	13.16	12.59	99
15+20+20+25+35+42	1.23	1.64	1.64	2.05	2.88	3.45	12.90 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+25+35+50	1.17	1.56	1.56	1.95	2.74	3.91	12.90 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+25+35+60	1.11	1.47	1.47	1.84	2.58	4.42	12.90 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
15+20+20+25+42+42	1.18	1.57	1.57	1.97	3.30	3.30	12.90 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+25+42+50	1.13	1.50	1.50	1.88	3.15	3.75	12.90 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+25+50+50	1.08	1.43	1.43	1.79	3.58	3.58	12.90 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+20+35+35+35	1.21	1.61	1.61	2.82	2.82	2.82	12.90 3.50 - 16.50	2.867 0.850 - 5.167	13.16	12.59	99
15+20+20+35+35+42	1.16	1.54	1.54	2.70	2.70	3.24	12.90 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+35+35+50	1.11	1.47	1.47	2.58	2.58	3.69	12.90 3.50 - 16.50	2.861 0.850 - 5.161	13.13	12.56	99
15+20+20+35+42+42	1.11	1.48	1.48	2.59	3.11	3.11	12.90 3.50 - 16.50	2.855 0.850 - 5.155	13.11	12.54	99
15+20+22+22+22+22	1.56	2.08	2.29	2.29	2.29	2.29	12.80 3.50 - 15.96	2.840 0.850 - 5.160	13.04	12.47	99
15+20+22+22+22+25	1.53	2.04	2.24	2.24	2.24	2.55	12.85 3.50 - 16.02	2.840 0.850 - 5.160	13.04	12.47	99
15+20+22+22+22+35	1.42	1.89	2.08	2.08	2.08	3.31	12.85 3.50 - 16.22	2.850 0.850 - 5.160	13.09	12.52	99
15+20+22+22+22+42	1.35	1.80	1.98	1.98	1.98	3.77	12.85 3.50 - 16.36	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+22+22+50	1.28	1.70	1.87	1.87	1.87	4.25	12.85 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+22+22+60	1.20	1.60	1.76	1.76	1.76	4.79	12.85 3.50 - 16.50	2.837 0.850 - 5.137	13.03	12.46	99
15+20+22+22+22+71	1.12	1.49	1.64	1.64	1.64	5.30	12.85 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+20+22+22+25+25	1.50	2.00	2.20	2.20	2.50	2.50	12.90 3.50 - 16.08	2.850 0.850 - 5.160	13.09	12.52	99
15+20+22+22+25+35	1.39	1.86	2.04	2.04	2.32	3.25	12.90 3.50 - 16.28	2.850 0.850 - 5.160	13.09	12.52	99
15+20+22+22+25+42	1.33	1.77	1.94	1.94	2.21	3.71	12.90 3.50 - 16.42	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+22+25+50	1.26	1.68	1.84	1.84	2.09	4.19	12.90 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+22+25+60	1.18	1.57	1.73	1.73	1.97	4.72	12.90 3.50 - 16.50	2.837 0.850 - 5.137	13.03	12.46	99
15+20+22+22+25+71	1.11	1.47	1.62	1.62	1.84	5.23	12.90 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+20+22+22+35+35	1.30	1.73	1.90	1.90	3.03	3.03	12.90 3.50 - 16.48	2.860 0.850 - 5.160	13.13	12.56	99
15+20+22+22+35+42	1.24	1.65	1.82	1.82	2.89	3.47	12.90 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+22+35+50	1.18	1.57	1.73	1.73	2.75	3.93	12.90 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
15+20+22+22+35+60	1.11	1.48	1.63	1.63	2.59	4.45	12.90 3.50 - 16.50	2.837 0.850 - 5.137	13.03	12.46	99
15+20+22+22+42+42	1.19	1.58	1.74	1.74	3.32	3.32	12.90 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+22+22+42+50	1.13	1.51	1.66	1.66	3.17	3.77	12.90 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+22+22+50+50	1.08	1.44	1.59	1.59	3.60	3.60	12.90 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+22+25+25+25	1.47	1.96	2.16	2.45	2.45	2.45	12.95 3.50 - 16.14	2.850 0.850 - 5.160	13.09	12.52	99
15+20+22+25+25+35	1.37	1.82	2.01	2.28	2.28	3.19	12.95 3.50 - 16.34	2.850 0.850 - 5.160	13.09	12.52	99
15+20+22+25+25+42	1.30	1.74	1.91	2.17	2.17	3.65	12.95 3.50 - 16.48	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+25+25+50	1.24	1.65	1.81	2.06	2.06	4.12	12.95 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+25+25+60	1.16	1.55	1.71	1.94	1.94	4.65	12.95 3.50 - 16.50	2.837 0.850 - 5.137	13.03	12.46	99
15+20+22+25+25+71	1.09	1.46	1.60	1.82	1.82	5.17	12.95 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+20+22+25+35+35	1.28	1.70	1.87	2.13	2.98	2.98	12.95 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
15+20+22+25+35+42	1.22	1.63	1.79	2.04	2.85	3.42	12.95 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+25+35+50	1.16	1.55	1.71	1.94	2.71	3.88	12.95 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+25+35+60	1.10	1.46	1.61	1.83	2.56	4.39	12.95 3.50 - 16.50	2.837 0.850 - 5.137	13.03	12.46	99
15+20+22+25+42+42	1.17	1.56	1.72	1.95	3.28	3.28	12.95 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+22+25+42+50	1.12	1.49	1.64	1.86	3.13	3.72	12.95 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+22+35+35+35	1.20	1.60	1.76	2.80	2.80	2.80	12.95 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
15+20+22+35+35+42	1.15	1.53	1.69	2.68	2.68	3.22	12.95 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+35+35+50	1.10	1.46	1.61	2.56	2.56	3.66	12.95 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+22+35+42+42	1.10	1.47	1.62	2.58	3.09	3.09	12.95 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+25+25+25+25	1.44	1.93	2.41	2.41	2.41	2.41	13.00 3.50 - 16.20	2.850 0.850 - 5.160	13.09	12.52	99
15+20+25+25+25+35	1.34	1.79	2.24	2.24	2.24	3.14	13.00 3.50 - 16.40	2.860 0.850 - 5.160	13.13	12.56	99
15+20+25+25+25+42	1.28	1.71	2.14	2.14	2.14	3.59	13.00 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+25+25+25+50	1.22	1.63	2.03	2.03	2.03	4.06	13.00 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+25+25+25+60	1.15	1.53	1.91	1.91	1.91	4.59	13.00 3.50 - 16.50	2.837 0.850 - 5.137	13.03	12.46	99
15+20+25+25+35+35	1.26	1.68	2.10	2.10	2.94	2.94	13.00 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
15+20+25+25+35+42	1.20	1.60	2.01	2.01	2.81	3.37	13.00 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+25+25+35+50	1.15	1.53	1.91	1.91	2.68	3.82	13.00 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+25+25+35+60	1.08	1.44	1.81	1.81	2.53	4.33	13.00 3.50 - 16.50	2.837 0.850 - 5.137	13.03	12.46	99
15+20+25+25+42+42	1.15	1.54	1.92	1.92	3.23	3.23	13.00 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+25+25+42+50	1.10	1.47	1.84	1.84	3.08	3.67	13.00 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+25+35+35+35	1.18	1.58	1.97	2.76	2.76	2.76	13.00 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
15+20+25+35+35+42	1.13	1.51	1.89	2.65	2.65	3.17	13.00 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+25+35+35+50	1.08	1.44	1.81	2.53	2.53	3.61	13.00 3.50 - 16.50	2.854 0.850 - 5.154	13.10	12.53	99
15+20+25+35+42+42	1.09	1.45	1.82	2.54	3.05	3.05	13.00 3.50 - 16.50	2.848 0.850 - 5.148	13.08	12.51	99
15+20+35+35+35+35	1.11	1.49	2.60	2.60	2.60	2.60	13.00 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
15+22+22+22+22+22	1.54	2.26	2.26	2.26	2.26	2.26	12.85 3.50 - 16.00	2.833 0.850 - 5.153	13.01	12.44	99
15+22+22+22+22+25	1.51	2.22	2.22	2.22	2.22	2.52	12.90 3.50 - 16.06	2.843 0.850 - 5.153	13.06	12.49	99
15+22+22+22+22+35	1.40	2.06	2.06	2.06	2.06	3.27	12.90 3.50 - 16.26	2.843 0.850 - 5.153	13.06	12.49	99
15+22+22+22+22+42	1.33	1.96	1.96	1.96	1.96	3.74	12.90 3.50 - 16.40	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+22+22+50	1.26	1.85	1.85	1.85	1.85	4.22	12.90 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+22+22+60	1.19	1.74	1.74	1.74	1.74	4.75	12.90 3.50 - 16.50	2.830 0.850 - 5.130	13.00	12.43	99
15+22+22+22+22+71	1.11	1.63	1.63	1.63	1.63	5.26	12.90 3.50 - 16.50	2.834 0.850 - 5.134	13.02	12.45	99
15+22+22+22+25+25	1.48	2.17	2.17	2.17	2.47	2.47	12.95 3.50 - 16.12	2.843 0.850 - 5.153	13.06	12.49	99
15+22+22+22+25+35	1.38	2.02	2.02	2.02	2.30	3.21	12.95 3.50 - 16.32	2.843 0.850 - 5.153	13.06	12.49	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	220	230			
15+22+22+22+25+42	1.31	1.93	1.93	1.93	2.19	3.68	12.95 3.50 - 16.46	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+22+25+50	1.25	1.83	1.83	1.83	2.08	4.15	12.95 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+22+25+60	1.17	1.72	1.72	1.72	1.95	4.68	12.95 3.50 - 16.50	2.830 0.850 - 5.130	13.00	12.43	99
15+22+22+22+25+71	1.10	1.61	1.61	1.61	1.83	5.19	12.95 3.50 - 16.50	2.834 0.850 - 5.134	13.02	12.45	99
15+22+22+22+35+35	1.29	1.89	1.89	1.89	3.00	3.00	12.95 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+22+22+22+35+42	1.23	1.80	1.80	1.80	2.87	3.44	12.95 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+22+35+50	1.17	1.72	1.72	1.72	2.73	3.90	12.95 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+22+35+60	1.10	1.62	1.62	1.62	2.58	4.41	12.95 3.50 - 16.50	2.830 0.850 - 5.130	13.00	12.43	99
15+22+22+22+42+42	1.18	1.73	1.73	1.73	3.30	3.30	12.95 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+22+22+22+42+50	1.12	1.65	1.65	1.65	3.14	3.74	12.95 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+22+22+25+25+25	1.46	2.13	2.13	2.43	2.43	2.43	13.00 3.50 - 16.18	2.843 0.850 - 5.153	13.06	12.49	99
15+22+22+25+25+35	1.35	1.99	1.99	2.26	2.26	3.16	13.00 3.50 - 16.38	2.853 0.850 - 5.153	13.10	12.53	99
15+22+22+25+25+42	1.29	1.89	1.89	2.15	2.15	3.62	13.00 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+25+25+50	1.23	1.80	1.80	2.04	2.04	4.09	13.00 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+25+25+60	1.15	1.69	1.69	1.92	1.92	4.62	13.00 3.50 - 16.50	2.830 0.850 - 5.130	13.00	12.43	99
15+22+22+25+25+71	1.08	1.59	1.59	1.81	1.81	5.13	13.00 3.50 - 16.50	2.834 0.850 - 5.134	13.02	12.45	99
15+22+22+25+35+35	1.27	1.86	1.86	2.11	2.95	2.95	13.00 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+22+22+25+35+42	1.21	1.78	1.78	2.02	2.83	3.39	13.00 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+25+35+50	1.15	1.69	1.69	1.92	2.69	3.85	13.00 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+25+35+60	1.09	1.60	1.60	1.82	2.54	4.36	13.00 3.50 - 16.50	2.830 0.850 - 5.130	13.00	12.43	99
15+22+22+25+42+42	1.16	1.70	1.70	1.93	3.25	3.25	13.00 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+22+22+25+42+50	1.11	1.63	1.63	1.85	3.10	3.69	13.00 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+22+22+35+35+35	1.19	1.74	1.74	2.77	2.77	2.77	13.00 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+22+22+35+35+42	1.14	1.67	1.67	2.66	2.66	3.19	13.00 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+35+35+50	1.09	1.60	1.60	2.54	2.54	3.63	13.00 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+22+35+42+42	1.10	1.61	1.61	2.56	3.07	3.07	13.00 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+22+25+25+25+25	1.43	2.10	2.38	2.38	2.38	2.38	13.05 3.50 - 16.24	2.843 0.850 - 5.153	13.06	12.49	99
15+22+25+25+25+35	1.33	1.95	2.22	2.22	2.22	3.11	13.05 3.50 - 16.44	2.853 0.850 - 5.153	13.10	12.53	99
15+22+25+25+25+42	1.27	1.86	2.12	2.12	2.12	3.56	13.05 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+25+25+25+50	1.21	1.77	2.01	2.01	2.01	4.03	13.05 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+25+25+25+60	1.14	1.67	1.90	1.90	1.90	4.55	13.05 3.50 - 16.50	2.830 0.850 - 5.130	13.00	12.43	99
15+22+25+25+35+35	1.25	1.83	2.08	2.08	2.91	2.91	13.05 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+22+25+25+35+42	1.19	1.75	1.99	1.99	2.79	3.34	13.05 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+25+25+35+50	1.14	1.67	1.90	1.90	2.66	3.79	13.05 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+25+25+42+42	1.14	1.68	1.91	1.91	3.21	3.21	13.05 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+22+25+25+42+50	1.09	1.60	1.82	1.82	3.06	3.65	13.05 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+22+25+35+35+35	1.17	1.72	1.95	2.74	2.74	2.74	13.05 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+22+25+35+35+42	1.13	1.65	1.88	2.63	2.63	3.15	13.05 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+22+35+35+35+35	1.11	1.62	2.58	2.58	2.58	2.58	13.05 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+25+25+25+25+25	1.40	2.34	2.34	2.34	2.34	2.34	13.10 3.50 - 16.30	2.843 0.850 - 5.153	13.06	12.49	99
15+25+25+25+25+35	1.31	2.18	2.18	2.18	2.18	3.06	13.10 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+25+25+25+25+42	1.25	2.09	2.09	2.09	2.09	3.50	13.10 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+25+25+25+25+50	1.19	1.98	1.98	1.98	1.98	3.97	13.10 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+25+25+25+25+60	1.12	1.87	1.87	1.87	1.87	4.49	13.10 3.50 - 16.50	2.830 0.850 - 5.130	13.00	12.43	99
15+25+25+25+35+35	1.23	2.05	2.05	2.05	2.87	2.87	13.10 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			220	230	
15+25+25+25+35+42	1.18	1.96	1.96	1.96	2.75	3.29	13.10 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+25+25+25+35+50	1.12	1.87	1.87	1.87	2.62	3.74	13.10 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+25+25+25+42+42	1.13	1.88	1.88	1.88	3.16	3.16	13.10 3.50 - 16.50	2.841 0.850 - 5.141	13.05	12.48	99
15+25+25+35+35+35	1.16	1.93	1.93	2.70	2.70	2.70	13.10 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
15+25+25+35+35+42	1.11	1.85	1.85	2.59	2.59	3.11	13.10 3.50 - 16.50	2.847 0.850 - 5.147	13.07	12.50	99
15+25+35+35+35+35	1.09	1.82	2.55	2.55	2.55	2.55	13.10 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+20+20+20+20	2.10	2.10	2.10	2.10	2.10	2.10	12.60 3.50 - 15.90	2.866 0.850 - 5.186	13.16	12.59	99
20+20+20+20+20+22	2.07	2.07	2.07	2.07	2.07	2.28	12.65 3.50 - 15.94	2.859 0.850 - 5.179	13.13	12.56	99
20+20+20+20+20+25	2.03	2.03	2.03	2.03	2.03	2.54	12.70 3.50 - 16.00	2.859 0.850 - 5.179	13.13	12.56	99
20+20+20+20+20+35	1.88	1.88	1.88	1.88	1.88	3.29	12.70 3.50 - 16.20	2.869 0.850 - 5.179	13.17	12.60	99
20+20+20+20+20+42	1.79	1.79	1.79	1.79	1.79	3.76	12.70 3.50 - 16.34	2.863 0.850 - 5.173	13.14	12.57	99
20+20+20+20+20+50	1.69	1.69	1.69	1.69	1.69	4.23	12.70 3.50 - 16.50	2.873 0.850 - 5.173	13.19	12.62	99
20+20+20+20+20+60	1.59	1.59	1.59	1.59	1.59	4.76	12.70 3.50 - 16.50	2.856 0.850 - 5.156	13.11	12.54	99
20+20+20+20+20+71	1.49	1.49	1.49	1.49	1.49	5.27	12.70 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
20+20+20+20+20+80	1.41	1.41	1.41	1.41	1.41	5.64	12.70 3.50 - 16.50	2.850 0.850 - 5.150	13.09	12.52	99
20+20+20+20+22+22	2.05	2.05	2.05	2.05	2.25	2.25	12.70 3.50 - 15.98	2.852 0.850 - 5.172	13.10	12.53	99
20+20+20+20+22+25	2.01	2.01	2.01	2.01	2.21	2.51	12.75 3.50 - 16.04	2.852 0.850 - 5.172	13.10	12.53	99
20+20+20+20+22+35	1.86	1.86	1.86	1.86	2.05	3.26	12.75 3.50 - 16.24	2.862 0.850 - 5.172	13.14	12.57	99
20+20+20+20+22+42	1.77	1.77	1.77	1.77	1.95	3.72	12.75 3.50 - 16.38	2.866 0.850 - 5.166	13.16	12.59	99
20+20+20+20+22+50	1.68	1.68	1.68	1.68	1.85	4.19	12.75 3.50 - 16.50	2.866 0.850 - 5.166	13.16	12.59	99
20+20+20+20+22+60	1.57	1.57	1.57	1.57	1.73	4.72	12.75 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
20+20+20+20+22+71	1.47	1.47	1.47	1.47	1.62	5.23	12.75 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+20+20+25+25	1.97	1.97	1.97	1.97	2.46	2.46	12.80 3.50 - 16.10	2.862 0.850 - 5.172	13.14	12.57	99
20+20+20+20+25+35	1.83	1.83	1.83	1.83	2.29	3.20	12.80 3.50 - 16.30	2.862 0.850 - 5.172	13.14	12.57	99
20+20+20+20+25+42	1.74	1.74	1.74	1.74	2.18	3.66	12.80 3.50 - 16.44	2.866 0.850 - 5.166	13.16	12.59	99
20+20+20+20+25+50	1.65	1.65	1.65	1.65	2.06	4.13	12.80 3.50 - 16.50	2.866 0.850 - 5.166	13.16	12.59	99
20+20+20+20+25+60	1.55	1.55	1.55	1.55	1.94	4.65	12.80 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
20+20+20+20+25+71	1.45	1.45	1.45	1.45	1.82	5.16	12.80 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+20+20+35+35	1.71	1.71	1.71	1.71	2.99	2.99	12.80 3.50 - 16.50	2.872 0.850 - 5.172	13.18	12.61	99
20+20+20+20+35+42	1.63	1.63	1.63	1.63	2.85	3.42	12.80 3.50 - 16.50	2.866 0.850 - 5.166	13.16	12.59	99
20+20+20+20+35+50	1.55	1.55	1.55	1.55	2.72	3.88	12.80 3.50 - 16.50	2.866 0.850 - 5.166	13.16	12.59	99
20+20+20+20+35+60	1.46	1.46	1.46	1.46	2.56	4.39	12.80 3.50 - 16.50	2.849 0.850 - 5.149	13.08	12.51	99
20+20+20+20+42+42	1.56	1.56	1.56	1.56	3.28	3.28	12.80 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
20+20+20+20+42+50	1.49	1.49	1.49	1.49	3.13	3.72	12.80 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
20+20+20+20+50+50	1.42	1.42	1.42	1.42	3.56	3.56	12.80 3.50 - 16.50	2.860 0.850 - 5.160	13.13	12.56	99
20+20+20+22+22+22	2.02	2.02	2.02	2.23	2.23	2.23	12.75 3.50 - 16.02	2.845 0.850 - 5.165	13.06	12.49	99
20+20+20+22+22+25	1.98	1.98	1.98	2.18	2.18	2.48	12.80 3.50 - 16.08	2.855 0.850 - 5.165	13.11	12.54	99
20+20+20+22+22+35	1.84	1.84	1.84	2.03	2.03	3.22	12.80 3.50 - 16.28	2.855 0.850 - 5.165	13.11	12.54	99
20+20+20+22+22+42	1.75	1.75	1.75	1.93	1.93	3.68	12.80 3.50 - 16.42	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+22+22+50	1.66	1.66	1.66	1.83	1.83	4.16	12.80 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+22+22+60	1.56	1.56	1.56	1.72	1.72	4.68	12.80 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
20+20+20+22+22+71	1.46	1.46	1.46	1.61	1.61	5.19	12.80 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
20+20+20+22+25+25	1.95	1.95	1.95	2.14	2.43	2.43	12.85 3.50 - 16.14	2.855 0.850 - 5.165	13.11	12.54	99
20+20+20+22+25+35	1.81	1.81	1.81	1.99	2.26	3.17	12.85 3.50 - 16.34	2.855 0.850 - 5.165	13.11	12.54	99
20+20+20+22+25+42	1.72	1.72	1.72	1.90	2.16	3.62	12.85 3.50 - 16.48	2.859 0.850 - 5.159	13.13	12.56	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)	220	230		
20+20+20+22+25+50	1.64	1.64	1.64	1.80	2.05	4.09	12.85 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+22+25+60	1.54	1.54	1.54	1.69	1.92	4.62	12.85 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
20+20+20+22+25+71	1.44	1.44	1.44	1.59	1.80	5.13	12.85 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
20+20+20+22+35+35	1.69	1.69	1.69	1.86	2.96	2.96	12.85 3.50 - 16.50	2.865 0.850 - 5.165	13.15	12.58	99
20+20+20+22+35+42	1.62	1.62	1.62	1.78	2.83	3.39	12.85 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+22+35+50	1.54	1.54	1.54	1.69	2.69	3.85	12.85 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+22+35+60	1.45	1.45	1.45	1.60	2.54	4.36	12.85 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
20+20+20+22+42+42	1.55	1.55	1.55	1.70	3.25	3.25	12.85 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+20+22+42+50	1.48	1.48	1.48	1.62	3.10	3.69	12.85 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+20+25+25+25	1.91	1.91	1.91	2.39	2.39	2.39	12.90 3.50 - 16.20	2.855 0.850 - 5.165	13.11	12.54	99
20+20+20+25+25+35	1.78	1.78	1.78	2.22	2.22	3.11	12.90 3.50 - 16.40	2.865 0.850 - 5.165	13.15	12.58	99
20+20+20+25+25+42	1.70	1.70	1.70	2.12	2.12	3.56	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+25+25+50	1.61	1.61	1.61	2.02	2.02	4.03	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+25+25+60	1.52	1.52	1.52	1.90	1.90	4.55	12.90 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
20+20+20+25+35+35	1.66	1.66	1.66	2.08	2.91	2.91	12.90 3.50 - 16.50	2.865 0.850 - 5.165	13.15	12.58	99
20+20+20+25+35+42	1.59	1.59	1.59	1.99	2.79	3.34	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+25+35+50	1.52	1.52	1.52	1.90	2.66	3.79	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+25+35+60	1.43	1.43	1.43	1.79	2.51	4.30	12.90 3.50 - 16.50	2.842 0.850 - 5.142	13.05	12.48	99
20+20+20+25+42+42	1.53	1.53	1.53	1.91	3.21	3.21	12.90 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+20+25+42+50	1.46	1.46	1.46	1.82	3.06	3.64	12.90 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+20+35+35+35	1.56	1.56	1.56	2.74	2.74	2.74	12.90 3.50 - 16.50	2.865 0.850 - 5.165	13.15	12.58	99
20+20+20+35+35+42	1.50	1.50	1.50	2.63	2.63	3.15	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+35+35+50	1.43	1.43	1.43	2.51	2.51	3.58	12.90 3.50 - 16.50	2.859 0.850 - 5.159	13.13	12.56	99
20+20+20+35+42+42	1.44	1.44	1.44	2.52	3.03	3.03	12.90 3.50 - 16.50	2.853 0.850 - 5.153	13.10	12.53	99
20+20+22+22+22+22	2.00	2.00	2.20	2.20	2.20	2.20	12.80 3.50 - 16.06	2.848 0.850 - 5.158	13.08	12.51	99
20+20+22+22+22+25	1.96	1.96	2.16	2.16	2.16	2.45	12.85 3.50 - 16.12	2.848 0.850 - 5.158	13.08	12.51	99
20+20+22+22+22+35	1.82	1.82	2.00	2.00	2.00	3.19	12.85 3.50 - 16.32	2.848 0.850 - 5.158	13.08	12.51	99
20+20+22+22+22+42	1.74	1.74	1.91	1.91	1.91	3.65	12.85 3.50 - 16.46	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+22+22+50	1.65	1.65	1.81	1.81	1.81	4.12	12.85 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+22+22+60	1.55	1.55	1.70	1.70	1.70	4.64	12.85 3.50 - 16.50	2.835 0.850 - 5.135	13.02	12.45	99
20+20+22+22+22+71	1.45	1.45	1.60	1.60	1.60	5.15	12.85 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
20+20+22+22+25+25	1.93	1.93	2.12	2.12	2.41	2.41	12.90 3.50 - 16.18	2.848 0.850 - 5.158	13.08	12.51	99
20+20+22+22+25+35	1.79	1.79	1.97	1.97	2.24	3.14	12.90 3.50 - 16.38	2.858 0.850 - 5.158	13.12	12.55	99
20+20+22+22+25+42	1.71	1.71	1.88	1.88	2.14	3.59	12.90 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+22+25+50	1.62	1.62	1.78	1.78	2.03	4.06	12.90 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+22+25+60	1.53	1.53	1.68	1.68	1.91	4.58	12.90 3.50 - 16.50	2.835 0.850 - 5.135	13.02	12.45	99
20+20+22+22+25+71	1.43	1.43	1.58	1.58	1.79	5.09	12.90 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
20+20+22+22+35+35	1.68	1.68	1.84	1.84	2.93	2.93	12.90 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
20+20+22+22+35+42	1.60	1.60	1.76	1.76	2.80	3.37	12.90 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+22+35+50	1.53	1.53	1.68	1.68	2.67	3.82	12.90 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+22+35+60	1.44	1.44	1.59	1.59	2.52	4.32	12.90 3.50 - 16.50	2.835 0.850 - 5.135	13.02	12.45	99
20+20+22+22+42+42	1.54	1.54	1.69	1.69	3.23	3.23	12.90 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
20+20+22+22+42+50	1.47	1.47	1.61	1.61	3.08	3.66	12.90 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
20+20+22+25+25+25	1.89	1.89	2.08	2.36	2.36	2.36	12.95 3.50 - 16.24	2.848 0.850 - 5.158	13.08	12.51	99
20+20+22+25+25+35	1.76	1.76	1.94	2.20	2.20	3.08	12.95 3.50 - 16.44	2.858 0.850 - 5.158	13.12	12.55	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit		Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)		220	230	
20+20+22+25+25+42	1.68	1.68	1.85	2.10	2.10	3.53	12.95 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+25+25+50	1.60	1.60	1.76	2.00	2.00	4.00	12.95 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+25+25+60	1.51	1.51	1.66	1.88	1.88	4.52	12.95 3.50 - 16.50	2.835 0.850 - 5.135	13.02	12.45	99
20+20+22+25+35+35	1.65	1.65	1.81	2.06	2.89	2.89	12.95 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
20+20+22+25+35+42	1.58	1.58	1.74	1.97	2.76	3.32	12.95 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+25+35+50	1.51	1.51	1.66	1.88	2.64	3.76	12.95 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+22+25+42+42	1.51	1.51	1.67	1.89	3.18	3.18	12.95 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
20+20+22+25+42+50	1.45	1.45	1.59	1.81	3.04	3.62	12.95 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
20+20+22+35+35+35	1.55	1.55	1.71	2.71	2.71	2.71	12.95 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
20+20+22+35+35+42	1.49	1.49	1.64	2.60	2.60	3.13	12.95 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+25+25+25+25	1.86	1.86	2.32	2.32	2.32	2.32	13.00 3.50 - 16.30	2.848 0.850 - 5.158	13.08	12.51	99
20+20+25+25+25+35	1.73	1.73	2.17	2.17	2.17	3.03	13.00 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
20+20+25+25+25+42	1.66	1.66	2.07	2.07	2.07	3.48	13.00 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+25+25+25+50	1.58	1.58	1.97	1.97	1.97	3.94	13.00 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+25+25+25+60	1.49	1.49	1.86	1.86	1.86	4.46	13.00 3.50 - 16.50	2.835 0.850 - 5.135	13.02	12.45	99
20+20+25+25+35+35	1.63	1.63	2.03	2.03	2.84	2.84	13.00 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
20+20+25+25+35+42	1.56	1.56	1.95	1.95	2.72	3.27	13.00 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+25+25+35+50	1.49	1.49	1.86	1.86	2.60	3.71	13.00 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+25+25+42+42	1.49	1.49	1.87	1.87	3.14	3.14	13.00 3.50 - 16.50	2.846 0.850 - 5.146	13.07	12.50	99
20+20+25+35+35+35	1.53	1.53	1.91	2.68	2.68	2.68	13.00 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
20+20+25+35+35+42	1.47	1.47	1.84	2.57	2.57	3.08	13.00 3.50 - 16.50	2.852 0.850 - 5.152	13.10	12.53	99
20+20+35+35+35+35	1.44	1.44	2.53	2.53	2.53	2.53	13.00 3.50 - 16.50	2.858 0.850 - 5.158	13.12	12.55	99
20+22+22+22+22+22	1.98	2.17	2.17	2.17	2.17	2.17	12.85 3.50 - 16.10	2.841 0.850 - 5.151	13.05	12.48	99
20+22+22+22+22+25	1.94	2.13	2.13	2.13	2.13	2.42	12.90 3.50 - 16.16	2.841 0.850 - 5.151	13.05	12.48	99
20+22+22+22+22+35	1.80	1.98	1.98	1.98	1.98	3.16	12.90 3.50 - 16.36	2.851 0.850 - 5.151	13.09	12.52	99
20+22+22+22+22+42	1.72	1.89	1.89	1.89	1.89	3.61	12.90 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+22+22+50	1.63	1.80	1.80	1.80	1.80	4.08	12.90 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+22+22+60	1.54	1.69	1.69	1.69	1.69	4.61	12.90 3.50 - 16.50	2.828 0.850 - 5.128	12.98	12.42	99
20+22+22+22+22+71	1.44	1.59	1.59	1.59	1.59	5.12	12.90 3.50 - 16.50	2.832 0.850 - 5.132	13.01	12.44	99
20+22+22+22+25+25	1.90	2.09	2.09	2.09	2.38	2.38	12.95 3.50 - 16.22	2.841 0.850 - 5.151	13.05	12.48	99
20+22+22+22+25+35	1.77	1.95	1.95	1.95	2.22	3.10	12.95 3.50 - 16.42	2.851 0.850 - 5.151	13.09	12.52	99
20+22+22+22+25+42	1.69	1.86	1.86	1.86	2.12	3.55	12.95 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+22+25+50	1.61	1.77	1.77	1.77	2.01	4.02	12.95 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+22+25+60	1.51	1.67	1.67	1.67	1.89	4.54	12.95 3.50 - 16.50	2.828 0.850 - 5.128	12.98	12.42	99
20+22+22+22+35+35	1.66	1.83	1.83	1.83	2.91	2.91	12.95 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99
20+22+22+22+35+42	1.59	1.75	1.75	1.75	2.78	3.34	12.95 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+22+35+50	1.51	1.67	1.67	1.67	2.65	3.79	12.95 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+22+42+42	1.52	1.68	1.68	1.68	3.20	3.20	12.95 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
20+22+22+22+42+50	1.46	1.60	1.60	1.60	3.06	3.64	12.95 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99
20+22+22+25+25+25	1.87	2.06	2.06	2.34	2.34	2.34	13.00 3.50 - 16.28	2.841 0.850 - 5.151	13.05	12.48	99
20+22+22+25+25+35	1.74	1.92	1.92	2.18	2.18	3.05	13.00 3.50 - 16.48	2.851 0.850 - 5.151	13.09	12.52	99
20+22+22+25+25+42	1.67	1.83	1.83	2.08	2.08	3.50	13.00 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+25+25+50	1.59	1.74	1.74	1.98	1.98	3.96	13.00 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99
20+22+22+25+25+60	1.49	1.64	1.64	1.87	1.87	4.48	13.00 3.50 - 16.50	2.828 0.850 - 5.128	12.98	12.42	99
20+22+22+25+35+35	1.64	1.80	1.80	2.04	2.86	2.86	13.00 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit			Current (A)		Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	power consumption(kW)			220	230	
20+22+22+25+35+42	1.57	1.72	1.72	1.96	2.74	3.29	13.00 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+22+22+25+35+50	1.49	1.64	1.64	1.87	2.61	3.74	13.00 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+22+22+25+42+42	1.50	1.65	1.65	1.88	3.16	3.16	13.00 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99	
20+22+22+35+35+35	1.54	1.69	1.69	2.69	2.69	2.69	13.00 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
20+22+22+35+35+42	1.48	1.63	1.63	2.59	2.59	3.10	13.00 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+22+25+25+25+25	1.84	2.02	2.30	2.30	2.30	2.30	13.05 3.50 - 16.34	2.841 0.850 - 5.151	13.05	12.48	99	
20+22+25+25+25+35	1.72	1.89	2.15	2.15	2.15	3.00	13.05 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
20+22+25+25+25+42	1.64	1.81	2.05	2.05	2.05	3.45	13.05 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+22+25+25+25+50	1.56	1.72	1.95	1.95	1.95	3.91	13.05 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+22+25+25+25+60	1.47	1.62	1.84	1.84	1.84	4.42	13.05 3.50 - 16.50	2.828 0.850 - 5.128	12.98	12.42	99	
20+22+25+25+35+35	1.61	1.77	2.01	2.01	2.82	2.82	13.05 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
20+22+25+25+35+42	1.54	1.70	1.93	1.93	2.70	3.24	13.05 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+22+25+25+35+50	1.47	1.62	1.84	1.84	2.58	3.69	13.05 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+22+25+25+42+42	1.48	1.63	1.85	1.85	3.11	3.11	13.05 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99	
20+22+25+35+35+35	1.52	1.67	1.90	2.66	2.66	2.66	13.05 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
20+22+25+35+35+42	1.46	1.60	1.82	2.55	2.55	3.06	13.05 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+25+25+25+25+25	1.81	2.26	2.26	2.26	2.26	2.26	13.10 3.50 - 16.40	2.851 0.850 - 5.151	13.09	12.52	99	
20+25+25+25+25+35	1.69	2.11	2.11	2.11	2.11	2.96	13.10 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
20+25+25+25+25+42	1.62	2.02	2.02	2.02	2.02	3.40	13.10 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+25+25+25+25+50	1.54	1.93	1.93	1.93	1.93	3.85	13.10 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+25+25+25+25+60	1.46	1.82	1.82	1.82	1.82	4.37	13.10 3.50 - 16.50	2.828 0.850 - 5.128	12.98	12.42	99	
20+25+25+25+35+35	1.59	1.98	1.98	1.98	2.78	2.78	13.10 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
20+25+25+25+35+42	1.52	1.90	1.90	1.90	2.67	3.20	13.10 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+25+25+25+35+50	1.46	1.82	1.82	1.82	2.55	3.64	13.10 3.50 - 16.50	2.845 0.850 - 5.145	13.06	12.49	99	
20+25+25+25+42+42	1.46	1.83	1.83	1.83	3.07	3.07	13.10 3.50 - 16.50	2.839 0.850 - 5.139	13.04	12.47	99	
20+25+25+35+35+35	1.50	1.87	1.87	2.62	2.62	2.62	13.10 3.50 - 16.50	2.851 0.850 - 5.151	13.09	12.52	99	
22+22+22+22+22+22	2.15	2.15	2.15	2.15	2.15	2.15	12.90 3.50 - 16.14	2.834 0.850 - 5.144	13.02	12.45	99	
22+22+22+22+22+25	2.11	2.11	2.11	2.11	2.11	2.40	12.95 3.50 - 16.20	2.834 0.850 - 5.144	13.02	12.45	99	
22+22+22+22+22+35	1.96	1.96	1.96	1.96	1.96	3.13	12.95 3.50 - 16.40	2.844 0.850 - 5.144	13.06	12.49	99	
22+22+22+22+22+42	1.87	1.87	1.87	1.87	1.87	3.58	12.95 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99	
22+22+22+22+22+50	1.78	1.78	1.78	1.78	1.78	4.05	12.95 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99	
22+22+22+22+22+60	1.68	1.68	1.68	1.68	1.68	4.57	12.95 3.50 - 16.50	2.821 0.850 - 5.121	12.95	12.39	99	
22+22+22+22+25+25	2.07	2.07	2.07	2.07	2.36	2.36	13.00 3.50 - 16.26	2.834 0.850 - 5.144	13.02	12.45	99	
22+22+22+22+25+35	1.93	1.93	1.93	1.93	2.20	3.07	13.00 3.50 - 16.46	2.844 0.850 - 5.144	13.06	12.49	99	
22+22+22+22+25+42	1.85	1.85	1.85	1.85	2.10	3.52	13.00 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99	
22+22+22+22+25+50	1.75	1.75	1.75	1.75	1.99	3.99	13.00 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99	
22+22+22+22+25+60	1.65	1.65	1.65	1.65	1.88	4.51	13.00 3.50 - 16.50	2.821 0.850 - 5.121	12.95	12.39	99	
22+22+22+22+35+35	1.81	1.81	1.81	1.81	2.88	2.88	13.00 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99	
22+22+22+22+35+42	1.73	1.73	1.73	1.73	2.76	3.31	13.00 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99	
22+22+22+22+35+50	1.65	1.65	1.65	1.65	2.63	3.76	13.00 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99	
22+22+22+22+42+42	1.66	1.66	1.66	1.66	3.17	3.17	13.00 3.50 - 16.50	2.832 0.850 - 5.132	13.01	12.44	99	
22+22+22+22+42+50	1.59	1.59	1.59	1.59	3.03	3.61	13.00 3.50 - 16.50	2.832 0.850 - 5.132	13.01	12.44	99	
22+22+22+25+25+25	2.04	2.04	2.04	2.31	2.31	2.31	13.05 3.50 - 16.32	2.834 0.850 - 5.144	13.02	12.45	99	
22+22+22+25+25+35	1.90	1.90	1.90	2.16	2.16	3.02	13.05 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99	
22+22+22+25+25+42	1.82	1.82	1.82	2.06	2.06	3.47	13.05 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99	

MXZ-6F120VGD HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)	Current (A)		Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F		220	230		
22+22+22+25+25+50	1.73	1.73	1.73	1.97	1.97	3.93	13.05 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+22+25+25+60	1.63	1.63	1.63	1.85	1.85	4.45	13.05 3.50 - 16.50	2.821 0.850 - 5.121	12.95	12.39	99
22+22+22+25+35+35	1.78	1.78	1.78	2.03	2.84	2.84	13.05 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
22+22+22+25+35+42	1.71	1.71	1.71	1.94	2.72	3.26	13.05 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+22+25+35+50	1.63	1.63	1.63	1.85	2.60	3.71	13.05 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+22+25+42+42	1.64	1.64	1.64	1.86	3.13	3.13	13.05 3.50 - 16.50	2.832 0.850 - 5.132	13.01	12.44	99
22+22+22+35+35+35	1.68	1.68	1.68	2.67	2.67	2.67	13.05 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
22+22+22+35+35+42	1.61	1.61	1.61	2.57	2.57	3.08	13.05 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+25+25+25+25	2.00	2.00	2.27	2.27	2.27	2.27	13.10 3.50 - 16.38	2.844 0.850 - 5.144	13.06	12.49	99
22+22+25+25+25+35	1.87	1.87	2.13	2.13	2.13	2.98	13.10 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
22+22+25+25+25+42	1.79	1.79	2.03	2.03	2.03	3.42	13.10 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+25+25+25+50	1.71	1.71	1.94	1.94	1.94	3.88	13.10 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+25+25+25+60	1.61	1.61	1.83	1.83	1.83	4.39	13.10 3.50 - 16.50	2.821 0.850 - 5.121	12.95	12.39	99
22+22+25+25+35+35	1.76	1.76	2.00	2.00	2.80	2.80	13.10 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
22+22+25+25+35+42	1.69	1.69	1.92	1.92	2.68	3.22	13.10 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+25+25+35+50	1.61	1.61	1.83	1.83	2.56	3.66	13.10 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+22+25+25+42+42	1.62	1.62	1.84	1.84	3.09	3.09	13.10 3.50 - 16.50	2.832 0.850 - 5.132	13.01	12.44	99
22+22+25+35+35+35	1.66	1.66	1.88	2.64	2.64	2.64	13.10 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
22+25+25+25+25+25	1.97	2.24	2.24	2.24	2.24	2.24	13.15 3.50 - 16.44	2.844 0.850 - 5.144	13.06	12.49	99
22+25+25+25+25+35	1.84	2.09	2.09	2.09	2.09	2.93	13.15 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
22+25+25+25+25+42	1.76	2.00	2.00	2.00	2.00	3.37	13.15 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+25+25+25+25+50	1.68	1.91	1.91	1.91	1.91	3.82	13.15 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+25+25+25+35+35	1.73	1.97	1.97	1.97	2.76	2.76	13.15 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
22+25+25+25+35+42	1.66	1.89	1.89	1.89	2.65	3.17	13.15 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
22+25+25+35+35+35	1.63	1.86	1.86	2.60	2.60	2.60	13.15 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
25+25+25+25+25+25	2.20	2.20	2.20	2.20	2.20	2.20	13.20 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
25+25+25+25+25+35	2.06	2.06	2.06	2.06	2.06	2.89	13.20 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
25+25+25+25+25+42	1.98	1.98	1.98	1.98	1.98	3.32	13.20 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
25+25+25+25+25+50	1.89	1.89	1.89	1.89	1.89	3.77	13.20 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
25+25+25+25+35+35	1.94	1.94	1.94	1.94	2.72	2.72	13.20 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99
25+25+25+25+35+42	1.86	1.86	1.86	1.86	2.61	3.13	13.20 3.50 - 16.50	2.838 0.850 - 5.138	13.03	12.46	99
25+25+25+35+35+35	1.83	1.83	1.83	2.57	2.57	2.57	13.20 3.50 - 16.50	2.844 0.850 - 5.144	13.06	12.49	99