


Refrigerator-Freezer

Easy Refrigerator Use

SERIES MODEL





Contents

| Before using your refrigerator | |
|---|-------|
| For your safety, please be sure to follow these instruction | ns. 2 |
| From installing to running your refrigerator. | 4 |
| Smart tips for using your refrigerator | |
| How to adjust the temperature. | 5 |
| Using each compartment | |
| Refrigerator and Sliding Case Compartments. | 6 |
| Vegetable and Freezer Compartments. | 7 |
| Automatic Ice-Maker. | 8 |
| Maintenance and troubleshooting | |
| How to remove and clean accessories. | 10 |
| How to maintain your Automatic Ice-Maker. | 12 |
| Problem solving. | 14 |
| Accessories | 15 |
| MEMO | |

- Please read this manual carefully and follow the information contained within. In particular, be sure to read the safety precautions before using this refrigerator.
- Be sure to receive your copy of the warranty from the retailer and confirm that the purchase data and retailer name are written on the warranty.
- Store the Operating Instruction Manual and the warranty in a safe place.
- This refrigerator was manufactured for refrigerating and freezing of foods in general households. For commercial use, please use a commercial refrigerator-freezer.
- The photographs and illustrations contained in this manual are for the MR-C405G. While the capacity and dimensions of the MR-C405G are different from the MR-C375G the operation is the same.
- The principal plastic components indicate the material name to facilitate recycling.

Cleaning Instruction - Important!

It is strongly recommended to use only lukewarm water and a soft cloth when cleaning. Cleaning agents can cause cracking to the plastic components of your refrigerator.

For your safety, please be sure to follow these instructions.

■The types of danger that can result from improper handling are explained in the sections below.



Mishandling can lead to serious injury or death.



Mishandling can lead to bodily injury or loss of home and household contents.

■ The symbols illustrated below have the following meanings.



Do not do



Do not touch



Do not take apart, repair or convert



Do not get wet



Do not touch with wet hands



Always follow instructions



Always connect an earth wire




Always unplug electrical plug from socket

If something abnormal or unusual occurs, turn off immediately and consult with the store where you purchased the unit or with a Mitsubishi Electric Service Agent.

/!\Warning

When Installing Your Unit

Allow some space around the refrigerator.





Leave space around unit

Do not install in an outdoor area if it is exposed to water can get on it or where there is a lot of moisture.

Due to insulation failure. it may cause an electric shock or fire.





Do not get wet

Use a dedicated outlet for the power supply that meets the rating specified on the rating label.(The rating label is located on the door-liner of the refrigerator compartment.)

Using an extension cord or plugging in too many power cords into the outlet can cause heat Page 4 buildup or a fire.



Keep the electrical plug cord facing downwards and insert the plug in fully.

If it is plugged with the cord facing upward, extra pressure gets exerted on it which can cause it to heat up or ignite.



Plug with cord downward

If the power cord is damaged.

If the power cord is damaged call Mitsubishi Electric Service Centre for a technician to replace power cord. The power cord should be designed for this model. Page 4



About the Electrical Outlet and Electrical Plug


When replacing the interior refrigerator light or when carrying out maintanence, pull out the electrical plug.

Not doing so can result in an electric shock or injury.

or loose outlets.

Using them can result

in an electric shock or



Do not push the electrical plug with the back of the refrigerator. Do not damage the electrical cord.

If the plug is pressed by the refrigerator, or if the cord is bent, bundled, or a heavy object is placed on it, it can cause an electric shock or a fire.



Do not use damaged cords or plugs Do not remove the electrical plug by pulling the cord.

> The cord can become damaged and can cause an electric shock or a fire.





Remove dust from the electrical plug.

Not doing so can cause a fire from insulation failure.

injury.



a



Do not plug or unplug the electrical plug with wet hands.

It can cause an electric shock.





Do not use wet hands

!\Caution

Installing and Transporting

Install on a strong level floor and adjust the adjustable legs to fix firmly.

The refrigerator may move and cause injury.








When transporting, use the handles made for carrying.

If other parts are held while carrying, it can cause injury.

(Page 13)





About Using

Do not force food items into the refrigerator. Do not use force to pull out shelves.

Food items may fall out, causing injury.





Do not touch food or containers in the Freezer Compartment with wet hands.

Doing so can cause freezer burn.





!\Warning

About Using Your Refrigerator


Do not put any vessels, jars, etc. that contain water on top of the refrigerator.

If water gets onto electrical parts, it will cause an electric shock or a fire.





Do not use electrical products inside the refrigerator unit.





Do not store volatile or flammable products in Refrigerator.

Benzine, cosmetics and hair styling products can Ethyl & Benzene gas be the cause for igniting fires and explosion.



Do not hang on the door or door handle, and do not climb on compartment drawer-type doors.

The refrigerator could topple over causing injury.



Do not do If you sense a gas leakage, do not

Do not place items on top of the refrigerator. Items may drop when the doors are opened

or closed and could > cause injury.

(the upper part of the

ice storage box).






Anything that needs strict supervision must not be stored in a home-use

refrigerator. Do not damage the refrigerant circuit (piping) of the refrigerator; do not drive in

test material.





Do not store

touch the refrigerator. Open the window before contacting a Service Centre.





Do not wash with water or spill liquid food items on the unit.

Do not put your hands in the mechanical part

If water and food liquids get on the unit, it can cause an electric shock or a fire. If that La happens, dry off immediately.

Doing so will cause injury.


of the Automatic Ice-Maker



Do not touch

Do not use flammable sprays nearby.

A spark from the electrical contact can ignite and cause a fire.





Do not use in a shed or a garage.

If small animals damage the wiring, it can cause an electric shock or a fire.



 This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance safely. Young children should be supervised to ensure that they do not play with the appliance.

 This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

About Malfunctions / Long Term Care

If the refrigerant circuit (piping) is damaged, do not touch the refrigerator, avoid using any heating flame, open the window and ventilate the room.


trapped inside while the refrigerator is not in use,

please pull off the door seal.

When the refrigerant circuit is damaged, please consult the store in which the unit was purchased. -

It is dangerous if the


child gets shut inside.



Remove the door seal

If something abnormal occurs (such as a burning smell), pull out the electrical plug and stop the refrigerator from running.

abnormal state, it can cause an electrical shock or a fire.



If you will not be using the refrigerator for a long period of time, after pulling out the electrical plug, open the door and let the interior dry out. Dry properly

Do not take apart, repair or convert. Do not continue to use with damaged parts.

This can cause injury, an electric shock or a fire.

your country.





When disposing of the unit, please follow applicable disposal regulation in

Transfer it over

Caution


About Using Your Unit

Do not store bottles in the Freezer Compartment.

Do not place your hands or feet

If the liquid freezes and bottles crack, it will cause injury.

under the refrigerator.





or are discolored.


Doing so may cause food poisoning or other illnesses.





Close the door by holding the handle.


Hold it in a way so that you don't get your fingers caught in the door. Not doing this may cause injury.



Do not eat foods that have a bad smell When opening and closing the door.

- Do not open or close the door while someone else is in the way.
- Do not place your fingers at the top of drawer-type doors when closing the door.
- Do not close the lower drawers with your foot (as it may get caught).
- Do not open or close the door forcefully (food items may fall and cause injuries)





The steel plate or



From Installing to Running Your Refrigerator.



Where to Install your Fridge

Install in a place where there is no direct sunlight or heat, and with good ventilation.

This protects against a decrease in cooling power and saves on electricity bills.

Install in a place with low humidity.

This prevents rust, electric shock or fires from occurring. Install on a solid and level floor.

This prevents vibrations, noise, and partially open doors or doors left ajar.

 If the refrigerator adjustment feet sink easily into the flooring material, please lay a strong board on top of the flooring. (Prevent changes or discoloring by its mass or heat.) Install away from other appliances.

This prevents noise or image disturbances to the television, etc.

Leave a space around the unit for heat to escape

Leave a space of more than 2 cm to the left and right, and more than 10 cm from the ceiling, and more than 5 cm from the back.

This is to allow heat to escape from the top, the back and sides.

The outside of the unit will get hot.

When you first start running the unit, or in the summer, there may be times when the temperature can go over 50 – 60 °C.

Do not block the refrigerator's ventilation opening or the spaces around the refrigerator.

Electrical Connections

Important: For personal safety, this appliance must be properly grounded.


 The refrigerator should always be plugged into its own individual electrical outlet. This is recommended for best performance and also in order to prevent the overloading of household wiring circuits, which may cause a fire hazard. Extension cords are not recommended.

Make sure that the outlet provides the correct voltage.

Your refrigerator has a grounding plug, use it correctly.

The 3-point plug must be inserted into a mating 3-point grounded receptacle.

The ground point should never be cut or removed.



* The Adjustable Leg Covers are packed in together with the refrigerator for shipping.

Turn the adjustable legs to get them to touch the floor and let the front casters up, then affix.

Prevents vibration, noise, movement and the partial opening of doors.

- /!\ Caution

If it is not done properly, the refrigerator may move and cause injury.


 Make sure the left and right sides are level, and keep the front at a slightly higher angle. This makes closing the door easier and prevents the door from partially opening.

When the tilt cannot be corrected with the adjustable legs.

If installed in a corner of a room, there are times when one side of the back legs sinks into the floor. When that happens, please make adjustments in the back with casters (to be purchased) or lay a strong board underneath. (Normally, the thickness of the board should be 2 - 3 mm.)

About the direction of the door.


If the installation space is not level, or if after a few days, the weight of the food causes the leg to sink, the door will look like it is sagging. (There are times that the weight of food stored in the refrigerator exceeds 100 kilograms.) Please adjust the adjustable legs by turning them in the direction indicated in the diagram.



the energy label

- Remove the energy label carefully. A glue residue may remain, particularly if the label has been in place for a long period of time.
- Apply either Eucalyptus or Tea Tree oil directly on any residue.
- Do not allow the oil to run or drip onto plastic parts as it may cause the plastic to degrade and potentially crack over time.
- Allow the oil to sit for approximately 1-2 minutes, or until the glue residue has softened.
- Wipe off with a damp cloth.
- If any residue remains, repeat the above process.
- Rinse with clear water.
- Dry thoroughly.

How to Adjust the Temperature.



- ※ Illustration of the MR-C405G
- For the temperatures indicated, the freezer and refrigerator compartments were adjusted at the "Normal" position, with an ambient temperature of 30 °C, with refrigerator doors closed and containing no food; after the temperature stabilized, the temperature criteria was measured toward the lower-mid interior of the refrigerator.

Please follow these tips

To cool the unit quickly

Since it takes time to cool down, please insert the electrical plug as soon as possible.

It normally takes about 4 - 5 hours to cool down. If you insert the electrical plug immediately after installation, it will not cause damage to your unit.

- When inserting food, make sure to allow some space between items.
- Put in warm food items or ice cream after the refrigerator has been adequately cooled down.
- Keep opening and closing of the door to a minimum, and keep it open for only a short time.

In the summer time when it's hot, it will take approx. 24 hours to make the first batch of ice.

About the Door Alarm


The number of times that the door alarm (beeping sound) sounds indicates the following situation.

Sounds off * Indicates that either the refrigerator or freezer door is open. Please close the door.


Each time the door is open for over 1 minute, the alarm will sound 4 times. If open for over 5 minutes, it will sound continually.

Make sure that there is no food caught on the door (on the seal strip/behind the case).

- Please check for this once a month.
- Please consult the store where you purchased your unit if the alarm sounds even after the door is closed.




Refrigerator and Sliding Case Compartments.






The position of the shelves can be adjusted to boost your storage space!



Pull out the shelves and place them in the position that suits your needs.

Three-way Flexishelf


Even a large watermelon can be refrigerated whole.



Fold it in the back

Free Egg Tray

It is an egg case and a small items tray. By turning the Free Egg Tray upside-down, it converts into a small items tray.



Please follow these tips

Do not let food items protrude beyond the tray Do not place bottles in the front row of the bottle pocket that are too high for the pocket.

 It can cause the door to be partially open, or it can cause bottles to break.


Do not close the door if food is in front of the Sliding Case.

Make sure the Sliding Case is stored away properly.



Do not attach other types of cases sold in stores onto the outer side of the pocket.

- Cooling can get hampered due to a partially open door, food items can fall out causing injuries, or the case can get damaged.
- Do not block the air outlet with other store-bought cases.




Notice

In case your food items get frozen.

- When the ambient temperature is under 5 °C...Adjust the temperature in the refrigerator compartment to "less cold" and this will make the food less likely to freeze.
- For drinks or food items with a lot of moisture....Keep away from sections near the air blowing outlet and place in the front part of the shelf.

Vegetable and Freezer Compartments.




Please take heed

Do not put tall items in the Sliding Case.

- It can damage food items or damage the Sliding Case.
- If the Sliding Case is taken out and used separately, the Vegetable Compartment will become dry.

Notice


• If you wrap fruit and vegetables, they will stay fresh longer.



Notice

Put food in the Freezing Case below the embossed line level seen at the front.

Freezing Case (lower)




Maximum level for storing food


- When closing the door, food can get in the way causing the door not to close properly. This can cause frost to form in the inside or improper freezing and will cause a malfunction.
- This may damage food and the Freezing Case as well as the Automatic Ice-Maker.

Hints on How to Save on Electricity.

Allow some space between food items.




Cool down hot foods before placing them in the fridge.



Keep door openings/closings to a minimum and keep the times short.



When closing the door, do not let food, plastic bags, the electrical cord, etc. get caught in the doorway.




Even if the door is slightly ajar, frost or condensation may form and it will not cool properly or water droplets may form.



This prevents drying or absorbtion of odours.

Automatic Ice-Maker.



To stop Ice-Making.

When the red light is off.

 When the red light is on, Ice-Making is stopped.



(Temperature control panel at the back of the Refrigerator Compartment.)

To restart lce-Making.

When the red light is on.

Press OFF OFF OFF

will go off.

Please take heed

Do not put items at the back of the Ice Storage Box.

Freezing Case (upper)

Ice Server

Door

Door

Door

Lever

Detection Lever

(Detects volume of ice stored.)

Keep ice at an even level.

- Please do not store anything above the red line on the side of the Freezing Case (upper).
 It can cause the door not to shut properly and can damage the Auto Ice-Maker.
- The volume of ice is checked automatically by the Detection Lever, so when it gets to the standard amount, Ice-Making is stopped. In order for the volume of ice to be correctly confirmed, make sure the ice is leveled and placed the Ice Server in front of the Ice Storage Box.
- Do not put other food items in during Automatic Ice-Making.
 It can come in contact with the Detection Lever and can damage it.

Do not fill the Water Storage Tank with hot water, juice, tea, cooling drinks, etc. Fill with water only.

(Temperature tolerance approx. 60 °C)

 If other liquid not water is used, it will cause the Auto Ice-Maker and the Water Supply Pump to malfunction.



• If the Water Supply Tank is not removed first, and water is poured into the tank using a kettle, etc. and the water goes above the "full line", you may get connected ice.

Notice

- Ice made with water containing a lot of mineral substances such as mineral water, can cause ice to form with a white sediment (white crystals). These are only mineral substances that have become crystallized. They are harmless.
- If ice is stored for a long period of time, the ice cubes may cling together or become smaller. (This is known as the phenomenon of sublimation.)
- Ice-Making may take longer with frequent opening/closing of the door, or depending on the ambient temperature.
- If you are going to break clinging ice cubes apart, be careful that you do not injure your hands.



It does not make ice at all. Water in the tank does not decrease. It takes too long to make ice.

- 1) Is it just a short time after installation?
- ② Are the Water Supply Pump and pipe properly attached to the Water Supply Tank?
- ③ Are food items or the Ice Server left in the Ice Storage Box?
- 4 Is the Ice-Maker in the "ICE MAKER OFF" setting (red light on)?
- 1) It takes about 12 hours to make the first batch of ice. In the summer, it may take about 24 hours.
- ② Please place the outlet for the pipe inside the tank correctly. Page 12
- The Ice-Maker will judge that there is a lot of ice. Please take food items, etc. out of the Ice Storage Box. Also, please level the ice evenly to the forefront.
 - 4 Please turn off the "ICE MAKER OFF" red light. Page 9

There are protrusions on the ice.

The ice gets smaller.
The ice is melted.
The ice clings together.

- 1 There are protrusions on the ice. 2~3 cubes get connected.
- ② The ice cubes are small. The ice is melted on the surface. The cubes cling together.
- ed. ce.
- 1) This is because there is a waterway that flows water evenly into the Ice-Maker tray. Please do not fill water above the "full line" mark on the Water Supply Tank. Page 8
- ② If stored for a long time, ice cubes will become smaller as if they have melted, or they will cling together. This phenomenon is known as sublimation.

The ice has white "things" in it.


① Are you using mineral water to make ice?

If ice is made with water that has a lot of mineral substances, white sediment may form inside the cubes. They are harmless.

How to Remove and Clean Accessories.

Before You Begin Cleaning

Unplug the electrical plug.



/ Warning


If it is not unplugged, it will cause an electric shock.

Wait 10 minutes or more before you replug the electrical plug into the outlet. If you plug it in immediately after unplugging it, the refrigerator will not run.

How to Clean Your Accessories

 Wipe with a soft cloth using warm water, or remove parts and wash with water.

 For hard-to-remove dirt, first clean (using a diluted kitchen detergent (neutral type). Then, finish off with a soft cloth and water. If oily substances remain for some time, the plastic may crack.



 If you use a chemical cloth, please be sure to follow the attached instructions.





 Do not use alkaline/mild alkaline kitchen detergents, polishing powders, powder detergents, alcohol, benzene, thinner, kerosene, acid, scrub brushes, boiling water, etc. Plastic parts (door handles, caps, cases, etc.) can crack and it will damage doors and surface paint.

Refrigerator Compartment Adjustable Shelf Draw forward, pull downward. Three-way Flexishelf Push inward and lift upward.


Sliding Case

Lift the front part and draw out.





- 1 Open the drawer-door fully and,
- 2 Lift up the Ice-Storage Box and take out.
- (upper) towards you.
- 4 Take out the Freezing Case (upper), and while slightly lifting up the door draw out and tilt downwards.
- 3 Lift up the Freezing Case 5 Lift up the Freezing Case (lower) towards you.



Soot


and

dust

Use reverse procedures to put accessories back in place.

The Door Seal Strip

If the Door Seal Strip gets dirty, it can be easily damaged and can cause cold air to escape.




Free Pockets/Bottle Pockets/Small Items Pocket

- 1 Lift upwards holding right and L left sides and (the piece is attached quite firmly).
- 2 Then draw forwards to remove.
- 3 Make sure that that it is put back on properly. 2 (If these accessories are not put back properly, they may fall off and cause injury.)

Vegetable Compartment

Sliding Case

- 1 Draw out fully.
- 2 Lift out the case.




Vegetable Case

- 1 Take out the small Vegetables Case. While lifting the drawer-door slightly, draw out and tilt downward.
- 2 Lift out the case.



Liquid-Catching Indentations

liquid or condensation.



How to Replace the LED Light

In the event that the LED light is damaged or malfunctions, please refrain from adjusting or repairing it by yourself. Please contact the service center instead.


The back of the Refrigerator, and on the floor

- 1) Turn the adjustable legs, let it rise above the floor, then move the refrigerator.
- 2 Wipe the dirt off the back of the unit, the wall, and the floor. Dust can collect at the back side of the unit and on the floor because of the convection air flow, and it is an area that can easily get sooty dirt.
- 3 Check to make sure there's no water leaking on the floor.



Do not put your hands or feet under the refrigerator. Doing so may cause injury.


Wipe away any dirt,



After cleaning Accessories, Inspect at Regular Intervals

Inspect your electrical plug and cord

- 1 Unplug the electrical plug from the outlet and inspect. Is there any damage or abnormal heat coming from the plug or cord?
- 2 Wipe away dust from the plug and around the plug area with a dry cloth.
- 3 Insert the electrical plug fully into the outlet.



If dust collects on the electrical plug or cord,

it can get damaged and can cause a fire.


How to Maintain Your Automatic Ice-Maker.

Regular maintenance is important.

It prevents water deposit stains, mould, etc. from forming.

Week For once-a-week maintenance


Water Supply Tank Take off the lid and wash with water. (Temperature tolerance approx 60 °C)



Purification Filter

Remove and wash with water. Normally, it does not need replacing. Please replace for the following reasons:


- If something other than water was put in and the opening got blocked.
- If it is damaged.
- If mould, etc. is forming.




To buy another filter, please inquire at the store where you bought your unit.

Month For once-a-month maintenance


Water Supply Pump : 1




Remove it from tank. Turn the pump and take out.



Take out the pipe, turn the cap and remove, take out the impeller and wash with water.






Return parts by following the reverse procedure.

Pointers for assembling the Water Supply Pump


If it is not assembled properly, it may not make ice or it may make a loud sound. Please check on the following.

The claw on the cap (1) is turned to put onto the protruding part (2) of the Water Supply Pump.




:: Check to make sure that the impeller is inside.

Attach the Water Supply Pump properly to the Water Supply Tank by turning and attaching.



Insert the pipe into the Water Supply Tank opening, Connect the pipe to the Water Supply Pump.




: Check to make sure that there are no substances at the connection point of the two pipes.

Make sure to insert the Water Supply Pipe

properly so that there is no difference in


surface level between Facet A and Facet B.

Water Supply Pipe



Take out the Water Take out the Water Supply Pipe and wash Hose Part with running water.

 The Water Receptacle and Hose Part cannot be removed.



Turn,

Return back to original positions. Water Supply Pipe

 Return the Water Supply Tank and it does not sit in properly, re-set the Water Supply Pipe.


If removal or assembly is not done correctly, a problem such as a water leakage will occur.

Cleaning the Ice-Making Tray (Rinsing)

Take ice out of the Ice Storage Take out ice cubes. Box, close the freezer door. Fill Water Supply Tank with water, put back in original position. Press Condition of the Press P adjustment panel at inner back of Freezer Compartment.)

(Press until it makes a beeping sound.)

- The stop Ice-Maker light (red) will blink for about 1 minute. (It rinses the Ice-Maker Tray with water from the Water Supply Tank.) When light stops blinking, it will return to the previous indication.
- Freezing Case (upper) Repeat 3 2 or 3 times. Ice Storage Remove the Freezing Case (upper) and the Ice Storage Box, discard water and ice.
 - Do not throw out the Noise Prevention Mat.



When you will not make ice for a long time \gg Also do this when moving or transporting unit. Empty the Ice-Making Tray by taking out the ice or by forcing water to go into the Ice Storage Box.

Take out the Water Supply Tank, close the Freezer Door.

Press Coffee for about 5 seconds. (at temperature adjustment panel, inner back of Freezer Compartment.) - (Press until it makes a beeping sound.)

■ The Stop ICE MAKER OFF light (red) will blink for about 1 minute. (It drops down the Ice-Making Tray's water or ice.) When the light stops blinking, it will return to the previous indication. : Take out the Freezing Case (upper) and the Ice Storage Box.

And discard water or ice. Do not throw out the Noise Prevention Mat.

Stop making ice. Page 9

If the ICE MAKER OFF light (red) is off, press ICE MAKER and check to confirm that the ICE MAKER OFF light is on.

Wash with water, dry, and put back in place: the Water Sup Pipe, Water Filter), Freezing Case (upper), Ice Storage Box

 To restart ice-making, press OFF To restart ice-making, press OFF To restart ice-making, press OFF To restart ice-making, press (The ICE MAKER OFF light will go off.) Page 9

| - 44 | | V2 | 2 (22) | |
|--|--|-----------------|-----------------|---|
| CONTRACTOR OF THE PARTY IN CONTRACTOR OF THE PAR | The second secon | er Supp | | ALCOHOL: NO STATE OF THE PARTY |
| el | | Put the Tank ba | Water ick in | Supply place. |

Water Supply Tank

Freezing Case (upper)

Ice Storage Box

Notice

Do not use washing agents such as kitchen detergents, benzene or bleach to clean the water filter.

It will cause ice to have an odour. If you use a bleach to clean your water supply tank or lid, please follow product directions carefully.

Assemble the water supply pump properly and firmly.

If it is not assembled properly, it may not make ice or it may make a loud sound.

What To Do In These Situations

When there is a power failure:

Minimise opening/closing of doors and avoid putting in more food.

♦ When not in use for a long time:

 Clean the Auto Ice-Maker (Page 12), clean the interior after unplugging the refrigerator, and keep the door open for 2 - 3 days to let it get dry.

If not allowed to dry properly, mould and odours can occur, or refrigerant (gas) may leak due to corrosion of the cooling unit.

When transporting:

- 1. Discard the water/ice from the Water Supply Tank and the Ice-Making Tray. Page 12
- 2. Use protective gear (protective gloves).
- 3. Lay towels under the Water Discharge Outlet and under the back corners of the refrigerator, and place a container or tray on the floor that is about 3 cms high to catch water.
 - * Towels prevent water from spilling on the floor and damage to the floor.
- 4. Slowly tilt the refrigerator back to an angle of over 30 degrees, discharge water of the Evaporator Tray through the Eater Discharge Outlet (the Evaporator Tray is not visible from the outside.)
 - * Have two or more persons do this work because the unit is heavy.
 - ※ Avoid having young children or those without confidence do this work.
 Please seek advice from a moving company.
- 5. With more than two persons, calmly and slowly transport the unit by grasping the front side's lower section inner edge and the back side's upper section handle.
- Do not lay or load on its side (it will cause damage to the compressor.)
- If you are moving, it will not be necessary to convert the electrical power frequency.
 (Can use 50 or 60Hz).



Water Discharge Outlet

Front side - lower section inner edge

Back side - upper section handle

◆ When moving the unit / when changing the direction of the unit:

- 1. Lift the Adjustable Legs. Page 4
- 2. Move in a forward or backward direction. If moved other than a in forward or backward direction, there is a risk of damaging the floor.
- 3. When changing the direction of the unit, please use caster wheels or place a protective cloth under the back legs.

Marning

Do not damage the refrigerant circuit, do not drive in screws etc.



With low energy use Protect the environment Live well

Power Saving

Refrigerators use the most electricity of all household appliances. Even a little effort can help to save electricity. Let's all try to save power


Are you putting hot items directly into the refrigerator without allowing them to cool first?

Are you opening the doors more often than necessary?

Is the refrigerator cooling too much?

Tender care inspection

Inspect the refrigerator to get many years of use!



Have you noticed these symptoms?

- The power cord or plug is unusually hot.
- The power cord has a deep cut or is deformed.
- You smell something burning.
- Water is always collecting on the floor under the refrigerator.
- You get shocked when you touch the refrigerator.
- You notice any other abnormality or malfunction.

Stopping

To prevent an accident or when there is a malfunction, remove the power cord plug from the outlet and be sure to contact your refrigerator retailer for inspections or repairs.

Customer memo Convenient information when requesting repairs or service Purchase date Year Month Day Retailer Telephone number (

Problem Solving

Please check the following points. If the problem cannot be solved, immediately contact the store where you bought the unit.

If this happens... Please check this out.

Please do this. This is the reason.



It does not cool at all. () 1 ls it getting electrical power?





Please check the electrical plug and breaker.


It does not cool properly. It only makes small amounts of ice. The ice is melting.













3 Please check to see that it is installed properly. Page 4



4 Please check to see that too much food is not placed in the refrigerator and that the door is properly sealed shut. Page 5, 7

Food gets frozen in compartments besides the freezer.



1) Please adjust the refrigerator compartment temperature to "MID."



- 2 Are foods with a lot of moisture placed at the back end of the shelf?
- 2 Please put foods such as tofu, vegetables, fruit, and foods with a lot of moisture and drinks towards the front part.
- 3 Is the ambient temperature less than 5 °C?
- 3 If the freezer compartment temperature is adjusted to a left of "MID", food will be less likely to freeze.

Dew forms on the outside/ inside of the fridge Frost forms in the freezer compartment Water drips on the floor.

1) Are the doors being opened often? Are doors improperly sealed shut?

1) When the moisture in the air gets cooled, frost or dew forms. Even if the door is just slightly open, frost or dew may form. Also, this dew may sometimes drip onto the floor. Page 7

② Is it a time of high humidity as in the rainy season?


2 There may be times when dew forms temporarily. Please wipe it off with a dry cloth. Also, there may be times when frost forms in the freezer compartment. Please open the door for shorter times.

Doors open easily. Doors do not close.



1 Is food or a case blocking the door?

1) Put away items properly so that they do not interfere when closing the door.



2 Remove the item. Please do not let food items, the electrical cord, plastic bags, etc. get in the way.

3 Does the refrigerator wobble or seem unstable? Are the Adjustable Legs touching the floor?

3 Bring the adjustable leg down, and raise the front higher, with a slightly raised front, closing doors becomes easier. Page 4

The odour bothers me (Food items / ice).

1) Have you put in strong-smelling foods without using a food wrap?

1 If the smell is strong, the odour-removing device cannot remove it all, so please wrap such items.

2 Is the Water Supply Tank unclean?

2 Please do a regular cleaning maintenance.

I get static noise

1) Is the refrigerator installed near a TV?

1) Please set your refrigerator at a distance from TVs, etc. 2 We recommend a single power outlet

② Is the power source for the refrigerator taken from near the antenna cable inlet? and that earthing is done.

from the TV, etc.

Loud or disturbing noises. The noises listed to

the right are normal.

1) After defrosting it is normal for the sound level to increase.

2 Sometimes, a whirring or rumbling sound is heard.

3 Sometimes after opening a door, a cracking sound or the sound of dripping water is heard from within the refrigerator.

when sound becomes large. 2 These are the sounds of the flowing

1) After the defrosting, there are times

refrigerant (gas). 3 A creaking or cracking sound is made when warm air has entered the refrigerator,


4 Sometimes there is a "wheeen" or "klik-klak" sound (every 1~2 hours).

causing the plastic parts to expand. 4 This is the Auto Ice-Maker sound. Even if there is no water in the Water Supply Tank, the Auto Ice-Maker and the pump will make a sound about every 100 minutes.

⑤ After plugging it in, there's sometimes a "gu" or "gween" sound (every 1~2 hours) when the Ice-Maker is off.

⑤ This is the sound of the Auto Ice-Maker doing an operations check. Even when it is on "ICE MAKER OFF" it will do the checking.

The outside of the unit gets hot There is air coming from the floor.



This is because there is heat radiating from the sides and top of the refrigerator, there is dew prevention piping and there is a fan below expelling radiating heat. Right after installation or during the summer, especially if it is hot outside (about 50~60 °C), warm air can come out from under the unit. This operation is necessary to keep the unit cool and there is no problem.



Accessories.

| | Model Name | MR-C375G | MR-C405G |
|--------------------------|---|----------|----------|
| | Accessories | Quantity | Quantity |
| | Adjustable Shelf | 1 | 2 |
| nent | Three-way Flexishelf | 1 | 1 |
| Compartment | Sliding Case (refrigerator compartment) | 1 | 1 |
| Som | Water Supply Tank (including purification filter) | 1 | 1 |
| | Free Pocket | 2 | 2 |
| Refrigerator | Free Egg Tray | 1 | 1 |
| Small-Item Pocket | | s= | 1 |
| | Bottle Pocket | 1 | 1 |
| Vegetable Compartment | Vegetable Case | 1 | 1 |
| Vegetable Compartmen | Sliding Case (vegetable compartment) | 1 | 1 |
| nent | Freezing Case (upper) | 1 | 1 |
| partn | Freezing Case (lower) | 1 | 1 |
| Freezer Compa | Noise Reduction Mat | 1 | 1 |
| | Ice Server | 1 | 1 |
| | Water Storage Container | 1 | 1 |
| | Toe Grille | 1 | 1 |

■ This appliance is designed for use in Australia and New Zealand only and cannot be used in any other country. No service is available outside of Australia and New Zealand."

When you hear noise from the lower rear of the refrigerator

Part of the cooling system is the compressor, which operating, does create a more noticeable increase in noise level.
 This is normal. However, if the noise is quite loud, this could be because the refrigerator is not installed correctly on a hard level surface, or there may be a problem that may need service.

| MODEL NAME | COUNTRY NAME |
|-----------------|-------------------------|
| MR-C375G/405G-A | AUSTRALIA / NEW ZEALAND |

CAUTION

1. This appliance is designed for use in ambient temperature listed below.

| MODEL NAME | AMBIENT TEMPERATURE RANGE | CLIMATIC CLASS |
|-------------------|---------------------------|----------------|
| MR-C375G, C405G-A | 16 °C ~ 43 °C | |
| | | |

The internal temperatures could be affected by such factors as the location of the refrigerating appliance, ambient temperature, the frequency of door opening, and, if appropriate, a warning that the setting of any temperature control device might have to be varied to allow for these factors.

- 2. A rise in temperature of the frozen food during manual defrosting, maintenance or cleaning could shorten the storage life.
- 3. Food to be frozen is not to be placed in direct contact with food in storage and, if appropriate, it could be necessary to reduce the quantity to be frozen if freezing every day is anticipated.
- 4. An electrical power failure for 1-2 hour will only slightly effect the inside temperature. However, opening & closing of the door results in temperature loss. In case there is more than a 24 hour electrical power failure, the food should be taken out from the fridge.
- 5. In case you are leaving or there is no food in the fridge for more than 3 weeks, the fridge should be unplugged and cleaned.

MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE: TOKYO BUILDING 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN PHONE: +81 (3) 3218-2111

http://Global.MitsubishiElectric.com

Distributed by:

MITSUBISHI ELECTRIC AUSTRALIA PTY LTD.

(Incorporated in New South Wales) ABN 58 001 215 792

New South Wales:

348 Victoria Road, Rydalmere NSW 2116 Phone: (02) 9684 7777, Fax: (02) 9898 1043 **Queensland:**

Da Vinci Business Park, Building 101, 2A Boronia Road, Brisbane Airport QLD 4008 Phone: (07) 3623 2000, Fax: (07) 3860 6761

South Australia / Northern Territory:

Suite 1, 224 Glen Osmond Road, Fullarton SA 5063 Phone: (08) 8338 1001, Fax: (08) 8338 0501 Western Australia:

Unit 5, 329 Collier Road, Bassendean WA 6054 Phone: (08) 9377 3400, Fax: (08) 9377 3499 Victoria / Tasmania:

Unit 5, 12 Compark Circuit Mulgrave VIC 3170 Phone: (03) 9535 7800, Fax: (03) 9535 7801

Distributed by:

BLACK DIAMOND TECHNOLOGIES LIMITED (BDT)

Wellington Office (Head Office)

1 Parliament Street Lower Hutt PO Box 30772 Phone: (04) 560 9147, Fax: (04) 560 9133 Auckland Office

Unit 1, 4 Walls Road Penrose PO Box 12726 Phone: (09) 526 9347, Fax: (09) 526 9348 Christchurch Office

44 Halwyn Drive Hornby PO Box 16904 Phone: (03) 341 2837, Fax: (03) 341 2838

